

References

- A.E. Morales, E. S. Mora and Pal U., (2007), "Use of diffuse reflectance spectroscopy for optical characterization of un-supported nanostructures", *Revista Mexicana De Fisica S*, Vol.53, September 2007, pp.18-22
- AbuDakka M., Qurashi A., Hari P. and Alam M.W., (2010), "Formamide driven synthesis of well-aligned ZnO nanorod arrays on glass substrate", *Materials Science in Semiconductor Processing*, Vol.13, June 2010, pp.115-118
- Adamyany A.Z., Adamyany Z.N., Aroutiounian V.M., Schierbaum K.D. and Han S.D., (2009), "Improvement and stabilization of thin-film hydrogen sensors parameters", *Armenian Journal of Physics*, Vol.2, 2009, pp.200-212
- Agarwal D.C. et al., (2006), "SHI induced modification of ZnO thin film: Optical and structural studies", *Nuclear Instruments and Methods in Physics Research B*, Vol.244, January 2006, pp.136-140
- Agarwal D.C. et al., (2008), "Thermal and ion induced annealing of nanocrystalline ZnO thin film deposited by atom beam sputtering", *Journal of Physics D: Applied Physics*, Vol.41, January 2008, pp.045305
- Agarwal D.C. et al., (2009), "Swift heavy ion induced structural modification of atom beam sputtered ZnO thin film", *Surface and Coating Technology*, Vol.203, March 2009, pp. 2427-2431
- Agarwal D.C., Chauhan R.S., Avasthi D.K., Khan S.A., Kabiraj D. and Sulania I., (2008), "Formation of self-affine nanostructures on ZnO surfaces by swift heavy ions", *Journal of Applied Physics*, Vol.104, July 2008, pp.024304
- Ahn M.W., Park K.S., Heo J.H., Kim D.W., Choi K.J. and Park J.G., (2009), "On-chip fabrication of ZnO-nanowire gas sensor with high gas sensitivity", *Sensors and Actuators B*, Vol.138, February 2009, pp.168-173
- Ajimsha R.S., Manoj R., Aneesh P.M. and Jayaraj M.K., (2010), "Violet luminescence from ZnO nanorods grown by room temperature pulsed laser deposition", *Current Applied Physics*, Vol.10, 2010, pp.693-697
- Aksoy S. and Caglar Y., (2012), "Effect of ambient temperature on electrical properties of nanostructure n-ZnO/p-Si heterojunction diode", *Superlattices and Microstructures*, Vol.51, March 2012, pp.613-625
- Alam M.F.B., Phan D.T. and Chung G.S., (2015), "Palladium nanocubes decorated on a one-dimensional ZnO nanorods array for use as a hydrogen gas sensor", *Materials Letters*, Vol.156, 2015, pp.113
- Al-Hamdani N.A., Al-Alawy R.D. and Hassan S.J., (2014), "Effect of gamma irradiation on the structural and optical properties of ZnO thin films", *IOSR Journal of Computer Engineering*, Vol.16, February 2014, pp.11-16
- Al-Hardan N.H., Abdullah M.J. and Aziz A.A., (2010), "Sensing mechanism of hydrogen gas sensor based on RF-sputtered ZnO thin films", *International Journal of Hydrogen Energy*, Vol.35, March 2010, pp.4428-4434
- Al-Heniti et.al., (2011), "Temperature dependant structural and electrical properties of ZnO nanowire networks", *Journal of Nanoscience and Nanotechnology*, Vol.11, 2011, pp.1-7
- Alim K.A., Fonoberov V.A., Shamsa M. and Balandin A.A., (2005), "Micro-Raman investigation of optical phonons in ZnO nanocrystals", *Journal of Applied Physics*, Vol.97, June 2005, 124313
- Al-Kaysi R.O., Ghaddar T.H. and Guirado G., (2009), "Fabrication of one-dimensional organic structures using anodic aluminium oxide templates", *Journal of Nanomaterials*, Vol.2009, February 2009, pp.1-14
- Al-Salman H.S. and Abdullah M.J., (2013), "Hydrogen gas sensing based on ZnO nanostructure prepared by RF-sputtering on quartz and PET substrates", *Sensors and Actuators B*, Vol.181, February 2013, pp.259-266
- Al-Sofiany S.M., Hassan H.E., Ashour A.H. and El-Raheem M.M.A., (2014), "Study of γ -rays enhanced changes of the ZnO:Al thin film structure and optical properties", *International Journal of Electrochemical Science*, Vol.9, March 2014, pp.3209-3221
- Al-Zaidi Q.G., Suhail A.M., and Al-Azawi W.R., (2011), "Palladium-doped ZnO thin film hydrogen gas sensor", *Applied Physics Research*, Vol.3, May 2011, pp.89-99
- Anta J.A., Guillen E. and Tena-Zaera R., (2012), "ZnO-based dye-sensitized solar cells", *Journal of Physical Chemistry C*, Vol.116, March 2012, pp.11413-11425
- Arafat M.M., Dinan B., Akbar S.A. and Haseeb A.S.M.A., (2012), "Gas sensors based on one dimensional nanostructured metal-oxides: a review", *Sensors*, Vol.12, May 2012, pp.7207-7258

- Arslan E., Altindal S., Ozcelik S. and Ozbay E., (2009), "Tunneling current via dislocations in schottky diodes on AlInN/AlN/GaN heterostructures", *Semiconductor Science and Technology*, Vol.24, May 2009, pp.075003
- Asil H., Cinar K., Gur E., Coskun C. and Tuzemen S., (2013), "Temperature dependent current-voltage characteristics of electrodeposited p-ZnO/n-Si heterojunction", *International Journal of Physical Sciences*, Vol.8, March 2013, pp.371-379
- Aumayr F., Facsko S., El-Said A.S., Trautmann C. and Schleberger M., (2011), "Single ion induced surface nanostructures: a comparison between slow highly charged and swift heavy ions", *Journal of Physics: Condensed Matter*, Vol.23, September 2011, pp.393001
- Avramov I.D., Rapp M., Voigt A., Stahl U. and Dirschka M., (2000), "Comparative studies on polymer coated SAW and STW resonators for chemical gas sensor applications", *IEEE/EIA International Frequency Control Symposium and Exhibition*, pp.58-65
- Azmy N.A.N., Abdullah H., Naim N.M., Hamid A.A., Shaari S. and Mokhtar W.H.M.W., (2014), "Gamma irradiation effect on the structural, morphology and electrical properties of ZnO-CuO doped PVA nanocomposite thin films for Escherichia coli sensor", *Radiation Physics and Chemistry*, Vol.103, June 2014, pp. 108-113
- Bai H. and Shi G., (2007), "Gas sensors based on conducting polymers", *Sensors*, Vol.7, March 2007, pp.267-307
- Balakrishnan L., Raj S.G., Meher S.R., Asokan K. and Alex Z.C., (2015), "Impact of 100 MeV Ag⁷⁺ SHI irradiation fluence and N incorporation on structural, optical, electrical and gas sensing properties of ZnO thin films", *Applied Physics A*, Vol.119, April 2015, pp.1541-1553
- Barala S.S., Singh J., Ranwa. S. and Kumar M., "Radiation induced response of Ba_{0.5}Sr_{0.5}TiO₃ based tunable capacitors under gamma irradiation", *IEEE Transactions of Nuclear Science*, Vol.62, August 2015, pp. 1873-1878
- Barsan N. and Weimar U., (2003), "Understanding the fundamental principles of metal oxide based gas sensors; the example of CO sensing with SnO₂ sensors in the presence of humidity", *Journal of Physics: Condensed Matter*, Vol.15, May 2003, pp.R813-R839
- Barsan N., Koziej D. and Weimar U., (2007), "Metal oxide-based gas sensor research: how to?", *Sensors and Actuators B*, Vol.121, 2007, pp.18-35
- Basu P.K., Saha N., Jana S.K., Saha H., Spetz A.L. and Basu S., (2009), "Schottky junction methane sensors using electrochemically grown nanocrystalline-nanoporous ZnO thin films", *Journal of Sensors*, Vol. 2009, July 2009, pp. 1-9
- Basu S. and Dutta A., (1997), "Room-temperature hydrogen sensors based on ZnO", *Materials Chemistry and Physics*, Vol.47, 1997, pp.93-96
- Bie L.J., Yan X.N., Yin J., Duan Y.Q. and Yuan Z.H., (2007), "Nanopillar ZnO gas sensor for hydrogen and ethanol", *Sensors and Actuators B*, Vol.126, April 2007, pp.604-608
- Biroju R.K., Giri P.K., Dhara S., Imakita K. and Fujii M., (2013), "Graphene-assisted controlled growth of highly aligned ZnO nanorods and nanoribbons: growth mechanism and photoluminescence properties", *ACS Applied Materials and Interfaces*, Vol.6, December 2013, pp.377-387
- BMW, (2016), www.bmw.com/bmw_cleanenergy; 2 November 2016
- Bochenkov, V. E., and G. B. Sergeev, (2010), "Sensitivity, selectivity, and stability of gas-sensitive metal-oxide nanostructures." *Metal Oxide Nanostructures and Their Applications*, Vol. 3, 2010, pp. 31-52
- Buttner W.J., Post M.B., Burgess R. and Rivkin C., (2011), "An overview of hydrogen safety sensors and requirements", *International Journal of Hydrogen Energy*, Vol.36, 2011, pp.2462-2470
- Campo L. et.al., (2016), "The effect of a sputtered Al-doped ZnO seed layer on the morphological, structural and optical properties of electrochemically grown ZnO nanorod arrays", *Journal of Electrochemical Society*, Vol.163, May 2016, pp.D392-D400
- Cao G., (2004), "Nanostructure and nanomaterials: synthesis, properties & applications", imperial college press, London, April 2004
- Cardoza-Contreras M.N., Romo-Herrera J.M., Rios L.A., Garcia-Gutierrez R., Zepeda T.A. and Contreras O.E., (2015), "Single ZnO nanowire-based gas sensors to detect low concentrations of hydrogen", *Sensors*, Vol.16, December 2015, pp.30539-30544
- Chandrinou C., Boukos N., Stogios C. and Travlos A., (2009), "PL study of oxygen defect formation in ZnO nanorods", *Microelectronics Journal*, Vol.40, 2009, pp.296-298
- Chandrinou C., Boukos N., Stogiou C. and Travlos A., (2009), "PL study of oxygen defect formation in ZnO nanorods", *Microelectronics Journal*, Vol.40, 2009, pp.296-298
- Chao C.S., Chi P.W. and Wei D.H., (2016), "Investigations on the crystallographic orientation induced surface morphology evolution of ZnO thin films and their wettability and conductivity", *The Journal of Physical Chemistry C*, Vol.120, March 2016, pp.8210-8219

- Chauhan R.N., Anand R.S. and Kumar J., (2014), "RF-sputtered Al-doped ZnO thin films: optoelectrical properties and application in photovoltaic devices", *Physica Status Solidi (A)*, July 2014, pp.1-9
- Chen C., He H., Lu Y., Wu K. and Ye Z., (2013), "Surface passivation effect on the photoluminescence of ZnO nanorods", *ACS Applied Materials and Interfaces*, Vol.5, June 2013, pp.6354-6359
- Chen H.G., Li Z.W. and Lian H.D., (2010), "Control of epitaxial growth orientation in ZnO nanorods on c-plane sapphire substrates", *Thin Solid Films*, Vol.518, April 2010, pp.5520-5524
- Chen K.J., Hung F.Y., Chang S.J. and Young S.J., (2009), "Optoelectronic characteristics of UV photodetector based on ZnO nanowire thin films", *Journal of Alloys and Compounds*, Vol.479, January 2009, pp.674-677
- Chen M., Wang Z., Han D., Gu F. and Guo G., (2011), "Porous ZnO polygonal nanoflakes: synthesis, use in high-sensitivity NO₂ gas sensor, and proposed mechanism of gas sensing", *Journal of Physical Chemistry C*, Vol.115, May 2011, pp.12763-12773
- Chen X.D., Ling C.C., Fung S. and Beling C.D., (2006), "Current transport studies of ZnO/p-Si heterostructures grown by plasma immersion ion implantation and deposition", *Applied Physics Letters*, Vol.88, March 2006, pp.132104
- Chino M., Nakayama H., Nagai H., Terada H., Katata G. and Yamazawa H., (2011), "Preliminary estimation of release amounts of ¹³¹I and ¹³⁷Cs accidentally discharged from the Fukushima Daiichi nuclear power plant into the atmosphere", *Journal of Nuclear Science and Technology*, Vol.48, May 2011, pp.1129-1134
- Chirakkara S. and Krupanidhi S.B., (2012), "Study of n-ZnO/p-Si (100) thin film heterojunctions by pulsed laser deposition without buffer layer", *Thin Solid Films*, Vol.520, May 2012, pp.5894-5899
- Chmielewski A.G and Haji-Saeid M., (2004), "Radiation technologies: past, present and future", *Radiation Physics and Chemistry*, Vol 71, October 2004, pp.16-20
- Cho S., (2009), "Effects of growth temperature on the properties of ZnO thin films grown by radio-frequency magnetron sputtering", *Transactions on Electrical and Electronic Materials*, Vol.10, December 2009, pp.185-188
- Choi K.J. and Jang H.W., (2010), "One-dimensional oxide nanostructures as gas-sensing materials: review and issues", *Sensors*, Vol.10, April 2010, pp.4083-4099
- Comini E., Faglia G., Sberveglieri G., Pan Z. and Wang Z.L., (2002), "Stable and highly sensitive gas sensors based on semiconducting oxide nanobelts", *Applied Physics Letters*, Vol.81, September 2002, pp.1869-1871
- Cullity B.D., (1978), "Elements of X-ray diffraction", Addison Wesley Publishing Company, Inc., 2nd Edition, 1978
- Dallaeva D., Talu S., Stach S., Skarvada P., Tománek P. and Grmela L., (2014), "AFM imaging and fractal analysis of surface roughness of AlN epilayers on sapphire substrates", *Applied Surface Science*, Vol.312, May 2014, pp.81-86
- Das S.N., Kar J.P., Choi J.H., Lee T., Moon K.J. and Myoung J.M., (2010), "Fabrication and characterization of ZnO single nanowire-based hydrogen sensor", *Journal of Physical Chemistry C*, Vol.114, May 2010, pp.1689-1693
- Dhananjay, Nagaraju J. and Krupanidhi S.B., (2007), "Investigations on zinc oxide thin films grown on Si (100) by thermal oxidation", *Material Science and Engineering: B*, Vol.137, 2007, pp.126-130
- Dilonardo et.al., (2016), "Evaluation of gas-sensing properties of ZnO nanostructures electrochemically doped with Au nanophases", *Beilstein Journal of Nanotechnology*, Vol. 7, January 2016, pp.22-31
- Ding J., Chen H., Zhao X. and Ma S., (2010), "Effect of substrate and annealing on the structural and optical properties of ZnO: Al films", *Journal of Physics and Chemistry of Solids*, Vol.71, 2010, pp.346-350
- Dodds et.al., (2015), "Hydrogen and fuel cell technologies for heating: a review", *International Journal of Hydrogen Energy*, Vol.40, January 2015, pp.2065-2083
- Du et.al., (2007), "ZnO film for application in surface acoustic wave device", *Journal of Physics: Conference Series*, Vol.76, 2007, pp.012035
- Du S., Lu Y., Malladi S.K., Xu Q. and Steinberger-Wilckens R., (2014), "A simple approach for PtNi-MWCNT hybrid nanostructures as high performance electrocatalysts for the oxygen reduction reaction", *Journal of Materials Chemistry A*, Vol.2, 2014, pp.692-698
- Dutta M. and Basak D., (2008), "p-ZnO/n-Si heterojunction: sol-gel fabrication, photoresponse properties, and transport mechanism", *Applied Physics Letters*, Vol.92, May 2008, pp.212112
- Duy N.V., Toan T.H., Hoa N.D. and Hieu N.V., (2015), "Effects of gamma irradiation on hydrogen gas-sensing characteristics of Pd-SnO₂ thin film sensors", *International Journal of Hydrogen Energy*, Vol.30, August 2015, pp.12572-12580
- Duygulu N.E., Kodolbas A.O. and Ekerim A., (2014), "Effects of argon pressure and r.f. power on magnetron sputtered aluminium doped ZnO thin films", *Journal of Crystal Growth*, Vol.394, March 2014, pp.116-125

- Eberle U., Felderhoff M. and Schuth F., (2009), "Chemical and physical solutions for hydrogen storage", *Angewandte Chemie International Edition*, Vol.48, 2009, pp.6608-6630
- Favier F., Walter E.C., Zach M.P., Benter T. and Penner R.M., (2001), "Hydrogen sensors and switches from electrodeposited palladium mesowire arrays", *Science*, Vol.293, September 2001, pp.2227
- Fuelcellmarkets, (2016), www.fuelcellmarkets.com/acta_hydrogen_electrolayers; , 2 November 2016
- Furukawa T. et.al., (2013), "High-resolution microscopy for biological specimens via cathodoluminescence of Eu- and Zn-doped Y₂O₃ nanophosphors", *Optics Express*, Vol.21, November 2013, pp.25655
- Ghetia S., Gajjar R. and Trivedi P., (2013), "Classification of fiber optical sensors", *International Journal of Electronics Communication and Computer Technology*, Vol.3, July 2013, pp.442-445
- Ghosh R. and Basak D., (2007), "Electrical and ultraviolet photoresponse properties of quasialigned ZnO nanowires/p-Si heterojunction", *Applied Physics Letters*, Vol.90, June 2007, 243106
- Ghosh R., Basak D. and Fujihara S., (2004), "Effect of substrate-induced strain on the structural, electrical, and optical properties of polycrystalline ZnO thin films", *Journal of Applied Physics*, Vol.96, September 2004, pp.2689-2692
- Givargizov E.I., (1975), "Fundamental aspects of VLS growth", *Journal of Crystal Growth*, Vol.31, December 1975, pp.20-30
- Gopel W. and Schierbaum K.D., (1995), "SnO₂ sensors: current status and future prospects", *Sensors and Actuators B*, Vol.26-27, 1995, pp.1-12
- Graetz J., (2009), "New approaches to hydrogen storage", *Chemical Society Reviews*, Vol.38, 2009, pp.73-82
- Gu H., Wang Z. and Hu Y., (2012), "Hydrogen gas sensors based on semiconductor oxide nanostructures", *Sensors*, Vol.12, April 2012, pp.5517-5550
- Gu H., Wang Z. and Hu Y., (2012), "Hydrogen gas sensors based on semiconductor oxide nanostructures", *Sensors*, Vol.12, April 2012, pp.5517-5550
- Gu H., Wang Z. and Hu Y., (2012), "Hydrogen gas sensors based on semiconductor oxide nanostructures", *Sensors*, Vol.12, April 2012, pp.5517-5550
- Gu Y., Kuskovsky I.L., Yin M., O'Brien S. and Neumark G.F., (2004), "Quantum confinement in ZnO nanorods", *Applied Physics Letters*, Vol.85, October 2004, pp.3833-3835
- Gu Z., Liu F., Howe J.Y., Paranthaman M.P. and Pan Z., (2009), "Germanium-catalyzed hierarchical Al₂O₃ and SiO₂ nanowire bunch arrays", *Nanoscale*, Vol.1, September 2009, pp.347-354
- Guerguerian G. et.al., (2012), "ZnO/Cu₂O heterostructure nanopillar arrays: synthesis, structural and optical properties", *Journal of Physics D: Applied Physics*, Vol.45, May 2012, pp.245301
- Guinebreterier R., (2006), "X-ray diffraction by polycrystalline materials", Jhon Willey & Sons, 2013
- Hallewell G., Crawford G., McShurley D., Oxoby G. and Reif R., (1988), "Nuclear instruments and methods in physics research section A: accelerators, spectrometers, detectors and associated equipment", Vol.264, February 1988, pp.219-234
- Hassan J.J., Mahdi M.A., Chin C.W., Abu-Hassan H. and Hassan Z., (2013), "A high-sensitivity room-temperature hydrogen gas sensor based on oblique and vertical ZnO nanorod arrays", *Sensors and Actuators B*, Vol.176, 2013, pp.360-367
- Hassan J.J., Mahdi M.A., Kasim S.J., Ahmed N.M., Hassan H.A. and Hassan Z., (2013), "Fast UV detection and hydrogen sensing by ZnO nanorod arrays grown on a flexible kapton tape", *Materials Science-Poland*, Vol.31, 2013, pp.180-185
- Hobbs P.J., Misselbrook T.H. and Pain B.F., (1995), "Assessment of odours from livestock wastes by a photoionization detector, an electronic nose, olfactometry and gas chromatography-mass spectrometry", *Journal of Agriculture Engineering Research*, Vol.60, 1995, pp.137-144
- Hong J., Lee S., Seo J., Pyo S., Kim J. and Lee T., (2015), "A highly sensitive hydrogen sensor with gas selectivity using a PMMA membrane-coated Pd nanoparticle/single-layer graphene hybrid", *ACS Applied Materials and Interfaces*, Vol.7, January 2015, pp.3554-3561
- Hong Y. et.al., (2016), "Highly selective ZnO gas sensor based on MOSFET having a horizontal floating-gate", *Sensors and Actuators B*, Vol.232, April 2016, pp.653-659
- Hsu C.L., Gao Y.D., Chen Y.S. and Hsueh T.J., (2014), "Vertical Ti doped ZnO nanorods based on ethanol gas sensor prepared on glass by furnace system with hotwire assistance", *Sensors and Actuators B*, Vol.192, 2014, pp.550-557
- Huang J. and Wan Q., (2009), "Gas sensors based on semiconducting metal oxide one-dimensional nanostructures", *Sensors*, Vol.9, December 2009, pp.9903-9924
- Hubert T., Boon-Brett L., Palmisano V. and Bader M.A., (2014), "Developments in gas sensor technology for hydrogen safety", *International Journal of Hydrogen Energy*, Vol.39, June 2014, pp.20474-20483
- Hung et.al., (2009), "Synthesis and hydrogen gas sensing properties of ZnO wirelike thin films", *Journal of Vacuum Science & Technology A*, Vol.27, October 2009, pp.1347-1351

- Hur T.B., Hwang Y.H. and Kim H.K., (2006), "Strain effects in ZnO thin films and nanoparticles", *Journal of Applied Physics*, Vol.99, March 2006, pp.064308
- Hwang D.K., Oh M.S., Lim J.H. and Park S.J., (2007), "ZnO thin films and light-emitting diodes", *Journal of Physics D: Applied Physics*, Vol.40, November 2007, pp.R387-R412
- Indluru A., Holbert K.E. and Alford T.L., (2013), "Gamma radiation effects on indium-zinc oxide thin-film transistors", *Thin Solid Films*, Vol.539, May 2013, pp.342-344
- Irokawa Y., (2011), "Hydrogen sensors using nitride-based semiconductor diodes: the role of metal/semiconductor interfaces", *Sensors*, Vol.11, January 2011, pp.674-695
- Ismail A. and Abdullah M.J., (2013), "The structural and optical properties of ZnO thin films prepared at different RF sputtering power", *Journal of King Saud University-Science*, Vol.25, 2013, pp.209-215
- IUAC, New Delhi, (2016), www.iuac.res.in, 2 November 2016
- Jeong S.H. and Boo J.H., (2004), "Influence of target-to-substrate distance on the properties of AZO films grown by RF magnetron sputtering", *Thin Solid Films*, Vol.447-448, 2004, pp.105-110
- Jeong S.H., Kim B.S. and Lee B.T., (2003), "Photoluminescence dependence of ZnO films grown on Si(100) by radio-frequency magnetron sputtering on the growth ambient", *Applied Physics Letters*, Vol.82, February 2003, pp.2625-2627
- Jia G.Z., Hao B.X., Lu X.C., Wang X.L., Li Y.M. and Yao J.H., (2013), "Solution growth of well-aligned ZnO nanorods on sapphire substrate", *Acta Physica Polonica A*, Vol.124, April 2013, pp.74-77
- Jia Y., Zhang Z., Xiao L. and Lv R., (2016), "Carbon nanotube-silicon nanowire heterojunction solar cells with gas-dependent photovoltaic performances and their application in self-powered NO₂ detecting", *Nanoscale Research Letters*, Vol.11, 2016, pp.299
- Jie S., Yang L. and Fan D.H., (2011), "Effects of argon-oxygen ratio and sputtering power on optical properties of ZnO: Al thin films fabricated by RF magnetron sputtering", *Advanced Materials Research*, Vol.216, March 2011, pp.307-311
- Johansson M., Skulason E., Nielsen G., Murphy S., Nielsen R.M. and Chorkendorff I., (2010), "Hydrogen adsorption on palladium and palladium hydride at 1 bar", *Surface Science*, Vol.604, February 2010, pp.718-729
- Ju et.al., (2015), "Near room temperature, fast-response, and highly sensitive triethylamine sensor assembled with Au-loaded ZnO/SnO₂ core-shell nanorods on flat alumina substrates", *ACS Applied Materials and Interfaces*, Vol.7, August 2015, pp.19163-19171
- Kang S.B., Lim J.W., Lee S., Kim J.J. and Kim H.K., (2012), "Transparent indium oxide films doped with high lewis acid strength Ge dopant for phosphorescent organic light-emitting diodes", *Journal of Physics D: Applied Physics*, Vol.45, July 2012, pp.325102
- Kar et.al., (2010), "Influence of sputtering pressure on morphological, mechanical and electrical properties of Al-doped ZnO films", *Solid-State Electronics*, Vol.54, July 2010, pp.1447-1450
- Karamdel J., Hadi A., Dee C.F. and Majlis B.Y., (2012), "Effects of substrate on surface morphology, crystallinity, and photoluminescence properties of sputtered ZnO nano films", *Ionics*, Vol.18, 2012, pp.203-207
- Karatas S., Altindal S., Turut A. and Ozmen A., (2003), "Temperature dependence of characteristic parameters of the H-terminated Sn/p-Si (100) schottky contacts", *Applied Surface Science*, Vol.217, March 2003, pp.250-260
- Katoch A., Abideen Z.U., Kim H.W. and Kim S.S., (2016), "Grain-size-tuned highly H₂-selective chemiresistive sensors based on ZnO-SnO₂ composite nanofibers", *ACS Applied Materials and Interfaces*, Vol.8, January 2016, pp.2486-2494
- Kern W., (2012), "Thin film processes II", Academic press, Inc., New York, 2012
- Khan R., Ra H.W., Kim J.T., Jang W.S., Sharma D. and Im Y.H., (2010), "Nanojunction effects in multiple ZnO nanowire gas sensor", *Sensors and Actuators B*, Vol.150, July 2010, pp.389-393
- Kim D.C., Kong B.H. and Cho H.K., (2008), "Morphology control of 1D ZnO nanostructures grown by metal-organic chemical vapor deposition", *Journal of Materials Science: Materials in Electronics*, Vol.19, 2008, pp.760-763
- Kim D.H., Lu N., Ghaffari R. and Rogers J.A., (2012), "Inorganic semiconductor nanomaterials for flexible and stretchable bio-integrated electronics", *NPG Asia Materials*, Vol.4, April 2012, pp.1-9
- Kong B.H. and Cho H.K., (2007), "Growth and microstructural characterization of catalyst-free ZnO nanostructures grown on sapphire and GaN by thermal evaporation", *Journal of Materials Research*, Vol.22, April 2007, pp.937-942
- Kumar R., Al-Dossary O., Kumar G. and Umar A., (2015), "Zinc oxide nanostructures for NO₂ gas-sensor applications: a review", *Nano-Micro Letters*, Vol.7, 2015, pp.97-120

- Kumar R., Kumar G., Al-Dossary O. and Umar A., (2015), "ZnO nanostructured thin films depositions, properties and applications-a review", *Materials Express*, Vol.5, 2015, pp.3-23
- Kumar Y., Zaldivar M.H., Méndez S.F.O., Singh F., Mathew X. and Agarwal V., (2012), "Modification of optical and electrical properties of zinc oxide-coated porous silicon nanostructures induced by swift heavy ion", *Nanoscale Research Letters*, Vol.7, 2012, pp.366
- Kung et.al., (2012), "Influence of Y-doped induced defects on the optical and magnetic properties of ZnO nanorod arrays prepared by low-temperature hydrothermal process", *Nanoscale Research Letters*, Vol.7, 2012, pp.372
- Kunj S. and Sreenivas K., (2016), "Residual stress and defect content in magnetron sputtered ZnO films grown on unheated glass substrate", *Current Applied Physics*, Vol.16, April 2016, pp.748-756
- Kuriakose S., Avasthi D.K. and Mohapatra S., (2015), "Effects of swift heavy ion irradiation on structural, optical and photocatalytic properties of ZnO-CuO nanocomposites prepared by carbothermal evaporation method", *Beilstein Journal of Nanotechnology*, Vol.6, April 2015, pp.928-937
- Lakard B., Carquigny S., Segut O., Patois T. and Lakard S., (2015), "Gas sensors based on electrodeposited polymers", *Metals*, Vol.5, July 2015, pp.1371-1386
- L'Annunziata M F (Ed.) 2012 Handbook of Radioactivity Analysis, 3rd Edition, Academic Press, San Diego, London, USA, 2012
- Lee et.al., (2005), "Sputtered deposited nanocrystalline ZnO films: a correlation between electrical, optical and microstructural properties", *Applied Physics A-Materials Science & Processing*, Vol.80, March 2005, pp.1641-1646
- Lee H.K., Kim M.S. and Yu J.S., (2011), "Effect of AZO seed layer on electrochemical growth and optical properties of ZnO nanorod arrays on ITO glass", *Nanotechnology*, Vol.22, October 2011, pp.445602
- Lee M.S., Oh E. and Jeong S.H., (2011), "Fabrication of H₂ gas sensor based on ZnO nanorod arrays by a sonochemical method", *Bulletin of the Korean Chemical Society*, Vol.32, August 2011, pp.3735-3737
- Lee Y.K., Lee H. and Park J.Y., (2014), "Tandem-structured, hot electron based photovoltaic cell with double schottky barriers", *Scientific Reports*, Vol.4, April 2014, pp.4580
- Li C.C., Du Z.F., Li L.M., Yu H.C., Wan Q. and Wang T.H., (2007), "Surface-depletion controlled gas sensing of ZnO nanorods grown at room temperature", *Applied Physics Letters*, Vol.91, July 2007, pp.032101
- Liao et.al., (2007), "Size dependence of gas sensitivity of ZnO nanorods", *Journal of Physical Chemistry C*, Vol.111, January 2007, pp.1900-1903
- Lin K.F., Cheng H.M., Hsu H.C. and Hsieh W.F., (2006), "Band gap engineering and spatial confinement of optical phonon in ZnO quantum dots", *Applied Physics Letters*, Vol.88, June 2006, pp.263117
- Ling C. et.al., (2016), "Room temperature hydrogen sensor with ultrahigh-responsive characteristics based on Pd/SnO₂/SiO₂/Si heterojunctions", *Sensors and Actuators B*, Vol.227, 2016, pp.438-447
- Liu X., Cheng S., Liu H., Hu S., Zhang D. and Ning H., (2012), "A survey on gas sensing technology", *Sensors*, Vol.12, July 2012, pp.9635-9665
- Liu X., Wu X., Cao H. and Chang R.P.H., (2004), "Growth mechanism and properties of ZnO nanorods synthesized by plasma-enhanced chemical vapor deposition", *Journal of Applied Physics*, Vol.95, March 2004, pp.3141-3147
- Look D.C., Coskun C., Clafin B. and Farlow G.C., (2003), "Electrical and optical properties of defects and impurities in ZnO", *Physica B*, Vol.340-342, 2003, pp.32-38
- Lu Y.M., Hwang W.S., Liu W.Y. and Yang J.S., (2001), "Effect of RF power on optical and electrical properties of ZnO thin film by magnetron sputtering", *Materials Chemistry and Physics*, Vol.72, 2001, pp.269-272
- Luo et.al., (2014), "One-dimensional CuO nanowire: synthesis, electrical, and optoelectronic devices application", *Nanoscale Research Letters*, Vol.9, 2014, pp. 637
- Luo L., Zhang Y., Mao S.S. and Lin L., (2006), "Fabrication and characterization of ZnO nanowires based UV photodiodes", *Sensors and Actuators A*, Vol.127, 2006, pp.201-206
- Lupan et.al., (2010), "Selective hydrogen gas nanosensor using individual ZnO nanowire with fast response at room temperature", *Sensors and Actuators B*, Vol.144, 2010, pp.56-66
- Lupan et.al., (2010), "Well-aligned arrays of vertically oriented ZnO nanowires electrodeposited on ITO-coated glass and their integration in dye sensitized solar cells", *Journal of Photochemistry and Photobiology A: Chemistry*, Vol.211, February 2010, pp.65-73
- Lupan O. et.al., (2010), "Selective hydrogen gas nanosensor using individual ZnO nanowire with fast response at room temperature", *Sensors and Actuators B*, Vol. 144, 2010, pp.56-66
- Lupan O., Chai G. and Chow L., (2007), "Fabrication of ZnO nanorod-based hydrogen gas nanosensor", *Microelectronics Journal.*, Vol.38, October 2007, pp.1211-1216

- Lupan O., Chai G. and Chow L., (2008), "Novel hydrogen gas sensor based on single ZnO nanorod", *Microelectronic Engineering*, Vol.85, July 2008, pp.2220-2225
- Mene R.U., Mahabole M.P. and Khairnar R.S., (2011), "Surface modified hydroxyapatite thick films for CO₂ gas sensing application: Effect of swift heavy ion irradiation", *Radiation Physics and Chemistry*, Vol.80, February 2011, pp.682-687
- Mene R.U., Mahabole M.P., Sharma R. and Khairnar R.S., (2011), "Enhancement in CO gas sensing properties of hydroxyapatite thick films: Effect of swift heavy ion irradiation", *Vacuum*, Vol.86, April 2011, pp.66-71
- Messenger, G.C., and M.S. Ash., (1986), "The Effects of Radiation on Electronic Systems". United States: Van Nostrand Reinhold Co. Inc., New York, NY, 1986
- Mondal B., Basumatari B., Das J., Roychaudhury C., Saha H. and Mukherjee N., (2014), "ZnO-SnO₂ based composite type gas sensor for selective hydrogen sensing", *Sensors and Actuators B*, Vol.194, January 2014, pp.389-396
- Montenegro D.N., Souissi A., Martinez-Tomas C. Munoz-Sanjose V. and Sallet V., (2012), "Morphology transitions in ZnO nanorods grown by MOCVD", *Journal of Crystal Growth*, Vol.359, August 2012, pp.122-128
- Mott N.F., (1938), "Note on the contact between a metal and an insulator or semi-conductor", *Mathematical Proceedings of the Cambridge Philosophical Society*, Vol.34, October 1938, pp.568-572
- Myroniuk D.V., Lashkarev G.V., Shteplyuk I.I., Skuratov V.A., Reszka A. and Kowalski B.J., (2014), "Swift Xe²⁶⁺ ion irradiation effect on luminescent properties of undoped and Cd-doped ZnO films", *Acta Physica Polonica A*, Vol.126, 2014, pp.1199-1200
- Nan et.al., (2014), "Strong photoluminescence enhancement of MoS₂ through defect engineering and oxygen bonding", *ACS Nano*, Vol.8, May 2014, pp.5738-5745]
- Nandi R., Siniviasa R.S. and Major S.S., (2016), "Morphology and photoluminescence of ZnO nanorods grown on sputtered GaN films with intermediate ZnO seed layer", *Materials Chemistry and Physics*, Vol.182, July 2016, pp.155-166
- Neogi S.K., Chattopadhyay S., Banerjee A., Bandyopadhyay S., Sarkar A. and Kumar R., (2011), "Effect of 50 MeV Li³⁺ irradiation on structural and electrical properties of Mn-doped ZnO", *Journal of Physics: Condensed Matter*, Vol.23, May 2011, pp.205801
- Ozgun et.al., (2005), "A comprehensive review of ZnO materials and devices", *Journal of Applied Physics*, Vol.98, August 2005, pp.041301
- Ozturk et.al., (2014), "Hydrogen sensing properties of ZnO nanorods: effects of annealing, temperature and electrode structure", *International Journal of Hydrogen Energy*, Vol.39, February 2014, pp.5194-5201
- Pan X., Zhao X., Chen J., Bermak A. and Fan Z., (2015), "A fast-response/recovery ZnO hierarchical nanostructure based gas sensor with ultra-high room-temperature output response", *Sensors and Actuators B*, Vol.206, 2015, pp.764-771
- Pandey et.al., (2013), "Effect of growth temperature on structural, electrical and optical properties of dual ion beam sputtered ZnO thin films", *Journal of Material Science: Materials in Electronics*, Vol.24, February 2013, pp.2541-2547
- Pandis C. et.al., (2007), "Low-temperature hydrogen sensors based on Au nanoclusters and schottky contacts on ZnO films deposited by pulsed laser deposition on Si and SiO₂ substrates", *IEEE Sensors Journal*, Vol.7, March 2007, pp.448-454
- Panigrahy B., Aslam M., Misra D.S., Ghosh M. and Bahadur D., (2010), "Defect-related emissions and magnetization properties of ZnO nanorods", *Advanced Functional Materials*, Vol.20, 2010, pp.1-5
- Park H.K., Hong S.P. and Do Y.R., (2012), "Vertical growth of ZnO nanorods prepared on an ITO-coated glass substrate by hydrothermal-electrochemical deposition", *Journal of The Electrochemical Society*, Vol.159, April 2012, pp.D355-D361
- Park J. and Oh J.Y., (2009), "Highly-sensitive NO₂ detection of ZnO nanorods grown by a sonochemical process", *Journal of the Korean Physical Society*, Vol.55, September 2009, pp.1119-1122
- Park J. Y., Choi S.W. and Kim S.S., (2010), "Fabrication of a highly sensitive chemical sensor based on ZnO nanorod arrays", *Nanoscale Research Letters*, Vol.5, 2010, pp.353-359
- Pawar R.C., Lee J.W., Patil V.B. and Lee C.S., (2013), "Synthesis of multi-dimensional ZnO nanostructures in aqueous medium for the application of gas sensor", *Sensors and Actuators B*, Vol.187, 2013, pp.323-330
- Pearnton S.J., Norton D.P., Ip K., Heo Y.W. and Steiner T., (2004), "Recent advances in processing of ZnO", *Journal of Vacuum Science & Technology B*, Vol.22, April 2004, pp.932-948
- Phan D.T. and Chung G.S., (2015), "A novel nanoporous Pd-graphene hybrid synthesized by a facile and rapid process for hydrogen detection", *Sensors and Actuators B*, Vol.210, January 2015, pp.661-668
- Picture Newsletter, (2016), www.picture-newsletter.com/nuclear; 2 November 2016

- Popularmechnics, (2016), *www.popularmechnics.com/space/rocket*; 2 November 2016
- Potje-Kamloth K., (2008), "Semiconductor junction gas sensors", *Chemical Reviews*, Vol.108, 2008, pp.367-399
- Quemener et.al., (2012), "The work function of n-ZnO deduced from heterojunctions with Si prepared by ALD", *Journal of Physics D: Applied Physics*, Vol.45, July 2012, pp.315101
- Qurashi A., Faiz M., Tabet N. and Alam M.W., (2011), "Low temperature synthesis of hexagonal ZnO nanorods and their hydrogen sensing properties", *Superlattices Microstructures*, Vol.50, May 2011, pp.173-180
- Qurashi A., Tabet N., Faiz M. and Yamzaki T., (2009), "Ultra-fast microwave synthesis of ZnO nanowires and their dynamic response toward hydrogen gas", *Nanoscale Research Letters*, Vol.4, April 2009, pp.948-954
- Rakhshani A.E., Makdisi Y., Mathew X. and Mathews N., (1998), "Charge transport mechanisms in Au-CdTe space-charge-limited schottky diodes", *Physica Status Solidi (a)*, Vol.168, January 1998, pp.177187
- Ramgir et.al., (2013), "Room temperature H₂S sensor based on Au modified ZnO nanowires", *Sensors and Actuators B*, Vol.186, July 2013, pp.718-726
- Ranwa S., Kulriya P.K., Dixit V. and Kumar M., (2014), "Defect-free ZnO nanorods for low temperature hydrogen sensor application", *Journal of Applied Physics*, Vol. 115, November 2014, pp.213103
- Ranwa S., Kumar M., Singh J., Fanetti M. and Kumar M., (2015), "Schottky-contacted vertically self-aligned ZnO nanorods for hydrogen gas nanosensor applications", *Journal of Applied Physics*, Vol.118, July 2015, pp.034509
- Rao T.P., Kumar M.C.S., Angayarkanni S.A. and Ashok M., (2009), "Effect of stress on optical band gap of ZnO thin films with substrate temperature by spray pyrolysis", *Journal of Alloys and Compounds*, Vol.485, 2009, pp.413-417
- Raoufi D., (2010), "Fractal analyses of ITO thin films: A study based on power spectral density", *Physica B*, Vol.405, 2010, pp.451-455
- Ratsch C. and Venables J.A., (2003), "Nucleation theory and the early stages of thin film growth", *Journal of Vacuum Science & Technology A*, Vol.21, September 2003, pp.S96-S109
- Rawat S. and Chandra A., (2011), "I-V behaviour of transition metal oxides' nanoparticles confined in ion tracks", *Journal of Nanoparticle Research*, Vol.13, July 2011, pp.5265-5273
- Reichelt K., (1988), "Nucleation and growth of thin films", *Vacuum*, Vol.38, 1988, pp.1083-1099
- Ren S., Fan G., Qu S. and Wang Q., (2011), "Enhanced H₂ sensitivity at room temperature of ZnO nanowires functionalized by Pd nanoparticles", *Journal of Applied Physics*, Vol.110, October 2011, pp.084312
- Rigoni et.al., (2013), "Enhancing the sensitivity of chemiresistor gas sensors based on pristine carbon nanotubes to detect low-ppb ammonia concentrations in the environment", *Analyst*, Vol.138, October 2013, pp.7392-7399
- Roslo A.B., Marbie M.M., Herman S.H. and Ani M.H., (2014), "Gold-catalyzed growth of aluminium-doped zinc oxide nanorods by sputtering methods", *Journal of Nanomaterials*, Vol. 2014, July 2014, pp.1-7
- Rout C.S., Krishna S.H., Vivekchand S.R.C., Govindaraj A. and Rao C.N.R., (2006), "Hydrogen and ethanol sensors based on ZnO nanorods, nanowires and nanotubes", *Chemical Physics Letters*, Vol.418, pp.586-590
- Rout C.S., Kulkarni G.U. and Rao C.N.R., (2007), "Room temperature hydrogen and hydrocarbon sensors based on single nanowires of metal oxides", *Journal of Physics D: Applied Physics*, Vol.40, pp.2777-2782
- Rout C.S., Kulkarni G.U. and Rao C.N.R., (2007), "Room temperature hydrogen and hydrocarbon sensors based on single nanowires of metal oxides", *Journal of Physics D: Applied Physics*, Vol.40, April 2007, pp.2777-2782
- Roy S., Das S. and Sarkar C.K., (2016), "Investigation of nanostructured Pd-Ag/n-ZnO thin film based schottky junction for methane sensing", *Int. Nano Lett.*, Vol.6, July 2016, pp.199-210
- Rubio et.al., (2007), "Non-selective NDIR array for gas detection", *Sensors and Actuators B*, Vol.127, July 2007, pp.69-73
- Rusli N.I., Tanikawa M., Mahmood M.R., Yasui K. and Hashim A.M., (2012), "Growth of high-density zinc oxide nanorods on porous silicon by thermal evaporation", *Materials*, Vol.5, December 2012, pp.2817-2832
- Saad N.R.N. and Prakash S., (2013), "Hydrogen cooling system in thermal power plant using PLC & SCADA", *International Journal of Electrical Electronics and Telecommunication Engineering*, Vol.44, June 2013, pp.624-630
- Sadek A.Z., Wlodarski W., Kalantar-zadeh K. and Choopun S., (2005), "ZnO nanobelt based conductometric H₂ and NO₂ gas sensors", *IEEE Sensors Conference. IEEE*, 30 October- 3 November, 2005, pp.1326-1329

- Sagade A.A., Sharma R. and Sulaniya I., (2009), "Enhancement in sensitivity of copper sulfide thin film ammonia gas sensor: Effect of swift heavy ion irradiation", *Journal of Applied Physics*, Vol.105, February 2009, pp.043701
- Sathananthan S., Dravid V.P. and Fan S.W., (2009), "Hydrogen-sensing characteristics of palladium-doped zinc-oxide nanostructures", *Nanoscale*, Vol.6, 2009, pp.6-11
- Semicore, (2016), www.semicore.com/equipment, 2 November 2016
- Semple J., Rossbauer S. and Anthopoulos T.D., (2016), "Analysis of schottky contact formation in coplanar Au/ZnO/Al nanogap radio frequency diodes processed from solution at low temperature", *ACS Applied Materials and Interfaces*, Vol.8, August 2016, pp.23167-23174
- Senthil K., Tak Y., Seol M. and Yong K., (2009), "Synthesis and characterization of ZnO nanowire-CdO composite nanostructures", *Nanoscale Research Letters*, Vol.4, July 2009, pp.1329-1334
- Seshan K., (2012), "Handbook of thin film deposition: principle, methods, equipments and applications", 2nd Edition, William Andrew publishing, 2012
- Shafiei et.al., (2010), "Reversed bias Pt/nanostructured ZnO schottky diode with enhanced electric field for hydrogen sensing", *Sensors and Actuators B*, Vol. 146, January 2010, pp.507-512
- Sharma S. and Madou M., (2012), "A new approach to gas sensing with nanotechnology", *Philosophical Transactions of the Royal Society A*, Vol.370, 2012, pp.2448-2473
- Sharma S., Vyas R., Shrivastava S. and Vijay Y.K., (2011), "Effect of swift heavy ion irradiation on photoluminescence properties of ZnO/PMMA nanocomposite films", *Physica B*, Vol.406, May 2011, pp.3230-3233
- Shen G. and Chen D., (2010), "One-dimensional nanostructures for electronic and optoelectronic devices", *Frontiers of Optoelectronics in China*, Vol.3, 2010, pp.125-138
- Shi et.al., (2016), "Improved electrical transport and Electroluminescence properties of p-ZnO/n-Si heterojunction via introduction of patterned SiO₂ intermediate layer", *Journal of Physical Chemistry C*, Vol.120, January 2016, pp.4504-4510
- Singh F., Kulriya P.K. and Pivin J.C., (2010), "Origin of swift heavy ion induced stress in textured ZnO thin films: An in situ x-ray diffraction study", *Solid State Communications*, Vol.150, July 2010, pp.1751-1754
- Singh J., Ranwa S., Akhtar J. and Kumar M., (2015), "Growth of residual stress-free ZnO films on SiO₂/Si substrate at room temperature for mems devices", *AIP Advances*, Vol.5, June 2015, pp.067140
- Singh R., Kumar M. and Chandra S., (2007), "Growth and characterization of high resistivity c-axis oriented ZnO films on different substrates by RF magnetron sputtering for MEMS applications", *Journal of Materials Science*, Vol.42, January 2007, pp.4675-4683
- Sinha M., Mahapatra R., Mondal B., Maruyama T. and Ghosh R., (2016), "Ultrafast and reversible gas-sensing properties of ZnO nanowire arrays grown by hydrothermal technique", *Journal of Physical Chemistry C*, Vol.120, January 2016, pp.3019-3025
- Somvanshi D. and Jit S., (2013), "Mean barrier height and richardson constant for Pd/ZnO thin film-based schottky diodes grown on n-Si substrates by thermal evaporation method", *IEEE Electron Device Letters*, Vol.34, October 2013, pp.1238-1240
- Somvanshi D. and Jit S., (2014), "Analysis of temperature-dependent electrical characteristics of n-ZnO nanowires (NWs)/p-Si heterojunction diodes", *IEEE Transactions on Nanotechnology*, Vol.13, January 2014, pp.62-69
- Song D., (2008), "Effects of rf power on surface-morphological, structural and electrical properties of aluminium-doped zinc oxide films by magnetron sputtering", *Applied Surface Science*, Vol.254, January 2008, pp.4171-4178
- Song J. and Lim S., (2007), "Effect of seed layer on the growth of ZnO Nanorods", *Journal of Physical Chemistry C*, Vol.111, 2007, pp.596-600
- Srivastava et.al., (2006), "Study of swift heavy ion modified conducting polymer composites for application as gas sensor", *Sensors*, Vol.6, April 2006, pp.262-269
- Srour J.R., Marshall C.J. and Marshall P.W., (2003), "Review of displacement damage effects in silicon devices", *IEEE T. Nucl. Sci.*, Vol.50, June 2003, pp.653-670
- Suchea M., Christoulakis S., Moschovis K., Katsarakis N. and Kiriakidis G., (2006), "ZnO transparent thin films for gas sensor applications", *Thin Solid Films*, Vol.515, January 2006, pp.551-554
- Sun Y., Fuge G.M. and Ashfold M.N.R., (2004), "Growth of aligned ZnO nanorod arrays by catalyst-free pulsed laser deposition methods", *Chemical Physics Letters*, Vol.396, August 2004, pp.21-26
- Sundaresan A., Bhargavi R., Rangarajan N., Siddesh U. and Rao C.N.R., (2006), "Ferromagnetism as a universal feature of nanoparticles of the otherwise nanomagnetic oxides", *Physical Review B*, Vol.74, October 2006, pp.161306

- Sze S.M and Ng K.K., (2007), "Physics of Semiconductor Devices", 3rd Edition, John Willey & Sons, Inc., New Jersey, 2007, pp. 1-197
- Tak Y., Young K. and Park C., (2005), "Growth of aligned ZnO nanorods on Pt buffer layer coated silicon substrates using metallorganic chemical vapor deposition", *Journal of The Electrochemical Society*, Vol.152, August 2005, pp.G794-G797
- Tamaekong N., Liewhiran C., Wisitsoraat A. and Phanichphant S., (2009), "Sensing characteristics of flame-spray-made Pt/ZnO thick films as H₂ gas sensor", *Sensors*, Vol.9, August 2009, pp.6652-6669
- Tansley T.L. and Owen S.J.T., (1984), "Conductivity of SiZnO pn and np heterojunctions", *Journal of Applied Physics*, Vol.55, January 1984, pp.454-459
- Tien et.al., (2005), "Hydrogen sensing at room temperature with Pt-coated ZnO thin films and nanorods", *Applied Physics Letters*, Vol.87, November 2005, pp.222106
- Tu et.al., (2014), "Near-infrared emission from ZnO nanorods grown by thermal evaporation", *Journal of Luminescence*, Vol.156, August 2014, pp.199-204
- Tung R.T., (1992), "Electron transport at metal-semiconductor interfaces: general theory", *Physical Review B*, Vol.45, June 1992, pp.13509-13523
- Tzou et.al., (2013), "The study of self-assembled ZnO nanorods grown on Si(111) by plasma-assisted molecular beam epitaxy", *Journal of Crystal Growth*, Vol. 378, January 2013, pp.466-469
- Umar A., Karunagaran B., Suh E.K. and Hahn Y.B., (2006), "Structural and optical properties of single-crystalline ZnO nanorods grown on silicon by thermal evaporation", *Nanotechnology*, Vol.17, July 2006, pp.4072-4077
- University of Nova Gorica, (2016), www.ung.si/en/material_research_labortary, 2 November 2016
- Venables J.A., Spiller G.D.T. and Hanbucken M., (1984), "Nucleation and growth of thin films", *Reports on Progress in Physics*, Vol.47, 1984, pp.002
- Venkatesh et.al., (2012), "Role of point defects on the enhancement of room temperature ferromagnetism in ZnO nanorods", *CrystEngCommunity*, Vol.14, April 2012, pp.4713-4718
- Venkatesh P.S. and Jeganathan K., (2013), "Investigations on the growth and characterization of vertically aligned zinc oxide nanowires by radio frequency magnetron sputtering", *Journal of Solid State Chemistry*, Vol.200, January 2013, pp.84-89
- Venkatesh P.S. and Jeganathan K., (2014), "Investigations on the morphological evolution of zinc oxide nanostructures and their optical properties", *CrystEngCommunity*, Vol.16, June 2014, pp.7426-7433
- Venkatesh P.S., Ramakrishnan V. and Jaganathan K., (2013), "Investigations on the growth of manifold morphologies and optical properties of ZnO nanostructures grown by radio frequency magnetron sputtering", *AIP Advances*, Vol.3, August 2013, pp.082133
- Vereshchagina E., Tiggerlaar R.M., Sanders R.G.P., Wolters R.A.M. and Gardeniers J.G.E., (2015), "Low power micro-calorimetric sensors for analysis of gaseous samples", *Sensors and Actuators B*, Vol. 206, 2015, pp.772-787
- Volkov A.E. and Borodin V.A., (2002), "Effects of relaxation of electronic excitations from swift heavy ions in amorphous targets", *Nuclear Instruments and Methods in Physics Research B*, Vol.193, 2002, pp.381-390
- Vook R.W., (1984), "Nucleation and growth of thin films", *Optical Engineering*, Vol.23, June 1984, pp.233343
- Wang C., Yin L., Zhang L., Xiang D. and Gao R., (2010), "Metal oxide gas sensors: sensitivity and influencing factors", *Sensors*, Vol.10, March 2010, pp.2088-2106
- Wang et.al., (2006), "Hydrothermally grown oriented ZnO nanorod arrays for gas sensing applications", *Nanotechnology*, Vol.17, September 2006, pp.4995-4998
- Wang et.al., (2008), "Selective growth of vertical-aligned ZnO nanorod arrays on Si substrate by catalyst-free thermal evaporation", *Nanoscale Research Letters*, Vol.3, August 2008, pp.309-314
- Wang L., Liu Y.C., Xu C.S., Qiu Y.Q., Zhao L. and Rong X.M., (2008), "Effect of nitrogenized Si(1 1 1) substrates on the quality of ZnO films grown by pulsed laser deposition", *Journal of Physics D: Applied Physics*, Vol.42, December 2008, pp.035307
- Wang N., Cai Y. and Zhang R.Q., (2008), "Growth of nanowires", *Materials Science and Engineering: R: Reports*, Vol.60, March 2008, pp.1-51
- Wang X., Shi Z., Yao S., Liao F., Ding J. and Shao M., (2014), "Gamma ray irradiated AgFeO₂ nanoparticles with enhanced gas sensor properties", *Journal of Solid State Chemistry*, Vol.219, July 2014, pp.228-231
- Wei T.Y., Yeh P.H., Lu S.Y., and Wang Z.L., (2009), "Gigantic enhancement in sensitivity using schottky contacted nanowire nanosensor", *Journal of the American Chemical Society*, Vol.131, December 2009, pp.17690-17695
- Weng B., Liu S., Tang Z.R. and Xu Y.J., (2014), "One-dimensional nanostructure based materials for versatile photocatalytic applications", *RSC Advances*, Vol.4, January 2014, pp.12685
- Werner J.H. and Guttler H.H., (1991), " ", *Journal of Applied Physics*, Vol.69, February 1991, pp.1522-1533

- Wetchakun et.al., (2011), "Semiconducting metal oxides as sensors for environmentally hazardous gases", *Sensors and Actuators B*, Vol.160, August 2011, pp.580-591
- White C.M., Steeper R.R. and Lutz A.E., (2006), "The hydrogen-fueled internal combustion engine: a technical review", *International Journal of Hydrogen Energy*, Vol.31, January 2006, pp.1292-1305
- Wildfire C., Ciftyurek E., Sabolsky K. and Sabolsky E.M., (2014), "Investigation of doped-gadolinium zirconate nanomaterials for high-temperature hydrogen sensor applications", *Journal of Materials Science*, Vol.49, April 2014, pp.4735-4750
- Willander et.al., (2009), "Zinc oxide nanorod based photonic devices: recent progress in growth, light emitting diodes and lasers", *Nanotechnology*, Vol.20, July 2009, pp.332001
- Wu J.J. and Liu S.C., (2002), "Catalyst-free growth and characterization of ZnO nanorods", *Journal of Physics and Chemistry B*, Vol.106, June 2002, pp.9546-9551
- Xia et.al., (2003), "One-dimensional nanostructures: synthesis, characterization, and applications", *Advanced Materials*, Vol.15, March 2003, pp.353-389
- Xiao-Yun T., Yan-Hua W., Wei Y., Wei G. and Guang-Sheng F., (2012), "Current transport in ZnO/Si heterostructure grown by laser molecular beam epitaxy", *Chinese Physics B*, Vol.21, February 2012, pp.097105
- Xing L.L., Ma C.H., Chen Z.H., Chen Y.J. and Xue X.Y., (2011), "High gas sensing performance of one-step-synthesized Pd-ZnO nanoflowers due to surface reactions and modifications", *Nanotechnology*, Vol.22, March 2011, pp.215501
- Xu et.al., (2012), "Surface photoluminescence and magnetism in hydrothermally grown undoped ZnO nanorod arrays", *Applied Physics Letters*, Vol.100, April 2012, pp.172401
- Xu S. and Wang Z.L., (2011), "One-dimensional ZnO nanostructures: solution growth and functional properties", *Nano Research*, Vol.4, June 2011, pp.1013-1098
- Yadav A.B., Periasamy C., Bhaumik S. and Jit S., (2013), "Hydrogen gas sensing properties of Pd/ZnO thin films grown on n-Si<100>substrates at room-temperature by thermal evaporation and sol-gel techniques: a comparative study", *Indian Journal of Pure and Applied Physics*, Vol.51, November 2013, pp.792-799
- Yadav R.P., Kumar M., Mittal A.K. and Pandey A.C., (2015), "Fractal and multifractal characteristics of swift heavy ion induced self-affine nanostructured BaF₂ thin film surfaces", *Chaos*, Vol.25, August 2015, pp.083115
- Yadav R.P., Kumar T., Mittal A.K., Dwivedi S. and Kanjilal D., (2015), "Fractal characterization of the silicon surfaces produced by ion beam irradiation of varying fluences", *Applied Surface Science*, Vol.347, August 2015, pp.706-712
- Yang Y., Sun X.W., Tay B.K., You G.F., Tan S.T. and Teo K.L., (2008), "A p-n homojunction ZnO nanorod light-emitting diode formed by As ion implantation", *Applied Physics Letters*, Vol.93, December 2008, pp.253107
- Ye et.al., (2006), "Electroluminescent and transport mechanisms of n-ZnO/p-Si heterojunctions", *Applied Physics Letters*, Vol.88, May 2006, pp.182112
- Yi, G.C. (Ed.), (2012), "Semiconductor Nanostructures for Optoelectronic Devices: Processing, Characterization and Applications", Springer Science & Business Media, 2012
- Yilmaz S., Bacaksız E., Polat I. and Atasoy Y., (2012), "Fabrication and structural, electrical characterization of i-ZnO/n-ZnO nanorod homojunctions", *Current Applied Physics*, Vol.12, March 2012, pp.1326-1333
- Yin K., Liao F., Zhu Y., Gao A., Wang T. and Shao M., (2014), "Enhanced gas-sensing response by gamma ray irradiation: Ag/Ag₂SnO₃ nanoparticle-based sensor to ethanol, nitromethane and acetic acid", *Journal of Materials Chemistry C*, Vol.2, October 2014, pp.10082-10086
- You et.al., (2010), "Electroluminescence behavior of ZnO/Si heterojunctions: energy band alignment and interfacial microstructure", *Journal of Applied Physics*, Vol.107, April 2010, pp.083701
- Yu J., Shafiei M., Breedon M., kalantar-zadeh K. and Wlodarski W., (2009), "A comparison of forward and reverse bias operation in a Pt/nanostructured ZnO schottky diode based hydrogen sensor", *Procedia Chemistry*, Vol.1, 2009, pp.979-982
- Yuliarto B., Gumilar G. and Septiani N.L.W., (2015), "SnO₂ nanostructure as pollutant gas sensors: synthesis, sensing performances, and mechanism", *Advances in Materials Science and Engineering*, Vol. 2015, November 2015, pp.694823
- Zanini et.al., (1995), "Fabrication and properties of a Si-based high-sensitivity microcalorimetric gas sensor", *Sensors and Actuators A*, Vol.48, February 1995, pp.187-192
- Zhang et.al., (2011), "High sensitive and selective formaldehyde sensors based on nanoparticle-assembled ZnO micro-octahedrons synthesized by homogeneous precipitation method", *Sensors and Actuators B*, Vol.160, August 2011, pp.364-370

- Zhang et.al., (2012), "Highly sensitive and selective dimethylamine sensors based on hierarchical ZnO architectures composed of nanorods and nanosheet-assembled microspheres", *Sensors and Actuators B*, Vol.171-172, June 2012, pp.1101-1109
- Zhang J. and Harrell W.R., (2003), "Analysis of the I-V characteristics of Al/4H-SiC Schottky diodes", *Journal of Vacuum Science & Technology B*, Vol.21, March 2003, pp.872-878
- Zhang J.J., Guo E.J., Wang L.P., Yue H.Y., Cao G.J. and Song L., (2014), "Effect of annealing treatment on morphologies and gas sensing properties of ZnO nanorods", *Transactions of Nonferrous Metals Society of China*, Vol.24, 2014, pp.736-742
- Zhang N., Yu K., Li L. and Zhu Z., (2008), "Investigation of electrical and ammonia sensing characteristics of schottky barrier diode based on a single ultra-long ZnO nanorod", *Applied Surface Science*, Vol. 254, March 2008, pp.5736-5740
- Zhang Y., Du G., Zhang B., Cui Y., Zhu H. and Chang Y., (2005), "Properties of ZnO thin films grown on Si substrates by MOCVD and ZnO/Si heterojunctions", *Semiconductor Science and Technology*, Vol.20, September 2005, pp.1132
- Zhang Z. and Lagally M.G., (1997), "Atomistic processes in the early stages of thin-film growth", *Science*, Vol.276, April 1997, pp.377-383
- Zheng Z.Q., Zhu L.F. and Wang B., (2015), "In₂O₃ nanotower hydrogen gas sensors based on both schottky junction and thermoelectronic emission", *Nanoscale Research Letters*, Vol.10, 2015, pp.293
- Zhou J. et.al., (2009), "Gigantic enhancement in response and reset time of ZnO UV nanosensor by utilizing schottky contact and surface functionalization", *Applied Physics Letters*, Vol.94, May 2009, pp.191103
- Zhu B.L., Wang J., Zhu S.J., Wu J., Zeng D.W. and Xie C.S., (2012), "Optimization of sputtering parameters for deposition of Al-doped ZnO films by rf magnetron sputtering in Ar + H₂ ambient at room temperature", *Thin film solids*, Vol.520, July 2012, pp.6963-6969
- Znaidi L., (2010), "Sol-gel-deposited ZnO thin films: a review", *Materials Science and Engineering B*, Vol.174, July 2010, pp.18-30

...