

## References

- Abedi, S. and Morsali, A., (2015), "Tetrazole-based infinite coordination polymer for encapsulation of TiO<sub>2</sub> and its potential application for fabrication of ZnO@TiO<sub>2</sub> core-shell structures", *RSC Advances*, Vol.5, No.64, pp.51828-51833
- Ahmad, M. K., Soon, C. F., Nafarizal, N., Suriani, A. B., Mohamed, A., Mamat, M. H., Malek, M. F., Shimomura, M. and Murakami, K., (2016), "Effect of heat treatment to the rutile based dye sensitized solar cell", *Optik - International Journal for Light and Electron Optics*, Vol.127, No.8, pp.4076-4079
- Allam, N. K. and El-Sayed, M. A., (2010), "Photoelectrochemical water oxidation characteristics of anodically fabricated TiO<sub>2</sub> nanotube arrays: structural and optical properties", *The Journal of Physical Chemistry C*, Vol.114, No.27, pp.12024-12029
- An, K. and Hyeon, T., (2009), "Synthesis and biomedical applications of hollow nanostructures", *Nano Today*, Vol.4, No.4, pp.359-373
- Basu, K., Benetti, D., Zhao, H., Jin, L., Vetrone, F., Vomiero, A. and Rosei, F., (2016), "Enhanced photovoltaic properties in dye sensitized solar cells by surface treatment of SnO<sub>2</sub> photoanodes", *Scientific Reports*, Vol.6, No. 1, pp.23312
- Becquerel, A. E., (1839), "Mémoire sur les effets électriques produits sous l'influence des rayons solaires", *Comptes rendus de l'Académie des Sciences*, Vol.9, pp.561-567
- Benabid, F., Couny, F., Knight, J. C., Birks, T. A. and Russell, P. S. J., (2005), "Compact, stable and efficient all-fibre gas cells using hollow-core photonic crystal fibres", *Nature*, Vol.434, No.7032, pp.488-491
- Benkő, G., Kallioinen, J., Korppi-Tommola, J. E. I., Yartsev, A. P. and Sundström, V., (2002), "Photoinduced ultrafast dye-to-semiconductor electron injection from nonthermalized and thermalized donor states", *Journal of the American Chemical Society*, Vol.124, No.3, pp.489-493
- Benkstein, K. D., Kopidakis, N., van de Lagemaat, J. and Frank, A. J., (2003), "Influence of the percolation network geometry on electron transport in dye-sensitized titanium dioxide solar cells", *The Journal of Physical Chemistry B*, Vol.107, No.31, pp.7759-7767
- Bonaccorso, F., Sun, Z., Hasan, T. and Ferrari, A. C., (2010), "Graphene photonics and optoelectronics", *Nature Photonics*, Vol.4, No.9, pp.611-622
- Bouchet, R., Weibel, A., Knauth, P., Mountjoy, G. and Chadwick, A. V., (2003), "EXAFS study of dopant segregation (Zn, Nb) in Nanocrystalline Anatase (TiO<sub>2</sub>)", *Chemistry of Materials*, Vol.15, No.26, pp.4996-5002
- Brahmi, Y., Katir, N., Ianchuk, M., Colliere, V., Essassi el, M., Ouali, A., Caminade, A. M., Bousmina, M., Majoral, J. P. and El Kadib, A., (2013), "Low temperature synthesis of ordered mesoporous stable anatase nanocrystals: the phosphorus dendrimer approach", *Nanoscale*, Vol.5, No.7, pp.2850-2856
- Bu, L., Yang, W. and Ming, H., (2015), "Low temperature synthesis of rutile TiO<sub>2</sub> single crystal nanorods with exposed (002) facets and their decoration with gold nanoparticles for photocatalytic applications", *RSC Advance*, Vol.5, No.56, pp.45122-45128
- Burns, A., Hayes, G., Li, W., Hirvonen, J., Demaree, J. D. and Shah, S. I., (2004), "Neodymium ion dopant effects on the phase transformation in sol-gel derived titania nanostructures", *Materials Science and Engineering: B*, Vol.111, No.2-3, pp.150-155
- Burunkaya, E., Akarsu, M., Camurlu, H. E., Kesmez, O., Yesil, Z., Asilturk, M. and Arpac, E., (2013), "Production of stable hydrosols of crystalline TiO<sub>2</sub> nanoparticles synthesized at relatively low temperatures in diverse media", *Applied Surface Science*, Vol.265, pp.317-323
- Burunkaya, E., Akarsu, M., Erdem Çamurlu, H., Kesmez, Ö., Yeşil, Z., Asiltürk, M. and Arpaç, E., (2013), "Production of stable hydrosols of crystalline TiO<sub>2</sub> nanoparticles synthesized at relatively low temperatures in diverse media", *Applied Surface Science*, Vol.265, pp.317-323
- Butler, K. T., Frost, J. M. and Walsh, A., (2015), "Ferroelectric materials for solar energy conversion: photoferroics revisited", *Energy & Environmental Science*, Vol.8, No.3, pp.838-848
- Byranvand, M. M., Kharat, A. N., Badiei, A. and Bazargan, M. H., (2012), "Electron transfer in dye-sensitized solar cells", *Journal of Optoelectronics and Biomedical Materials*, Vol.4, No.3, pp.49-57
- Cantau, C., Pigot, T., Dupin, J.-C. and Lacombe, S., (2010), "N-doped TiO<sub>2</sub> by low temperature synthesis: Stability, photo-reactivity and singlet oxygen formation in the visible range", *Journal of Photochemistry and Photobiology A: Chemistry*, Vol.216, No.2-3, pp.201-208
- Cao, H., Xu, J. Y., Zhang, D. Z., Chang, S. H., Ho, S. T., Seelig, E. W., Liu, X. and Chang, R. P. H., (2000), "Spatial confinement of laser light in active random media", *Physical Review Letters*, Vol.84, No.24, pp.5584-5587

- Caruso, F., Caruso, R. A. and Möhwald, H., (1998), "Nanoengineering of inorganic and hybrid hollow spheres by colloidal templating", *Science*, Vol.282, No.5391, pp.1111-1114
- Challagulla, S., Nagarjuna, R., Ganesan, R. and Roy, S., (2016), "Acrylate-based polymerizable sol-gel synthesis of magnetically recoverable TiO<sub>2</sub> supported Fe<sub>3</sub>O<sub>4</sub> for Cr(VI) photoreduction in aerobic atmosphere", *ACS Sustainable Chemistry & Engineering*, Vol.4, No.3, pp.974-982
- Chandiran, A. K., Abdi-Jalebi, M., Nazeeruddin, M. K. and Grätzel, M., (2014), "Analysis of electron transfer properties of ZnO and TiO<sub>2</sub> photoanodes for dye-sensitized solar cells", *ACS Nano*, Vol.8, No.3, pp.2261-2268
- Chapin, D. M., Fuller, C. S. and Pearson, G. L., (1954), "A new silicon p-n junction photocell for converting solar radiation into electrical power", *Journal of Applied Physics*, Vol.25, No.5, pp.676-677
- Chen, B., Bai, Y., Yu, Z., Li, T., Zheng, X., Dong, Q., Shen, L., Boccard, M., Gruverman, A., Holman, Z. and Huang, J., (2016), "Efficient semitransparent perovskite solar cells for 23.0% efficiency perovskite/silicon four-terminal tandem cells", *Advanced Energy Materials*, Vol.6, No.19, pp.1601128
- Chen, D., Huang, F., Cheng, Y.-B. and Caruso, R. A., (2009), "Mesoporous anatase TiO<sub>2</sub> beads with high surface areas and controllable pore sizes: a superior candidate for high-performance dye-sensitized solar cells", *Advanced Materials*, Vol.21, No.21, pp.2206-2210
- Chen, T.-j. and Shen, P., (2009), "Defect clustering and ordering in Zn-doped TiO<sub>2</sub> upon solution annealing", *The Journal of Physical Chemistry C*, Vol.113, No.1, pp.328-332
- Chen, X. and Mao, S. S., (2007), "Titanium dioxide nanomaterials: synthesis, properties, modifications, and applications", *Chemical Reviews*, Vol.107, No.7, pp.2891-2959
- Chen, X. Q. and Shen, W. H., (2008), "Preparation and properties of stable nanocrystalline anatase TiO<sub>2</sub> colloids", *Chemical Engineering & Technology*, Vol.31, No.9, pp.1277-1281
- Cho, S., Hwang, S. H., Kim, C. and Jang, J., (2012), "Polyaniline porous counter-electrodes for high performance dye-sensitized solar cells", *Journal of Materials Chemistry*, Vol.22, No.24, pp.12164-12171
- Chou, C.-S., Chen, C.-Y., Lin, S.-H., Lu, W.-H. and Wu, P., (2015), "Preparation of TiO<sub>2</sub>/bamboo-charcoal-powder composite particles and their applications in dye-sensitized solar cells", *Advanced Powder Technology*, Vol.26, No.3, pp.711-717
- Chuang, H.-Y. and Chen, D.-H., (2008), "Catalyst-free low temperature synthesis of discrete anatase titanium dioxide nanocrystals with highly thermal stability and UVC-cut capability", *Journal of Nanoparticle Research*, Vol.10, No.1, pp.233-241
- Cox, P. A., (2010), "Transition Metal oxides: an introduction to their electronic structure and properties", *Oxford university press, England*, United Kingdom
- Cozzoli, P. D., Kornowski, A. and Weller, H., (2003), "Low-temperature synthesis of soluble and processable organic-capped anatase TiO<sub>2</sub> nanorods", *Journal of the American Chemical Society*, Vol.125, No.47, pp.14539-14548
- Cui, Y., Zhang, L., Lv, K., Zhou, G. and Wang, Z.-S., (2015), "Low temperature preparation of TiO<sub>2</sub> nanoparticle chains without hydrothermal treatment for highly efficient dye-sensitized solar cells", *Journal of Materials Chemistry A*, Vol.3, No.8, pp.4477-4483
- Dahl, M., Liu, Y. and Yin, Y., (2014), "Composite Titanium Dioxide Nanomaterials", *Chemical Reviews*, Vol.114, No.19, pp.9853-9889
- Dai, J., He, R., Yuan, Y., Wang, W. and Fang, D., (2014), "TiO<sub>2</sub> nanoparticles: low-temperature hydrothermal synthesis in ionic liquids/water and the photocatalytic degradation for o-nitrophenol", *Environmental Technology*, Vol.35, No.2, pp.203-208
- Dang, X., Yi, H., Ham, M.-H., Qi, J., Yun, D. S., Ladewski, R., Strano, M. S., Hammond, P. T. and Belcher, A. M., (2011), "Virus-templated self-assembled single-walled carbon nanotubes for highly efficient electron collection in photovoltaic devices", *Nature Nano*, Vol.6, No.6, pp.377-384
- Ding, K., Miao, Z., Hu, B., An, G., Sun, Z., Han, B. and Liu, Z., (2010), "Study on the anatase to rutile phase transformation and controlled synthesis of rutile nanocrystals with the assistance of ionic liquid", *Langmuir*, Vol.26, No.12, pp.10294-10302
- Doh, J.-G., Hong, J. S., Vittal, R., Kang, M. G., Park, N.-G. and Kim, K.-J., (2004), "Enhancement of photocurrent and photovoltage of dye-sensitized solar cells with TiO<sub>2</sub> film deposited on indium zinc oxide substrate", *Chemistry of Materials*, Vol.16, No.3, pp.493-497
- Dong, S., Feng, J., Fan, M., Pi, Y., Hu, L., Han, X., Liu, M., Sun, J. and Sun, J., (2015), "Recent developments in heterogeneous photocatalytic water treatment using visible light-responsive photocatalysts: a review", *RSC Advances*, Vol.5, No.19, pp.14610-14630
- EIA, (2016), "International energy outlook 2016", *Office of Communications, U.S. Energy Information Administration, USA*

- El Goresy, A., Chen, M., Gillet, P., Dubrovinsky, L., Graup, G. and Ahuja, R., (2001), "A natural shock-induced dense polymorph of rutile with  $\alpha$ -PbO<sub>2</sub> structure in the suevite from the Ries crater in Germany", *Earth and Planetary Science Letters*, Vol.192, No.4, pp.485-495
- Elgh, B. and Palmqvist, A. E. C., (2015), "A facile low-temperature synthesis of TiO<sub>2</sub> nanoparticles with excellent polymorph control", *Journal of Sol-Gel Science and Technology*, Vol.76, No.2, pp.395-401
- Fakharuddin, A., Archana, P. S., Kalidin, Z., Yusoff, M. M. and Jose, R., (2013), "Standardization of photoelectrode area of dye-sensitized solar cells", *RSC Advances*, Vol.3, No.8, pp.2683-2689
- Fan, Y., Ma, W., Han, D., Gan, S., Dong, X. and Niu, L., (2015), "Convenient recycling of 3D AgX/graphene aerogels (X = Br, Cl) for efficient photocatalytic degradation of water pollutants", *Advanced Materials*, Vol.27, No.25, pp.3767-3773
- Friedman, D. J., Kurtz, S. R., Bertness, K. A., Kibbler, A. E., Kramer, C., Olson, J. M., King, D. L., Hansen, B. R. and Snyder, J. K., (1995), "Accelerated publication 30.2% efficient GaInP/GaAs monolithic two-terminal tandem concentrator cell", *Progress in Photovoltaics: Research and Applications*, Vol.3, No.1, pp.47-50
- Fritts, C. E., (1883), "On a new form of selenium photocell", *American Journal of Science*, Vol.26, pp.265
- Fujishima, A. and Honda, K., (1972), "Electrochemical photolysis of water at a semiconductor electrode", *Nature*, Vol.238, No.5358, pp.37-38
- Gaya, U. I. and Abdullah, A. H., (2008), "Heterogeneous photocatalytic degradation of organic contaminants over titanium dioxide: A review of fundamentals, progress and problems", *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, Vol.9, No.1, pp.1-12
- Góes, M. S., Joanni, E., Muniz, E. C., Savu, R., Habeck, T. R., Bueno, P. R. and Fabregat-Santiago, F., (2012), "Impedance spectroscopy analysis of the effect of TiO<sub>2</sub> blocking layers on the efficiency of dye sensitized solar cells", *The Journal of Physical Chemistry C*, Vol.116, No.23, pp.12415-12421
- Goresy, A. E., Chen, M., Dubrovinsky, L., Gillet, P. and Graup, G., (2001), "An ultradense polymorph of rutile with seven-coordinated titanium from the ries crater", *Science*, Vol.293, No.5534, pp.1467-1470
- Goslich, R., Dillert, R. and Bahnemann, D., (1997), "Solar water treatment:principles and reactors", *Water Science and Technology*, Vol.35, No.4, pp.137-148
- Graciani, J., Yang, F., Evans, J., Vidal, A. B., Stacchiola, D., Rodriguez, J. A. and Sanz, J. F., (2015), "When ruthenia met titania: achieving extraordinary catalytic activity at low temperature by nanostructuring of oxides", *Physical Chemistry Chemical Physics*, Vol.17, No.40, pp.26813-26818
- Gratzel, M., (2001), "Photoelectrochemical cells", *Nature*, Vol.414, No.6861, pp.338-344
- Grätzel, M., (2009), "Recent advances in sensitized mesoscopic solar cells", *Accounts of Chemical Research*, Vol.42, No.11, pp.1788-1798
- Green, M. A. B., A. W., Wenham, S. R., Narayanan, S., Willison, M. R., Taouk, M. and Szpitalak, T., (1985), "Improvements in silicon solar cell efficiency", *Proceedings of the 19th IEEE Photovoltaic Specialists Conference*, Vol.1, No.1, pp.39-42
- Greijer, H., Karlson, L., Lindquist, S.-E. and Anders, H., (2001), "Environmental aspects of electricity generation from a nanocrystalline dye sensitized solar cell system", *Renewable Energy*, Vol.23, No.1, pp.27-39
- Guo, Q., Zhou, C., Ma, Z., Ren, Z., Fan, H. and Yang, X., (2016), "Elementary photocatalytic chemistry on TiO<sub>2</sub> surfaces", *Chemical Society Reviews*, Vol.45, No.13, pp.3701-3730
- Hagfeldt, A. and Grätzel, M., (1995), "Light-induced redox reactions in nanocrystalline systems", *Chemical Reviews*, Vol.95, No.1, pp.49-68
- Hagfeldt, A. and Grätzel, M., (2000), "Molecular photovoltaics", *Accounts of Chemical Research*, Vol.33, No.5, pp.269-277
- Hagfeldt, A., Boschloo, G., Sun, L., Kloo, L. and Pettersson, H., (2010), "Dye-sensitized solar cells", *Chemical Reviews*, Vol.110, No.11, pp.6595-6663
- Han, J., Kim, H., Kim, D. Y., Jo, S. M. and Jang, S.-Y., (2010), "Water-soluble polyelectrolyte-grafted multiwalled carbon nanotube thin films for efficient counter electrode of dye-sensitized solar cells", *ACS Nano*, Vol.4, No.6, pp.3503-3509
- He, Y., Zhang, L., Wang, X., Wu, Y., Lin, H., Zhao, L., Weng, W., Wan, H. and Fan, M., (2014), "Enhanced photodegradation activity of methyl orange over Z-scheme type MoO<sub>3</sub>-g-C<sub>3</sub>N<sub>4</sub> composite under visible light irradiation", *RSC Advances*, Vol.4, No.26, pp.13610-13619
- Hoffmann, M. R., Martin, S. T., Choi, W. and Bahnemann, D. W., (1995), "Environmental applications of semiconductor photocatalysis", *Chemical Reviews*, Vol.95, No.1, pp.69-96
- Holzwarth, U. and Gibson, N., (2011), "The Scherrer equation versus the 'Debye-Scherrer equation'", *Nature Nano*, Vol.6, No.9, pp.534-534

- Hsieh, C.-T., Yang, B.-H. and Chen, Y.-F., (2012), "Dye-sensitized solar cells equipped with graphene-based counter electrodes with different oxidation levels", *Diamond and Related Materials*, Vol.27-28, pp.68-75
- Huang, F., Li, Q., Thorogood, G. J., Cheng, Y.-B. and Caruso, R. A., (2012), "Zn-doped TiO<sub>2</sub> electrodes in dye-sensitized solar cells for enhanced photocurrent", *Journal of Materials Chemistry*, Vol.22, No.33, pp.17128-17132
- Huang, J., Xie, Y., Li, B., Liu, Y., Qian, Y. and Zhang, S., (2000), "In-situ source-template-interface reaction route to semiconductor CdS submicrometer hollow spheres", *Advanced Materials*, Vol.12, No.11, pp.808-811
- Huang, Y., Dai, S., Chen, S., Zhang, C., Sui, Y., Xiao, S. and Hu, L., (2009), "Theoretical modeling of the series resistance effect on dye-sensitized solar cell performance", *Applied Physics Letters*, Vol.95, No.24, pp.243503
- Hwang, S. H., Song, J., Jung, Y., Kweon, O. Y., Song, H. and Jang, J., (2011), "Electrospun ZnO/TiO<sub>2</sub> composite nanofibers as a bactericidal agent", *Chemical Communications*, Vol.47, No.32, pp.9164-9166
- Idígoras, J., Sobuś, J., Jancelewicz, M., Azaceta, E., Tena-Zaera, R., Anta, J. A. and Ziółek, M., (2016), "Effect of different photoanode nanostructures on the initial charge separation and electron injection process in dye sensitized solar cells: A photophysical study with indoline dyes", *Materials Chemistry and Physics*, Vol.170, pp.218-228
- Im, J.-H., Lee, C.-R., Lee, J.-W., Park, S.-W. and Park, N.-G., (2011), "6.5% efficient perovskite quantum-dot-sensitized solar cell", *Nanoscale*, Vol.3, No.10, pp.4088-4093
- IRENA, (2012), "Solar photovoltaics, renewable energy technologies: cost analysis series", *Irena working paper*, Vol.1, No.4/5.
- Ishii, A., Nakamura, Y., Oikawa, I., Kamegawa, A. and Takamura, H., (2015), "Low-temperature preparation of high-n TiO<sub>2</sub> thin film on glass by pulsed laser deposition", *Applied Surface Science*, Vol.347, pp.528-534
- Jenny, D. A., Loferski, J. J. and Rappaport, P., (1956), "Photovoltaic effect in gaas p-n junctions and solar energy conversion", *Physical Review*, Vol.101, No.3, pp.1208-1209
- Jiang, J., Long, M., Wu, D. and Cai, W., (2011), "Alkoxy-derived visible light activity of TiO<sub>2</sub> synthesized at low temperature", *Journal of Molecular Catalysis A: Chemical*, Vol.335, No.1-2, pp.97-104
- Jiang, J., Long, M., Wu, D. and Cai, W., (2011), "Alkoxy-derived visible light activity of TiO<sub>2</sub> synthesized at low temperature", *Journal of Molecular Catalysis A: Chemical*, Vol.335, No.1-2, pp.97-104
- Jin, J., Huang, S. Z., Liu, J., Li, Y., Chen, L. H., Yu, Y., Wang, H. E., Grey, C. P. and Su, B. L., (2015), "Phases hybridizing and hierarchical structuring of mesoporous TiO<sub>2</sub> nanowire bundles for high-rate and high-capacity lithium batteries", *Advanced Science*, Vol.2, No.7, pp.1500070
- Jin, J., Huang, S.-Z., Liu, J., Li, Y., Chen, L.-H., Yu, Y., Wang, H.-E., Grey, C. P. and Su, B.-L., (2015), "Phases hybridizing and hierarchical structuring of mesoporous TiO<sub>2</sub> nanowire bundles for high-rate and high-capacity lithium batteries", *Advanced Science*, Vol.2, No.7, pp.1500070
- Jing, J., Feng, J., Li, W. and Yu, W. W., (2013), "Low-temperature synthesis of water-dispersible anatase titanium dioxide nanoparticles for photocatalysis", *Journal of Colloid and Interface Science*, Vol.396, pp. 90-104
- Jouenne, V., Duvail, J.-L., Brohan, L., Gautron, E. and Richard-Plouet, M., (2015), "Low-temperature synthesis and electrophoretic deposition of shape-controlled titanium dioxide nanocrystals", *RSC Advance*, Vol.5, No.20, pp.15118-15125
- Jun, Y.-w., Casula, M. F., Sim, J.-H., Kim, S. Y., Cheon, J. and Alivisatos, A. P., (2003), "surfactant-assisted elimination of a high energy facet as a means of controlling the shapes of TiO<sub>2</sub> nanocrystals", *Journal of the American Chemical Society*, Vol.125, No.51, pp.15981-15985
- Jun, Y.-w., Choi, J.-s. and Cheon, J., (2006), "Shape control of semiconductor and metal oxide nanocrystals through nonhydrolytic colloidal routes", *Angewandte Chemie International Edition*, Vol.45, No.21, pp.3414-3439
- Jung, H.-G., Nagarajan, S., Kang, Y. S. and Sun, Y.-K., (2013), "Nanostructured TiO<sub>2</sub> microspheres for dye-sensitized solar cells employing a solid state polymer electrolyte", *Electrochimica Acta*, Vol.89, pp.848-853
- Kaniyoor, A. and Ramaprabhu, S., (2011), "Thermally exfoliated graphene based counter electrode for low cost dye sensitized solar cells", *Journal of Applied Physics*, Vol.109, No.12, pp.124308
- Kern, P., Schwaller, P. and Michler, J., (2006), "Electrolytic deposition of titania films as interference coatings on biomedical implants: Microstructure, chemistry and nano-mechanical properties", *Thin Solid Films*, Elsevier, Vol.494, No.1-2, pp.279-286

- Kılıç, B., Gedik, N., Mucur, S. P., Hergul, A. S. and Gür, E., (2015), "Band gap engineering and modifying surface of TiO<sub>2</sub> nanostructures by Fe<sub>2</sub>O<sub>3</sub> for enhanced-performance of dye sensitized solar cell", *Materials Science in Semiconductor Processing*, Vol.31, pp.363-371
- Kim, H., Choi, H., Hwang, S., Kim, Y. and Jeon, M., (2012), "Fabrication and characterization of carbon-based counter electrodes prepared by electrophoretic deposition for dye-sensitized solar cells", *Nanoscale Research Letters*, Vol.7, No.1, pp.53-53
- Kojima, A., Teshima, K., Shirai, Y. and Miyasaka, T., (2009), "Organometal halide perovskites as visible-light sensitizers for photovoltaic cells", *Journal of the American Chemical Society*, Vol.131, No.17, pp.6050-6051
- Kovash, C. S., Hoefelmeyer, J. D. and Logue, B. A., (2012), "TiO<sub>2</sub> compact layers prepared by low temperature colloidal synthesis and deposition for high performance dye-sensitized solar cells", *Electrochimica Acta*, Vol.67, pp.18-23
- Kuang, D., Brillet, J., Chen, P., Takata, M., Uchida, S., Miura, H., Sumioka, K., Zakeeruddin, S. M. and Grätzel, M., (2008), "Application of highly ordered TiO<sub>2</sub> nanotube arrays in flexible dye-sensitized solar cells", *ACS Nano*, Vol.2, No.6, pp.1113-1116
- Kumar, L., Kumar, P., Narayan, A. and Kar, M., (2013), "Rietveld analysis of XRD patterns of different sizes of nanocrystalline cobalt ferrite", *International Nano Letters*, Vol.3, No.1, pp.8
- Kunzmann, A., Stanzel, M., Peukert, W., Costa, R. D. and Guldi, D. M., (2016), "Binary indium-zinc oxide photoanodes for efficient dye-sensitized solar cells", *Advanced Energy Materials*, Vol.6, No.1, pp.1501075 (1 to 11)
- Lai, X., Li, J., Korgel, B. A., Dong, Z., Li, Z., Su, F., Du, J. and Wang, D., (2011), "General synthesis and gas-sensing properties of multiple-shell metal oxide hollow microspheres", *Angewandte Chemie International Edition*, Vol.50, No.12, pp.2738-2741
- Lai, Z., Peng, F., Wang, Y., Wang, H., Yu, H., Liu, P. and Zhao, H., (2012), "Low temperature solvothermal synthesis of anatase TiO<sub>2</sub> single crystals with wholly {100} and {001} faceted surfaces", *Journal of Materials Chemistry*, Vol.22, No.45, pp.23906-23912
- Lai, Z., Peng, F., Wang, Y., Wang, H., Yu, H., Liu, P. and Zhao, H., (2012), "Low temperature solvothermal synthesis of anatase TiO<sub>2</sub> single crystals with wholly {100} and {001} faceted surfaces", *Journal of Materials Chemistry*, Vol.22, No.45, pp.23906-23912
- Laishram, D., Shejale, K. P., Sharma, R. K. and Gupta, R., (2016), "HfO<sub>2</sub> nanodots incorporated in TiO<sub>2</sub> and its hydrogenation for high performance dye sensitized solar cells", *RSC Advances*, Vol.6, No.82, pp.78768-78773
- Laskova, B., Moehl, T., Kavan, L., Zukalova, M., Liu, X., Yella, A., Comte, P., Zukal, A., Nazeeruddin, M. K. and Graetzel, M., (2015), "Electron kinetics in dye sensitized solar cells employing anatase with (101) and (001) facets", *Electrochimica Acta*, Vol.160, pp.296-305
- Law, M., Greene, L. E., Johnson, J. C., Saykally, R. and Yang, P., (2005), "Nanowire dye-sensitized solar cells", *Nature Materials*, Vol.4, No.6, pp.455-459
- Lee, W. J., Ramasamy, E., Lee, D. Y. and Song, J. S., (2008), "Grid type dye-sensitized solar cell module with carbon counter electrode", *Journal of Photochemistry and Photobiology A: Chemistry*, Vol.194, No.1, pp.27-30
- Leschkies, K. S., Divakar, R., Basu, J., Enache-Pommer, E., Boercker, J. E., Carter, C. B., Kortshagen, U. R., Norris, D. J. and Aydil, E. S., (2007), "Photosensitization of ZnO Nanowires with CdSe quantum dots for photovoltaic devices", *Nano Letters*, Vol.7, No.6, pp.1793-1798
- Leyva-Porras, C., Toxqui-Teran, A., Vega-Becerra, O., Miki-Yoshida, M., Rojas-Villalobos, M., García-Guaderrama, M. and Aguilar-Martínez, J. A., (2015), "Low-temperature synthesis and characterization of anatase TiO<sub>2</sub> nanoparticles by an acid assisted sol-gel method", *Journal of Alloys and Compounds*, Vol.647, pp.627-636
- Li, B., Zhao, Z., Zhou, Q., Meng, B., Meng, X. and Qiu, J., (2014), "Highly efficient low-temperature plasma-assisted modification of TiO<sub>2</sub> nanosheets with exposed {001} facets for enhanced visible-light photocatalytic activity", *Chemistry*, Vol.20, No.45, pp.14763-14770
- Li, C., Wang, J., Feng, S., Yang, Z. and Ding, S., (2013), "Low-temperature synthesis of heterogeneous crystalline TiO<sub>2</sub>-halloysite nanotubes and their visible light photocatalytic activity", *Journal of Materials Chemistry A*, Vol.1, No.27, pp.8045-8054
- Li, F., Jiao, Y., Xie, S. and Li, J., (2015), "Sponge-like porous TiO<sub>2</sub>/ZnO nanodonuts for high efficiency dye-sensitized solar cells", *Journal of Power Sources*, Vol.280, pp.373-378
- Li, L., Xu, C., Zhao, Y., Chen, S. and Ziegler, K. J., (2015), "Improving performance via blocking layers in dye-sensitized solar cells based on nanowire photoanodes", *ACS Applied Materials & Interfaces*, Vol.7, No.23, pp.12824-12831

- Li, P., Wu, J., Lin, J., Huang, M., Huang, Y. and Li, Q., (2009), "High-performance and low platinum loading Pt/Carbon black counter electrode for dye-sensitized solar cells", *Solar Energy*, Vol.83, No.6, pp.845-849
- Li, S., Ye, G. and Chen, G., (2009), "Low-temperature preparation and characterization of nanocrystalline anatase TiO<sub>2</sub>", *The Journal of Physical Chemistry C*, Vol.113, No.10, pp.4031-4037
- Li, Y., Xie, W., Hu, X., Shen, G., Zhou, X., Xiang, Y., Zhao, X. and Fang, P., (2010), "Comparison of dye photodegradation and its coupling with light-to-electricity conversion over TiO<sub>2</sub> and ZnO", *Langmuir*, Vol.26, No.1, pp.591-597
- Li, Z., Li, T., An, L., Liu, H., Gu, L. and Zhang, Z., (2016), "Preparation of chitosan/polycaprolactam nanofibrous filter paper and its greatly enhanced chromium(VI) adsorption", *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Vol.494, pp.65-73
- Li, Z., Zhu, Y., Wang, L., Wang, J., Guo, Q. and Li, J., (2015), "A facile method for the structure control of TiO<sub>2</sub> particles at low temperature", *Applied Surface Science*, Vol.355, pp.1051-1056
- Li, Z.-Q., Que, Y.-P., Mo, L.-E., Chen, W.-C., Ding, Y., Ma, Y.-M., Jiang, L., Hu, L.-H. and Dai, S.-Y., (2015), "One-pot synthesis of mesoporous TiO<sub>2</sub> microspheres and its application for high-efficiency dye-sensitized solar cells", *ACS Applied Materials & Interfaces*, Vol.7, No.20, pp.10928-10934
- Lim, J., Ryu, S. Y., Kim, J. and Jun, Y., (2013), "A study of TiO<sub>2</sub>/carbon black composition as counter electrode materials for dye-sensitized solar cells", *Nanoscale Research Letters*, Vol.8, No.1, pp.227
- Lim, S. P., Pandikumar, A., Lim, H. N., Ramaraj, R. and Huang, N. M., (2015), "Boosting photovoltaic performance of dye-sensitized solar cells using silver nanoparticle-decorated N,S-Co-doped-TiO<sub>2</sub> photoanode", *Scientific Reports*, Vol.5, pp.11922
- Lima, R. S. and Marple, B. R., (2007), "Thermal spray coatings engineered from nanostructured ceramic agglomerated powders for structural, thermal barrier and biomedical applications: a review", *Journal of Thermal Spray Technology*, Vol.16, No.1, pp.40-63
- Ling, T., Song, J.-G., Chen, X.-Y., Yang, J., Qiao, S.-Z. and Du, X.-W., (2013), "Comparison of ZnO and TiO<sub>2</sub> nanowires for photoanode of dye-sensitized solar cells", *Journal of Alloys and Compounds*, Vol.546, pp.307-313
- Linsebigler, A. L., Lu, G. and Yates, J. T., (1995), "Photocatalysis on TiO<sub>2</sub> surfaces: principles, mechanisms, and selected results", *Chemical Reviews*, Vol.95, No.3, pp.735-758
- Liu, C.-T., Wang, Y.-C., Dong, R.-X., Wang, C.-C., Huang, K.-C., Vittal, R., Ho, K.-C. and Lin, J.-J., (2012), "A dual-functional Pt/CNT TCO-free counter electrode for dye-sensitized solar cell", *Journal of Materials Chemistry*, Vol.22, No.48, pp.25311-25315
- Liu, J., Qiao, S. Z., Budi Hartono, S. and Lu, G. Q., (2010), "Monodisperse yolk-shell nanoparticles with a hierarchical porous structure for delivery vehicles and nanoreactors", *Angewandte Chemie International Edition*, Vol.49, No.29, pp.4981-4985
- Liu, Y., Lou, J., Ni, M., Song, C., Wu, J., Dasgupta, N. P., Tao, P., Shang, W. and Deng, T., (2016), "Bioinspired bifunctional membrane for efficient clean water generation", *ACS Applied Materials & Interfaces*, Vol.8, No.1, pp.772-779
- Lo, C. P., Wang, G., Kumar, A. and Ramani, V., (2013), "TiO<sub>2</sub>-RuO<sub>2</sub> electrocatalyst supports exhibit exceptional electrochemical stability", *Applied Catalysis B: Environmental*, Vol.140-141, pp.133-140
- Lou, X. W., Archer, L. A. and Yang, Z., (2008), "Hollow micro-/nanostructures: synthesis and applications", *advanced materials*, Vol.20, No.21, pp.3987-4019
- Lu, A.-H., Li, W.-C., Hao, G.-P., Spliethoff, B., Bongard, H.-J., Schaack, B. B. and Schüth, F., (2010), "Easy synthesis of hollow polymer, carbon, and graphitized microspheres", *Angewandte Chemie International Edition*, Vol.49, No.9, pp.1615-1618
- Lü, X., Huang, F., Mou, X., Wang, Y. and Xu, F., (2010), "A general preparation strategy for hybrid TiO<sub>2</sub> hierarchical spheres and their enhanced solar energy utilization efficiency", *Advanced Materials*, Vol.22, No.33, pp.3719-3722
- Luo, Q., Chen, Y., Wang, D., An, J., Li, X., Yin, R. and Shi, L., (2015), "A facile method to prepare mesoporous anatase TiO<sub>2</sub> materials in water at lower temperatures", *Materials Research Bulletin*, Vol.67, pp.140-145
- Madras, G., McCoy, B. J. and Navrotsky, A., (2007), "Kinetic Model for TiO<sub>2</sub> polymorphic transformation from anatase to rutile", *Journal of the American Ceramic Society*, Vol.90, No.1, pp.250-255
- Mali, S. S., Betty, C. A., Bhosale, P. N. and Patil, P. S., (2011), "Hydrothermal synthesis of rutile TiO<sub>2</sub> with hierarchical microspheres and their characterization", *CrystEngComm*, Vol.13, No.21, pp.6349-6351
- Mamakhel, A., Tyrsted, C., Bojesen, E. D., Hald, P. and Iversen, B. B., (2013), "direct formation of crystalline phase pure rutile TiO<sub>2</sub> nanostructures by a facile hydrothermal method", *Crystal Growth & Design*, Vol.13, No.11, pp.4730-4734

- Manna, L., Scher, E. C. and Alivisatos, A. P., (2000), "Synthesis of soluble and processable rod, arrow, teardrop, and tetrapod shaped CdSe nanocrystals", *Journal of the American Chemical Society*, Vol.122, No.51, pp.12700-12706
- Manshor, N. A., Wali, Q., Wong, K. K., Muzakir, S. K., Fakharuddin, A., Schmidt-Mende, L. and Jose, R., (2016), "Humidity versus photo-stability of metal halide perovskite films in a polymer matrix", *Physical Chemistry Chemical Physics*, Vol.18, No.31, pp.21629-21639
- Marcì, G., Augugliaro, V., López-Muñoz, M. J., Martín, C., Palmisano, L., Rives, V., Schiavello, M., Tilley, R. J. D. and Venezia, A. M., (2001), "Preparation characterization and photocatalytic activity of polycrystalline ZnO/TiO<sub>2</sub> systems. 1. surface and bulk characterization", *The Journal of Physical Chemistry B*, Vol.105, No.5, pp.1026-1032
- Mathew, S., Yella, A., Gao, P., Humphry-Baker, R., CurchodBasile, F. E., Ashari-Astani, N., Tavernelli, I., Rothlisberger, U., NazeeruddinMd, K. and Grätzel, M., (2014), "Dye-sensitized solar cells with 13% efficiency achieved through the molecular engineering of porphyrin sensitizers", *Nature Chemistry*, Vol.6, No.3, pp.242-247
- Maver, K., Stangar, U. L., Cernigoj, U., Gross, S. and Cerc Korosec, R., (2009), "Low-temperature synthesis and characterization of TiO<sub>2</sub> and TiO<sub>2</sub>-ZrO<sub>2</sub> photocatalytically active thin films", *Photochemical & Photobiological Sciences*, Vol.8, No.5, pp.657-662
- McLaren, A., Valdes-Solis, T., Li, G. and Tsang, S. C., (2009), "Shape and size effects of ZnO nanocrystals on photocatalytic activity", *Journal of the American Chemical Society*, Vol.131, No.35, pp.12540-12541
- Memarian, N., Concinia, I., Braga, A., Rozati, S. M., Vomiero, A. and Sberveglieri, G., (2011), "Hierarchically assembled ZnO nanocrystallites for high-efficiency dye-sensitized solar cells", *Angewandte Chemie International Edition*, Vol.50, No.51, pp.12321-12325
- Meziani, D., Abdmeziem, K., Bouacida, S., Trari, M. and Merazig, H., (2016), "Photo-electrochemical and physical characterizations of a new single crystal POM- based material. Application to Rhodamine B photodegradation", *Solar Energy Materials and Solar Cells*, Vol.147, pp.46-52
- Miao, Z., Xu, D., Ouyang, J., Guo, G., Zhao, X. and Tang, Y., (2002), "Electrochemically induced sol-gel preparation of single-crystalline TiO<sub>2</sub> nanowires", *Nano Letters*, Vol.2, No.7, pp.717-720
- Mills, A., Davies, R. H. and Worsley, D., (1993), "Water-purification by semiconductor photocatalysis", *Chemical Society Reviews*, Vol.22, No.1, pp.417-425
- Mishra, P. S., Solanki, J. N. and Murthy, Z. V. P., (2013), "TiO<sub>2</sub> nanoparticles synthesis for application in proton exchange membranes", *Crystal Research and Technology*, Vol.48, No.11, pp.969-976
- Moghaddam, H. M. and Nasirian, S., (2012), "Dependence of activation energy and lattice strain on TiO<sub>2</sub> nanoparticles", *Nanoscience Methods*, Vol.1, No.1, pp.201-212
- Mutuma, B. K., Shao, G. N., Kim, W. D. and Kim, H. T., (2015), "Sol-gel synthesis of mesoporous anatase-brookite and anatase-brookite-rutile TiO<sub>2</sub> nanoparticles and their photocatalytic properties", *Journal of Colloid and Interface Science*, Vol.442, pp.1-7
- Mutuma, B. K., Shao, G. N., Kim, W. D. and Kim, H. T., (2015), "Sol-gel synthesis of mesoporous anatase-brookite and anatase-brookite-rutile TiO<sub>2</sub> nanoparticles and their photocatalytic properties", *Journal of Colloid and Interface Science*, Vol.442, pp.1-7
- Nagata, T., Miyajima, K. and Mafuné, F., (2016), "Gold atoms supported on gas-phase cerium oxide cluster ions: stable stoichiometry and reactivity with CO", *The Journal of Physical Chemistry A*, Vol.120, No.39, pp.7624-7633
- Nagaveni, K., Hegde, M. S., Ravishankar, N., Subbanna, G. N. and Madras, G., (2004), "Synthesis and structure of nanocrystalline TiO<sub>2</sub> with lower band gap showing high photocatalytic activity", *Langmuir*, Vol.20, No.7, pp.2900-2907
- Naushad, M., Khan, M. R., Alothman, Z. A., AlSohaimi, I., Rodriguez-Reinoso, F., Turki, T. M. and Ali, R., (2015), "Removal of BrO<sub>3</sub> – from drinking water samples using newly developed agricultural waste-based activated carbon and its determination by ultra-performance liquid chromatography-mass spectrometry", *Environmental Science and Pollution Research*, Vol.22, No.20, pp.15853-15865
- Nazeeruddin, M. K., Baranoff, E. and Grätzel, M., (2011), "Dye-sensitized solar cells: A brief overview", *Solar Energy*, Vol.85, No.6, pp.1172-1178
- Neagu, V. and Mikhalovsky, S., (2010), "Removal of hexavalent chromium by new quaternized crosslinked poly(4-vinylpyridines)", *Journal of Hazardous Materials*, Vol.183, No.1-3, pp.533-540
- Ni, M., Leung, M. K. H., Leung, D. Y. C. and Sumathy, K., (2007), "A review and recent developments in photocatalytic water-splitting using for hydrogen production", *Renewable and Sustainable Energy Reviews*, Vol.11, No.3, pp.401-425
- Nikkanen, J.-P., Kanerva, T. and Mäntylä, T., (2007), "The effect of acidity in low-temperature synthesis of titanium dioxide", *Journal of Crystal Growth*, Vol.304, No.1, pp.179-183

- Nowak, I. and Ziolek, M., (1999), "Niobium compounds: preparation, characterization, and application in heterogeneous catalysis", *Chemical Reviews*, Vol.99, No.12, pp.3603-3624
- Ocaña, M., Fornés, V., Ramos, J. V. G. and Serna, C. J., (1988), "Factors affecting the infrared and Raman spectra of rutile powders", *Journal of Solid State Chemistry*, Vol.75, No.2, pp.364-372
- O'Regan, B. and Gratzel, M., (1991), "A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO<sub>2</sub> films", *Nature*, Vol.353, No.6346, pp.737-740
- Pan, J., Liu, G., Lu, G. Q. and Cheng, H.-M., (2011), "On the true Photoreactivity Order of {001}, {010}, and {101} facets of anatase TiO<sub>2</sub> crystals", *Angewandte Chemie International Edition*, Vol.50, No.9, pp.2133-2137
- Pan, L., Shen, G.-Q., Zhang, J.-W., Wei, X.-C., Wang, L., Zou, J.-J. and Zhang, X., (2015), "TiO<sub>2</sub>-ZnO composite sphere decorated with ZnO clusters for effective charge isolation in photocatalysis", *Industrial & Engineering Chemistry Research*, Vol.54, No.29, pp.7226-7232
- Pan, L., Wang, S., Mi, W., Song, J., Zou, J.-J., Wang, L. and Zhang, X., (2014), "Undoped ZnO abundant with metal vacancies", *Nano Energy*, Vol.9, pp.71-79
- Panda, M. K., Ladomenou, K. and Coutsolelos, A. G., (2012), "Porphyrins in bio-inspired transformations: Light-harvesting to solar cell", *Coordination Chemistry Reviews*, Vol.256, No.21-22, pp.2601-2627
- Panomsuwan, G., Watthanaphanit, A., Ishizaki, T. and Saito, N., (2015), "Water-plasma-assisted synthesis of black titania spheres with efficient visible-light photocatalytic activity", *Physical Chemistry Chemical Physics*, Vol.17, No.21, pp.13794-13799
- Papageorgiou, N., Maier, W. F. and Grätzel, M., (1997), "An iodine/triiodide reduction electrocatalyst for aqueous and organic media", *Journal of The Electrochemical Society*, Vol.144, No.3, pp.876-884
- Park, K., Zhang, Q., Garcia, B. B., Zhou, X., Jeong, Y.-H. and Cao, G., (2010), "Effect of an ultrathin TiO<sub>2</sub> layer coated on submicrometer-sized ZnO nanocrystallite aggregates by atomic layer deposition on the performance of dye-sensitized solar cells", *Advanced Materials*, Vol.22, No.21, pp.2329-2332
- Park, N. G., van de Lagemaat, J. and Frank, A. J., (2000), "Comparison of dye-sensitized rutile- and anatase-based TiO<sub>2</sub> solar cells", *The Journal of Physical Chemistry B*, Vol.104, No.38, pp.8989-8994
- Park, N.-G., (2015), "Perovskite solar cells: an emerging photovoltaic technology", *Materials Today*, Vol.18, No.2, pp.65-72
- Peng, R., Wu, C.-M., Baltrusaitis, J., Dimitrijevic, N. M., Rajh, T. and Koodali, R. T., (2013), "Ultra-stable CdS incorporated Ti-MCM-48 mesoporous materials for efficient photocatalytic decomposition of water under visible light illumination", *Chemical Communications*, Vol.49, No.31, pp.3221-3223
- Peng, X., Wickham, J. and Alivisatos, A. P., (1998), "Kinetics of II-VI and III-V colloidal semiconductor nanocrystal growth: focusing of size distributions", *Journal of the American Chemical Society*, Vol.120, No.21, pp.5343-5344
- Pfeifer, V., Erhart, P., Li, S., Rachut, K., Morasch, J., Brötz, J., Reckers, P., Mayer, T., Rühle, S., Zaban, A., Mora Seró, I., Bisquert, J., Jaegermann, W. and Klein, A., (2013), "Energy band alignment between anatase and rutile TiO<sub>2</sub>", *The Journal of Physical Chemistry Letters*, Vol.4, No.23, pp.4182-4187
- Pookmanee, P., Phiwchai, I., Yoriya, S., Puntharod, R., Sangsrichan, S. and Phanichphant, S., (2013), "Titanium dioxide (TiO<sub>2</sub>) nanopowder prepared by the low temperature solvothermal method", *Ferroelectrics*, Vol.457, No.1, pp.30-38
- Prabhu, Y. T., Rao, K. V., Kumar, V. S. S. and Kumari, B. S., (2014), "X-Ray analysis by williamson-hall and size-strain plot methods of ZnO nanoparticles with fuel variation", *World Journal of Nano Science and Engineering*, Vol.4, No.1, pp.8
- Qi, B., Wu, L., Zhang, Y., Zeng, Q. and Zhi, J., (2010), "Low-temperature and one-step synthesis of rutile TiO<sub>2</sub> aqueous sol by heterogeneous nucleation method", *Journal of Colloid and Interface Science*, Elsevier, Vol.345, No.2, pp.181-6
- Qi, J., Dang, X., Hammond, P. T. and Belcher, A. M., (2011), "Highly efficient plasmon-enhanced dye-sensitized solar cells through metal oxide core-shell nanostructure", *ACS Nano*, Vol.5, No.9, pp.7108-7116
- Qin, W. and Szpunar, J. A., (2005), "Origin of lattice strain in nanocrystalline materials", *Philosophical Magazine Letters*, Vol.85, No.12, pp.649-656
- Rabani, E., Reichman, D. R., Geissler, P. L. and Brus, L. E., (2003), "Drying-mediated self-assembly of nanoparticles", *Nature*, Vol.426, No.6964, pp.271-274
- Ramasamy, P., Kang, M.-S., Cha, H.-J. and Kim, J., (2013), "Highly efficient dye-sensitized solar cells based on HfO<sub>2</sub> modified TiO<sub>2</sub> electrodes", *Materials Research Bulletin*, Vol.48, No.1, pp.79-83
- Rani, D. and Dahiya, R. P., (2008), "COD and BOD removal from domestic wastewater generated in decentralised sectors", *Bioresource Technology*, Vol.99, No.2, pp.344-349
- Rani, M. and Tripathi, S. K., (2015), "A comparative study of nanostructured TiO<sub>2</sub>, ZnO and bilayer TiO<sub>2</sub>/ZnO dye-sensitized solar cells", *Journal of Electronic Materials*, Vol.44, No.4, pp.1151-1159

- Rashad, M. M., Shalan, A. E., Lira-Cantú, M. and Abdel-Mottaleb, M. S. A., (2013), "Enhancement of TiO<sub>2</sub> nanoparticle properties and efficiency of dye-sensitized solar cells using modifiers", *Applied Nanoscience*, Vol.3, No.2, pp.167-174
- Roose, B., Pathak, S. and Steiner, U., (2015), "Doping of TiO<sub>2</sub> for sensitized solar cells", *Chemical Society Reviews*, Vol.44, No.22, pp.8326-8349
- Safeen, K., Micheli, V., Bartali, R., Gottardi, G. and Laidani, N., (2015), "Low temperature growth study of nano-crystalline TiO<sub>2</sub> thin films deposited by RF sputtering", *Journal of Physics D: Applied Physics*, Vol.48, No.29, pp.295201
- Samadi-Maybodi, A. and Sadeghi-Maleki, M.-R., (2016), "In-situ synthesis of high stable CdS quantum dots and their application for photocatalytic degradation of dyes", *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, Vol.152, pp.156-164
- Sambandam, B., Surenjan, A., Philip, L. and Pradeep, T., (2015), "Rapid synthesis of C-TiO<sub>2</sub>: tuning the shape from spherical to rice grain morphology for visible light photocatalytic application", *ACS Sustainable Chemistry & Engineering*, Vol.3, No.7, pp.1321-1329
- Sasani Ghamsari, M., Radiman, S., Azmi Abdul Hamid, M., Mahshid, S. and Rahmani, S., (2013), "Room temperature synthesis of highly crystalline TiO<sub>2</sub> nanoparticles", *Materials Letters*, Vol.92, pp.287-290
- Sayama, K., Sugihara, H. and Arakawa, H., (1998), "Photoelectrochemical properties of a porous nb<sub>205</sub> electrode sensitized by a ruthenium dye", *Chemistry of Materials*, Vol.10, No.12, pp.3825-3832
- Sayılkın, F., Erdemoğlu, S., Asiltürk, M., Akarsu, M., Şener, Ş., Sayılıkın, H., Erdemoğlu, M. and Arpaç, E., (2006), "Photocatalytic performance of pure anatase nanocrystallite TiO<sub>2</sub> synthesized under low temperature hydrothermal conditions", *Materials Research Bulletin*, Vol.41, No.12, pp.2276-2285
- Scanlon, D. O., Dunnill, C. W., Buckeridge, J., Shevlin, S. A., Logsdail, A. J., Woodley, S. M., Catlow, C. R. A., Powell, M. J., Palgrave, R. G., Parkin, I. P., Watson, G. W., Keal, T. W., Sherwood, P., Walsh, A. and Sokol, A. A., (2013), "Band alignment of rutile and anatase TiO<sub>2</sub>", *Nature Materials*, Vol.12, No.9, pp.798-801
- Schacht, S., Huo, Q., Voigt-Martin, I. G., Stucky, G. D. and Schüth, F., (1996), "Oil-water interface templating of mesoporous macroscale structures", *Science*, Vol.273, No.5276, pp.768-771
- Shao, F., Sun, J., Gao, L., Yang, S. and Luo, J., (2012), "Forest-like TiO<sub>2</sub> hierarchical structures for efficient dye-sensitized solar cells", *Journal of Materials Chemistry*, Vol.22, No.14, pp.6824-6830
- Sheikhnejad-Bishe, O., Zhao, F., Rajabtabar-Darvishi, A., Khodadad, E. and Huang, Y., (2014), "Precursor and Reaction Time Effects in Evaluation of Photocatalytic Properties of TiO<sub>2</sub> nanoparticles synthesized via low temperature", *International Journal of Electrochemical Science*, Vol.9, pp.3068-3077
- Shejale, K. P., Laishram, D., Gupta, R. and Sharma, R. K., (2016), "Zinc oxide-titania heterojunction-based solid nanospheres as photoanodes for electron-trapping in dye-sensitized solar cells", *Energy Technology*, Vol.12, No.4, pp.1-7
- Shin, I., Seo, H., Son, M.-K., Kim, J.-K., Prabakar, K. and Kim, H.-J., (2010), "Analysis of TiO<sub>2</sub> thickness effect on characteristic of a dye-sensitized solar cell by using electrochemical impedance spectroscopy", *Current Applied Physics*, Vol.10, No.3, Supplement, pp. S422-S424
- Sinhamahapatra, A., Jeon, J.-P. and Yu, J.-S., (2015), "A new approach to prepare highly active and stable black titania for visible light-assisted hydrogen production", *Energy & Environmental Science*, Vol.8, No.12, pp.3539-3544
- Smestad, G., Bignozzi, C. and Argazzi, R., (1994), "Testing of dye sensitized TiO<sub>2</sub> solar cells I: experimental photocurrent output and conversion efficiencies", *Solar Energy Materials and Solar Cells*, Elsevier, Vol.33, No.2, pp.259-272
- Smith, W., (1873), "Effect of light on selenium during the passage of an electric current", *Nature* Vol.7, pp.303-303
- Song, D., Cui, P., Wang, T., Xie, B., Jiang, Y., Li, M., Li, Y., Du, S., He, Y., Liu, Z. and Mbebgue, J. M., (2016), "Bunchy TiO<sub>2</sub> hierarchical spheres with fast electron transport and large specific surface area for highly efficient dye-sensitized solar cells", *Nano Energy*, Vol.23, pp.122-128
- Su, T., Yang, Y., Na, Y., Fan, R., Li, L., Wei, L., Yang, B. and Cao, W., (2015), "an insight into the role of oxygen vacancy in hydrogenated TiO<sub>2</sub> nanocrystals in the performance of dye-sensitized solar cells", *ACS Applied Materials & Interfaces*, Vol.7, No.6, pp.3754-3763
- Subramaniam, M. R., Devanathan, S. and Kumaresan, D., (2014), "Synthesis of micrometer-sized hierarchical rutile TiO<sub>2</sub> flowers and their application in dye sensitized solar cells", *RSC Advances*, Vol.4, No.69, pp.36791-36799
- Sun, X., Yang, L., Xing, H., Zhao, J., Li, X., Huang, Y. and Liu, H., (2014), "High capacity adsorption of Cr(VI) from aqueous solution using polyethylenimine-functionalized poly(glycidyl methacrylate) microspheres", *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Vol.457, pp.160-168

- Tang, J., Zou, Z. and Ye, J., (2004), "Photocatalytic decomposition of organic contaminants by Bi<sub>2</sub>WO<sub>6</sub> under visible light irradiation", *Catalysis Letters*, Vol.92, No.1, pp.53-56
- Tao, Z., Xu, M., Lin, X., Wang, H., Song, L., Wang, S., Zhou, N., Zhang, D. and Xu, A., (2015), "Environmental surveillance of genogroup I and II noroviruses in shandong province, china in 2013", *Scientific Reports*, Vol.5, pp.17444
- Tauc, J., Grigorovici, R. and Vancu, A., (1966), "Optical properties and electronic structure of amorphous germanium", *physica status solidi (b)*, Vol.15, No.2, pp.627-637
- Tennakone, K., R. R. A. Kumara, G., R. M. Kottegoda, I. and P. S. Perera, V., (1999), "An efficient dye-sensitized photoelectrochemical solar cell made from oxides of tin and zinc", *Chemical Communications*, No.1, pp.15-16
- Tian, G., Chen, Y., Zhou, W., Pan, K., Tian, C., Huang, X.-r. and Fu, H., (2011), "3D hierarchical flower-like TiO<sub>2</sub> nanostructure: morphology control and its photocatalytic property", *CrystEngComm*, Vol.13, No.8, pp.2994-3000
- Tian, J., Sang, Y., Yu, G., Jiang, H., Mu, X. and Liu, H., (2013), "A Bi<sub>2</sub>WO<sub>6</sub>-based hybrid photocatalyst with broad spectrum photocatalytic properties under UV, visible, and near-infrared irradiation", *Advanced Materials*, Vol.25, No.36, pp.5075-5080
- Tian, J., Zhao, Z., Kumar, A., Boughton, R. I. and Liu, H., (2014), "Recent progress in design, synthesis, and applications of one-dimensional TiO<sub>2</sub> nanostructured surface heterostructures: a review", *Chemical Society Reviews*, Vol.43, No.20, pp. 6920-6937
- Torres-Martínez, L. M., Moctezuma, E., Ruiz-Gómez, M. A., Juárez-Ramírez, I. and Figueroa-Torres, M. Z., (2013), "Sol-gel synthesis of Sm<sub>2</sub>InTaO<sub>7</sub> and its photocatalytic activity on degradation of crystal violet dye and reduction of Cr(VI) ions", *Research on Chemical Intermediates*, Vol.39, No.4, pp.1533-1544
- Valencia, S., Marín, J. M. and Restrepo, G., (2009), "Study of the bandgap of synthesized titanium dioxide nanoparticles using the sol-gel method and a hydrothermal treatment", *The Open Materials Science Journal*, Vol.4, pp.9-14
- Valencia, S., Vargas, X., Rios, L., Restrepo, G. and Marín, J. M., (2013), "Sol-gel and low-temperature solvothermal synthesis of photoactive nano-titanium dioxide", *Journal of Photochemistry and Photobiology A: Chemistry*, Vol.251, pp.175-181
- Varghese, O. K., Paulose, M. and Grimes, C. A., (2009), "Long vertically aligned titania nanotubes on transparent conducting oxide for highly efficient solar cells", *Nature Nano*, Vol.4, No.9, pp.592-597
- Vendra, V. K., Absher, J., Ellis, S. R., Amos, D. A., Druffel, T. and Sunkara, M. K., (2012), "Photoanode area dependent efficiency and recombination effects in dye-sensitized solar cells", *Journal of The Electrochemical Society*, Vol.159, No.8, pp.H728-H733
- Walsh, D. and Mann, S., (1995), "Fabrication of hollow porous shells of calcium carbonate from self-organizing media", *Nature*, Vol.377, No.6547, pp.320-323
- Wang, C.-C. and Ying, J. Y., (1999), "Sol-gel synthesis and hydrothermal processing of anatase and rutile titania nanocrystals", *Chemistry of Materials*, Vol.11, No.11, pp.3113-3120
- Wang, D., Zhao, J., Chen, B. and Zhu, C., (2008), "Lattice vibration fundamentals in nanocrystalline anatase investigated with Raman scattering", *Journal of Physics: Condensed Matter*, Vol.20, No.8, pp.085212
- Wang, F., Zhang, G., Zhao, Z., Tan, H., Yu, W., Zhang, X. and Sun, Z., (2015), "TiO<sub>2</sub> nanosheet array thin film for self-cleaning coating", *RSC Advances*, Vol.5, No.13, pp.9861-9864
- Wang, H. and Hu, Y. H., (2012), "Graphene as a counter electrode material for dye-sensitized solar cells", *Energy & Environmental Science*, Vol.5, No.8, pp.8182-8188
- Wang, L., Li, X., Teng, W., Zhao, Q., Shi, Y., Yue, R. and Chen, Y., (2013), "Efficient photocatalytic reduction of aqueous Cr(VI) over flower-like SnIn<sub>4</sub>S<sub>8</sub> microspheres under visible light illumination", *Journal of Hazardous Materials*, Vol.244-245, pp.681-688
- Wang, L., Tang, F., Ozawa, K., Chen, Z.-G., Mukherj, A., Zhu, Y., Zou, J., Cheng, H.-M. and Lu, G. Q., (2009), "A General single-source route for the preparation of hollow nanoporous metal oxide structures", *Angewandte Chemie International Edition*, Vol.48, No.38, pp.7048-7051
- Wang, M., Anghel, A. M., Marsan, B., Cevey Ha, N.-L., Pootrakulchote, N., Zakeeruddin, S. M. and Grätzel, M., (2009), "CoS supersedes Pt as efficient electrocatalyst for triiodide reduction in dye-sensitized solar cells", *Journal of the American Chemical Society*, Vol.131, No.44, pp.15976-15977
- Wang, P., Wenger, B., Humphry-Baker, R., Moser, J.-E., Teuscher, J., Kantlehner, W., Mezger, J., Stoyanov, E. V., Zakeeruddin, S. M. and Grätzel, M., (2005), "Charge separation and efficient light energy conversion in sensitized mesoscopic solar cells based on binary ionic liquids", *Journal of the American Chemical Society*, Vol.127, No.18, pp.6850-6856

- Wang, X., Wu, X.-L., Guo, Y.-G., Zhong, Y., Cao, X., Ma, Y. and Yao, J., (2010), "Synthesis and lithium storage properties of Co<sub>3</sub>O<sub>4</sub> nanosheet-assembled multishelled hollow spheres", *Advanced Functional Materials*, Vol.20, No.10, pp.1680-1686
- Wang, X., Zhi, L. and Müllen, K., (2008), "Transparent, conductive graphene electrodes for dye-sensitized solar cells", *Nano Letters*, Vol.8, No.1, pp.323-327
- Wang, Y., Zhang, L., Deng, K., Chen, X. and Zou, Z., (2007), "Low temperature synthesis and photocatalytic activity of rutile TiO<sub>2</sub> nanorod superstructures", *Journal of Physical Chemistry C*, Vol.111, No.1, pp.2709-2714
- Wang, Z., Ran, S., Liu, B., Chen, D. and Shen, G., (2012), "Multilayer TiO<sub>2</sub> nanorod cloth/nanorod array electrode for dye-sensitized solar cells and self-powered UV detectors", *Nanoscale*, Vol.4, No.11, pp.3350-3358
- Wang, Z., Xia, D., Chen, G., Yang, T. and Chen, Y., (2008), "The effects of different acids on the preparation of TiO<sub>2</sub> nanostructure in liquid media at low temperature", *Materials Chemistry and Physics*, Vol.111, No.2-3, pp.313-316
- Wang, Z., Yang, C., Lin, T., Yin, H., Chen, P., Wan, D., Xu, F., Huang, F., Lin, J., Xie, X. and Jiang, M., (2013), "Visible-light photocatalytic, solar thermal and photoelectrochemical properties of aluminium-reduced black titania", *Energy & Environmental Science*, Vol.6, No.10, pp.3007-3014
- Wei, W., Ma, G.-H., Hu, G., Yu, D., McLeish, T., Su, Z.-G. and Shen, Z.-Y., (2008), "Preparation of hierarchical hollow CaCO<sub>3</sub> particles and the application as anticancer drug carrier", *Journal of the American Chemical Society*, Vol.130, No.47, pp.15808-15810
- Wolf, P.-E. and Maret, G., (1985), "Weak localization and coherent backscattering of photons in disordered media", *Physical Review Letters*, Vol.55, No.24, pp.2696-2699
- Wu, J., Lan, Z., Lin, J., Huang, M., Huang, Y., Fan, L. and Luo, G., (2015), "Electrolytes in dye-sensitized solar cells", *Chemical Reviews*, Vol.115, No.5, pp.2136-2173
- Wu, M., Lin, X., Hagfeldt, A. and Ma, T., (2011), "Low-cost molybdenum carbide and tungsten carbide counter electrodes for dye-sensitized solar cells", *Angewandte Chemie International Edition*, Vol.50, No.15, pp.3520-3524
- Wu, M., Lin, X., Wang, Y., Wang, L., Guo, W., Qi, D., Peng, X., Hagfeldt, A., Grätzel, M. and Ma, T., (2012), "Economical Pt-free catalysts for counter electrodes of dye-sensitized solar cells", *Journal of the American Chemical Society*, Vol.134, No.7, pp.3419-3428
- Wu, X. H., Yamilov, A., Noh, H., Cao, H., Seelig, E. W. and Chang, R. P. H., (2004), "Random lasing in closely packed resonant scatterers", *Journal of the Optical Society of America B*, Vol.21, No.1, pp.159-167
- Xi, G., Ye, J., Ma, Q., Su, N., Bai, H. and Wang, C., (2012), "in situ growth of metal particles on 3d urchin-like WO<sub>3</sub> nanostructures", *Journal of the American Chemical Society*, Vol.134, No.15, pp.6508-6511
- Xia, D. and Brueck, S. R. J., (2004), "A facile approach to directed assembly of patterns of nanoparticles using interference lithography and spin coating", *Nano Letters*, Vol.4, No.7, pp.1295-1299
- Xia, D., Biswas, A., Li, D. and Brueck, S. R. J., (2004), "Directed self-assembly of silica nanoparticles into nanometer-scale patterned surfaces using spin-coating", *Advanced Materials*, Vol.16, No.16, pp.1427-1432
- Xu, H. and Wang, W., (2007), "Template Synthesis of Multishelled Cu<sub>2</sub>O hollow spheres with a single-crystalline shell wall", *Angewandte Chemie*, Vol.119, No.9, pp.1511-1514
- Xu, H., Zhang, X., Zhang, C., Liu, Z., Zhou, X., Pang, S., Chen, X., Dong, S., Zhang, Z., Zhang, L., Han, P., Wang, X. and Cui, G., (2012), "Nanostructured titanium nitride/PEDOT:PSS composite films as counter electrodes of dye-sensitized solar cells", *ACS Applied Materials & Interfaces*, Vol.4, No.2, pp.1087-1092
- Xu, J., Ao, Y., Fu, D. and Yuan, C., (2008), "Low-temperature preparation of anatase titania-coated magnetite", *Journal of Physics and Chemistry of Solids*, Vol.69, No.8, pp.1980-1984
- Yan, M., Chen, F., Zhang, J. and Anpo, M., (2005), "Preparation of controllable crystalline titania and study on the photocatalytic properties", *The journal of physical chemistry B*, Vol.109, pp.8673-8678
- Yan, M., Chen, F., Zhang, J. and Anpo, M., (2005), "Preparation of controllable crystalline titania and study on the photocatalytic properties", *The Journal of Physical Chemistry B*, Vol.109, No.18, pp.8673-8678
- Yan, M., Wu, Y., Yan, Y., Yan, X., Zhu, F., Hua, Y. and Shi, W., (2016), "Synthesis and characterization of novel BiVO<sub>4</sub>/Ag<sub>3</sub>VO<sub>4</sub> heterojunction with enhanced visible-light-driven photocatalytic degradation of dyes", *ACS Sustainable Chemistry & Engineering*, Vol.4, No.3, pp.757-766
- Yang, H. G. and Zeng, H. C., (2004), "Creation of intestine-like interior space for metal-oxide nanostructures with a quasi-reverse emulsion", *Angewandte Chemie International Edition*, Vol.43, No.39, pp.5206-5209

- Yang, H. G., Liu, G., Qiao, S. Z., Sun, C. H., Jin, Y. G., Smith, S. C., Zou, J., Cheng, H. M. and Lu, G. Q., (2009), "Solvochemical synthesis and photoreactivity of anatase TiO<sub>2</sub> nanosheets with dominant {001} facets", *Journal of the American Chemical Society*, Vol.131, No.11, pp.4078-4083
- Yang, H. G., Sun, C. H., Qiao, S. Z., Zou, J., Liu, G., Smith, S. C., Cheng, H. M. and Lu, G. Q., (2008), "Anatase TiO<sub>2</sub> single crystals with a large percentage of reactive facets", *Nature*, Vol.453, No.7195, pp.638-641
- Yang, H. X., Qian, J. F., Chen, Z. X., Ai, X. P. and Cao, Y. L., (2007), "multilayered nanocrystalline SnO<sub>2</sub> hollow microspheres synthesized by chemically induced self-assembly in the hydrothermal environment", *The Journal of Physical Chemistry C*, Vol.111, No.38, pp.14067-14071
- Yang, J., Dai, J. and Li, J., (2013), "Visible-light-induced photocatalytic reduction of Cr(VI) with coupled Bi<sub>2</sub>O<sub>3</sub>/TiO<sub>2</sub> photocatalyst and the synergistic bisphenol A oxidation", *Environmental Science and Pollution Research*, Vol.20, No.4, pp.2435-2447
- Yang, J., Lee, J., Kang, J., Lee, K., Suh, J.-S., Yoon, H.-G., Huh, Y.-M. and Haam, S., (2008), "hollow silica nanocontainers as drug delivery vehicles", *Langmuir*, Vol.24, No.7, pp.3417-3421
- Yang, J., Wang, X., Zhao, X., Dai, J. and Mo, S., (2015), "Synthesis of uniform Bi<sub>2</sub>WO<sub>6</sub>-reduced graphene oxide nanocomposites with significantly enhanced photocatalytic reduction activity", *The Journal of Physical Chemistry C*, Vol.119, No.6, pp.3068-3078
- Yu, J. and Ran, J., (2011), "Facile preparation and enhanced photocatalytic H<sub>2</sub>-production activity of Cu(OH)<sub>2</sub> cluster modified TiO<sub>2</sub>", *Energy & Environmental Science*, Vol.4, No.4, pp.1364-1371
- Yu, J. C., Yu, J. and Zhao, J., (2002), "Enhanced photocatalytic activity of mesoporous and ordinary TiO<sub>2</sub> thin films by sulfuric acid treatment", *Applied Catalysis B: Environmental*, Vol.36, No.1, pp.31-43
- Yu, J., Liu, S. and Yu, H., (2007), "Microstructures and photoactivity of mesoporous anatase hollow microspheres fabricated by fluoride-mediated self-transformation", *Journal of Catalysis*, Vol.249, No.1, pp.59-66
- Yu, J., Yang, Y., Fan, R., Li, L. and Li, X., (2014), "Rapid electron injection in nitrogen- and fluorine-doped flower-like anatase TiO<sub>2</sub> with {001} dominated facets and dye-sensitized solar cells with a 52% increase in photocurrent", *The Journal of Physical Chemistry C*, Vol.118, No.17, pp.8795-8802
- Yu, J., Yu, H., Cheng, B., Zhao, X. and Zhang, Q., (2006), "Preparation and photocatalytic activity of mesoporous anatase TiO<sub>2</sub> nanofibers by a hydrothermal method", *Journal of Photochemistry and Photobiology A: Chemistry*, Vol.182, No.2, pp.121-127
- Yu, Y., Zhang, Q., Xie, J. and Lee, J. Y., (2013), "Engineering the architectural diversity of heterogeneous metallic nanocrystals", *Nature Communications*, Vol.4, pp.1454
- Zhai, Y., Zhang, Q., Liu, F. and Gao, G., (2008), "Synthesis of nanostructure rutile TiO<sub>2</sub> in a carboxyl-containing ionic liquid", *Materials Letters*, Vol.62, No.30, pp.4563-4565
- Zhang, G., Shen, X. and Yang, Y., (2011), "Facile synthesis of monodisperse porous ZnO spheres by a soluble starch-assisted method and their photocatalytic activity", *The Journal of Physical Chemistry C*, Vol.115, No.15, pp.7145-7152
- Zhang, H. and Banfield, J. F., (2000), "Understanding polymorphic phase transformation behavior during growth of nanocrystalline aggregates: insights from TiO<sub>2</sub>", *The Journal of Physical Chemistry B*, Vol.104, No.15, pp.3481-3487
- Zhang, H., Han, Y., Liu, X., Liu, P., Yu, H., Zhang, S., Yao, X. and Zhao, H., (2010), "Anatase TiO<sub>2</sub> microspheres with exposed mirror-like plane {001} facets for high performance dye-sensitized solar cells (DSSCs)", *Chemical Communications*, Vol.46, No.44, pp.8395-8397
- Zhang, H., Wang, Y., Yang, D., Li, Y., Liu, H., Liu, P., Wood, B. J. and Zhao, H., (2012), "Directly hydrothermal growth of single crystal Nb<sub>3</sub>O<sub>7</sub>(OH) nanorod film for high performance dye-sensitized solar cells", *Advanced Materials*, Vol.24, No.12, pp.1598-1603
- Zhang, J., Li, M., Feng, Z., Chen, J. and Li, C., (2006), "UV Raman spectroscopic study on TiO<sub>2</sub>. i. phase transformation at the surface and in the bulk", *The Journal of Physical Chemistry B*, Vol.110, No.2, pp.927-935
- Zhang, L., Yang, Y., Fan, R., Yu, J. and Li, L., (2013), "Improving the efficiency of ZnO-based dye-sensitized solar cells by Pr and N co-doping", *Journal of Materials Chemistry A*, Vol.1, No.39, pp.12066-12073
- Zhang, Q., Dandeneau, C. S., Zhou, X. and Cao, G., (2009), "ZnO nanostructures for dye-sensitized solar cells", *Advanced Materials*, Vol.21, No.41, pp.4087-4108
- Zhang, W. F., He, Y. L., Zhang, M. S., Yin, Z. and Chen, Q., (2000), "Raman scattering study on anatase TiO<sub>2</sub> nanocrystals", *Journal of Physics D: Applied Physics*, Vol.33, No.8, pp.912
- Zhang, X., Wang, S.-T. and Wang, Z.-S., (2011), "Effect of metal-doping in TiO<sub>2</sub> on fill factor of dye-sensitized solar cells", *Applied Physics Letters*, Vol.99, No.11, pp.113503

- Zhang, Y., (2015), "Synthesizing of anatase titanium dioxide microspheres via hydrothermal reaction at low temperature", *Integrated Ferroelectrics*, Vol.160, No.1, pp.142-146
- Zhao, C., Pelaez, M., Duan, X., Deng, H., O'Shea, K., Fatta-Kassinos, D. and Dionysiou, D. D., (2013), "Role of pH on photolytic and photocatalytic degradation of antibiotic oxytetracycline in aqueous solution under visible/solar light: Kinetics and mechanism studies", *Applied Catalysis B: Environmental*, Vol.134-135, pp.83-92
- Zhao, H., Chen, J.-F., Zhao, Y., Jiang, L., Sun, J.-W. and Yun, J., (2008), "Hierarchical assembly of multilayered hollow microspheres from an amphiphilic pharmaceutical molecule of azithromycin", *Advanced Materials*, Vol.20, No.19, pp.3682-3686
- Zhou, M., Xu, J., Yu, H. and Liu, S., (2010), "Low-temperature hydrothermal synthesis of highly photoactive mesoporous spherical TiO<sub>2</sub> nanocrystalline", *Journal of Physics and Chemistry of Solids*, Vol.71, No.4, pp.507-510
- Zhou, S., Li, J., Schlangen, M. and Schwarz, H., (2016), "Spin-selective thermal activation of methane by closed-shell [TaO<sub>3</sub>]<sup>+</sup>", *Angewandte Chemie International Edition*, Vol.55, No.25, pp.7257-7260
- Zhou, S., Li, J., Schlangen, M. and Schwarz, H., (2016), "Thermal activation of methane by [HfO]<sup>+</sup> and [XHfO]<sup>+</sup> (X=F, Cl, Br, I) and the origin of a remarkable ligand effect", *Angewandte Chemie International Edition*, Vol.55, No.27, pp.7685-7688
- Zhou, W., Li, W., Wang, J.-Q., Qu, Y., Yang, Y., Xie, Y., Zhang, K., Wang, L., Fu, H. and Zhao, D., (2014), "Ordered mesoporous black TiO<sub>2</sub> as highly efficient hydrogen evolution photocatalyst", *Journal of the American Chemical Society*, Vol.136, No.26, pp.9280-9283
- Zhou, Y. and Antonietti, M., (2003), "Synthesis of very small TiO<sub>2</sub> nanocrystals in a room-temperature ionic liquid and their self-assembly toward mesoporous spherical aggregates", *Journal of the American Chemical Society*, Vol.125, No.49, pp.14960-14961
- Zhu, X., Zhang, J. and Chen, F., (2010), "Hydrothermal synthesis of nanostructures Bi<sub>12</sub>TiO<sub>20</sub> and their photocatalytic activity on acid orange 7 under visible light", *Chemosphere*, Vol.78, No.11, pp.1350-1355