

References

- Adler-Abramovich, L., Vaks, L., Carny, O., Trudler, D., Magno, A., Caflisch, A., et al. (2012). "Phenylalanine assembly into toxic fibrils suggests amyloid etiology in phenylketonuria". *Nature chemical biology*, 8(8), 701–6.
- Aguzzi, A., & O'Connor, T. (2010). "Protein aggregation diseases: pathogenicity and therapeutic perspectives". *Nature Reviews Drug Discovery*, 9(3), 237–248.
- Alessandrini, A., Facci, P., Binnig G, Q. C. F. and G. C., Binnig G, R. H. G. C. and W. E., Marti O., et al. (2005). "AFM: a versatile tool in biophysics". *Measurement Science and Technology*, 16(6), R65–R92.
- Álvarez, Y. D., Fauerbach, J. A., Pellegrotti, J. V., Jovin, T. M., Jares-Erijman, E. A., & Stefani, F. D. (2013a). "Influence of Gold Nanoparticles on the Kinetics of α -Synuclein Aggregation". *Nano Letters*, 13(12), 6156–6163.
- Amruthraj, N. J., Preetam Raj, J. P., & Lebel, A. (2015). "Capsaicin-capped silver nanoparticles: its kinetics, characterization and biocompatibility assay". *Applied Nanoscience*, 5(4), 403–409.
- Anand, B. G., Dubey, K., Shekhawat, D. S., & Kar, K. (2016b). "Capsaicin-Coated Silver Nanoparticles Inhibit Amyloid Fibril Formation of Serum Albumin". *Biochemistry*, 55(24), 3345–3348.
- Anand, B. G., Thomas, C. K. N., Prakash, S., & Kumar, C. S. (2015). "Biosynthesis of silver nano particles by marine sediment fungi for a dose dependent cytotoxicity against hep2 cell lines". *Biocatalysis and Agricultural Biotechnology*.
- Artuch, R., Colomé, C., Vilaseca, M. A., Sierra, C., Cambra, F. J., Lambruschini, N., & Campistol, J. (2001). "Plasma phenylalanine is associated with decreased serum ubiquinone-10 concentrations in phenylketonuria". *Journal of inherited metabolic disease*, 24(3), 359–66.
- Bailey, J. R., Bland, P. W., Tarlton, J. F., Peters, I., Moorghen, M., Sylvester, P. A., Probert, C. S., and Whiting, C. V. (2012) IL-13 promotes collagen accumulation in Crohn's disease fibrosis by down-regulation of fibroblast MMP synthesis: a role for innate lymphoid cells?, *PLoS one* 7, e52332.
- Bella, J., Eaton, M., Brodsky, B., and Berman, H. M. (1994) Crystal and molecular structure of a collagen-like peptide at 1.9 Å resolution, *Science* 266, 75–81.
- Bella, J., Brodsky, B., and Berman, H. M. (1995) Hydration structure of a collagen peptide, *Structure* 3, 893–906.
- Bemporad, F. (2006). "Assessing the role of aromatic residues in the amyloid aggregation of human muscle acylphosphatase". *Protein Science*, 15(4), 862–870.
- Benveniste, S., Trimarchi, F., & Facchiano, A. (1994). "Homology of calcitonin with the amyloid-related proteins". *Journal of Endocrinological Investigation*, 17(2), 119–122.
- Berg JM, Tymoczko JL, S. L. B. (2002). "Biochemistry" (5th ed.). W H Freeman.
- Berger, G., Berger, N., Guillaud, M. H., Trouillas, J., & Vauzelle, J. L. (1988). "Calcitonin-like immunoreactivity of amyloid fibrils in medullary thyroid carcinomas. An immunoelectron microscope study". *Virchows Archiv. A, Pathological anatomy and histopathology*, 412(6), 543–51.
- Berson, J. F., Theos, A. C., Harper, D. C., Tenza, D., Raposo, G., & Marks, M. S. (2003). "Proprotein convertase cleavage liberates a fibrillogenic fragment of a resident glycoprotein to initiate melanosome biogenesis". *The Journal of Cell Biology*, 161(3).
- Bessis, M. (1974). "Corpuscles". Berlin, Heidelberg: Springer Berlin Heidelberg.
- Bessis, M. (1977). "Blood Smears" Reinterpreted. Springer Berlin Heidelberg.
- Bhardwaj, R. K. (2002). "Piperine, a Major Constituent of Black Pepper, Inhibits Human P-glycoprotein

- and CYP3A4". *Journal of Pharmacology and Experimental Therapeutics*, 302(2), 645–650.
- Bhardwaj, R. K., Glaeser, H., Becquemont, L., Klotz, U., Gupta, S. K., & Fromm, M. F. (2002). "Piperine, a major constituent of black pepper, inhibits human P-glycoprotein and CYP3A4". *The Journal of pharmacology and experimental therapeutics*, 302(2), 645–50.
- Blau, N., van Spronsen, F. J., & Levy, H. L. (2010). "Phenylketonuria". *Lancet (London, England)*, 376(9750), 1417–27.
- Brange, J., Havelund, S., & Hougaard, P. (1992). "Chemical Stability of Insulin. 2. Formation of Higher Molecular Weight Transformation Products During Storage of Pharmaceutical Preparations". *Pharmaceutical Research*, 9(6), 727–734.
- Burke, J. P., Mulsow, J. J., O'Keane, C., Docherty, N. G., Watson, R. W., and O'Connell, P. R. (2007) Fibrogenesis in Crohn's disease, *The American journal of gastroenterology* 102, 439-448.
- Brodsky, B., and Ramshaw, J. A. (1997) The collagen triple-helix structure, *Matrix biology : journal of the International Society for Matrix Biology* 15, 545-554.
- Brodsky, B., and Persikov, A. V. (2005) Molecular structure of the collagen triple helix, *Advances in protein chemistry* 70, 301-339.
- Brooks, B. R., Brooks, C. L., Mackerell, A. D., Nilsson, L., Petrella, R. J., Roux, B., et al. (2009b). CHARMM: "The biomolecular simulation program". *Journal of Computational Chemistry*, 30(10), 1545–1614.
- Butterfield, S. M., & Lashuel, H. A. (2010). "Amyloidogenic Protein-Membrane Interactions: Mechanistic Insight from Model Systems". *Angewandte Chemie International Edition*, 49(33), 5628–5654.
- Cecelja, M., and Chowienczyk, P. (2012) Role of arterial stiffness in cardiovascular disease, *JRSM cardiovascular disease* 1.
- Cejas, M. A., Kinney, W. A., Chen, C., Vinter, J. G., Almond, H. R., Balss, K. M., et al. (2008). "Thrombogenic collagen-mimetic peptides: Self-assembly of triple helix-based fibrils driven by hydrophobic interactions". *Proceedings of the National Academy of Sciences of the United States of America*, 105(25), 8513–8. 5
- Chandrakasan, G., Torchia, D. A., and Piez, K. A. (1976) Preparation of intact monomeric collagen from rat tail tendon and skin and the structure of the nonhelical ends in solution, *The Journal of biological chemistry* 251, 6062-6067.
- Chapman, M. R., Robinson, L. S., Pinkner, J. S., Roth, R., Heuser, J., Hammar, M., et al. (2002). "Role of Escherichia coli Curli Operons in Directing Amyloid Fiber Formation". *Science*, 295(5556).
- Chatani, E., Imamura, H., Yamamoto, N., & Kato, M. (2014). "Stepwise organization of the β -structure identifies key regions essential for the propagation and cytotoxicity of insulin amyloid fibrils". *The Journal of biological chemistry*, 289(15), 10399–410.
- Chatani, E., Inoue, R., Imamura, H., Sugiyama, M., Kato, M., Yamamoto, M., et al. (2015). "Early aggregation preceding the nucleation of insulin amyloid fibrils as monitored by small angle X-ray scattering". *Scientific reports*, 5, 15485.
- Chinta, G., Ramya Chandar Charles, M., Klopčič, I., Sollner Dolenc, M., Periyasamy, L., & Selvaraj Coumar, M. (2015). "In Silico and In Vitro Investigation of the Piperine's Male Contraceptive Effect: Docking and Molecular Dynamics Simulation Studies in Androgen-Binding Protein and Androgen Receptor". *Planta medica*, 81(10), 804–12.
- Chiti, F., & Dobson, C. M. (2006a). "Protein Misfolding, Functional Amyloid, and Human Disease". *Annual Review of Biochemistry*, 75(1), 333–366.
- Chiti, F., & Dobson, C. M. (2009). "Amyloid formation by globular proteins under native conditions". *Nature Chemical Biology*, 5(1), 15–22.
- Chung, H. J., Steplewski, A., Chung, K. Y., Uitto, J., and Fertala, A. (2008) Collagen fibril formation. A new target to limit fibrosis, *The Journal of biological chemistry* 283, 25879-25886.

- Dallakyan, S., and Olson, A. J. (2015) Small-molecule library screening by docking with PyRx, *Methods Mol Biol* 1263, 243-250.
- D'Hooge, R., Pei, Y. Q., Raes, A., Lebrun, P., van Bogaert, P. P., & de Deyn, P. P. (1996). "Anticonvulsant activity of piperine on seizures induced by excitatory amino acid receptor agonists". *Arzneimittel-Forschung*, 46(6), 557-60.
- Daima, H. K., Selvakannan, P., Homan, Z., Bhargava, S. K., & Bansal, V. (2011). "Tyrosine Mediated Gold, Silver and Their Alloy Nanoparticles Synthesis: Antibacterial Activity Toward Gram Positive and Gram Negative Bacterial Strains". In *2011 International Conference on Nanoscience, Technology and Societal Implications* (pp. 1-6).
- Das, S., Zhou, K., Ghosh, D., Jha, N. N., Singh, P. K., Jacob, R. S., et al. (2016). "Implantable amyloid hydrogels for promoting stem cell differentiation to neurons". *NPG Asia Materials*, 8(9), e304.
- Daware, M. B., Mujumdar, A. M., & Ghaskadbi, S. (2000). "Reproductive Toxicity of Piperine in Swiss Albino Mice". *Planta Medica*, 66(3), 231-236.
- Desai, S. K.; Gawali, V. S.; Naik, A. B.; D'souza, L. L. (2008). "Potentiating Effect of Piperine on Hepatoprotective Activity of Boerhaavia diffusa to Combat Oxidative Stress". *International Journal of Pharmacology*, 4(5), 393-396.
- Dhuley, J. N., Raman, P. H., Mujumdar, A. M., & Naik, S. R. (1993). "Inhibition of lipid peroxidation by piperine during experimental inflammation in rats". *Indian journal of experimental biology*, 31(5), 443-5.
- Dische, F. E., Wernstedt, C., Westermarck, G. T., Westermarck, P., Pepys, M. B., Rennie, J. A., et al. (1988). "Insulin as an amyloid-fibril protein at sites of repeated insulin injections in a diabetic patient". *Diabetologia*, 31(3), 158-61.
- Do, T. D., Kincannon, W. M., & Bowers, M. T. (2015a). "Phenylalanine Oligomers and Fibrils: The Mechanism of Assembly and the Importance of Tetramers and Counterions". *Journal of the American Chemical Society*, 137(32), 10080-10083.
- Do, T. D., Kincannon, W. M., & Bowers, M. T. (2015c). "Phenylalanine Oligomers and Fibrils: The Mechanism of Assembly and the Importance of Tetramers and Counterions". *Journal of the American Chemical Society*, 137(32), 10080-10083.
- Dobrovolskaia, M. A., Clogston, J. D., Neun, B. W., Hall, J. B., Patri, A. K., & McNeil, S. E. (2008). "Method for analysis of nanoparticle hemolytic properties in vitro". *Nano letters*, 8(8), 2180-7.
- Dobson, C. M. (2003). "Protein folding and misfolding". *Nature*, 426(6968), 884-890.
- Dubey, K., Anand, B. G., Badhwar, R., Bagler, G., Navya, P. N., Daima, H. K., & Kar, K. (2015). "Tyrosine- and tryptophan-coated gold nanoparticles inhibit amyloid aggregation of insulin". *Amino acids*, 47(12), 2551-60.
- Dubey, K., Anand, B. G., Temgire, M. K., & Kar, K. (2014). "Evidence of rapid coaggregation of globular proteins during amyloid formation". *Biochemistry*, 53(51), 8001-4.
- Dunker, A. K., Brown, C. J., Lawson, J. D., Iakoucheva, L. M., & Obradović, Z. (2002). "Intrinsic disorder and protein function". *Biochemistry*, 41(21), 6573-82.
- Eschwège, E. (2003). "The dysmetabolic syndrome, insulin resistance and increased cardiovascular (CV) morbidity and mortality in type 2 diabetes: aetiological factors in the development of CV complications". *Diabetes & metabolism*, 29(4 Pt 2), 6S19-27.
- Etienne, M. A., Aucoin, J. P., Fu, Y., McCarley, R. L., & Hammer, R. P. (2006). "Stoichiometric inhibition of amyloid beta-protein aggregation with peptides containing alternating alpha, alpha-disubstituted amino acids". *Journal of the American Chemical Society*, 128(11), 3522-3.
- Faas, L., Venkatasamy, R., Hider, R. C., Young, A. R., & Soumyanath, A. (2008). "In vivo evaluation of piperine and synthetic analogues as potential treatments for vitiligo using a sparsely pigmented mouse model". *British Journal of Dermatology*, 158(5), 941-950.

- Farndale, R. W., Sixma, J. J., Barnes, M. J., & De Groot, P. G. (2004). "The role of collagen in thrombosis and hemostasis". *Journal of Thrombosis and Haemostasis*, 2(4), 561–573.
- Fratzl, P. (2008). "Collagen: Structure and Mechanics, an Introduction". Boston, MA: Springer US.
- Frydas, S., Varvara, G., Murmura, G., Saggini, A., Caraffa, A., Antinolfi, P., et al. (2013). "Impact of capsaicin on mast cell inflammation". *International journal of immunopathology and pharmacology*, 26(3), 597–600.
- Ganesh Bhat, B., & Chandrasekhara, N. (1987). "Effect of black pepper and piperine on bile secretion and composition in rats. *Die Nahrung*, 31(9), 913–6.
- Gangwar, R. K., Dhumale, V. A., Kumari, D., Nakate, U. T., Gosavi, S. W., Sharma, R. B., et al. (2012). "Conjugation of curcumin with PVP capped gold nanoparticles for improving bioavailability". *Materials Science and Engineering: C* 32 (8), 2659-2663.
- Garcia-Martinez, R., Caraceni, P., Bernardi, M., Gines, P., Arroyo, V., & Jalan, R. (2013). "Albumin: Pathophysiologic basis of its role in the treatment of cirrhosis and its complications". *Hepatology*, 58(5), 1836–1846.
- Gazit, E. (2002). A possible role for pi-stacking in the self-assembly of amyloid fibrils. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*, 16(1), 77–83.
- Gemma Soldi, Georgia Plakoutsi, Niccolò Taddei, and, & Chiti*, F. (2006). "Stabilization of a Native Protein Mediated by Ligand Binding Inhibits Amyloid Formation Independently of the Aggregation Pathway" *J.Medchem* 49(20) 6057-6064 .
- German, H. W., Uyaver, S., & Hansmann, and U. H. E. (2015). "Self-Assembly of Phenylalanine-Based Molecules". *The Journal of Physical Chemistry A*, 119(9), 1609–1615.
- Ghosh, R., Sharma, S., & Chattopadhyay, K. (2009). "Effect of Arginine on Protein Aggregation Studied by Fluorescence Correlation Spectroscopy and Other Biophysical Methods". *Biochemistry*, 48(5), 1135–1143.
- Giljohann, D. A., Seferos, D. S., Daniel, W. L., Massich, M. D., Patel, P. C., & Mirkin, C. A. (2010). "Gold nanoparticles for biology and medicine". *Angewandte Chemie (International ed. in English)*, 49(19), 3280–94.
- Gong, H., He, Z., Peng, A., Zhang, X., Cheng, B., Sun, Y., et al. (2014). "Effects of several quinones on insulin aggregation". *Scientific Reports*, 4.
- Greenwald, J., & Riek, R. (2010). "Biology of Amyloid: Structure, Function, and Regulation". *Structure*, 18(10), 1244–1260.
- Groenning, M. (2010). "Binding mode of Thioflavin T and other molecular probes in the context of amyloid fibrils-current status". *Journal of chemical biology*, 3(1), 1–18.
- Guo, C., Arnon, Z. A., Qi, R., Zhang, Q., Adler-Abramovich, L., Gazit, E., & Wei, G. (2016). "Expanding the Nanoarchitectural Diversity Through Aromatic Di- and Tri-Peptide Coassembly": Nanostructures and Molecular Mechanisms. *ACS Nano*, 10(9), 8316–8324.
- H.K. Daima, PR. Selvakannan, S.K. Bhargava, S.K. Shastry, V. B. (2014). "Amino acids-conjugated gold, silver and their alloy nanoparticles: Role of surface chemistry and metal composition on peroxidase like activity". In *Nanotechnology 2014: MEMS, Fluidics, Bio Systems, Medical, Computational & Photonics* (pp. 275–278).
- Häggqvist, B., Näslund, J., Sletten, K., Westermarck, G. T., Mucchiano, G., Tjernberg, L. O., et al. (1999). "Medin: an integral fragment of aortic smooth muscle cell-produced lactadherin forms the most common human amyloid". *Proceedings of the National Academy of Sciences of the United States of America*, 96(15), 8669–74.
- Hall, D. M., Bruss, I. R., Barone, J. R., & Grason, G. M. (2016). "Morphology selection via geometric frustration in chiral filament bundles". *Nature Materials*, 15(7), 727–732.

- Hanley, W. B., Linsao, L., Davidson, W., & Moes, C. A. F. (1970). "Malnutrition with Early Treatment of Phenylketonuria". *Pediatric Research*, 4(4), 318–327.
- Hansen, J., Rinnov, A., Krogh-Madsen, R., Fischer, C. P., Andreassen, A. S., Berg, R. M. G., et al. (2013). "Plasma follistatin is elevated in patients with type 2 diabetes: relationship to hyperglycemia, hyperinsulinemia, and systemic low-grade inflammation". *Diabetes/Metabolism Research and Reviews*, 29(6), 463–472.
- Haris, P., Mary, V., Haridas, M., & Sudarsanakumar, C. (2015). "Energetics, Thermodynamics, and Molecular Recognition of Piperine with DNA". *Journal of Chemical Information and Modeling*, 55(12), 2644–2656.
- Hashimoto, M., Takeda, A., Hsu, L. J., Takenouchi, T., & Masliah, E. (1999). "Role of cytochrome c as a stimulator of alpha-synuclein aggregation in Lewy body disease". *The Journal of biological chemistry*, 274(41), 28849–52.
- Hempenstall, K., Nurmikko, T. J., Johnson, R. W., A'Hern, R. P., & Rice, A. S. C. (2005). "Analgesic therapy in postherpetic neuralgia": a quantitative systematic review. *PLoS medicine*, 2(7), e164.
- Hendgen-Cotta, U. B., Flogel, U., Kelm, M., & Rassaf, T. (2010). "Unmasking the Janus face of myoglobin in health and disease". *Journal of Experimental Biology*, 213(16), 2734–2740.
- Herczenik, E., & Gebbink, M. F. B. G. (2008a). "Molecular and cellular aspects of protein misfolding and disease". *The FASEB Journal*, 22(7), 2115–2133.
- Herczenik, E., & Gebbink, M. F. B. G. (2008b). "Molecular and cellular aspects of protein misfolding and disease". *The FASEB Journal*, 22(7), 2115–2133. 1
- Herizchi, R., Abbasi, E., Milani, M., & Akbarzadeh, A. (2014). "Current methods for synthesis of gold nanoparticles". *Artificial Cells, Nanomedicine, and Biotechnology*, 1–7.
- Hjorth, C. F., Norrman, M., Wahlund, P.-O., Benie, A. J., Petersen, B. O., Jessen, C. M., et al. (2016). "Structure, Aggregation, and Activity of a Covalent Insulin Dimer Formed During Storage of Neutral Formulation of Human Insulin". *Journal of Pharmaceutical Sciences*, 105(4), 1376–1386.
- Hofmann, H., Fietzek, P. P., & Kühn, K. (1980). "Comparative analysis of the sequences of the three collagen chains $\alpha 1(I)$, $\alpha 2$ and $\alpha 1(III)$: Functional and genetic aspects". *Journal of Molecular Biology*, 141(3), 293–314. 5
- Holm, N. K., Jespersen, S. K., Thomassen, L. V., Wolff, T. Y., Sehgal, P., Thomsen, L. A., et al. (2007). "Aggregation and fibrillation of bovine serum albumin. *Biochimica et Biophysica Acta (BBA)*" - *Proteins and Proteomics*, 1774(9), 1128–1138.
- Huang, S.-P., Chen, J.-C., Wu, C.-C., Chen, C.-T., Tang, N.-Y., Ho, Y.-T., et al. (2009). "Capsaicin-induced apoptosis in human hepatoma HepG2 cells". *Anticancer research*, 29(1), 165–74.
- Hulmes, D. J. S. (2008.). *Collagen Diversity, Synthesis and Assembly*. In *Collagen* (pp. 15–47). Boston, MA: Springer US.
- Hulmes, D. J. S., Miller, A., Parry, D. A. D., Piez, K. A., & Woodhead-Galloway, J. (1973). "Analysis of the primary structure of collagen for the origins of molecular packing". *Journal of Molecular Biology*, 79(1), 137–148.
- Iravani, S., Korbekandi, H., Mirmohammadi, S. V., & Zolfaghari, B. (2014). "Synthesis of silver nanoparticles: chemical, physical and biological methods". *Research in pharmaceutical sciences*, 9(6), 385–406.
- Ivanova, M. I., Sievers, S. A., Sawaya, M. R., Wall, J. S., & Eisenberg, D. (2009). "Molecular basis for insulin fibril assembly". *Proceedings of the National Academy of Sciences of the United States of America*, 106(45), 18990–5.
- Ivanova, M. I., Thompson, M. J., & Eisenberg, D. (2006). "A systematic screen of beta(2)-microglobulin and insulin for amyloid-like segments". *Proceedings of the National Academy of Sciences of the United*

States of America, 103(11), 4079–82.

- J. Kimling, M. Maier, B. Okenve, V. Kotaidis, H. Ballot, and, & Plech*, A. (2006). "Turkevich Method for Gold Nanoparticle Synthesis" Revisited. *J. Phys.Chem B*, 110(32), 15700-15707.
- Jacob, R. S., Ghosh, D., Singh, P. K., Basu, S. K., Nath Jha, N., Das, S., et al. (2015). 'Self healing hydrogels composed of amyloid nano fibrils for cell culture and stem cell differentiation. *Biomaterials*, 54, 97–105.
- Jayakumar, R., Kusiak, J. W., Chrest, F. J., Demehin, A. A., Murali, J., Wersto, R. P., et al. (2003). "Red cell perturbations by amyloid beta-protein". *Biochimica et biophysica acta*, 1622(1), 20–8.
- John J. Irwin,, Frank M. Raushel, and, & Brian K. Shoichet, (2005)."Virtual Screening against Metalloenzymes for Inhibitors and Substrates". *Biochemistry*, 44(37), 12316-12328.
- Jones, S., Manning, J., Kad, N. M., & Radford, S. E. (2003.). "Amyloid-forming Peptides from b 2 - Microglobulin – Insights into the Mechanism of Fibril Formation in Vitro" *J.Mol Bio*, 325(2), 249–257.
- Kapoor, I. P. S., Singh, B., Singh, G., De Heluani, C. S., De Lampasona, M. P., & Catalan, C. A. N. (2009). "Chemistry and in Vitro Antioxidant Activity of Volatile Oil and Oleoresins of Black Pepper (*Piper nigrum*) " *Journal of Agricultural and Food Chemistry*, 57(12), 5358–5364.
- Kar, K., Amin, P., Bryan, M. A., Persikov, A. V, Mohs, A., Wang, Y.-H., & Brodsky, B. (2006). "Self-association of collagen triple helix peptides into higher order structures". *The Journal of biological chemistry*, 281(44), 33283–90.
- Kar, K., Arduini, I., Drombosky, K. W., van der Wel, P. C. A., & Wetzel, R. (2014). "D-polyglutamine amyloid recruits L-polyglutamine monomers and kills cells". *Journal of molecular biology*, 426(4), 816–29.
- Kar, K., Wang, Y. H., and Brodsky, B. (2008) Sequence dependence of kinetics and morphology of collagen model peptide self-assembly into higher order structures, *Protein science : a publication of the Protein Society* 17, 1086-1095.
- Kar, K., Ibrar, S., Nanda, V., Getz, T. M., Kunapuli, S. P., & Brodsky, B. (2009). "Aromatic interactions promote self-association of collagen triple-helical peptides to higher-order structures". *Biochemistry*, 48(33), 7959–68.
- Kar, K., & Kishore, N. (2007). "Enhancement of thermal stability and inhibition of protein aggregation by osmolytic effect of hydroxyproline". *Biopolymers*, 87(5–6), 339–351.
- Keswani, N., Kar, K., and Kishore, N. (2010) Thermodynamic properties of aqueous 4-hydroxyproline at different temperatures, *The Journal of Chemical Thermodynamics* 42, 597-604.
- Keshwani, N., Banerjee, S., Brodsky, B., and Makhatadze, G. I. (2013) The role of cross-chain ionic interactions for the stability of collagen model peptides, *Biophysical journal* 105, 1681-1688.
- Kielty, C. M., & Grant, M. E. (.). "The Collagen Family: Structure, Assembly, and Organization in the Extracellular Matrix". In *Connective Tissue and Its Heritable Disorders* (pp. 159–221).
- KONG, J., & YU, S. (2007). "Fourier Transform Infrared Spectroscopic Analysis of Protein Secondary Structures". *Acta Biochimica et Biophysica Sinica*, 39(8), 549–559.
- Kopf, D., Mühlen, I., Kröning, G., Sendzik, I., Huschke, B., & Lehnert, H. (2001). "Insulin sensitivity and sodium excretion in normotensive offspring and hypertensive patients". *Metabolism: clinical and experimental*, 50(8), 929–35.
- Kouyoumdjian, H., Zhu, D. C., El-Dakdouki, M. H., Lorenz, K., Chen, J., Li, W., & Huang, X. (2013). "Glyconanoparticle aided detection of β -amyloid by magnetic resonance imaging and attenuation of β -amyloid induced cytotoxicity". *ACS chemical neuroscience*, 4(4), 575–84.
- Krebs, M. R. H., Morozova-Roche, L. A., Daniel, K., Robinson, C. V, & Dobson, C. M. (2004). "Observation of sequence specificity in the seeding of protein amyloid fibrils". *Protein science : a publication of the Protein Society*, 13(7), 1933–8.

- Kuznetsova, N., and Leikin, S. (1999) Does the triple helical domain of type I collagen encode molecular recognition and fiber assembly while telopeptides serve as catalytic domains? Effect of proteolytic cleavage on fibrillogenesis and on collagen-collagen interaction in fibers, *The Journal of biological chemistry* 274, 36083-36088.
- Kuznetsova, N., Chi, S. L., and Leikin, S. (1998) Sugars and polyols inhibit fibrillogenesis of type I collagen by disrupting hydrogen-bonded water bridges between the helices, *Biochemistry* 37, 11888-11895.
- Lafont, A., Durand, E., Samuel, J. L., Besse, B., Addad, F., Lévy, B. I., et al. (1999). Endothelial Dysfunction and Collagen Accumulation. *Circulation*, 100(10) 1109-1115.
- Lee, J., Culyba, E. K., Powers, E. T., & Kelly, J. W. (2011). "Amyloid- β forms fibrils by nucleated conformational conversion of oligomers". *Nature chemical biology*, 7(9), 602-9.
- Leikin, S., Parsegian, V. A., Yang, W., & Walrafen, G. E. (1997). "Raman spectral evidence for hydration forces between collagen triple helices". *Proceedings of the National Academy of Sciences of the United States of America*, 94(21), 11312-7. 16
- Leikin, S., Rau, D. C., & Parsegian, V. A. (1995). "Temperature-favoured assembly of collagen is driven by hydrophilic not hydrophobic interactions". *Nature Structural Biology*, 2(3), 205-210.
- Li, R., Wu, Z., Wangb, Y., Ding, L., & Wang, Y. (2016). "Role of pH-induced structural change in protein aggregation in foam fractionation of bovine serum albumin". *Biotechnology Reports*, 9, 46-52.
- Li, S., Wang, C., Li, W., Koike, K., Nikaido, T., & Wang, M.-W. (2007). "Antidepressant-like effects of piperine and its derivative, antiepilepsirine". *Journal of Asian Natural Products Research*, 9(5), 421-430.
- Liu, H., Xie, B., Dong, X., Zhang, L., Wang, Y., Liu, F., & Sun, Y. (2016)." Negatively charged hydrophobic nanoparticles inhibit amyloid β -protein fibrillation: The presence of an optimal charge density". *Reactive and Functional Polymers*, 103, 108-116.
- Liza Nielsen,, Ritu Khurana,, Alisa Coats, Sven Frokjaer, Jens Brange, Sandip Vyas, et al. (2001). "Effect of Environmental Factors on the Kinetics of Insulin Fibril Formation: Elucidation of the Molecular Mechanism" *Biochemistry*, 40(20), 6036-6046.
- Lomakin, A., Chung, D. S., Benedek, G. B., Kirschner, D. A., & Teplow, D. B. (1996). "On the nucleation and growth of amyloid beta-protein fibrils: detection of nuclei and quantitation of rate constants". *Proceedings of the National Academy of Sciences of the United States of America*, 93(3), 1125-9.
- Louis-Jeune, C., Andrade-Navarro, M. A., & Perez-Iratxeta, C. (2012). "Prediction of protein secondary structure from circular dichroism using theoretically derived spectra". *Proteins: Structure, Function, and Bioinformatics*, 80(2), 374-381.
- Lu, R., Li, W.-W., Katzir, A., Raichlin, Y., Yu, H.-Q., & Mizaikoff, B. (2015). "Probing the secondary structure of bovine serum albumin during heat-induced denaturation using mid-infrared fiberoptic sensors". *The Analyst*, 140(3), 765-70.
- Luo, J., Wärmländer, S. K. T. S., Gräslund, A., & Abrahams, J. P. (2016). "Reciprocal Molecular Interactions between the A β Peptide Linked to Alzheimer's Disease and Insulin Linked to Diabetes Mellitus Type II". *ACS Chemical Neuroscience*, 7(3), 269-274.
- MacKay, D., & Miller, A. L. (2003). "Nutritional support for wound healing". *Alternative medicine review : a journal of clinical therapeutic*, 8(4), 359-77.
- Mahmoudi, M., Quinlan-Pluck, F., Monopoli, M. P., Sheibani, S., Vali, H., Dawson, K. A., & Lynch, I. (2013). "Influence of the Physiochemical Properties of Superparamagnetic Iron Oxide Nanoparticles on Amyloid β Protein Fibrillation in Solution". *ACS Chemical Neuroscience*, 4(3), 475-485.
- Maji, S. K., Perrin, M. H., Sawaya, M. R., Jessberger, S., Vadodaria, K., Rissman, R. A., et al. (2009). "Functional Amyloids As Natural Storage of Peptide Hormones in Pituitary Secretory Granules". *Science*, 325(5938).

- Mark A. Findeis, Gary M. Musso, Christopher C. Arico-Muendel, Howard W. Benjamin, Arvind M. Hundal, Jung-Ja Lee, et al. (1999). Modified-Peptide Inhibitors of Amyloid β -Peptide Polymerization. *Biochemistry* 38(21), 6791–6800.
- Martínez, J. M., & Martínez, L. (2003). "Packing optimization for automated generation of complex system's initial configurations for molecular dynamics and docking". *Journal of Computational Chemistry*, 24(7), 819–825.
- Martínez, L., Andrade, R., Birgin, E. G., & Martínez, J. M. (2009). PACKMOL: "A package for building initial configurations for molecular dynamics simulations". *Journal of Computational Chemistry*, 30(13), 2157–2164.
- Mathew, A., Fukuda, T., Nagaoka, Y., Hasumura, T., Morimoto, H., Yoshida, Y., et al. (2012). "Curcumin Loaded-PLGA Nanoparticles Conjugated with Tet-1 Peptide for Potential Use in Alzheimer's Disease. *PLoS ONE*, 7(3), e32616.
- Mattson, M. P., Begley, J. G., Mark, R. J., & Furukawa, K. (1997a). "Abeta25-35 induces rapid lysis of red blood cells: contrast with Abeta1-42 and examination of underlying mechanisms". *Brain research*, 771(1), 147–53.
- McKean, C. M. (1972). "The effects of high phenylalanine concentrations on serotonin and catecholamine metabolism in the human brain". *Brain research*, 47(2), 469–76.
- Mehta, A., Rao, J. R., & Fathima, N. N. (2014). "Effect of ionic liquids on the different hierarchical order of type I collagen". *Colloids and Surfaces B: Biointerfaces*, 117, 376–382.
- Morozova-Roche, L. A., Zurdo, J., Spencer, A., Noppe, W., Receveur, V., Archer, D. B., et al. (2000). "Amyloid Fibril Formation and Seeding by Wild-Type Human Lysozyme and Its Disease-Related Mutational Variants". *Journal of Structural Biology*, 130(2), 339–351.
- Mujumdar, A. M., Dhuley, J. N., Deshmukh, V. K., Raman, P. H., Thorat, S. L., & Naik, S. R. (1990). "Effect of piperine on pentobarbitone induced hypnosis in rats". *Indian journal of experimental biology*, 28(5), 486–7.
- Mulfinger, L., Solomon, S. D., Bahadory, M., Jeyarajasingam, A. V., Rutkowsky, S. A., & Boritz, C. (2007). "Synthesis and Study of Silver Nanoparticles". *Journal of Chemical Education*, 84(2), 322.
- Murphy, S. C., Samuel, B. U., Harrison, T., Speicher, K. D., Speicher, D. W., Reid, M. E., et al. (2004). "Erythrocyte detergent-resistant membrane proteins: their characterization and selective uptake during malarial infection". *Blood*, 103(5), 1920–8.
- N. Kuznetsova, S. L. Chi, and, & S. Leikin, (1998). "Sugars and Polyols Inhibit Fibrillogenesis of Type I Collagen by Disrupting Hydrogen-Bonded Water Bridges between the Helices" *Biochemistry*, 25(37), 11888–11895.
- Nakagawa, K., Kiko, T., Miyazawa, T., Sookwong, P., Tsuduki, T., Satoh, A., & Miyazawa, T. (2011). "Amyloid β -induced erythrocytic damage and its attenuation by carotenoids". *FEBS letters*, 585(8), 1249–54.
- Nelson, R., Sawaya, M. R., Balbirnie, M., Madsen, A. Ø., Riek, C., Grothe, R., & Eisenberg, D. (2005). "Structure of the cross- β spine of amyloid-like fibrils". *Nature*, 435(7043), 773–778.
- Oshero, A. B., Gotha, L., Cheema, A. N., Qiang, B., and Strauss, B. H. (2011) Proteins mediating collagen biosynthesis and accumulation in arterial repair: novel targets for anti-restenosis therapy, *Cardiovascular research* 91, 16-26.
- Pallitto, M. M., Ghanta, J., Heinzelman, P., Kiessling, L. L., & Murphy, R. M. (1999). "Recognition Sequence Design for Peptidyl Modulators of β -Amyloid Aggregation and Toxicity" . *Biochemistry*, 38(12), 3570–3578.
- Palmal, S., Jana, N. R., & Jana, N. R. (2014). "Inhibition of Amyloid Fibril Growth by Nanoparticle Coated with Histidine-Based Polymer". *The Journal of Physical Chemistry C*, 118(37), 21630–21638.
- Palmal, S., Maity, A. R., Singh, B. K., Basu, S., Jana, N. R., & Jana, N. R. (2014a). "Inhibition of Amyloid

- Fibril Growth and Dissolution of Amyloid Fibrils by Curcumin-Gold Nanoparticles". *Chemistry - A European Journal*, 20(20), 6184–6191.
- Panda, K. A. (2003). "Piperine Lowers the Serum Concentrations of Thyroid Hormones, Glucose and Hepatic 5'D Activity in Adult Male Mice". *Hormone and Metabolic Research*, 35(9), 523–526. 2
- Pechkova, E., Bragazzi, N., Bozdaganyan, M., Belmonte, L., & Nicolini, C. (2014). "A review of the strategies for obtaining high-quality crystals utilizing nanotechnologies and microgravity". *Critical reviews in eukaryotic gene expression*, 24(4), 325–39.
- Persikov, A. V., Ramshaw, J. A., and Brodsky, B. (2005) Prediction of collagen stability from amino acid sequence, *The Journal of biological chemistry* 280, 19343-19349
- Pepys, M. B., Hawkins, P. N., Booth, D. R., Vigushin, D. M., Tennent, G. A., Soutar, A. K., et al. (1993). "Human lysozyme gene mutations cause hereditary systemic amyloidosis". *Nature*, 362(6420), 553–557.
- Perumal, S., Dubey, K., Badhwar, R., George, K. J., Sharma, R. K., Bagler, G., et al. (2015a). "Capsaicin inhibits collagen fibril formation and increases the stability of collagen fibers". *European biophysics journal : EBJ*, 44(1-2), 69–76.
- Perutz, M. F., Finch, J. T., Berriman, J., & Lesk, A. (2002). "Amyloid fibers are water-filled nanotubes". *Proceedings of the National Academy of Sciences of the United States of America*, 99(8), 5591–5.
- Pillot, T., Goethals, M., Vanloo, B., Talusot, C., Brasseur, R., Vandekerckhove, J., et al. (1996). "Fusogenic properties of the C-terminal domain of the Alzheimer beta-amyloid peptide". *The Journal of biological chemistry*, 271(46), 28757–65.
- Plenz, G. A. ., Deng, M. C., Robenek, H., & Völker, W. (2003). "Vascular collagens: spotlight on the role of type VIII collagen in atherogenesis". *Atherosclerosis*, 166(1), 1–11.
- Porat, Y., Abramowitz, A., & Gazit, E. (2006). "Inhibition of amyloid fibril formation by polyphenols: structural similarity and aromatic interactions as a common inhibition mechanism". *Chemical biology & drug design*, 67(1), 27–37.
- Privalov, P. L. (1982) Stability of proteins. Proteins which do not present a single cooperative system, *Advances in protein chemistry* 35, 1-104.
- Ramachandran, G. N., and Kartha, G. (1955) Structure of collagen, *Nature* 176, 593-595.
- Rajasekhar, K., Suresh, S. N., Manjithaya, R., Govindaraju, T., Prince, M., Selkoe, D. J., et al. (2015). "Rationally Designed Peptidomimetic Modulators of A β Toxicity in Alzheimer's Disease". *Scientific Reports*, 5, 8139.
- Reches, M. (2003). "Casting Metal Nanowires Within Discrete Self-Assembled Peptide Nanotubes". *Science*, 300(5619), 625–627.
- Reches, M., Porat, Y., & Gazit, E. (2002). "Amyloid Fibril Formation by Pentapeptide and Tetrapeptide Fragments of Human Calcitonin". *Journal of Biological Chemistry*, 277(38), 35475–35480.
- Rele, S., Song, Y., Apkarian, R. P., Qu, Z., Conticello, V. P., and Chaikof, E. L. (2007) D-periodic collagen-mimetic microfibers, *Journal of the American Chemical Society* 129, 14780-14787.
- Reshmi, S. K., Sathya, E., & Devi, P. S. (2010). "Isolation of piperdine from Piper nigrum and its antiproliferative activity". *Journal of Medicinal Plants Research*, 4(15), 1535–1546.
- Richman, M., Wilk, S., Skirtenko, N., Perelman, A., & Rahimpour, S. (2011). "Surface-Modified Protein Microspheres Capture Amyloid- β and Inhibit its Aggregation and Toxicity". *Chemistry - A European Journal*, 17(40), 11171–11177.
- Ridgley, D. M., & Barone, J. R. (2013). "Evolution of the Amyloid Fiber over Multiple Length Scales". *ACS Nano*, 7(2), 1006–1015.
- Roberti, M. J., Morgan, M., Menéndez, G., Pietrasanta, L. I., Jovin, T. M., & Jares-Erijman, E. A. (2009).

- "Quantum Dots As Ultrasensitive Nanoactuators and Sensors of Amyloid Aggregation in Live Cells". *Journal of the American Chemical Society*, 131(23), 8102–8107.
- Romanic, A. M., Adachi, E., Kadler, K. E., Hojima, Y., and Prockop, D. J. (1991) Copolymerization of pNcollagen III and collagen I. pNcollagen III decreases the rate of incorporation of collagen I into fibrils, the amount of collagen I incorporated, and the diameter of the fibrils formed, *The Journal of biological chemistry* 266, 12703-12709.
- Ross, C. A., & Poirier, M. A. (2004). "Protein aggregation and neurodegenerative disease". *Nature Medicine*, 10(7), S10-S17.
- Rother, R. P., Rollins, S. A., Mojcik, C. F., Brodsky, R. A., & Bell, L. (2007). "Discovery and development of the complement inhibitor eculizumab for the treatment of paroxysmal nocturnal hemoglobinuria". *Nature biotechnology*, 25(11), 1256–64.
- Ruppert, E. S. (1967). "Hemolytic disease in association with elevation of serum phenylalanine". *The Journal of pediatrics*, 71(1), 152–3.
- Savage, B., Ginsberg, M. H., & Ruggeri, Z. M. (1999). "Influence of fibrillar collagen structure on the mechanisms of platelet thrombus formation under flow". *Blood*, 94(8), 2704–15.
- Schlegel, G., Scholz, R., Ullrich, K., Santer, R., & Rune, G. M. (2016). "Phenylketonuria: Direct and indirect effects of phenylalanine". *Experimental neurology*, 281, 28–36.
- Schmittschmitt, J. P., & Scholtz, J. M. (2003). "The role of protein stability, solubility, and net charge in amyloid fibril formation". *Protein science: a publication of the Protein Society*, 12(10), 2374–8.
- Schulpis, K. H., Kariyannis, C., & Papassotiriou, I. (2004). "Serum levels of neural protein S-100B in phenylketonuria". *Clinical Biochemistry*. 37(2) 123-132.
- Schulpis, K. H., Papakonstantinou, E. D., & Tzamouranis, J. (2000). "Plasma leptin concentrations in phenylketonuric patients". *Hormone research*, 53(1), 32–5.
- Schulpis, K. H., Tjamouranis, J., Karikas, G. A., Michelakakis, H., & Tsakiris, S. (2002). "In vivo effects of high phenylalanine blood levels on Na⁺,K⁺-ATPase, Mg²⁺-ATPase activities and biogenic amine concentrations in phenylketonuria". *Clinical biochemistry*, 35(4), 281–5.
- Schulz, H., & Baranska, M. (2007). "Identification and quantification of valuable plant substances by IR and Raman spectroscopy". *Vibrational Spectroscopy*, 43(1), 13–25.
- Selvakannan, P., Ramanathan, R., Plowman, B. J., Sabri, Y. M., Daima, H. K., O'Mullane, A. P., et al. (2013). "Probing the effect of charge transfer enhancement in off resonance mode SERS via conjugation of the probe dye between silver nanoparticles and metal substrates". *Physical Chemistry Chemical Physics*, 15(31), 12920.
- Shaham-Niv, S., Adler-Abramovich, L., Schnaider, L., & Gazit, E. (2015). Extension of the generic amyloid hypothesis to nonproteinaceous metabolite assemblies. *Science Advances*, 1(7).
- Sharma, A., Gautam, S., & Jadhav, S. S. (2000). "Spice Extracts as Dose-Modifying Factors in Radiation Inactivation of Bacteria". *Journal of Agricultural and Food Chemistry*, 48(4), 1340–1344.
- Sherpa, L. Y., Deji, Stigum, H., Chongsuvivatwong, V., Luobu, O., Thelle, D. S., et al. (2011). "Lipid Profile and Its Association with Risk Factors for Coronary Heart Disease in the Highlanders of Lhasa" Tibet. *High Altitude Medicine & Biology*, 12(1), 57–63.
- Shiraki, K., Kudou, M., Fujiwara, S., Imanaka, T., & Takagi, M. (2002). "Biophysical effect of amino acids on the prevention of protein aggregation". *Journal of biochemistry*, 132(4), 591–5.
- Šileikaitė, A., Puišo, J., Prosyčevs, I., & Tamulevičius, S. (2009). "Investigation of Silver Nanoparticles Formation Kinetics during Reduction of Silver Nitrate with Sodium Citrate" 5(15) 345-350.
- Singh, V., Rai, R. K., Arora, A., Sinha, N., & Thakur, A. K. (2014). "Therapeutic implication of L-phenylalanine aggregation mechanism and its modulation by D-phenylalanine in phenylketonuria". *Scientific reports*, 4, 3875.

- Siposova, K., Kubovcikova, M., Bednarikova, Z., Koneracka, M., Zavisova, V., Antosova, A., et al. (2012a). "Depolymerization of insulin amyloid fibrils by albumin-modified magnetic fluid". *Nanotechnology*, 23(5), 55101.
- Sitta, A., Barschak, A. G., Deon, M., de Mari, J. F., Barden, A. T., Vanzin, C. S., et al. (2009). "1-Carnitine Blood Levels and Oxidative Stress in Treated Phenylketonuric Patients". *Cellular and Molecular Neurobiology*, 29(2), 211–218.
- Sitta, A., Manfredini, V., Biasi, L., Treméa, R., Schwartz, I. V.D., Wajner, M., & Vargas, C. R. (2009). "Evidence that DNA damage is associated to phenylalanine blood levels in leukocytes from phenylketonuric patients". *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*, 679(1–2), 13–16.
- Skaat, H., Chen, R., Grinberg, I., & Margel, S. (2012a). "Engineered Polymer Nanoparticles Containing Hydrophobic Dipeptide for Inhibition of Amyloid- β Fibrillation". *Biomacromolecules*, 13(9), 2662–2670.
- Soldi, G., Plakoutsi, G., Taddei, N., & Chiti, F. (2006). "Stabilization of a native protein mediated by ligand binding inhibits amyloid formation independently of the aggregation pathway". *Journal of medicinal chemistry*, 49(20), 6057–64.
- Sonksen, P., & Sonksen, J. (2000). "Insulin: understanding its action in health and disease". *British journal of anaesthesia*, 85(1), 69–79.
- Soto, C. (2003). "Unfolding the role of protein misfolding in neurodegenerative diseases." *Nature Reviews Neuroscience*, 4(1), 49–60.
- Stephan, S., Sherratt, M. J., Hodson, N., Shuttleworth, C. A., and Kielty, C. M. (2004) Expression and supramolecular assembly of recombinant alpha1(viii) and alpha2(viii) collagen homotrimers, *The Journal of biological chemistry* 279, 21469-21477.
- Steplewski, A., & Fertala, A. (2012). "Inhibition of collagen fibril formation". *Fibrogenesis & tissue repair*, 5(Suppl 1), S29.
- Sunila, E. ., & Kuttan, G. (2004). "Immunomodulatory and antitumor activity of Piper longum Linn. and piperine". *Journal of Ethnopharmacology*, 90(2–3), 339–346.
- Surtees, R., & Blau, N. (2000). "The neurochemistry of phenylketonuria. *European journal of pediatrics*", S109-13.
- Swaminathan, R., Ravi, V. K., Kumar, S., Kumar, M. V. S., & Chandra, N. (2011). "Lysozyme: a model protein for amyloid research". *Advances in protein chemistry and structural biology*, 84, 63–111.
- Tandan, R., Lewis, G. A., Krusinski, P. B., Badger, G. B., & Fries, T. J. (1992). "Topical capsaicin in painful diabetic neuropathy. Controlled study with long-term follow-up". *Diabetes care*, 15(1), 8–14.
- Tartaglia, G. G., Cavalli, A., Pellarin, R., & Caflisch, A. (2004). "The role of aromaticity, exposed surface, and dipole moment in determining protein aggregation rates". *Protein science: a publication of the Protein Society*, 13(7), 1939–41.
- Taylor, M., Moore, S., Mourtas, S., Niarakis, A., Re, F., Zona, C., et al. (2011). "Effect of curcumin-associated and lipid ligand-functionalized nanoliposomes on aggregation of the Alzheimer's A β peptide". *Nanomedicine: Nanotechnology, Biology and Medicine*, 7(5), 541–550.
- Tenidis, K., Waldner, M., Bernhagen, J., Fischle, W., Bergmann, M., Weber, M., et al. (2000). "Identification of a penta- and hexapeptide of islet amyloid polypeptide (IAPP) with amyloidogenic and cytotoxic properties". *Journal of Molecular Biology*, 295(4), 1055–1071. doi:10.1006/jmbi.1999.3422
- Thakur, G., Micic, M., Yang, Y., Li, W., Movia, D., Giordani, S., et al. (2011). "Conjugated Quantum Dots Inhibit the Amyloid β (1-42) Fibrillation Process". *International journal of Alzheimer's disease*, 2011, 502386.
- Tiwari, P., Singh, D., & Singh, M. M. (2008). "Anti-Trichomonas activity of Sapindus saponins, a

- candidate for development as microbicidal contraceptive". *Journal of Antimicrobial Chemotherapy*, 62(3), 526-534.
- Toumey, C. (2011). "Compare and contrast as microscopes get up close and personal". *Nature Nanotechnology*, 6(4), 191-193.
- Tsakiris, S., Schulpis, K. H., Tjamouranis, J., Michelakakis, H., & Karikas, G. A. (2002). "Reduced acetylcholinesterase activity in erythrocyte membranes from patients with phenylketonuria". *Clinical biochemistry*, 35(8), 615-9.
- Ulrich, A. S., Tichelaar, W., Förster, G., Zschörnig, O., Weinkauff, S., & Meyer, H. W. (1999). "Ultrastructural characterization of peptide-induced membrane fusion and peptide self-assembly in the lipid bilayer". *Biophysical journal*, 77(2), 829-41.
- Uversky, V. N., & Fink, A. L. (2004). "Conformational constraints for amyloid fibrillation: the importance of being unfolded". *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*, 1698(2), 131-153.
- Valleix, S., Drunat, S., Philit, J.-B., Adoue, D., Piette, J.-C., Droz, D., et al. (2002). "Hereditary renal amyloidosis caused by a new variant lysozyme W64R in a French family". *Kidney International*, 61(3), 907-912.
- Vidal, R., Frangione, B., Rostagno, A., Mead, S., Révész, T., Plant, G., & Ghiso, J. (1999). "A stop-codon mutation in the BRI gene associated with familial British dementia". *Nature*, 399(6738), 776-81.
- Viet, M. H., Ngo, S. T., Lam, N. S., & Li, M. S. (2011b). "Inhibition of Aggregation of Amyloid Peptides by Beta-Sheet Breaker Peptides and Their Binding Affinity". *The Journal of Physical Chemistry B*, 115(22), 7433-7446.
- Vignesh, V., Sathiyarayanan, G., Sathishkumar, G., Parthiban, K., Sathish-Kumar, K., & Thirumurugan, R. (2015). "Formulation of iron oxide nanoparticles using exopolysaccharide: evaluation of their antibacterial and anticancer activities". *RSC Adv.*, 5(35), 27794-27804.
- Vitagliano, L., Berisio, R., Mazzarella, L., and Zagari, A. (2001) Structural bases of collagen stabilization induced by proline hydroxylation, *Biopolymers* 58, 459-464.
- Walsh, I., Seno, F., Tosatto, S. C. E., & Trovato, A. (2014). "PASTA 2.0: an improved server for protein aggregation prediction". *Nucleic acids research*, 42, W301-7.
- Wang, F., Hull, R. L., Vidal, J., Cnop, M., & Kahn, S. E. (2001). "Islet amyloid develops diffusely throughout the pancreas before becoming severe and replacing endocrine cells". *Diabetes*, 50(11), 2514-20.
- Wang, W. (2005). Protein aggregation and its inhibition in biopharmaceutics. *International Journal of Pharmaceutics* 289(1-2),
- Wei, Y., Chen, L., Chen, J., Ge, L., & He, R. Q. (2009). "Rapid glycation with D-ribose induces globular amyloid-like aggregations of BSA with high cytotoxicity to SH-SY5Y cells". *BMC cell biology*, 10, 10.
- Westermarck, G. T., Engström, U., & Westermarck, P. (1992). "The N-terminal segment of protein AA determines its fibrillogenic property". *Biochemical and biophysical research communications*, 182(1), 27-33.
- Whitmore, L., & Wallace, B. A. (2008). "Protein secondary structure analyses from circular dichroism spectroscopy: Methods and reference databases". *Biopolymers*, 89(5), 392-400.
- Wilcock, D. M., Gordon, M. N., & Morgan, D. (2006). "Quantification of cerebral amyloid angiopathy and parenchymal amyloid plaques with Congo red histochemical stain". *Nature Protocols*, 1(3), 1591-1595.
- Wu, G., Robertson, D. H., Brooks, C. L., & Vieth, M. (2003). "Detailed analysis of grid-based molecular docking: A case study of CDOCKER?A CHARMM-based MD docking algorithm". *Journal of Computational Chemistry*, 24(13), 1549-1562.
- Wutka, A., Palagani, V., Barat, S., Chen, X., El Khatib, M., Götze, J., et al. (2014). "Capsaicin treatment

- attenuates cholangiocarcinoma carcinogenesis". *PLoS one*, 9(4), e95605.
- Xue, W.-F., Homans, S. W., & Radford, S. E. (2008). "Systematic analysis of nucleation-dependent polymerization reveals new insights into the mechanism of amyloid self-assembly". *Proceedings of the National Academy of Sciences*, 105(26), 8926–8931.
- Yan, H., Frielinghaus, H., Nykanen, A., Ruokolainen, J., Saiani, A., Miller, A. F., et al. (2008). "Thermoreversible lysozyme hydrogels: properties and an insight into the gelation pathway". *Soft Matter*, 4(6), 1313.
- Yang, F., Xiao, X., Cheng, W., Yang, W., Yu, P., Song, Z., et al. (2015). "Structural mechanism underlying capsaicin binding and activation of the TRPV1 ion channel". *Nature chemical biology*, 11(7), 518–24.
- Yeggoni, D. P., Rachamalla, A., Kallubai, M., & Subramanyam, R. (2015). "Cytotoxicity and comparative binding mechanism of piperine with human serum albumin and α -1-acid glycoprotein". *Journal of biomolecular structure & dynamics*, 33(6), 1336–51.
- Yildirim, A., Ozgur, E., & Bayindir, M. (2013). "Impact of mesoporous silica nanoparticle surface functionality on hemolytic activity, thrombogenicity and non-specific protein adsorption". *Journal of Materials Chemistry B*, 1(14), 1909.
- Yurchenco, P. D., & Ruben, G. C. (1987). "Basement membrane structure in situ: evidence for lateral associations in the type IV collagen network". *The Journal of Cell Biology*, 105(6).
- Yurchenco, P. D., & Ruben, G. C. (1988). "Type IV collagen lateral associations in the EHS tumor matrix. Comparison with amniotic and in vitro networks". *The American journal of pathology*, 132(2), 278–91.
- Yurchenco, P. D., & Schittny, J. C. (1990). "Molecular architecture of basement membranes. *FASEB journal*": official publication of the Federation of American Societies for Experimental Biology, 4(6), 1577–90.
- Zaman, M., Ahmad, E., Qadeer, A., Rabbani, G., & Khan, R. H. (2014). "Nanoparticles in relation to peptide and protein aggregation". *International journal of nanomedicine*, 9, 899–912.
- Zambrano, R., Jamroz, M., Szczasiuk, A., Pujols, J., Kmiecik, S., & Ventura, S. (2015). "AGGRESCAN3D (A3D): server for prediction of aggregation properties of protein structures". *Nucleic acids research*, 43(W1), W306-13.
- Zhang, Z., & Smith, D. L. (2008). "Determination of amide hydrogen exchange by mass spectrometry: A new tool for protein structure elucidation". *Protein Science*, 2(4), 522–531.
- Zheng, L., Chen, J., Ma, Z., Liu, W., Yang, F., Yang, Z., et al. (2015). "Capsaicin causes inactivation and degradation of the androgen receptor by inducing the restoration of miR-449a in prostate cancer". *Oncology reports*, 34(2), 1027–34.
- Zeng, Z., Patel, J., Lee, S. H., McCallum, M., Tyagi, A., Yan, M., and Shea, K. J. (2012) Synthetic polymer nanoparticle-polysaccharide interactions: a systematic study, *Journal of the American Chemical Society* 134, 2681-2690.
- Zsila, F., Hazai, E., & Sawyer, L. (2005). "Binding of the pepper alkaloid piperine to bovine beta-lactoglobulin: circular dichroism spectroscopy and molecular modeling study". *Journal of agricultural and food chemistry*, 53(26), 10179–85.

...

