

## References

- Adams, C. P., and Brantner, V. V., (2006), "Estimating The Cost Of New Drug Development: Is It Really \$802 Million?", *Health Affairs*, Vol.25, No.2, pp.420–428.
- Adams, D. J., (2013), " The Valley of Death in anticancer drug development: a re-assessment", *Trends in Pharmacological Sciences*, Vol.33, No.4, pp.173–180.
- Alaimo, S., Pulvirenti, A., Giugno, R., and Ferro, A., (2013), "Drug-target interaction prediction through domain-tuned network-based inference", *Bioinformatics*, Vol.29, No.16, pp.2004–2008.
- Ammad-Ud-Din, M., Georgii, E., Gönen, M., Laitinen, T., Kallioniemi, O., Wennerberg, K., ... Kaski, S., (2014), "Integrative and personalized QSAR analysis in cancer by kernelized Bayesian matrix factorization", *Journal of Chemical Information and Modeling*, Vol.54, No.8, pp.2347–2359.
- Anderson, T. W., (1958), "*An Introduction to Multivariate Statistical Analysis*". Wiley New York.
- Atias, N., and Sharan, R., (2011), "An algorithmic framework for predicting side effects of drugs.", *Journal of Computational Biology*, Vol.18, No.3, pp.207–18.
- Avron, J., (2005), "*Powerful medicine*" (first). New Yorke: Vintage books, A division of Random house.
- Bach, F., (2008), "Bolasso: model consistent Lasso estimation through the bootstrap.", *Proceedings of the 25th International Conference on Machine Learning*, No.2004, pp.33–40.
- Bersanelli, M., Mosca, E., Remondini, D., Castellani, G., and Milanesi, L., (2016), "Network diffusion-based analysis of high-throughput data for the detection of differentially enriched modules.", *Scientific Reports*, Vol.6, No.August.
- Bertsekas, D., (1982), "Constrained optimization and Lagrange multiplier methods", Athena Scientific, Massachusetts.
- Bhasin, M., and Raghava, G. P. S., (2004), "GPCRpred: An SVM-based method for prediction of families and subfamilies of G-protein coupled receptors", *Nucleic Acids Research*, Vol.32, No.WEB SERVER ISS., pp.383–389.
- Bolón-Canedo, V., Sánchez-Marroño, N., and Alonso-Betanzos, A., (2013), "A review of feature selection methods on synthetic data", *Knowledge and Information Systems*, Vol.34, No.3, pp.483–519.
- Bresso, E., Grisoni, R., Marchetti, G., Karaboga, A., Souchet, M., Devignes, M.-D., and Smail-Tabbone, M., (2013), "Integrative relational machine-learning for understanding drug side-effect profiles", *BMC Bioinformatics*, Vol.14, No.1.
- Brouwers, L., Iskar, M., Zeller, G., van Noort, V., and Bork, P., (2011), "Network Neighbors of Drug Targets Contribute to Drug Side-Effect Similarity", *PLOS ONE*, Vol.6, No.7.
- Bundgaard, P. K.-L. H., (1991), "*A textbook of drug design and development*" (Second). Harwood Academic Pub.
- Campillos, M., (2016), "Computational approaches for the study of the role of small molecules in diseases", *Perspectives in Science*, Vol.9, pp.49–52.
- Campillos, M., Kuhn, M., Gavin, A.-C., Jensen, L. J., and Bork, P., (2008), "Drug target identification using side-effect similarity.", *Science (New York, N.Y.)*, Vol.321, No.5886, pp.263–266.
- Chang, R. L., Xie, L., Xie, L., Bourne, P. E., and Palsson, B. Ø., (2010), "Drug off-target effects predicted using structural analysis in the context of a metabolic network model.", *PLoS Computational Biology*, Vol.6, No.9.

- Chen, L., Feng, K.-Y., Cai, Y.-D., Chou, K.-C., and Li, H.-P., (2010), "Predicting the network of substrate-enzyme-product triads by combining compound similarity and functional domain composition.", *BMC Bioinformatics*, Vol.11, No.293.
- Chen, L., Huang, T., Zhang, J., Zheng, M. Y., Feng, K. Y., Cai, Y. D., and Chou, K. C., (2013), "Predicting drugs side effects based on chemical-chemical interactions and protein-chemical interactions", *BioMed Research International*, Vol.2013, No.485034.
- Chen, L., Li, B. Q., Zheng, M. Y., Zhang, J., Feng, K. Y., and Cai, Y. D., (2013), "Prediction of effective drug combinations by chemical interaction, protein interaction and target enrichment of KEGG pathways", *BioMed Research International*, Vol.2013, No.723780.
- Chen, L., Zeng, W. M., Cai, Y. D., Feng, K. Y., and Chou, K. C., (2012), "Predicting anatomical therapeutic chemical (ATC) classification of drugs by integrating chemical-chemical interactions and similarities", *PLoS ONE*, Vol.7, No.4.
- Cheng, F., Zhou, Y., Li, J., Li, W., Liu, G., Tang, Y., ... Mukherjee, P., (2012), "Prediction of chemical-protein interactions: multitarget-QSAR versus computational chemogenomic methods", *Molecular BioSystems*, Vol.8, No.9, pp.2373--2384.
- D.Meyer, C., (2000), "*Matrix Analysis & Applied Linear Algebra*", SIAM.
- Dai, W., Liu, X., Gao, Y., Chen, L., Song, J., Chen, D., ... Lu, P., (2015), "Matrix Factorization-Based Prediction of Novel Drug Indications by Integrating Genomic Space", Vol.2015.
- Daniel, W. W., (2000), "*Applied Nonparametric Statistics*". Duxbury.
- Deghou, S., Zeller, G., Iskar, M., Driessen, M., Castillo, M., Van Noort, V., and Bork, P., (2016), "CART - A chemical annotation retrieval toolkit", *Bioinformatics*, Vol.32, No.18, pp.2869-2871.
- Demetri, G. D., (2007), "Structural reengineering of imatinib to decrease cardiac risk in cancer therapy", *Journal of Clinical Investigation*, Vol.117, No.12, pp.3650-3653.
- Ding, C., and Peng, H., (2003), "Minimum redundancy feature selection from microarray gene expression data", *Computational Systems Bioinformatics. CSB2003. Proceedings of the 2003 IEEE Bioinformatics Conference. CSB2003*, Vol.3, No.2, pp.185-205.
- Dooley, M., and Markham, A., (1998), "Pramipexole", *Drugs & Aging (Springer)*, Vol.12, pp.494-514.
- Drews, J., (2000), "Drug Discovery: A Historical Perspective", *Science*, Vol.287, No.March, pp.1960-1964.
- Dunkel, M., Gunther, S., Ahmed, J., Wittig, B., and Preissner, R., (2008), "SuperPred: drug classification and target prediction.", *Nucleic Acids Research*, Vol.36, No.Web Server issue, pp.55-59.
- Durrant, J. D., Hall, L., Swift, R. V., Landon, M., Schnauffer, A., and Amaro, R. E., (2010), "Novel naphthalene-based inhibitors of Trypanosoma brucei RNA editing ligase 1", *PLoS Neglected Tropical Diseases*, Vol.4, No.8.
- Faith, J., Mintram, R., and Angelova, M., (2006), "Targeted projection pursuit for visualizing gene expression data classifications", *Bioinformatics*, Vol.22, No.21, pp.2667-2673.
- Ferri, F. J., Pudil, P., Hatef, M., and Kittler, J., (1994), "Comparative study of techniques for large-scale feature selection", *Pattern Recognition in Practice IV, Multiple Paradigms, Comparative Studies and Hybrid Systems (Elsevier)*, Vol.16, pp.403-413.
- Fisher, R., (1936), "The Use of Multiple Measurements in Taxonomic Problems", *Annals of Human Genetics*, Vol.7, No.2, pp.179-188.
- Floyd, R. W., (1962), "Algorithm 97: Shortest path", *Communications of the ACM*, Vol.5, No.6, pp.1-345.
- Fouladi, F., and Mortazavi, S. A., (2012), "Preparation and in-vitro evaluation of gastroretentive bupropion hydrochloride tablets", *Tropical Journal of Pharmaceutical Research*, Vol.11, No.3,

pp.351-359.

- Fu, S., and Desmarais, M. C., (2010), "Markov Blanket Based Feature Selection: a Review of Past Decade", *Proceedings of the World Congress on Engineering 2010*, Vol.I, pp.321-328.
- Fukuzaki, M., Seki, M., Kashima, H., and Sese, J., (2009), "Side Effect Prediction Using Cooperative Pathways", *2009 IEEE International Conference on Bioinformatics and Biomedicine*, pp.142-147.
- Gevaert, O., De Smet, F., Timmerman, D., Moreau, Y., and De Moor, B., (2006), "Predicting the prognosis of breast cancer by integrating clinical and microarray data with Bayesian networks", *Bioinformatics*, Vol.22, No.14.
- Glick, M., and Jacoby, E., (2011), "The role of computational methods in the identification of bioactive compounds", *Current Opinion in Chemical Biology*, Vol.15, No.4, pp.540-546.
- Goldberg, D. E., (2006), "*Genetic algorithms*". Pearson Education India.
- Günther, S., Kuhn, M., Dunkel, M., Campillos, M., Senger, C., Petsalaki, E., ... Preissner, R., (2008), "SuperTarget and Matador: resources for exploring drug-target relationships.", *Nucleic Acids Research*, Vol.36, No.Database issue, pp.D919-22.
- Guo, Y., Hastie, T., and Tibshirani, R., (2007), "Regularized linear discriminant analysis and its application in microarrays", *Biostatistics*, Vol.8, No.1, pp.86-100.
- Guyon, Isabelle and Gunn, Steve and Nikraves, Masoud and Zadeh, L. A., (2008), "*Feature extraction: foundations and applications*". Springer.
- Haile, J., (1992), "*Molecular dynamics simulation*". Wiley, New York.
- Hall, M. A., (1999), "*Correlation-based Feature Selection for Machine Learning*". The University of Waikato, Newzealand.
- Hanchuan Peng, Fuhui Long, C. D., (2005), "Feature Selection Based on Mutual Information: Criteria of Max-Dependency, Max-Relevance, and Min-Redundancy", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol.27, No.8, pp.1226-1238.
- Hibbard, K. R., Propst, A., Frank, D. E., and Wyse, J., (2009), "Fatalities associated with clozapine-related constipation and bowel obstruction: a literature review and two case reports", *Psychosomatics*, Vol.50, pp.416-419.
- Hu, L. Le, Chen, C., Huang, T., Cai, Y. D., and Chou, K. C., (2011), "Predicting biological functions of compounds based on chemical-chemical interactions", *PLoS ONE*, Vol.6, No.12.
- Huang, G., Lu, Y., Lu, C., Zheng, M., and Cai, Y. D., (2015), "Prediction of drug indications based on chemical interactions and chemical similarities", *BioMed Research International*, Vol.2015.
- Huang, L.-C., Wu, X., and Chen, J. Y., (2011), "Predicting adverse side effects of drugs", *BMC Genomics*, Vol.12, pp.1-10.
- Huang, L.-C., Wu, X., and Chen, J. Y., (2011), "Predicting adverse side effects of drugs.", *BMC Genomics*, Vol.12 Suppl 5, No.Suppl 5, pp.S11.
- Huang, L. C., Wu, X., and Chen, J. Y., (2013), "Predicting adverse drug reaction profiles by integrating protein interaction networks with drug structures", *Proteomics*, Vol.13, No.2, pp.313-324.
- Huang, S.-Y., Grinter, S. Z., and Zou, X., (2010), "Scoring functions and their evaluation methods for protein-ligand docking: recent advances and future directions", *Physical Chemistry Chemical Physics*, Vol.12, No.40, pp.12899.
- Inoue, K., Li, W., and Kurata, H., (2010), "Diffusion model based spectral clustering for protein-protein interaction networks.", *PloS One*, Vol.5, No.9.
- Inza, I., Larrañaga, P., Blanco, R., and Cerrolaza, A. J., (2004), "Filter versus wrapper gene selection approaches in DNA microarray domains", *Artificial Intelligence in Medicine*, Vol.31, No.2, pp.91-103.

- Inza, I., Larrañaga, P., Etxeberria, R., and Sierra, B., (2000), "Feature Subset Selection by Bayesian network-based optimization", Vol.123, pp.157-184.
- Jabbour, E., O'Brien, S., Kantarjian, H., Garcia-Manero, G., Ferrajoli, A., Ravandi, F., ... Thomas, D. A., (2007), "Neurologic complications associated with intrathecal liposomal cytarabine given prophylactically in combination with high-dose methotrexate and cytarabine to patients with acute lymphocytic leukemia", *Blood*, Vol.109, No.8, pp.3214-3218.
- Jirapech-Umpai, T., and Aitken, S., (2005), "Feature selection and classification for microarray data analysis: evolutionary methods for identifying predictive genes.", *BMC Bioinformatics*, Vol.6.
- Johnson, D. B., (1977), "Efficient Algorithms for Shortest Paths in Sparse Networks", *Journal of the ACM*, Vol.24, No.1, pp.1-13.
- Jones, G., Willett1, P., Glen, R. C., Leach3, A. R., and Taylor, R., (1997), "Development and validation of a genetic algorithm for flexible docking", *Journal of Molecular Biology*, Vol.267, No.3, pp.727-748.
- Kanji, R., Sharma, A., and Bagler, G., (2015), "Phenotypic side effects prediction by optimizing correlation with chemical and target profiles of drugs", *Molecular BioSystems*, Vol.11, pp.2900.
- Klekota, J., and Roth, F. P., (2008), "Chemical substructures that enrich for biological activity", *Bioinformatics*, Vol.24, No.21, pp.2518-2525.
- Knox, C., Law, V., Jewison, T., Liu, P., Ly, S., Frolkis, A., ... Wishart, D. S., (2011), "DrugBank 3.0: a comprehensive resource for "omics" research on drugs.", *Nucleic Acids Research*, Vol.39, No.Database issue, pp.D1035-1041.
- Kohavi, R., and John, H., (2011), "Artificial Intelligence Wrappers for feature subset selection", Vol.97, No.97, pp.273-324.
- Kola, I., and Landis, J., (2004), "Can the pharmaceutical industry reduce attrition rates?", *Nature Reviews. Drug Discovery*, Vol.3, No.August, pp.1-5.
- Kramer, T. A. M., (2003), "Side Effects and Therapeutic Effects", *Medscape General Medicine*, Vol.5, No.1.
- Kubinyi, H., (1997a), "Part 2 : applications and problems", *Science*, Vol.2, No.12, pp.538-546.
- Kubinyi, H., (1997b), "QSAR and 3D QSAR in drug design Part 1:methodology", *Drug Discovery Today*, Vol.2, No.11, pp.457-467.
- Kuhn, M., Campillos, M., Letunic, I., Jensen, L. J., and Bork, P., (2010), "A side effect resource to capture phenotypic effects of drugs.", *Molecular Systems Biology*, Vol.6, No.343.
- Kuhn, M., Letunic, I., Jensen, L. J., and Bork, P., (2016), "The SIDER database of drugs and side effects.", *Nucleic Acids Research*, Vol.44, No.D1, pp.D1075-1079.
- Li, Haifeng, Jiang, Tao and Zhang, K., (2006), "Efficient and robust feature extraction by maximum margin criterion", *IEEE Transactions on Neural Networks*, Vol.17, No.157-166.
- Li, B. Q., You, J., Chen, L., Zhang, J., Zhang, N., Li, H. P., ... Cai, Y. D., (2013), "Identification of lung-cancer-related genes with the shortest path approach in a protein-protein interaction network", *BioMed Research International*, Vol.2013.
- Li, R. P., Mukaidono, M., and Turksen, I. B., (2002), "A fuzzy neural network for pattern classification and feature selection", *Fuzzy Sets and Systems*, Vol.130, No.1, pp.101-108.
- Liu, M., Wu, Y., Chen, Y., Sun, J., Zhao, Z., Chen, X., ... Xu, H., (2012), "Large-scale prediction of adverse drug reactions using chemical, biological, and phenotypic properties of drugs.", *Journal of the American Medical Informatics Association : JAMIA*, Vol.19, No.e1, pp.e28-35.
- Liu, Y., (2004), "A comparative study on feature selection methods for drug discovery", *Journal of Chemical Information and Computer Sciences*, Vol.44, No.5, pp.1823-1828.
- Liu, Y., (2004), "A Comparative Study on Feature Selection Methods for Drug Discovery", pp.1823-1828.

- Liu, Z., Guo, F., Gu, J., Wang, Y., Li, Y., Wang, D., ... He, F., (2015), "Similarity-based prediction for Anatomical Therapeutic Chemical classification of drugs by integrating multiple data sources", *Bioinformatics*, Vol.31, No.11, pp.1788-1795.
- Lü, L., Pan, L., Zhou, T., Zhang, Y.-C., and Stanley, H. E., (2015), "Toward link predictability of complex networks", *Proceedings of the National Academy of Sciences*, Vol.112, No.8.
- Lu, Z., and Liang, Z., (2016), "A Complete Subspace Analysis of Linear Discriminant Analysis and Its Robust Implementation", *Journal of Electrical and Computer Engineering*, Vol.2016, No.3919472.
- Luo, S., Kim, E.-H., Dighe, M., and Kim, Y., (2011), "Thyroid nodule classification using ultrasound elastography via linear discriminant analysis.", *Ultrasonics*, Vol.51, No.4, pp.425-431.
- M.E.J Newman, (2010), "*NETWORK An Introduction*". Oxford University Press.
- Ma, S., and Huang, J., (2005), "Regularized ROC method for disease classification and biomarker selection with microarray data", *Bioinformatics*, Vol.21, No.24, pp.4356-4362.
- Matthews, B. W., (1975), "Comparison of the predicted and observed secondary structure of T4 phage lysozyme", *Biochimica et Biophysica Acta (BBA)-Protein Structure (Elsevier)*, Vol.405, pp.442-451.
- Mehmood, T., Liland, K. H., Snipen, L., and Saebø, S., (2012), "A review of variable selection methods in Partial Least Squares Regression", *Chemometrics and Intelligent Laboratory Systems*, Vol.118, No.May 2017, pp.62-69.
- Menden, M. P., Iorio, F., Garnett, M., McDermott, U., Benes, C. H., Ballester, P. J., and Saez-Rodriguez, J., (2013), "Machine learning prediction of cancer cell sensitivity to drugs based on genomic and chemical properties.", *PloS One*, Vol.8, No.4.
- Meyer, J. S., (2013), "(MDMA): current perspectives", *Substance Abuse and Rehabilitation*, pp.83-99.
- Michael Levandowsky, and Winter, D., (1971), "Distance between sets", *Nature*, Vol.234, No.5, pp.34-35.
- Mizutani, S., Pauwels, E., Stoven, V., Goto, S., and Yamanishi, Y., (2012), "Relating drug-protein interaction network with drug side effects.", *Bioinformatics*, Vol.28, No.18, pp.i522-i528.
- Myers, R. H., and Myers, S. L., (2007), "*Probability & Statistics for Engineers Scientists Probability & Statistics for Engineers & Scientists*", Education (Vol. 6).
- Nantasenamat, C., Isarankura-Na-Ayudhya, C., Naenna, T., and Prachayasittikul, V., (2009), "A practical overview of quantitative structure-activity relationship", *EXCLI Journal*, Vol.8, pp.74-88.
- Noeske, T., Sasse, B. C., Stark, H., Parsons, C. G., Weil, T., and Schneider, G., (2006), "Predicting compound selectivity by self-organizing maps: Cross-activities of metabotropic glutamate receptor antagonists", *ChemMedChem*, Vol.1, No.10, pp.1066-1068.
- Norinder, U., and Bergström, C. a S., (2006), "Prediction of ADMET Properties.", *ChemMedChem*, Vol.1, No.9, pp.920-37.
- Parka, H., Hwang, K. Y., Kimb, Y. H., Ohb, K. H., Leeb, J. Y., and Kimb, K., (2008), "Discovery and biological evaluation of novel alpha-glucosidase inhibitors with in vivo antidiabetic effect", *Bioorganic & Medicinal Chemistry Letters*, Vol.18, pp.3711-3715.
- Paul, S. M., Mytelka, D. S., Dunwiddie, C. T., Persinger, C. C., Munos, B. H., Lindborg, S. R., and Schacht, A. L., (2010), "How to improve R&D productivity: the pharmaceutical industry's grand challenge.", *Nature Reviews. Drug Discovery*, Vol.9, No.3, pp.203-14.
- Pauwels, E., Stoven, V., and Yamanishi, Y., (2011), "Predicting drug side-effect profiles: a chemical fragment-based approach.", *BMC Bioinformatics*, Vol.12, No.1.

- Pearson, K., (1895), "Notes on regression and inheritance in the case of two patients", *Proceedings of the Royal Society of London*, Vol.58, pp.240–242.
- Pedersen, M. S., Baxter, B., Templeton, B., Rishøj, C., Theobald, D. L., Hoegh-rasmussen, E., ... Rishøj, C., (2008), "*The Matrix Cookbook*", *Matrix* (Vol. M).
- Peng, H., Long, F., and Ding, C., (2005), "Feature selection based on mutual information: Criteria of Max-Dependency, Max-Relevance, and Min-Redundancy", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol.27, No.8, pp.1226–1238.
- Perlman, Z. E., (2004), "Multidimensional Drug Profiling By Automated Microscopy", *Science*, Vol.306, No.5699, pp.1194–1198.
- Petersen, B., Lundegaard, C., and Petersen, T. N., (2010), "NetTurnP - neural network prediction of beta-turns by use of evolutionary information and predicted protein sequence features", *PLoS ONE*, Vol.5, No.11.
- Powers, D. M. W., (2011), "Evaluation: From Precision, Recall and F-Measure To Roc, Informedness, Markedness & Correlation", *Journal of Machine Learning Technologies*, Vol.2, No.1, pp.37–63.
- Re, M., and Valentini, G., (2012), "Large scale ranking and repositioning of drugs with respect to DrugBank therapeutic categories", *Bioinformatics Research and Applications*, Vol.7292, pp.225–236.
- Rognan, D., (2007), "Chemogenomic approaches to rational drug design.", *British Journal of Pharmacology*, Vol.152, No.1, pp.38–52.
- Ruiz, R., Riquelme, J. C., and Aguilar-Ruiz, J. S., (2006), "Incremental wrapper-based gene selection from microarray data for cancer classification", *Pattern Recognition*, Vol.39, No.12, pp.2383–2392.
- Saeyns, Y., Inza, I., and Larranaga, P., (2007), "A review of feature selection techniques in bioinformatics", *Bioinformatics*, Vol.23, No.19, pp.2507–2517.
- Saigo, H., Vert, J. P., Ueda, N., and Akutsu, T., (2004), "Protein homology detection using string alignment kernels", *Bioinformatics*, Vol.20, No.11, pp.1682–1689.
- Shariff, A., Kangas, J., Coelho, L. P., Quinn, S., and Murphy, R. F., (2010), "Automated image analysis for high-content screening and analysis", *Journal of Biomolecular Screening*, Vol.15, No.7, pp.726–734.
- Sharma, A., (2015), "*Prediction of adverse drug reactions with the help of graph theoretical modeling of drug-target-side effects models (MTech Thesis)*". IIT Jodhpur.
- Sherhod, R., Gillet, V. J., Judson, P. N., and Vessey, J. D., (2012), "Automating Knowledge Discovery for Toxicity Prediction Using Jumping Emerging Pattern Mining".
- Shrager, J., Hogg, T., and Huberman, B. A., (1987), "Observation of phase transitions in spreading activation networks", *Science*, Vol.236, pp.1092–1094.
- Smith, T. F., and Waterman, M. S., (1981), "Identification of common molecular subsequences", *Molecular Biology*, Vol.147, pp.195–197.
- Smolensky, P., (1986), "Information Processing in Dynamical systems: Foundation of Harmony Theory", In *Foundations of Harmony Theory*.
- Summa, V., Petrocchi, A., Bonelli, F., Crescenzi, B., Donghi, M., Ferrara, M., ... Rowley, M., (2008), "Discovery of raltegravir, a potent, selective orally bioavailable HIV-integrase inhibitor for the treatment of HIV-AIDS infection", *Journal of Medicinal Chemistry*, Vol.51, No.18, pp.5843–5855.
- Sun, L., Ji, S., and Ye, J., (2008), "Adaptive diffusion kernel learning from biological networks for protein function prediction.", *BMC Bioinformatics*, Vol.9, No.162.
- T. H. Cormen, C. E. Leiserson, R. L. Rivest, C. S., (2001), "Introduction to algorithms", *The MIT*

- Press* (Vol. 53).
- T.T.Tanimotto, (1957), "An Elementary Mathematical theory of Classification and Prediction", *IBM Internal Report*.
- Takarabe, M., Kotera, M., Nishimura, Y., Goto, S., and Yamanishi, Y., (2012), "Drug target prediction using adverse event report systems: A pharmacogenomic approach", *Bioinformatics*, Vol.28, No.18, pp.611–618.
- Tibshirani, R., (1996), "Regression Selection and Shrinkage via the Lasso", *Journal of the Royal Statistical Society B*.
- Todeschini, R., and Consonni, V., (2000), "Handbook of Molecular Descriptors", *New York*, Vol.11, No.688.
- Ursing, B., and Kamme, C., (1975), "Metronidazole for Crohn's disease", *The Lancet*, Vol.305, pp.775–777.
- Van de Waterbeemd, H., and Testa, B., (2003), "Drug bioavailability : estimation of solubility, permeability, absorption and bioavailability". *John Wiley & Sons*.
- Van Laarhoven, T., Nabuurs, S. B., and Marchiori, E., (2011), "Gaussian interaction profile kernels for predicting drug-target interaction", *Bioinformatics*, Vol.27, No.21, pp.3036–3043.
- Van Rijsbergen, C. J., (1986), "A non-classical logic for information retrieval", *The Computer Journal*, Vol.29, pp.481–485.
- Venkatraman, V., Dalby, A. R., and Yang, Z. R., (2004), "Evaluation of Mutual Information, Genetic Algorithm and SVR for Feature Selection in QSAR Regression", *J. Chem. Inf. Comput. Sci*, Vol.44, No.5, pp.1688–1692.
- Vert, Jean-philippe and Yamanishi, Y., (2005), "Supervised graph inference", *Advances in Neural Information and Processing System*.
- Vert, J., Tsuda, K., and Schölkopf, B., (2004), "A primer on kernel methods", *Kernel Methods in Computational Biology*, , No.1992, pp.35–70.
- W. M. S. Russell, R. L. B., (1959), "The Principles of Humane Experimental Technique", *Methuen, London*.
- Wang, X., and Tian, J., (2012), "A gene selection method for cancer classification", *Computational and Mathematical Methods in Medicine*, Vol.2012, pp.389–422.
- Wang, Y., and Zeng, J., (2013), "Predicting drug-target interactions using restricted Boltzmann machines", *Bioinformatics*, Vol.29, No.13, pp.126–134.
- Weenink, D., (2003), "Canonical correlation analysis", *Proceedings of the Institute of Phonetic Sciences of the University of Amsterdam*, Vol. 25, pp. 81–99.
- Weston, J., Perez-Cruz, F., Bousquet, O., Chapelle, O., Elisseeff, A., and Scholkopf, B., (2003), "Feature selection and transduction for prediction of molecular bioactivity for drug design", *Bioinformatics*, Vol.19, No.6, pp.764–771.
- Wishart, D. S., Knox, C., Guo, A. C., Shrivastava, S., Hassanali, M., Stothard, P., ... Woolsey, J., (2006), "DrugBank: a comprehensive resource for in silico drug discovery and exploration", *Nucleic Acids Research*, Vol.34, No.90001, pp.D668–D672.
- Witten, D. M., Tibshirani, R., and Hastie, T., (2009), "A penalized matrix decomposition, with applications to sparse principal components and canonical correlation analysis.", *Biostatistics*, Vol.10, No.3, pp.515–534.
- Wooden, B., Goossens, N., Hoshida, Y., and Friedman, S. L., (2016), "Using Big Data to Discover Diagnostics and Therapeutics for Gastrointestinal and Liver Diseases", *Gastroenterology*, Vol.0, No.0, pp.835–847.
- Xiong, M., Fang, X., and Zhao, J., (2001), "Biomarker Identification by Feature Wrappers Biomarker Identification by Feature Wrappers", *Grnome Reasearch*, pp.1878–1887.

- Yamanishi, Y., (2009), "Supervised bipartite graph inference", *Advances in Neural Information Processing Systems (NIPS '09)*, pp.1433-1440.
- Yamanishi, Y., Araki, M., Gutteridge, A., Honda, W., and Kanehisa, M., (2008), "Prediction of drug-target interaction networks from the integration of chemical and genomic spaces.", *Bioinformatics*, Vol.24, No.13, pp.i232-i240.
- Yamanishi, Y., Kotera, M., Kanehisa, M., and Goto, S., (2010), "Drug-target interaction prediction from chemical , genomic and pharmacological data in an integrated framework", Vol.26, pp.246-254.
- Yamanishi, Y., Pauwels, E., and Kotera, M., (2012a), "Drug Side-Effect Prediction Based on the Integration of Chemical and Biological Spaces", *Journal of Chemical Information and Modeling*.
- Yamanishi, Y., Pauwels, E., and Kotera, M., (2012b), "Drug side-effect prediction based on the integration of chemical and biological spaces.", *Journal of Chemical Information and Modeling*, Vol.52, No.12, pp.3284-92.
- Yamanishi, Y., Vert, J., and Kanehisa, M., (2004), "Protein network inference from multiple genomic data : a supervised approach", *Bioinformatics*, Vol.20, pp.363-370.
- Yang, S.-Y., (2010), "Pharmacophore modeling and applications in drug discovery: challenges and recent advances.", *Drug Discovery Today*, Vol.15, No.11-12, pp.444-450.
- Yıldırım, M. A., Goh, K.-I., Cusick, M. E., Barabási, A.-L., and Vidal, M., (2007), "Drug – target network", *Nature Biotechnology*, Vol.25, No.10, pp.1119-1126.
- Yu, K., Wu, X., Ding, W., Mu, Y., and Wang, H., (2016), "Markov Blanket Feature Selection Using Representative Sets", *IEEE Transactions on Neural Networks and Learning Systems*, Vol.PP, No.99, pp.1-14.
- Yu, L., and Liu, H., (2004), "Efficient Feature Selection via Analysis of Relevance and Redundancy", *Journal of Machine Learning Research*, Vol.5, pp.1205-1224.
- Zapolanski, A., (1980), "Symptomatic treatment of primary pneumatosis coli with metronidazole Ruptured spleen after electric convulsion therapy Endoscopic retrograde cholangiopancreatography for unexplained upper abdominal pain", *British Medical Journal*, Vol.280, pp.763-764.
- Zare, H., Haffari, G., Gupta, A., and Brinkman, R. R., (2013), "Scoring relevancy of features based on combinatorial analysis of Lasso with application to lymphoma diagnosis.", *BMC Genomics*, Vol.14, No. Suppl 1.
- Zhang, W., Chen, Y., Liu, F., Luo, F., Tian, G., and Li, X., (2017), "Predicting potential drug-drug interactions by integrating chemical, biological, phenotypic and network data", *BMC Bioinformatics*, Vol.18, No.(S14).
- Zhang, W., Zou, H., Luo, L., Liu, Q., Wu, W., and Xiao, W., (2016), "Predicting potential side effects of drugs by recommender methods and ensemble learning", *Neurocomputing*, Vol.173, pp.979-987.
- Zhao, S., and Li, S., (2010), "Network-based relating pharmacological and genomic spaces for drug target identification", *PLoS ONE*, Vol.5, No.7.
- Zhou, D., Bousquet, O., Lal, T. N., Weston, J., and Schölkopf, B., (2004), "Learning with local and global consistency", *Adv. Neural. Inform. Process Syst.* 16, Vol.1, pp.321-328.

...