

References

- Abbott, L. F., and Nelson, S. B., (2000), "Synaptic plasticity: taming the beast", *Nature Neuroscience*, Vol.3, pp.1178–1183.
- Achard, S., Salvador, R., Whitcher, B., Suckling, J., and Bullmore, E., (2006), "A resilient, low-frequency, small-world human brain functional network with highly connected association cortical hubs.", *The Journal of Neuroscience*, Vol.26, No.1, pp.63–72.
- Ahn, Y. Y., Jeong, H., and Kim, B. J., (2006), "Wiring cost in the organization of a biological neuronal network", *Physica A: Statistical Mechanics and Its Applications*, Vol.367, pp.531–537.
- Albert, R., and Barabasi, A. L., (2002), "Statistical mechanics of complex networks", *Reviews of Modern Physics*, Vol.74, No.1, pp.47–97.
- Alexander-Bloch, A. F., Gogtay, N., Meunier, D., Birn, R., Clasen, L., Lalonde, F., ... Bullmore, E. T., (2010), "Disrupted modularity and local connectivity of brain functional networks in childhood-onset schizophrenia.", *Frontiers in Systems Neuroscience*, Vol.4, pp.147.
- Alkema, M. J., Hunter-Ensor, M., Ringstad, N., and Horvitz, H. R., (2005), "Tyramine Functions independently of octopamine in the *Caenorhabditis elegans* nervous system.", *Neuron*, Vol.46, No.2, pp.247–60.
- Alon, U., (2007a), "An Introduction to Systems Biology: Design Principles of Biological Circuits", *Chapman Hall/CRC mathematical and computational biology series*, Vol. 10, CRC press.
- Alon, U., (2007b), "Network motifs: theory and experimental approaches.", *Nature Reviews. Genetics*, Vol.8, No.6, pp.450–61.
- Altun-Gultekin, Z., Andachi, Y., Tsalik, E. L., Pilgrim, D., Kohara, Y., and Hobert, O., (2001), "A regulatory cascade of three homeobox genes, *ceh-10*, *ttx-3* and *ceh-23*, controls cell fate specification of a defined interneuron class in *C. elegans*.", *Development (Cambridge, England)*, Vol.128, No.11, pp.1951–69.
- Altun, Z.F., Herndon, L.A., Crocker, C., Wolkow, C.A., Lints, R. and Hall, D. H., (2016), "WormAtlas".
- Altun, Z. F., and Hall, D. H., (2002), "WormAtlas", *Altun ZF, Herndon LA, Crocker C, Lints R, Hall DH, Eds.*
- Amaral, L. A. N., Scala, A., Barthelemy, M., and Stanley, H. E., (2000), "Classes of small-world networks", *Proceedings of the National Academy of Sciences*, Vol.97, No.21, pp.11149–11152.
- Anderson, A., and Cohen, M. S., (2013), "Decreased small-world functional network connectivity and clustering across resting state networks in schizophrenia: an fMRI classification tutorial.", *Frontiers in Human Neuroscience*, Vol.7, pp.520.
- Antal, T., Krapivsky, P. L., and Redner, S., (2005), "Dynamics of social balance on networks", *Physical Review E*, Vol.72, No.3, pp.36121.
- Arbabshirani, M. R., Kiehl, K. A., Pearlson, G. D., and Calhoun, V. D., (2013), "Classification of schizophrenia patients based on resting-state functional network connectivity.", *Frontiers in Neuroscience*, Vol.7, pp.133.
- Ardiel, E. L., and Rankin, C. H., (2010), "An elegant mind: learning and memory in *Caenorhabditis elegans*.", *Learning & Memory (Cold Spring Harbor, N.Y.)*, Vol.17, No.4, pp.191–201.
- Aron, A. R., (2007), "The neural basis of inhibition in cognitive control.", *The Neuroscientist: A Review Journal Bringing Neurobiology, Neurology and Psychiatry*, Vol.13, No.3, pp.214–28.
- Avena-Koenigsberger, A., Goñi, J., Solé, R., and Sporns, O., (2015), "Network morphospace", *Journal of The Royal Society Interface*, Vol.12, No.103, pp.20140881.
- Avery, L., (1993), "The genetics of feeding in *Caenorhabditis elegans*.", *Genetics*, Vol.133, No.4, pp.897–917.
- Azulay, A., Itskovits, E., and Zaslaver, A., (2016), "The *C. elegans* Connectome Consists of Homogenous Circuits with Defined Functional Roles.", *PLoS Computational Biology*, Vol.12, No.9, pp.e1005021.
- Badhwar, R., and Bagler, G., (2015), "Control of neuronal network in *Caenorhabditis elegans*", *PLoS ONE*, Vol.10, No.9, pp.e0139204.
- Badhwar, R., and Bagler, G., (2017), "A distance constrained synaptic plasticity model of *C. elegans* neuronal network", *Physica A: Statistical Mechanics and Its Applications*, Vol.469, pp.313–322.
- Bari, A., and Robbins, T. W., (2013), "Inhibition and impulsivity: behavioral and neural basis of response control.", *Progress in Neurobiology*, Vol.108, pp.44–79.
- Barthélemy, M., (2011), "Spatial networks", *Physics Reports*, Vol.499, No.1, pp.1–101.
- Bassett, D. S., and Bullmore, E., (2006), "Small-world brain networks.", *The Neuroscientist: A Review Journal Bringing Neurobiology, Neurology and Psychiatry*, Vol.12, No.6, pp.512–23.
- Bassett, D. S., and Bullmore, E. T., (2009), "Human brain networks in health and disease", *Current Opinion*

- in *Neurology*, Vol.22, No.4, pp.340–347.
- Bassett, D. S., Bullmore, E., Verchinski, B. A., Mattay, V. S., Weinberger, D. R., and Meyer-Lindenberg, A., (2008), "Hierarchical organization of human cortical networks in health and schizophrenia.", *The Journal of Neuroscience*, Vol.28, No.37, pp.9239–9248.
- Bear, M. F., Connors, B. W., and Paradiso, M. A., (2007), "*Neuroscience*" (Vol. 2). Lippincott Williams & Wilkins.
- Bessou, C., Giugia, J.-B., Franks, C. J., Holden-Dye, L., and Ségalat, L., (1998), "Mutations in the *Caenorhabditis elegans* dystrophin-like gene *dys-1* lead to hyperactivity and suggest a link with cholinergic transmission", *Neurogenetics*, Vol.2, No.1, pp.61–72.
- Biswal, B. B., Mennes, M., Zuo, X.-N., Gohel, S., Kelly, C., Smith, S. M., ... Milham, M. P., (2010), "Toward discovery science of human brain function", *Proceedings of the National Academy of Sciences*, Vol.107, No.10, pp.4734–4739.
- Biswal, B. B., and Ulmer, J. L., (1995), "Blind source separation of multiple signal sources of fMRI data sets using independent component analysis.", *Journal of Computer Assisted Tomography*, Vol.23, No.2, pp.265–271.
- Bluhm, R. L., Miller, J., Lanius, R. A., Osuch, E. A., Boksman, K., Neufeld, R. W. J., ... Williamson, P., (2007), "Spontaneous low-frequency fluctuations in the BOLD signal in schizophrenic patients: anomalies in the default network.", *Schizophrenia Bulletin*, Vol.33, No.4, pp.1004–1012.
- Bonner, J. T., (2013), "*Randomness in evolution*". Princeton University Press.
- Bressler, S. L., and Menon, V., (2010), "Large-scale brain networks in cognition: emerging methods and principles", *Trends in Cognitive Sciences*.
- Bullmore, E., and Sporns, O., (2009), "Complex brain networks: graph theoretical analysis of structural and functional systems.", *Nature Reviews. Neuroscience*, Vol.10, No.3, pp.186–98.
- Bullmore, E. T., and Bassett, D. S., (2011), "Brain graphs: graphical models of the human brain connectome.", *Annual Review of Clinical Psychology*, Vol.7, pp.113–140.
- Bullmore, E. T., Frangou, S., and Murray, R. M., (1997), "The dysplastic net hypothesis: an integration of developmental and dysconnectivity theories of schizophrenia", *Schizophrenia Research*, Vol.28, No.2–3, pp.143–156.
- Cao, M., Wang, J. H., Dai, Z. J., Cao, X. Y., Jiang, L. L., Fan, F. M., ... He, Y., (2014), "Topological organization of the human brain functional connectome across the lifespan", *Developmental Cognitive Neuroscience*, Vol.7, pp.76–93.
- Cartwright, D., and Harary, F., (1956), "Structural Balance: A generalization of Heider's Theory", *Psychological Review*, Vol.63, No.5, pp.712–713.
- Castro, E., Arbabshirani, M. R., Castro, E., Calhoun, V. D., and Fellow, I., (2014), "Accurate classification of schizophrenia patients based on novel resting-state fMRI features", *In Proc. Conf Proc IEEE Eng Med Biol Soc.*, pp.6691–6694.
- Castro, E., Martinez-Ramon, M., Pearlson, G., Sui, J., and Calhoun, V. D., (2011), "Characterization of groups using composite kernels and multi-source fMRI analysis data: Application to schizophrenia", *NeuroImage*, Vol.58, No.2, pp.526–536.
- Chatterjee, N., and Sinha, S., (2008), "Understanding the mind of a worm: hierarchical network structure underlying nervous system function in *C. elegans*.", *Progress in Brain Research*, Vol.168, No.7, pp.145–53.
- Chen, B. L., (2007), "*Neuronal Network of C. elegans: from Anatomy to Behavior*".
- Chen, B. L., Hall, D. H., and Chklovskii, D. B., (2006), "Wiring optimization can relate neuronal structure and function.", *PNAS*, Vol.103, No.12, pp.4723–8.
- Chiang, A.-S., Lin, C.-Y., Chuang, C.-C., Chang, H.-M., Hsieh, C.-H., Yeh, C.-W., ... Hwang, J.-K., (2011), "Three-dimensional reconstruction of brain-wide wiring networks in *Drosophila* at single-cell resolution.", *Current Biology: CB*, Vol.21, No.1, pp.1–11.
- Ching-Tai Lin, (1974), "Structural controllability", *IEEE Transactions on Automatic Control*, Vol.19, No.3, pp.201–208.
- Choe, Y., McCormick, B. H., and Koh, W., (2004), "Network connectivity analysis on the temporally augmented *C. elegans* web: A pilot study", *Soc. Neurosci. Abstr.*, Vol.30, No.921.9, pp.921.9.
- Chyzyk, D., Savio, A., and Graña, M., (2015), "Computer aided diagnosis of schizophrenia on resting state fMRI data by ensembles of ELM", *Neural Networks*, Vol.68, pp.23–33.
- Clauset, A., Shalizi, C. R., and Newman, M. E. J., (2009), "Power-Law Distributions in Empirical Data", *SIAM Review*, Vol.51, No.4, pp.661–703.
- Cox, R. W., (1996), "AFNI: Software for Analysis and Visualization of Functional Magnetic Resonance Neuroimages", *Computers and Biomedical Research*, Vol.29, No.3, pp.162–173.
- D'Huys, O., Vicente, R., Erneux, T., Danckaert, J., and Fischer, I., (2008), "Synchronization properties of

- network motifs: Influence of coupling delay and symmetry", *Chaos: An Interdisciplinary Journal of Nonlinear Science*, Vol.18, No.3, pp.371-16.
- De Vico Fallani, F., Bassett, D., and Jiang, T., (2012), "Graph theoretical approaches in brain networks.", *Computational and Mathematical Methods in Medicine*, Vol.2012, pp.590-483.
- Dehmer, M., (2011), "Structural analysis of complex networks" (M. Dehmer, Ed.), *Structural Analysis of Complex Networks* (1st ed.). Birkhäuser Basel.
- Demirci, O., Clark, V. P., Magnotta, V. A., Andreasen, N. C., Lauriello, J., Kiehl, K. A., ... Calhoun, V. D., (2008), "A Review of Challenges in the Use of fMRI for Disease Classification / Characterization and A Projection Pursuit Application from Multi-site fMRI Schizophrenia Study.", *Brain Imaging and Behavior*, Vol.2, No.3, pp.147-226.
- Dinic, E. a. a, (1970), "Algorithm for solution of a problem of maximum flow in networks with power estimation", *Soviet Math. Dokl.*
- Dorogovtsev, S., (2014), "Lectures on Complex Networks", *Igarss 2014*, No.1, pp.1-5.
- Du, W., Calhoun, V. D., Li, H., Ma, S., Eichele, T., Kiehl, K. A., ... Adali, T., (2012), "High classification accuracy for schizophrenia with rest and task fMRI data", *Frontiers in Human Neuroscience*, Vol.6, pp.1-12.
- Du, Y., Pearlson, G. D., Liu, J., Sui, J., Yu, Q., He, H., ... Calhoun, V. D., (2015), "A group ICA based framework for evaluating resting fMRI markers when disease categories are unclear: Application to schizophrenia, bipolar, and schizoaffective disorders.", *NeuroImage*, Vol.122, pp.272-280.
- Duerr, J. S., Frisby, D. L., Gaskin, J., Duke, A., Asermely, K., Huddleston, D., ... Rand, J. B., (1999), "The cat-1 gene of *Caenorhabditis elegans* encodes a vesicular monoamine transporter required for specific monoamine-dependent behaviors.", *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, Vol.19, No.1, pp.72-84.
- Duerr, J. S., Han, H.-P., Fields, S. D., and Rand, J. B., (2008), "Identification of major classes of cholinergic neurons in the nematode *Caenorhabditis elegans*", *The Journal of Comparative Neurology*, Vol.506, No.3, pp.398-408.
- Duff, I. S. I., Kaya, K., and Uçcar, B., (2011), "Design, implementation, and analysis of maximum transversal algorithms", *ACM Transactions on Mathematical Software*, Vol.38, No.2, pp.1-31.
- Easley, D., and Kleinberg, J., (2010), "Networks, Crowds, and Markets", *Science*, Vol.81, pp.1-745.
- Ellison-Wright, I., Glahn, D. C., Laird, A. R., Thelen, S. M., and Bullmore, E., (2008), "The anatomy of first-episode and chronic schizophrenia: an anatomical likelihood estimation meta-analysis.", *The American Journal of Psychiatry*, Vol.165, No.8, pp.1015-1023.
- Erdős, P., A. R., (1984), "The evolution of random graphs", *Transactions of the American Mathematical Society*, Vol.286, No.1, pp.257-257.
- Esposito, U., Giugliano, M., van Rossum, M., Vasilaki, E., Sporns, O., Tononi, G., ... Shepherd, G., (2014), "Measuring Symmetry, Asymmetry and Randomness in Neural Network Connectivity", *PLoS ONE*, Vol.9, No.7, pp.e100805.
- Fair, D. A., Cohen, A. L., Power, J. D., Dosenbach, N. U. F., Church, J. A., Miezin, F. M., ... Petersen, S. E., (2009), "Functional brain networks develop from a "local to distributed" organization.", *PLoS Computational Biology*, Vol.5, No.5, pp.1-14.
- Fair, D. A., Dosenbach, N. U. F., Church, J. A., Cohen, A. L., Brahmbhatt, S., Miezin, F. M., ... Schlaggar, B. L., (2007), "Development of distinct control networks through segregation and integration.", *Proceedings of the National Academy of Sciences of the United States of America*, Vol.104, No.33, pp.13507-13512.
- Fenno, L., Yizhar, O., and Deisseroth, K., (2011), "The Development and Application of Optogenetics", *Annual Review of Neuroscience*, Vol.34, No.1, pp.389-412.
- Flames, N., and Hobert, O., (2009), "Gene regulatory logic of dopamine neuron differentiation", *Nature*, Vol.458, No.7240, pp.885-889.
- Fox, M. D., (2010), "Clinical applications of resting state functional connectivity", *Frontiers in Systems Neuroscience*, Vol.4, pp.1-13.
- Friston, K., (2005), "Disconnection and cognitive dysmetria in schizophrenia", *American Journal of Psychiatry*, Vol.162, pp.429-432.
- Friston, K. J., (1994), "Functional and effective connectivity in neuroimaging: A synthesis", *Human Brain Mapping*, Vol.2, No.1-2, pp.56-78.
- Friston, K. J., Frith, C. D., Liddle, P. F., and Frackowiak, R. S. J., (1993), "Functional Connectivity: The Principal-Component Analysis of Large (PET) Data Sets", *Journal of Cerebral Blood Flow & Metabolism*, Vol.13, No.1, pp.5-14.
- Friston, K. J., Jezzard, P., and Turner, R., (1994), "Analysis of Functional MRI Time-Series", Vol.171, pp.153-171.

- Gazzaniga, M. S., (2004), "*The cognitive neurosciences*". MIT press.
- Glover, K., and Silverman, L. M., (1976), "Characterization of Structural Controllability", *IEEE Transactions on Automatic Control*, Vol.21, No.4, pp.534-537.
- Gore, J. C., (2003), "Principles and practice of functional MRI of the human brain.", *The Journal of Clinical Investigation*, Vol.112, No.1, pp.4-9.
- Goswami, U. C., Szucs, D., and Kaiser, M., (2011), "A tutorial in connectome analysis: Topological and spatial features of brain networks", *NeuroImage*, Vol.57, No.3, pp.892-907.
- Granovetter, M. S., (1973), "The Strength of Weak Ties", *American Journal of Sociology*, Vol.78, No.6, pp.1360-1380.
- Greicius, M. D., Krasnow, B., Reiss, A. L., and Menon, V., (2003), "Functional connectivity in the resting brain: a network analysis of the default mode hypothesis.", *Proceedings of the National Academy of Sciences of the United States of America*, Vol.100, No.1, pp.253-258.
- Gu, S., Pasqualetti, F., Cieslak, M., Telesford, Q. K., Yu, A. B., Kahn, A. E., ... Bassett, D. S., (2015), "Controllability of structural brain networks", *Nature Communications*, Vol.6, pp.8414.
- Guha, R., Kumar, R., Raghavan, P., and Tomkins, A., (2004), "Propagation of trust and distrust", In *Proceedings of the 13th conference on World Wide Web - WWW '04* (p. 403). New York, New York, USA: ACM Press.
- Gupta, N., Singh, S. S., and Stopfer, M., (2016), "Oscillatory integration windows in neurons", *Nature Communications*, Vol.7, pp.13808.
- Gushchin, A., and Tang, A., (2015), "Total Wiring Length Minimization of C. elegans Neural Network: A Constrained Optimization Approach.", *PLoS One*, Vol.10, No.12, pp.e0145029.
- Hall, D., and Russell, R., (1991), "The posterior nervous system of the nematode *Caenorhabditis elegans*: serial reconstruction of identified neurons and complete pattern of synaptic interactions", *J. Neurosci.*, Vol.11, No.1, pp.1-22.
- Hammond, C., Bergman, H., and Brown, P., (2007), "Pathological synchronization in Parkinson's disease: networks, models and treatments", *Trends in Neurosciences*, Vol.30, No.7, pp.357-364.
- Harary, F., (1953), "On the notion of balance of a signed graph", *Michigan Math*, Vol.2, No.2, pp.143-146.
- Hare, E., and Loer, C., (2004), "Function and evolution of the serotonin-synthetic *bas-1* gene and other aromatic amino acid decarboxylase genes in *Caenorhabditis*", *BMC Evolutionary Biology*, Vol.4, No.1, pp.24.
- Hayasaka, S., Fekete, T., Wilf, M., Rubin, D., Edelman, S., Malach, R., and Mujica-Parodi, L. R., (2013), "Combining classification with fMRI-derived complex network measures for potential neurodiagnostics", *PLoS ONE*, Vol.8, No.5, pp.e62867.
- He, Y., Chen, Z. J., and Evans, A. C., (2007), "Small-World Anatomical Networks in the Human Brain Revealed by Cortical Thickness from MRI", *Cerebral Cortex*, Vol.17, No.10, pp.2407-2419.
- Heider, F., (1946), "Attitudes and cognitive organization.", *The Journal of Psychology*, Vol.21, No.December, pp.107-112.
- Herculano-Houzel, S., (2009), "The human brain in numbers: a linearly scaled-up primate brain", *Frontiers in Human Neuroscience*, Vol.3, pp.31.
- Hobert, O., (2003), "Behavioral plasticity in C. elegans: paradigms, circuits, genes.", *Journal of Neurobiology*, Vol.54, No.1, pp.203-23.
- Holden-Dye, L., Krosggaard-Larsen, P., Nielsen, L., and Walker, R. J., (1989), "GABA receptors on the somatic muscle cells of the parasitic nematode, *Ascaris suum*: stereoselectivity indicates similarity to a GABAA-type agonist recognition site.", *British Journal of Pharmacology*, Vol.98, No.3, pp.841-50.
- Hopcroft-Karp algorithm, (2017).
- Hopcroft, J. E., and Karp, R. M., (1973), "An $O(n^2)$ Algorithm for Maximum Matchings in Bipartite Graphs", *SIAM Journal on Computing*, Vol.2, No.4, pp.225-231.
- Horvitz, H., Chalfie, M., Trent, C., Sulston, J., and Evans, P., (1982), "Serotonin and octopamine in the nematode *Caenorhabditis elegans*", *Science*, Vol.216, No.4549, pp.1012-1014.
- Howe, K. L., Bolt, B. J., Cain, S., Chan, J., Chen, W. J., Davis, P., ... Sternberg, P. W., (2016), "WormBase 2016: expanding to enable helminth genomic research.", *Nucleic Acids Research*, Vol.44, No.D1, pp.D774-80.
- Itzhack, R., and Louzoun, Y., (2010), "Random distance dependent attachment as a model for neural network generation in the *Caenorhabditis elegans*.", *Bioinformatics*, Vol.26, No.5, pp.647-52.
- Jayanthi, L. D., Apparsundaram, S., Malone, M. D., Ward, E., Miller, D. M., Eppler, M., and Blakely, R. D., (1998), "The *Caenorhabditis elegans* gene T23G5.5 encodes an antidepressant- and cocaine-sensitive dopamine transporter.", *Molecular Pharmacology*, Vol.54, No.4, pp.601-9.
- Jia, T., Liu, Y.-Y., Csoka, E., Posfai, M., Slotine, J.-J., and Barabasi, A.-L., (2013), "Emergence of bimodality in controlling complex networks.", *Nature Communications*, Vol.4, No.May, pp.2002.
- Jiang, G., Zhuang, L., Miyauchi, S., Miyake, K., Fei, Y.-J., and Ganapathy, V., (2005), "A Na^+/Cl^- -coupled

- GABA transporter, GAT-1, from *Caenorhabditis elegans*: structural and functional features, specific expression in GABA-ergic neurons, and involvement in muscle function.", *The Journal of Biological Chemistry*, Vol.280, No.3, pp.2065-77.
- Jin, Y., Jorgensen, E., Hartwig, E., and Horvitz, H. R., (1999), "The *Caenorhabditis elegans* gene *unc-25* encodes glutamic acid decarboxylase and is required for synaptic transmission but not synaptic development.", *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, Vol.19, No.2, pp.539-48.
- Kaas, J. H., (2006), "*Evolution of Nervous Systems: A Comprehensive Reference; Four-Volume Set*". Academic Press.
- Kalman, R. E., (1963), "Mathematical Description of Linear Dynamical Systems", *Journal of the Society for Industrial and Applied Mathematics Series A Control*, Vol.1, No.2, pp.152-192.
- Kamath, R. S., Fraser, A. G., Dong, Y., Poulin, G., Durbin, R., Gotta, M., ... Ahringer, J., (2003), "Systematic functional analysis of the *Caenorhabditis elegans* genome using RNAi.", *Nature*, Vol.421, No.6920, pp.231-7.
- Kandel, E. R., Dudai, Y., and Mayford, M. R., (2014), "The molecular and systems biology of memory.", *Cell*, Vol.157, No.1, pp.163-86.
- Kandel, E. R., Schwartz, J. H., and Jessel, T. M., (2000), "*Principles of neural science*" (4th ed.). McGraw-Hill.
- Kennedy, D. P., and Courchesne, E., (2008), "The intrinsic functional organization of the brain is altered in autism.", *NeuroImage*, Vol.39, No.4, pp.1877-1885.
- Khundrakpam, B. S., Reid, A., Brauer, J., Carbonell, F., Lewis, J., Ameis, S., ... O'Neill, J., (2013), "Developmental Changes in Organization of Structural Brain Networks", *Cerebral Cortex*, Vol.23, No.9, pp.2072-2085.
- Kim, H., Rogers, M. J., Richmond, J. E., and McIntire, S. L., (2004), "SNF-6 is an acetylcholine transporter interacting with the dystrophin complex in *Caenorhabditis elegans*", *Nature*, Vol.430, No.7002, pp.891-896.
- Kunegis, J., Lommatzsch, A., and Bauckhage, C., (2009), "The slashdot zoo", In *Proceedings of the 18th international conference on World wide web - WWW '09* (p. 741). New York, New York, USA: ACM Press.
- Lee, R. Y., Sawin, E. R., Chalfie, M., Horvitz, H. R., and Avery, L., (1999), "EAT-4, a homolog of a mammalian sodium-dependent inorganic phosphate cotransporter, is necessary for glutamatergic neurotransmission in *caenorhabditis elegans*.", *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, Vol.19, No.1, pp.159-67.
- Lin, C. T., (1974), "Structural Controllability", *IEEE Transactions on Automatic Control*, Vol.19, No.3, pp.201-208.
- Lints, R., and Emmons, S. W., (1999), "Patterning of dopaminergic neurotransmitter identity among *Caenorhabditis elegans* ray sensory neurons by a TGFbeta family signaling pathway and a Hox gene.", *Development (Cambridge, England)*, Vol.126, No.24, pp.5819-31.
- Liu, Y.-Y., Slotine, J.-J., and Barabási, A.-L., (2011), "Controllability of complex networks.", *Nature*, Vol.473, No.7346, pp.167-173.
- Liu, Y., Liang, M., Zhou, Y., He, Y., Hao, Y., Song, M., ... Jiang, T., (2008), "Disrupted small-world networks in schizophrenia.", *Brain: A Journal of Neurology*, Vol.131, pp.945-61.
- Lombardi, A., and Hörnquist, M., (2007), "Controllability analysis of networks", *Physical Review E - Statistical, Nonlinear, and Soft Matter Physics*, Vol.75, No.5, pp.1-5.
- Luenberger, D., (1979), "Introduction to Dynamic Systems: Theory, Models, and Applications".
- Luenberger, D. G., (2002), "Introduction to dynamical systems", *IEEE Transactions on Automatic Control*, Vol. 19.
- Luo, H., Lin, Y., Gao, F., Zhang, C.-T., and Zhang, R., (2014), "DEG 10, an update of the database of essential genes that includes both protein-coding genes and noncoding genomic elements.", *Nucleic Acids Research*, Vol.42, No.Database issue, pp.D574-80.
- Lynall, M.-E., Bassett, D. S., Kerwin, R., McKenna, P. J., Kitzbichler, M., Muller, U., and Bullmore, E., (2010), "Functional connectivity and brain networks in schizophrenia.", *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, Vol.30, No.28, pp.9477-87.
- MacKay, D., (1988), "*The Brain and Conscious Experience*", (J. Eccles, Ed.), *Brain and conscious experience*. Springer Berlin Heidelberg.
- Maere, S., Heymans, K., and Kuiper, M., (2005), "BiNGO: a Cytoscape plugin to assess overrepresentation of gene ontology categories in biological networks.", *Bioinformatics (Oxford, England)*, Vol.21, No.16, pp.3448-9.
- Mangan, S., and Alon, U., (2003), "Structure and function of the feed-forward loop network motif.", *PNAS*, Vol.100, No.21, pp.11980-5.
- Mano, I., Straud, S., and Driscoll, M., (2007), "*Caenorhabditis elegans* glutamate transporters influence synaptic function and behavior at sites distant from the synapse.", *The Journal of Biological Chemistry*,

- Vol.282, No.47, pp.34412–9.
- Marvel, S. A., Strogatz, S. H., and Kleinberg, J. M., (2009), "Energy Landscape of Social Balance", *Physical Review Letters*, Vol.103, No.19, pp.198701.
- Maslov, S., and Sneppen, K., (2002), "Specificity and stability in topology of protein networks.", *Science (New York, N.Y.)*, Vol.296, pp.910–913.
- Matthies, D. S., Fleming, P. A., Wilkes, D. M., and Blakely, R. D., (2006), "The *Caenorhabditis elegans* choline transporter CHO-1 sustains acetylcholine synthesis and motor function in an activity-dependent manner.", *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, Vol.26, No.23, pp.6200–12.
- McDonald, P. W., Hardie, S. L., Jessen, T. N., Carvelli, L., Matthies, D. S., and Blakely, R. D., (2007), "Vigorous Motor Activity in *Caenorhabditis elegans* Requires Efficient Clearance of Dopamine Mediated by Synaptic Localization of the Dopamine Transporter DAT-1", *Journal of Neuroscience*, Vol.27, No.51, pp.14216–14227.
- McIntire, S. L., Reimer, R. J., Schuske, K., Edwards, R. H., and Jorgensen, E. M., (1997), "Identification and characterization of the vesicular GABA transporter", Vol.389, No.6653, pp.870–876.
- McKeown, M. J., Hansen, L. K., and Sejnowsk, T. J., (2003), "Independent component analysis of functional MRI: What is signal and what is noise?", *Current Opinion in Neurobiology*, Vol.13, No.5, pp.620–629.
- Meunier, D., Achard, S., Morcom, A., and Bullmore, E., (2009), "Age-related changes in modular organization of human brain functional networks.", *NeuroImage*, Vol.44, No.3, pp.715–723.
- Meunier, D., Lambiotte, R., and Bullmore, E. T., (2010), "Modular and hierarchically modular organization of brain networks.", *Frontiers in Neuroscience*, Vol.4, pp.200.
- Meyer-Lindenberg, A., (2010), "From maps to mechanisms through neuroimaging of schizophrenia", *Nature*, Vol.468, No.7321, pp.194–202.
- Micali, S., and Vazirani, V. V., (1980), "An $O(v|v|c|E|)$ algorithm for finding maximum matching in general graphs", *21st Annual Symposium on Foundations of Computer Science (Sfcs 1980)*, pp.17–27.
- Miller, M. A., Feng, X.-J., Li, G., and Rabitz, H. A., (2012), "Identifying biological network structure, predicting network behavior, and classifying network state with High Dimensional Model Representation (HDMR).", *PLoS One*, Vol.7, No.6, pp.e37664.
- Milo, R., Itzkovitz, S., Kashtan, N., Levitt, R., and Alon, U., (2004), "Response to Comment on 'Network Motifs: Simple Building Blocks of Complex Networks' and 'Superfamilies of Evolved and Designed Networks'", *Science*, Vol.305, No.5687.
- Milo, R., Itzkovitz, S., Kashtan, N., Levitt, R., Shen-Orr, S., Ayzenshtat, I., ... Alon, U., (2004), "Superfamilies of Evolved and Designed Networks", *Science*, Vol.303, No.5663, pp.1538–1542.
- Milo, R., Shen-Orr, S., Itzkovitz, S., Kashtan, N., Chklovskii, D., and Alon, U., (2002), "Network motifs: simple building blocks of complex networks", *Science*, Vol.298, No.5594, pp.824–827.
- Monk, C. S., Peltier, S. J., Wiggins, J. L., Weng, S.-J., Carrasco, M., Risi, S., and Lord, C., (2009), "Abnormalities of intrinsic functional connectivity in autism spectrum disorders.", *NeuroImage*, Vol.47, No.2, pp.764–772.
- Moore, M., (1978), "An international application of Heider's balance theory", *European Journal of Social Psychology*, Vol.8, No.3, pp.401–405.
- Morris, J. H., Apeltsin, L., Newman, A. M., Baumbach, J., Wittkop, T., Su, G., ... Ferrin, T. E., (2011), "clusterMaker: a multi-algorithm clustering plugin for Cytoscape.", *BMC Bioinformatics*, Vol.12, No.1, pp.436.
- Mozzachiodi, R., and Byrne, J. H., (2010), "More than synaptic plasticity: role of nonsynaptic plasticity in learning and memory", *Trends in Neurosciences*, Vol.33, No.1, pp.17–26.
- Mucha, M., and Sankowski, P., (2004), "Maximum matchings via Gaussian elimination", *45th Annual IEEE Symposium on Foundations of Computer Science*.
- Mullen, G. P., Mathews, E. A., Saxena, P., Fields, S. D., McManus, J. R., Moulder, G., ... Rand, J. B., (2006), "The *Caenorhabditis elegans* snf-11 gene encodes a sodium-dependent GABA transporter required for clearance of synaptic GABA.", *Molecular Biology of the Cell*, Vol.17, No.7, pp.3021–30.
- Nass, R., Miller, D. M., and Blakely, R. D., (2001), "C. elegans: a novel pharmacogenetic model to study Parkinson's disease", *Parkinsonism & Related Disorders*, Vol.7, No.3, pp.185–191.
- Norman, K. A., Polyn, S. M., Detre, G. J., and Haxby, J. V., (2006), "Beyond mind-reading: multi-voxel pattern analysis of fMRI data", *Trends in Cognitive Sciences*, Vol.10, No.9, pp.424–430.
- Nurris, S., Ségalat, L., and Kaplan, J. M., (1999), "Serotonin Inhibition of Synaptic Transmission", *Neuron*, Vol.24, No.1, pp.231–242.
- Ohnishi, N., Kuhara, A., Nakamura, F., Okochi, Y., and Mori, I., (2011), "Bidirectional regulation of thermotaxis by glutamate transmissions in *Caenorhabditis elegans*.", *The EMBO Journal*, Vol.30, No.7, pp.1376–88.

- Orrison, W. W., Lewine, J., Sanders, J., and Hartshorne, M. F., (1994), "*Functional Brain Imaging*". Elsevier.
- Oshio, K., Iwasaki, Y., Morita, S., Osana, Y., Gomi, S., Akiyama, E., ... Kawamura, K., (2003), "*Database of Synaptic Connectivity of C. elegans*", *Technical Report of CCeP, Keio Future*. Keio University.
- Pan, R. K., Chatterjee, N., and Sinha, S., (2010), "Mesoscopic organization reveals the constraints governing *Caenorhabditis elegans* nervous system", *PLoS ONE*, Vol.5, No.2, pp.e9240.
- Park, H.-J., and Friston, K., (2013), "Structural and functional brain networks: from connections to cognition.", *Science (New York, N.Y.)*, Vol.342, No.6158, pp.1238411.
- Pemberton, D. J., Franks, C. J., Walker, R. J., and Holden-Dye, L., (2001), "Characterization of glutamate-gated chloride channels in the pharynx of wild-type and mutant *Caenorhabditis elegans* delineates the role of the subunit GluCl- α 2 in the function of the native receptor.", *Molecular Pharmacology*, Vol.59, No.5, pp.1037-43.
- Pérez-Escudero, A., and de Polavieja, G. G., (2007), "Optimally wired subnetwork determines neuroanatomy of *Caenorhabditis elegans*.", *Proceedings of the National Academy of Sciences of the United States of America*, Vol.104, pp.17180-17185.
- Pothen, A., and Fan, C.-J., (1990), "Computing the block triangular form of a sparse matrix", *ACM Transactions on Mathematical Software*, Vol.16, No.4, pp.303-324.
- Pouyan, A. A., and Shahamat, H., (2014), "A texture-based method for classification of schizophrenia using fMRI data", *Biocybernetics and Biomedical Engineering*, Vol.35, No.1, pp.45-53.
- Power, J. D., Fair, D. A., Schlaggar, B. L., and Petersen, S. E., (2010), "The development of human functional brain networks.", *Neuron*, Vol.67, No.5, pp.735-748.
- Rand, J. B., and Russell, R. L., (1985), "Properties and Partial Purification of Choline Acetyltransferase from the Nematode *Caenorhabditis elegans*", *Journal of Neurochemistry*, Vol.44, No.1, pp.189-200.
- Ranganathan, R., Sawin, E. R., Trent, C., and Horvitz, H. R., (2001), "Mutations in the *Caenorhabditis elegans* serotonin reuptake transporter MOD-5 reveal serotonin-dependent and -independent activities of fluoxetine.", *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, Vol.21, No.16, pp.5871-84.
- Ravasz, E., and Barabási, A.-L., (2003), "Hierarchical organization in complex networks", *Phys. Rev. E*, Vol.67, No.2, pp.26112.
- Reigl, M., Alon, U., and Chklovskii, D. B., (2004), "Search for computational modules in the *C. elegans* brain", *BMC Biology*, Vol.2, No.1, pp.25.
- Rish, I., Cecchi, G., Thyreau, B., Thirion, B., Plaze, M., Paillere-Martinot, M. L., ... Poline, J.-B., (2013), "Schizophrenia as a network disease: disruption of emergent brain function in patients with auditory hallucinations", *PLoS ONE*, Vol.8, No.1, pp.e50625.
- Rogers, C. M., Franks, C. J., Walker, R. J., Burke, J. F., and Holden-Dye, L., (2001), "Regulation of the pharynx of *Caenorhabditis elegans* by 5-HT, octopamine, and FMRFamide-like neuropeptides.", *Journal of Neurobiology*, Vol.49, No.3, pp.235-44.
- Rossini, P. M., Barker, A. T., Berardelli, A., Caramia, M. D., Caruso, G., Cracco, R. Q., ... others, (1994), "Non-invasive electrical and magnetic stimulation of the brain, spinal cord and roots: basic principles and procedures for routine clinical application. Report of an IFCN committee", *Electroencephalography and Clinical Neurophysiology*, Vol.91, No.2, pp.79-92.
- Rubinov, M., and Sporns, O., (2010), "Complex network measures of brain connectivity: uses and interpretations.", *NeuroImage*, Vol.52, No.3, pp.1059-69.
- Salinas, E., and Sejnowski, T. J., (2001), "Correlated neuronal activity and the flow of neural information", *Nat Rev Neurosci*, Vol.2, No.8, pp.539-550.
- Sarraf, S., and Tofighi, G., (2016), "DeepAD : Alzheimer's Disease Classification via Deep Convolutional Neural Networks using MRI and fMRI", *Biorxiv 070441*.
- Savio, A., and Graña, M., (2015), "Local activity features for computer aided diagnosis of schizophrenia on resting-state fMRI", *Neurocomputing*, Vol.164, pp.154-161.
- Sedgewick, Robert, Wayne, and Kevin, (2011), "*Algorithms*" (4th ed.). Addison-Wesley Professional.
- Shannon, P., Markiel, A., Ozier, O., Baliga, N. S., Wang, J. T., Ramage, D., ... Ideker, T., (2003), "Cytoscape : A software environment for integrated models of biomolecular interaction networks", *Genome Research*, pp.2498-2504.
- Shen, K., and Bargmann, C. I., (2003), "The Immunoglobulin Superfamily Protein SYG-1 Determines the Location of Specific Synapses in *C. elegans*", *Cell*, Vol.112, No.5, pp.619-630.
- Shields, R. W., and Pearson, J. B., (1976), "Structural Controllability of Multiinput Linear Systems", *IEEE Transactions on Automatic Control*, Vol.21, No.2, pp.203-212.
- Silva, R. F., Castro, E., Gupta, C. N., Cetin, M., Arbabshirani, M., Potluru, V. K., ... Calhoun, V. D., (2014), "The tenth annual MLSP competition: schizophrenia classification challenge the mind research network , 1101 Yale Blvd ., Albuquerque , New Mexico 87106", *IEEE International Workshop on Machine*

Learning for Signal Processing.

- Slotine, J.-J. E., and Li, W., (1991), "*Applied nonlinear control*" (Vol. 199). prentice-Hall Englewood Cliffs, NJ.
- Smith, S. M., Jenkinson, M., and Woolrich, M. W., (2004), "Advances in functional and structural MR image analysis and implementation as FSL", *Neuroimage*, Vol.23, pp.S208--S219.
- Smith, S. M., Miller, K. L., Salimi-Khorshidi, G., Webster, M., Beckmann, C. F., Nichols, T. E., ... Woolrich, M. W., (2011), "Network modelling methods for FMRI.", *NeuroImage*, Vol.54, No.2, pp.875–891.
- Smoot, M. E., Ono, K., Ruscheinski, J., Wang, P. L., and Ideker, T., (2011), "Cytoscape 2.8: New features for data integration and network visualization", *Bioinformatics*, Vol.27, No.3, pp.431–432.
- Sporns, O., (2011), "*Networks of the brain*". MIT Press.
- Sporns, O., (2013a), "Structure and function of complex brain networks.", *Dialogues in Clinical Neuroscience*, Vol.15, No.3, pp.247–62.
- Sporns, O., (2013b), "The human connectome: origins and challenges.", *NeuroImage*, Vol.80, pp.53–61.
- Sporns, O., Chialvo, D. R., Kaiser, M., and Hilgetag, C. C., (2004), "Organization, development and function of complex brain networks", *Trends in Cognitive Sciences*, Vol.8, No.9, pp.418–425.
- Sporns, O., and Kötter, R., (2004), "Motifs in brain networks.", *PLoS Biology*, Vol.2, No.11, pp.e369.
- Stam, C. J., Jones, B. F., Nolte, G., Breakspear, M., and Scheltens, P., (2007), "Small-world networks and functional connectivity in Alzheimer's disease.", *Cerebral Cortex*, Vol.17, No.1, pp.92–99.
- Stam, C. J., and Reijneveld, J. C., (2007), "Graph theoretical analysis of complex networks in the brain", *Nonlinear Biomedical Physics*, Vol.1, No.1, pp.3.
- Strata, P., and Harvey, R., (1999), "Dale's principle", *Brain Research Bulletin*.
- Sundermann, B., Herr, D., Schwindt, W., and Pfeleiderer, B., (2014), "Multivariate classification of blood oxygen level-dependent fMRI data with diagnostic intention: A clinical perspective", *American Journal of Neuroradiology*, Vol.39, No.5, pp.848–855.
- Sze, J. Y., Victor, M., Loer, C., Shi, Y., and Ruvkun, G., (2000), "Food and metabolic signalling defects in a *Caenorhabditis elegans* serotonin-synthesis mutant", *Nature*, Vol.403, No.6769, pp.560–564.
- Sze, J. Y., Zhang, S., Li, J., and Ruvkun, G., (2002), "The *C. elegans* POU-domain transcription factor UNC-86 regulates the *tph-1* tryptophan hydroxylase gene and neurite outgrowth in specific serotonergic neurons.", *Development (Cambridge, England)*, Vol.129, No.16, pp.3901–11.
- Tang, E., and Bassett, D. S., (2017), "Control of Dynamics in Brain Networks", *arXiv:1701.01531*.
- Tang, Y., Gao, H., Zou, W., and Kurths, J., (2012), "Identifying Controlling Nodes in Neuronal Networks in Different Scales", *PLoS ONE*, Vol.7, No.8.
- The R Core Team, (2012), "R: A language and environment for statistical computing", *R Foundation for Statistical Computing, Vienna, Austria*.
- Thomas, M. S. C., and McClelland, J. L., (2008), "Connectionist Models of Cognition", *The Cambridge Handbook of Computational Psychology*, No.1991, pp.23–58.
- Towlson, E. K., Vértes, P. E., Ahnert, S. E., Schafer, W. R., and Bullmore, E. T., (2013), "The rich club of the *C. elegans* neuronal connectome.", *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, Vol.33, No.15, pp.6380–7.
- Tran, N. H., Choi, K. P., and Zhang, L., (2013), "Counting motifs in the human interactome", *Nature Communications*, Vol.4.
- van den Heuvel, M. P., and Hulshoff Pol, H. E., (2010), "Exploring the brain network: A review on resting-state fMRI functional connectivity", *European Neuropsychopharmacology*.
- Varshney, L. R., Chen, B. L., Paniagua, E., Hall, D. H., and Chklovskii, D. B., (2011), "Structural properties of the *Caenorhabditis elegans* neuronal network.", *PLoS Computational Biology*, Vol.7, No.2, pp.e1001066.
- Vicente, R., Gollo, L. L., Mirasso, C. R., Fischer, I., and Pipa, G., (2008), "Dynamical relaying can yield zero time lag neuronal synchrony despite long conduction delays", *Proceedings of the National Academy of Sciences*, Vol.105, No.44, pp.17157–17162.
- Von Stetina, S. E., Treinin, M., and Miller, D. M., (2006), "The motor circuit.", *International Review of Neurobiology*, Vol.69, No.5, pp.125–67.
- Watts, D. J., and Strogatz, S. H., (1998), "Collective dynamics of "small-world" networks.", *Nature*, Vol.393, No.6684, pp.440–2.
- Weiss, S. A., Bassett, D. S., Rubinstein, D., Holroyd, T., Apud, J., Dickinson, D., and Coppola, R., (2011), "Functional Brain Network Characterization and Adaptivity during Task Practice in Healthy Volunteers and People with Schizophrenia1", *Frontiers in Human Neuroscience*, Vol.5, pp.81.
- White, J. G., Horvitz, H. R., Sulston, J. E., and Brenner, S., (1985), "Neuronal connectivity in *Caenorhabditis elegans*", *Trends in Neurosciences*, Vol.8, pp.277–283.
- White, J. G., Southgate, E., Thomson, J. N., and Brenner, S., (1976), "The structure of the ventral nerve cord of *Caenorhabditis elegans*.", *Philosophical Transactions of the Royal Society of London. Series B, Biological*

- Sciences*, Vol.275, No.938, pp.327–48.
- White, J. G., Southgate, E., Thomson, J. N., and Brenner, S., (1986), "The Structure of the Nervous System of the Nematode *Caenorhabditis elegans*", *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, Vol.314, No.1165, pp.1–340.
- Yang, H., Liu, J., Sui, J., Pearlson, G., and Calhoun, V. D., (2010), "A hybrid machine learning method for fusing fMRI and genetic data: combining both improves classification of schizophrenia.", *Frontiers in Human Neuroscience*, Vol.4, pp.192.
- Yu, Q., Plis, S. M., Erhardt, E. B., Allen, E. a, Sui, J., Kiehl, K. a, ... Calhoun, V. D., (2011), "Modular organization of functional network connectivity in healthy controls and patients with schizophrenia during the resting state.", *Frontiers in Systems Neuroscience*, Vol.5, pp.103.
- Yu, Q., Sui, J., Rachakonda, S., He, H., Gruner, W., Pearlson, G., ... Calhoun, V. D., (2011), "Altered topological properties of functional network connectivity in schizophrenia during resting state: a small-world brain network study.", *PloS ONE*, Vol.6, No.9, pp.e25423.
- Zhang, X., Lv, T., Yang, X., and Zhang, B., (2014), "Structural controllability of complex networks based on preferential matching.", *PloS One*, Vol.9, No.11, pp.e112039.
- Zhou, C., Zemanová, L., Zamora, G., Hilgetag, C., and Kurths, J., (2006), "Hierarchical organization unveiled by functional connectivity in complex brain networks", *Physical Review Letters*, Vol.97, No.23, pp.238103.
- Zingg, B., Hintiryan, H., Gou, L., Song, M. Y., Bay, M., Bienkowski, M. S., ... Dong, H.-W., (2014), "Neural networks of the mouse neocortex.", *Cell*, Vol.156, No.5, pp.1096–111.

...