

References

- Abhat, A., (1981), "Short term thermal energy storage", *Energy and Buildings*, Vol. 3, pp 49–76, 1981
- Abhat, A., (1983), "Low temperature latent heat thermal energy storage", *Solar Energy*, Vol. 30, pp. 313-332, 1983
- Acem, Z., Lopez, J., and Del-Barrio, E.P., (2010), "KNO₃/NaNO₃ – Graphite materials for thermal energy storage at high temperature: Part I – elaboration methods and thermal properties", *Appl. Therm. Eng.*, Vol. 30, pp. 1580–1585, 2010
- Adine, H.A., and El-Qarnia, H., (2009), "Numerical analysis of the thermal behavior of a shell and-tube heat storage unit using phase change materials", *Appl. Math. Model.*, Vol. 33, pp. 2132–44, 2009
- Agafonova, L. E., Varushchenko, R. M., Druzhinina, A. I., Polyakova, O.V., Kolesov, and Yu S., (2011), "Heat capacity, saturation vapor pressure, and thermodynamic functions of ethyl esters of C3–C5 and C18 carboxylic acids", *Russ. J. Phys. Chem. A Focus Chem.*, Vol. 85, pp. 1516–1527, 2011
- Ahmed, M., Meade, O., and Medina, M.A., (2010), "Reducing heat transfer across the insulated walls of refrigerated truck trailers by the application of phase change materials", *Energy Conversion and Management*, Vol. 51, pp. 383-392, 2010
- Akgun, M., Aydin, O., and Kaygusuz, K. (2007). "Experimental study on melting/solidification characteristics of a paraffin as PCM." *Energy Conversion and Management*, Vol. 48, pp. 669-678, 2007
- Akter, F.N., Islam, M.K., and Begum, N.N., (2017) "Fabrication and performance analysis of a low cost parabolic type solar cooker", *AIP Conference Proceedings*, 1851, 020053, 2017
- Al-Abidi, A.A., Mat, S., Sopian, K., Sulaiman, M.Y., and Mohammad, A.T., (2013), "Internal and external fin heat transfer enhancement technique for latent heat thermal energy storage in triplex tube heat exchangers", *Appl Therm Eng*, Vol. 53, pp. 147–56, 2013
- Alkan, C., (2006), "Enthalpy of melting and solidification of sulfonated paraffins as phase change materials for thermal energy storage", *Thermochimica Acta*, Vol. 451, pp. 126-130., 2006
- Alva, G., Liu, L., Huang, X., and Fang, G., (2017), "Thermal energy storage materials and systems for solar energy applications", *Renewable and Sustainable Energy Reviews*, Vol. 68, pp. 693–706, 2017
- Aman, M.M., Solangi, K.H., Hossain, M.S., Badarudin, A., Jasmon, G.B., Mokhlis, H., BaKar, A.H.A., and Kazi, S.N., (2015), "A review of Safety, Health and Environmental (SHE) issues of solar energy system", *Renewable and Sustainable Energy Reviews*, Vol. 41, pp. 1190-1204, 2015
- Andrianaivo, L., and Ranasiarinoro, V.J., (2014) "Life Cycle Assessment and Environmental Impact Evaluation of the Parabolic Solar Cooker SK14 in Madagascar", *Journal of Clean Energy Technologies*, Vol. 2, pp. 191–195, 2014
- Annual Energy Outlook 2015, DOE/EIA-0383 (2015), published: April 2015
- Araki N., Futamura, M., Makino, A., and Shibata, H., (1995), "Measurements of thermophysical properties of sodium acetate hydrate", *Int. J. Thermophys.*, Vol. 16, pp. 1455-1466, 1995
- Aydin, A.A., (2013), "Fatty acid ester-based commercial products as potential new phase change materials (PCMs) for thermal energy storage", *Sol. Energy Mater. Sol. Cells*, Vol. 108, pp. 98–104, 2013
- Aydin, A.A., and Aydin, A., (2012), "High-chain fatty acid esters of 1-hexadecanol for low temperature thermal energy storage with phase change materials", *Sol. Energy Mater. Sol. Cells*, Vol. 96, pp. 93–100, 2012
- Azzouz, K., Leducq, D., and Gobin, D., (2009), "Enhancing the performance of household refrigerators with latent heat storage: An experimental investigation", *International Journal of Refrigeration*, Vol. 32 pp. 1634-1644, 2009
- Babapoor, A., Karimi, G., Sabbaghi, S., (2016), "Thermal characteristic of nanocomposite phase change materials during solidification process", *J. Energy Storage*, Vol. 7, pp. 74–81, 2016
- Baehr, H. D., and Stephan, K. (1998), *Heat and Mass Transfer*, Springer-Verlag, Berlin, 1998
- Bansal, N.K., and Buddhi, D. (1992), "An analytical study of a latent heat storage system in a cylinder", *Energy Conversion and Management*, Vol. 33, pp.235–242, 1992
- Baran, G., and Sari, A., (2003), "Phase change and heat transfer characteristics of a eutectic mixture of palmitic and stearic acids as PCS in in a latent heat storage system", *Energy Convers. Manage*, Vol. 44, pp. 3227–3246, 2003
- Barrett, P. F., and Best, B. R., (1985), "Thermal energy storage in supercooled salt mixtures", *Materials Chemistry*

- and Physics*, Vol. 12, pp. 529–536, 1985
- Barrett, P. F., Best, B. R., and Oldham, K. B., (1984), "Thermal energy storage in supersaturated salt solutions", *Materials Chemistry and Physics*, Vol. 10, pp. 39–49, 1984
- Bauer, T., Tamme, R., Christ, M., and Ottinger, O., (2006), "PCM-Graphite Composites for High Temperature Thermal Energy Storage", In: *Paper presented at the Ecostock'2006 – 10th international conference on thermal energy storage*, pp. 8, 2006
- Bauerle, (1976), "Storage of solar energy by inorganic oxide hydroxide", *Sharing the sun solar technology in 70's proc. of the joint conference of the American Section of ISEC and S.E.C. of Canada*, Vol. 8, pp. 192, 1976
- Buddhi, D., (1997), "Thermal performance of a shell and tube PCM storage heat exchanger for industrial waste heat recovery", *Proc ISES Solar World Congress, Taejon, Korea*, pp. 24–29, 1997
- Buddhi, D., and Sahoo, L.K., (1997), "Solar cooker with latent heat storage: design and experimental testing", *Energy Conversion and Management*, Vol. 38, pp. 493–498, 1997
- Buddhi, D., Sharma, S.D., and Sharma, A., (2003), "Thermal performance evaluation of a latent heat storage unit for lateevening cooking in a solar cooker having three reflectors", *Energy Conversion and Management*, Vol. 44, pp. 809–817, 2003
- Cabeza , L. F., Svensson, G., Hiebler, G., Mehling, H., (2003), "Thermal performance of sodium acetate trihydrate thickened with different as phase change energy storage material", *Applied Thermal Engineering*, Vol. 23, pp. 1697–1704, 2003
- Cabeza L., Zalba, B., Marin, J.M., and Mehling, H., (2003), "PCM-graphite matrix in flat plate encapsulates for low temperature applications", in: *Proceedings of Future stock 2003, 9th International Conference on Thermal Energy Storage*, Warsaw, Poland.
- Cabeza L.F., Mehling, H., Hieber, H., and Ziegler (2002), "Heat transfer enhancement in water when used as PCM in thermal energy storage" *Appl. Thermal Eng.*, Vol. 22, pp. 1141–1151, 2002
- Cabeza, L.F., (2014), *Advances in Thermal Energy Storage Systems: Methods and Applications*, Woodhead Publishing Series in Energy, Elsevier, 2014
- Cabeza, L.F., (ed.), (2014), *Advances in Thermal Energy Storage Systems: Methods and applications*, Woodhead Publishing, ISBN 978-1-78242-088-0, Cambridge, UK.
- Cabeza, L.F., Barreneche, C., Martorell, I., and Fernandez, A.I., (2014) "Unconventional experimental technologies available for phase change materials (PCM) characterization. Part1.Thermophysical properties," *Renewable and Sustainable Energy Reviews*, vol. 43, pp. 1399-1414, 2014.
- Cabeza, L.F., Castell, A., Barreneche, C., de-Gracia, A. , and Fernandez, A.I., (2011), "Materials used as PCM in thermal energy storage in buildings: a review", *Renewable and Sustainable Energy*, Vol. 15, pp. 1675–95, 2011
- Cabeza, L.F., Ibanez, M., Sole, C., Roca, J., and Nogues, M., (2006), "Experimentation with a water tank including a PCM module", *Solar Energy Materials and Solar cells*, Vol. 90, pp.1273-1782, 2006
- Cai, Y. B., Hu, Y., Song, L., Lu, H. D., Chen, Z. Y., and Fan, W. C., (2006),"Preparation and characterizations of HDPE-EVA alloy/OMT nanocomposites/paraffin compounds as a shape stabilized phase change thermal energy storage material." *Thermochimica Acta*, Vol. 451, pp. 44-51, 2006
- Cai, Y., Gao, C., Zhang, T., Zhang, Z., Wei, Q., Du, J., Hu, Y., and Song, L., (2013), "Influences of expanded graphite on structural morphology and thermal performance of composite phase change materials consisting of fatty acid eutectics and electrospun PA6 nanofibrous mats", *Renewable Energy*, Vol. 57, pp. 163–70, 2013
- Cameron, T. S., Mannan, K.M., Rahman, and M.O., (1976), "The crystal structure of sodium acetate trihydrate", *Acta Cryst. B*, Vol. 32, pp. 82-87, 1976
- Cardenas, B., and Leon, N., (2013), "High temperature latent heat thermal energy storage: phase change materials, design considerations and performance enhancement techniques", *Renew Sustain Energy Rev.*, Vol 27, pp. 724–37, 2013
- Castell, A., Martorell, I., Medrano, M., Perez, G., and Cabeza, L.F., "Experimental study of using PCM in brick constructive solutions for passive cooling", *Energy Building* Vol. 42, pp. 534-540, 2011
- Cedeno, F., (2001), "Measurements of temperature and melting heat of some pure fatty acids and their binary and ternary mixtures by differential scanning calorimetry", *Thermochimica Acta*., Vol. 369, pp. 39–50, 2001
- Cedeno, F.O, Prieto, M.M., and Xiberta,J.,(2000), "Measurements and Estimate of Heat Capacity for Some Pure Fatty Acids and Their Binary and Ternary Mixtures", *J. Chem. Eng. Data*, Vol. 45, pp. 64-69, 2000
- Chandak, A., Somani, S. and Kulkarni, R., (2011), "Comparative Analysis of SK-14 and PRINCE- 15 Solar Concentrators", *Proceedings of the World Congress on Engineering*, III, pp. 1949-1951, 2011
- Chen, G., C. Wu, W. Weng, D. Wu and W. Yan, (2003) "Pre- paration of Polystyrene/Graphite Nanosheet

- Composite," *Polymer*, Vol. 44, pp. 1781-1784, 2003
- Chen, J., Yang, D., Jiang, J., Ma, A., Song, D., (2014), "Research progress of phase change materials (PCMs) embedded with metal foam (a review)", *Procedia Mater Sci*, Vol. 4, pp. 389-94, 2014
- Chen, S.L., and Yue, Y.S., (1991), "Thermal performance of cool storage in packed capsules for air conditioning", *Heat Recovery System CHP*, Vol. 11, pp. 551-561, 1991
- Cheralathan, M., Velraj, R., and Renganarayanan, S., (2007), "Performance analysis on industrial refrigeration system integrated with encapsulated PCM-base cool thermal energy storage system", *International Journal of Energy Research*, Vol. 31, pp. 1398-1413, 2007
- Cho, K., and Choi, S. H. (2000). "Thermal characteristics of paraffin in a spherical capsule during freezing and melting processes." *International Journal of Heat and Mass Transfer*, Vol. 43, pp. 3183-3196, 2000
- Costa, M. C., Boros, L. A. D., Batista, M. L. S., Coutinho, J. A. P., Krahenbuhl, M. A., Meirelles, A. J. A., (2012), "Phase diagrams of mixtures of ethyl palmitate with fatty acid ethyl esters", *Fuel*, Vol. 91, pp. 177-181, 2012
- Dante, L., Mario, B., Augusto, C., and Paolo, F., (1970), *Molten mixtures of K, Na formates with alkali halides. Note I. Zeitschrift für Naturforschung*, A, pp. 25:52, 1970
- Demirel, Y., and Paksoy H.O, (1993), "Thermal analysis of heat storage materials", *Thermo-chimica Acta*, Vol. 213, pp. 211-221, 1993
- Dhaidan, N.S., and Khodadadi, J.M., (2015), "Melting and convection of phase change materials in different shape containers: A review", *Renewable and Sustainable Energy Reviews*, Vol. 43, pp. 449-477, 2015
- Diarce, G., Gandarias, I., Celador,C., Romero, A.G., Griesser, U.J., (2015)," Eutectic mixtures of sugar alcohols for thermal energy storage in the 50-90 °C temperature range", *Solar Energy Materials & Solar Cells*, Vol. 134, pp. 215-226, 2015
- Dickinson, W.C. and Cheremisinoff, P.N., (1980), *Solar energy technology Handbook/ Part A*, Marcel Dekker Inc., USA, 1980
- Dincer, I., and Rosen, M.A., (2010), *Thermal energy storage: Systems and applications*, John Wiley & Sons, 2nd edition, Chichester, UK, ISBN: 9780470747063
- Do-Couto Aktay, K.S., Tamme, R., and Mller-Steinhagen, H., (2008), "Thermal conductivity of high-temperature multicomponent materials with phase change", *Int. J. Thermophys*, Vol. 29, pp. 678-692, 2008
- Domanski, R., El-Senaii, A.A., and Jaworski, M., (1995), "Cooking during off-sunshine hours using as storage media", *Energy*, Vol. 20, pp. 607-616, 1995
- Dreyer, D. R., Park, S., Bielawski, C. W. and Ruoff, R. S., (2010) "The Chemistry of Graphene Oxide," *Chemical Society Reviews*, Vol. 39, No. 1, 2010, pp. 228-240.
- Duan, Z., Zhang, H., Sun, L., Cao, Z., Xu, F., Zou, Y., Chu, H., Qiu, S., Xiang, C., Zhou, H., (2014), "CaCl₂·6H₂O/Expanded graphite composite as form-stable phase change materials for thermal energy storage", *J Therm Anal Calor*, Vol. 115, pp. 111-117, 2014
- Dukhan, N., and Bodke S., (2010), "An improved PCM heat storage technology utilizing metal foam" In: *Proceedings of the 12th IEEE intersoc conference therm thermomechanical phenom electron syst itherm 2010*, 2010
- Efremov, V.A., Endeladze, N. O., Agre, M. and Trunov, V. K., (1986), "Refinement of the crystal structure of sodium acetate trihydrate", *J. Struct. Chem.*, Vol. 27, pp. 498-501, 1986
- El-Ouederni, A. R., Salah, M.B., Askri, F., Nasrallah, M.B., and Aloui, F., (2009), "Experimental study of a parabolic solar concentrator", *Revue des Energies Renouvelables*, Vol. 12, pp. 395-404, 2009
- Espeau, P., Mondieig, D., Haget, Y. and Cuevas-Diarte, M.A., (1997), "Active package for thermal protection of food products", *Packing Technology Science*, Vol. 10, pp. 253-260, 1997
- Ettonuey, H., Dessouky, H.E., and Ali, A.A., (2005), "Heat transfer during phase change of paraffin wax stored in spherical shells", *Journal of Solar Energy Engineering*, Vol. 127, pp. 357-365, 2005
- Fang, X., Fan, L.W., Ding, Q., Wang, X., Yao, X.L., and Hou, J.F., (2013), "Increased thermal conductivity of eicosane-based composite phase change materials in the presence of graphene nanoplatelets", *Energy Fuels*, Vol. 27, pp. 4041-7, 2013
- Farid, M.M, Khudhair, A.M., Razack, S.A.K., and Al-Hallaj, S., (2004), "A review on phase change energy storage: materials and applications", *Energy Convers Manag*, Vol. 45, pp. 1597-1615, 2004
- Farid, M.M., and Khalaf. A.N., (1994), "Performance of direct contact latent heat storage units with two hydrated salts", *Solar Energy*, Vol. 52, pp. 179-189, 1994
- Farid, M.M., Kim,Y., and Kansawa, A., (1990), "Thermal performance of a heat storage module using PCM's with different melting temperature: experimental", *J. Sol. Energy Eng.*, Vol. 112, pp. 125-131, 1990
- Fedders, H., and Hohlein, B., (1980), "Operating a pilot plant circuit for energy transport with hydrogen rich gas", *Proc. 3rd world hydrogen-energy conference*, Tokyo Japan, Vol. 2, 1980

- Feldman, D., Banu, D., and Hawes, D. (1995), "Development and application of organic phase change mixtures in thermal storage gypsum wallboard", *Solar Energy Materials and Solar Cells*, Vol. 44, pp.147–151, 1995
- Feldman, D., Shapiro, M. M., and Banu, D., (1986), "Organic phase change materials for thermal energy storage", *Sol. Energy Mater.*, Vol. 13, pp. 1–10, 1986
- Feldman, D., Shapiro, M.M., Banu, D., and Fuks, C.J. (1989), "Fatty acids and their mixtures as phase change materials for thermal energy storage", *Solar Energy Materials*, Vol. 18, pp. 201–16, 1989
- Feng, L.J., Wei, W.H., Yu, L.W., Jie, X.Z., Zheng, S.Z., Xiao-Jun, X., Sheng-Li, C., (2015), "Numerical and experimental study on the heat transfer properties of the composite paraffin/expanded graphite phase change material", *International Journal of Heat and Mass Transfer*, Vol. 84, pp. 237–244, 2015
- Frusteri, F., Leonardi, V., and Maggio, G., (2006) "Numerical approach to describe the phase change of an inorganic PCM containing carbon fibers", *Appl. Therm. Eng.*, Vol.26, pp.1883–1892, 2006
- Fukai J. et al. (2000), "Thermal conductivity enhancement of energy storage media using carbon fibers", *Energy Convers. Manage.*, Vol. 41, pp. 1543–1556, 2000
- Fukai, J., Hamada, Y., Morozumi, Y., and Miyatake, O., (2002), "Effect of carbon-fiber brushes on conductive heat transfer in phase change materials", *Int. J. Heat Mass Transfer*, Vol.45, pp. 4781–92, 2002
- Funk, F.A., (2000), "Evaluating the international standard procedure for testing solar cookers and reporting performance", *Solar Energy*, Vol. 68, pp. 1–7, 2000
- Gamataeva, B.Y., Bagomedova, R.M., and Gasanaliev, A.M., (2014), "Differentiation of the Li, Na, KNO₂, KNO₃ quaternary reciprocal system and phase formation in its stable partitioning tetrahedron LiNO₂–NaNO₂–KNO₂–KNO₃", *Russ J Inorg Chem*, Vol. 59, pp. 134–140, 2014
- Gao, D., and Deng, T., (2013), "Materials and processes for energy: communicating current research and technological developments. In: Mendez-Vilas A, editor. Energy storage: Preparations and physicochemical properties of solid-liquid Phase change materials for thermal energy storage: Formatex; 2013
- Gasanaliev, A.M., and Gamataeva, B.Y., (2007), "Heat-accumulating properties of melts", *Russ Chem Rev*, Vol. 69, pp. 79–86, 2007
- Gharebaghi, M., and Sezai, I., (2007), "Enhancement of heat transfer in latent heat storage modules with internal fins", *Numer. Heat Transf. Part A Appl.*, Vol.53, pp. 749–65, 2007
- Gil, A., Medrano,M., Martorell,I., Lazaro, A., Dolado,P., Zalba, B., and Cabeza,L.F., (2010), "State of the art on high temperature thermal energy storage for power generation. Part 1 – Concepts, materials and modellization", *Renewable and Sustainable Energy*, Vol. 14, pp. 31–55, 2010
- Gil, A., Oro, E., Miro, L., Peiro, G., Ruiz, A., and Salmeron, J.M., (2014), " Experimental analysis of hydroquinone used as phase change material (PCM) to be applied in solar cooling refrigeration", *Int J Refrig*, Vol. 39, pp. 95–103, 2014
- Gin, B., Farid, M.M., and Bansal P.K., (2010), "Effect of door opening and defrost cycle on a freezer with phase change panels", *Energy Conversion and Management*, Vol. 100, pp. 372-376, 2010
- Gomez, J.C., Calvet, N., Starace, A.K., and Glatzmaier, G.C., (2013), "Ca (NO₃)₂–NaNO₃–KNO₃ Molten Salt Mixtures for Direct Thermal Energy Storage Systems in Parabolic Trough Plants", *J Sol Energy Eng*, Vol. 135, 021016, 2013
- Gona, D., Urresta, E., Martinez, J., and Gurron, G., (2017), "Medium-temperature phase-change materials thermal characterization by the T-History method and differential scanning calorimetry", *Experimental Heat Transfer*, Vol. 30, pp. 463-474, 2017
- Gosse, J., (1986), *Technical Guide to Thermal Processes*, Cambridge University Press, Cambridge, 1986.
- Gracia, A. de, Oro, E., Farid, M.M., and Cabeza, L.F., (2011), "Thermal analysis of including phase change material in a domestic hot water cylinder", *Applied Thermal Engineering*, Vol. 31, pp. 3938–3945, 2011
- Guion, J., and Teisseire, M., (1991), "Nucleation of sodium acetate trihydrate in thermal heat storage cycles", *Solar Energy*, Vol. 46, pp. 97-100, 1991
- Gunther, E., Hiebler, S., Mehling, H., and Redlich, R., (2009), "Enthalpy of phase change materials as a function of temperature: required accuracy and suitable measurement methods," *Int. J. Thermophys*, vol. 30, pp. 1257–1269, 2009.
- Günther, E., Hiebler, S., and Mehling, H., (2006), "Determination of the heat storage capacity of PCM and PCM-objects as a function of temperature", In: *Proceedings of the 10th International Conference on Thermal Energy Storage (ECOSTOCK)*. Stock-ton, USA
- Gustafsson, S. E., (1991), "Transient plane source techniques for thermal conductivity and thermal diffusivity measurements for solid materials", *Am.Inst. Phys.* Vol. 62, 1991
- Gustafsson, Silas E., (2014), "On the development of the hot strip, hot disk, and pulse hot strip methods for

- measuring thermal transport properties" In: 32nd International Thermal Conductivity Conference 20th International Thermal Expansion Symposium, Purdue University, West Lafayette, Indiana, USA.
- Gustavsson, M., karawacki, E and Gustafsson, S. E., (1994), "Thermal conductivity, thermal diffusivity and specific heat of thin samples from transient measurements with hot disk sensors", *Rev. Sci. Instrum*, Vol. 65, pp. 3856-3859, 1994
- Haillot, D., Bauer, T. and Kroner, U., (2011), "Tamme R. Thermal analysis of phase change materials in the temperature range 120–150 °C", *Thermochim Acta*, Vol. 513, pp. 49–59, 2011
- Harish, S., Orejon, D., Takata, Y., and Kohno, M., (2015), "Thermal conductivity enhancement of lauric acid phase change nanocomposite with graphene nanoplatelets", *Appl. Therm. Eng.*, Vol. 80, pp. 205–11, 2015
- Hasan, A., and Sayigh, A.M., (1994), "Some fatty acids as phase change thermal energy storage materials", *Renewable Energy*. Vol. 4, pp. 69–76., 1994
- Hasanain, S., (1998) "Review on sustainable thermal energy storage technologies. Part I. Heat storage materials and technologies", *Energy Convers Manage*, Vol. 39, pp. 1127–38, 1998
- Hasl, T., and Jiricek, I., (2014), "The prediction of heat storage properties by the study of structural effect on organic phase change materials", *Energy Proc.*, Vol. 46, pp. 301–309, 2014
- Haussmann, T., Henning, H. M., Schossig, P., (2002), "Phase change materials in wall integrated systems", *Proceedings of the 2nd Workshop of IEA ECES IA Annex 17*, Ljubljana (Slovenia).
- Hawlader, M. N. A., Uddin, M. S., and Khin, M. M. (2003). "Microencapsulated PCM thermal-energy storage system." *Applied Energy*, Vol. 74, pp. 195–202, 2003
- He, Y. (2005), "Rapid thermal conductivity measurement with a hot disk sensor. Part1. Theoretical considerations", *Thermochimica Acta*, Vol. 436, pp. 122–129, 2005
- Henze, G. P., (2005), "Energy and Cost Minimal Control of Active and Passive Building Thermal Storage Inventory", *Journal of Solar Energy Engineering*, Vol. 127, pp. 343–351, 2005
- Himran S., Suwono, A., and Mansoori, G.A., (1994), "Characterization of alkanes and paraffin waxes for application as phase change energy storage medium", *Energy Sources*, Vol. 16, pp. 117–128, 1994
- Hirano, S., Saitoh, T. S., Oya, M., and Yamazaki, M., (2001), "Temperature dependence of thermophysical properties of disodium hydrogenphosphate dodecahydrate", *Journal of Thermophysics and Heat Transfer*, Vol. 15, pp. 340–346, 2001
- Hiroshi Kimura and Junjiro Kai, (1985), "Phase change stability of sodium acetate trihydrate and its mixtures", *Solar Energy*, Vol. 35, pp. 527–534, 1985
- Ho, C.J., and Gao, J.Y., (2013), "An experimental study on melting heat transfer of paraffin dispersed with Al₂O₃ nanoparticles in a vertical enclosure", *Int. J. Heat Mass Transfer*, Vol. 62, pp. 2–8, 2013
- Hohne, G.W.H., Hemminger,W.F., and Flammersheim, H.J., (2003), *Differential scanning Calorimetry*, 2nd ed. Berlin: Springer; 2003.
- Hong, H., Kang, C. and Peck, J. H., (2004) "Measurement method of latent heat of PCM with low melting temperature in closed tube", *International Journal of Air-Conditioning and Refrigeration*, vol.12 (4), pp. 206–213, 2004.
- Hong, H., Kim, S. K., and Kim, Y. S., (2004), "Accuracy improvement of T-history method for measuring heat of fusion of various materials", *International Journal of Refrigeration*, Vol. 27, pp. 360–366, 2004
- Hong, H., Park, C. H., Choi, J. H. and Peck, J. H., (2003) "Improvement of the T-history method to measure heat of fusion for phase change materials," *International Journal of Air-Conditioning and Refrigeration*, Vol. 11, pp. 32–39, 2003
- Hosny, and Abou-Ziyan, (1998), "Experimental investigation of tracking paraboloid and box solar cookers under Egyptian environment", *Applied Thermal Engineering*, Vol. 18, pp. 1375–1394, 1998
- Hu P., Lu J., Fan X.Y., Zhou X., and Chen Z. S., (2011), "Phase change performance of sodium acetate trihydrate with AlN nanoparticles and CMC", *Solar Energy Materials and Solar Cells*, Vol. 95, pp. 2645–2649, 2011
- Hu, Z., Li, A., Gao, R., and Yin, H., (2015), "Enhanced heat transfer for PCM melting in the frustum shaped unit with multiple PCMs", *J. Therm. Anal. Calor.*, Vol. 120, pp. 1404–1416, 2015
- Hua Zhang, Xuenong Gao, Caixing Chen, Tao Xu, Yutang Fanga, Zhengguo Zhang, (2016), "A capric-palmitic-stearic acid ternary eutectic mixture/expanded graphite composite phase change material for thermal energy storage" *Composites Part A Applied Science and Manufacturing*, Vol. 87, pp. 138–145, 2016
- Huang, M.J., Eames, P.C., and Norton, B., (2004), 'Thermal regulation of building-integrated photovoltaics using phase change materials", *International Journal of Heat and Mass Transfer*, Vol. 47, pp. 2715–2733, 2004
- Hung, B.K., Abrams, C.F., Coasts, L.L., and Bowers, C.G., (1975), *Development of greenhouse bulk drying systems for solar energy utilization and planted mechanization*, ASHARE, pp. 75–1018, 1975
- Hung, B.K., and Toksoy, M., (1983), "Design and analysis of greenhouse solar system in agricultural

- production", *Energy in Agriculture*, Vol. 2, pp. 115–136, 1983
- Imtiaz Wani, (2010), "Kangri cancer" *Surgery*, Vol. 147, pp. 586-588, 2010
- Ince, S., Seki, Y., Ezan, M.A., and Erek, A., (2015), "Thermal properties of myristic acid/graphite nanoplates composite phase change materials", *Renewable Energy*, Vol. 75, pp. 243-248, 2015
- Inoue, T., Hisatsugu Y., Ishikawa, R., and Suzuki, M., (2004), "Solid-liquid phase behavior of binary fatty acid mixtures 2. Mixtures of oleic acid with lauric acid, myristic acid, and palmitic acid", *Chemistry and Physics of Lipids*, Vol. 127, pp. 161–173, 2004
- International Energy Agency, (2011): *Energy Technology Perspectives 2010: Scenarios & Strategies to 2050*. Paris: Organization for Economic Cooperation and Development, 2011.
- Jamar, A., Majid, Z.A.A., Azmi, W.H., Norhafana, M. , and Razak, A.A., (2016), "A review of water heating system for solar energy applications", *Int. Commun. Heat Mass Transf.*, Vol. 76, pp. 178–187, 2016
- Jankowski, N.R., and McCluskey, F.P, (2014), "A review of phase change materials for vehicle component thermal buffering", *Appl Energy*, Vol. 113, pp. 1525–61, 2014
- Janz, G.J., and Tomkins, R.P.T., (183), *Molten salts: volume 5, Part 2. Additional single and multi-component salt systems. Electrical conductance, density, viscosity and surface tension data*, New York, 1983.
- Janz, G.J., and Tomkins, R.P.T., (1980), *Molten salts: volume 5, part 1 additional single and multi-component salt systems electrical conductance, density, viscosity and surface tension data*, New York, 1980.
- Ji-fen Wang, Xie, H., Xin, Z., Chen., L., (2010), "Enhancing thermal conductivity of palmitic acid base phase change materials with carbon nanotubes as fillers", *Solar Energy*, Vol. 84, pp. 339-344, 2010
- Jing-Hua Li, Gui-En Zhang, Jin-Yun Wang, (1991), "Investigation of a eutectic mixture of sodium acetate trihydrate and urea as latent heat storage", *Solar Energy*, Vol. 47, pp. 443-145, 1991
- Jonkmanns, B.E., Bruzzano, S., Deerberg, G., Fischer, M., Marzi, T., Tyukavina, M., Gomez, J.S., Wack, H., and Fandrich, B.Z., (2012), "Low Temperature Chemical Reaction Systems for Thermal Storage", *Energy Procedia*, Vol. 30, pp. 235-243, 2012
- Joseph Ashmore, (2002), *Analysis of heating and cooking fuels and stoves in refugee, IDP and local settlements*, Kabul, Herat, Afghanistan, 2002
- Kakac, S., and Yener, Y., (1995), *Convective heat transfer*, 2nd ed., CRC Press, Boca Raton, FL.
- Kakiuchi, H., Yabe, M., and Yamazaki, M., (2003), "A study of trimethylolethane hydrate as a phase change material", *Journal of Chemical Engineering of Japan*, Vol. 36, pp. 788-793, 2003
- Kalbande, S. R., Mathur, A. N., Kothari, S. and Pawar, S. N., (2007), "Design, development and testing of paraboloidal solar cooker," *Karnataka J. Agric. Sci.*, Vol. 20, pp. 571–574, 2007
- Kant, K., Shukla, A., and Sharma, A., 2016, " Performance evaluation of fatty acids as phase` change material for thermal energy storage", *J. Energy Storage*, Vol. 6, pp. 153–162, 2016
- Kapralis, G. I., Kapralis, J. E. and Lowther, J., (1990), *Imperforate groove trigger*, U.S. Patent No. 4,899,727
- Karaipekli, A., Biçer, A., Sarı, A., and Tyagi, V.V., (2017), "Thermal characteristics of expanded perlite/paraffin composite phase change material with enhanced thermal conductivity using carbon nanotubes", *Energy Convers. Manag.*, Vol. 134, pp. 373–381, 2017
- Kauffman, K.W., and Lorsch, H.G., (1976), " Thermal energy storage in aqueous solution" *Sharing the Sun: Solar Technology in the Seventies; Proceedings of the Joint Conference, Winnipeg, Canada*, Vol. 8, 1976, pp. 227-237, 1976
- Kauranen, P., Peippo, K., and Lund, P.D., (1991), "An organic PCM storage system with adjustable melting temperature", *Solar Energy*, Vol. 46, pp. 275–278, 1991
- Kaygusuz, K., (1995), "Experimental and theoretical investigations of latent heat storage for water based solar heating system", *Energy Conversion and Management*, Vol. 36, pp.315–323, 1995
- Kenisarin M. Murat, (2014), "Thermophysical properties of some organic phase change materials for latent heat storage. A review", *Solar Energy*, Vol. 107, pp. 553-575, 2014
- Kenisarin, M.M., (2010), "High-temperature phase change materials for thermal energy storage", *Renew Sustain Energy Rev*, Vol. 14, pp. 955–70, 2010
- Khudhair, A.M., and Farid, M.M., (2004), "A review on energy conservation in building applications with thermal storage by latent heat using phase change materials", *Energy Convers Manage*, Vol. 45, pp. 263–275, 2004
- Klancnik, G., Medved J., and Mrvar P., (2010), "Differential thermal analysis (DTA) and differential scanning calorimetry (DSC) as a method for material investigation", *Materials and Geoenvironment Journal*, Vol. 57, pp. 127–42, 2010
- Klemens Schwarzer, and Maria Eugenia Vieira da Silva, (2008), " Characterization and design methods of solar

- cookers", *Solar Energy*, Vol. 82, pp. 157–163, 2008
- Kravvaritis, E.D., Antonopoulos, K. A., and Tzivanidis, C., (2011), "Experimental determination of the effective thermal capacity function and other thermal properties for various phase change materials using the thermal delay method", *Applied Energy*, Vol. 88, pp. 4459–4469 2011.
- Kravvaritis, E. D., Antonopoulos, K. A., and Tzivanidis, C., (2010), "Improvements to the measurement of the thermal properties of phase change materials", *Measurement Science and Technology*, Vol. 21, pp. 5103-5112, 2010
- Krishna, B. G., Anitha, R., and Ramachandran, K., (2009) "On the thermal properties of aqueous solution of D-mannitol", *Nondestruct Test Eval*, Vol. 25, pp. 67–75, 2009
- Kumar, R., Dixit, A., Chandra, L., Vyas, S. and Kumar, R., (2016), "An experimental set-up for measuring thermodynamic response of low temperature phase change materials", *Pro. First IEEE International Conference on Control, Measurement and Instrumentation (CMI)*, 978-1-4799-1769-3/16, pp. 107-109, 2016
- Kumar, R., Kumar, R., Dixit, A., (2016), "Thermal Phase Diagram of Acetamide-Benzoinic Acid and Benzoinic Acid-Phthalimide Binary Systems for Solar Thermal Applications", *International conference on condensed matter and applied physics, Bikaner, AIP conference proceedings*, 1728, 020687, 2016
- Kumar, R., Vyas, S., and Dixit, A., (2017), "Fatty acids/1-dodecanol binary eutectic phase change materials for low temperature solar thermal applications: Design, development and thermal analysis" *Solar Energy*, Vol. 155, pp. 1673-1379, 2017
- Kumar, R., Vyas, S., Kumar, R., and Dixit, A., (2016), "Charging studies of heat packs using parabolic dish solar energy concentrator for extreme conditions", *AIP Conference Proceedings*, 1734, 050027, 2016
- Kumar, R., Vyas, S., Kumar, R., and Dixit, A., (2017), "Development of sodium acetate trihydrate-ethylene glycol composite phase change materials with enhanced thermophysical properties for thermal comfort and therapeutic applications", *Scientific Reports*, 7, 5203, 2017
- Kumar, S. Kandpal, T.C. and Mullic, S. C., (1993), "Heat losses from a paraboloid concentrator solar cooker: Experimental investigations on effect of reflector orientation", *Renewable Energy*, Vol. 3, pp. 871-876, 1993
- Kuravi, S., Trahan, J., Goswami, D.Y., Rahman, M.M. and Stefanakos, E.K., (2013), "Thermal energy storage technologies and systems for concentrating solar power plants", *Progress in Energy and Combustion Science*, vol. 39, pp. 285-319, 2013
- Lafdi, K., Mesalhy, O., and Shaikh, S., (2007), "Experimental study on the influence of foam porosity and pore size on the melting of phase change materials", *J. Appl. Phys.*, Vol. 102, 083549-6, 2007
- Lafdi, K., Mesalhy, O., and Elgafy, A., (2008), "Graphite foams infiltrated with phase change materials as alternative materials for space and terrestrial thermal energy storage applications", *Carbon*, Vol. 46, pp. 159–168, 2008
- Laguerre, O., Ben Aisa, M.F., and Flick, D., (2008), "Methodology of temperature prediction in an insulated container equipped with PCM", *International Journal of Refrigeration*, Vol. 31, pp. 1063-1072, 2008
- Lamberg, P., Lehtiniemi, R., and Henell, A. M. (2004). "Numerical and experimental investigation of melting and freezing processes in phase change material storage." *International Journal of Thermal Sciences*, Vol. 43, pp. 277-287, 2004
- Lane G. A., (1983). *Solar Heat Storage: Latent Heat Material*, vol. I, *Background and Scientific Principles*, CRC Press, Florida.
- Lane, G. A., (1986). *Solar Heat Storage: Latent Heat Material. Volume II: Technology*, CRC Press, Florida
- Lane, G. A., (1992), "Phase-Change Materials for Energy-Storage Nucleation to Prevent Supercooling", *Solar Energy Materials and Solar Cells*, Vol. 27, pp. 135-160, 1992
- Lane, G.A., (1980), "Low temperature heat storage with phase change materials", *International Journal of Ambient Energy*, Vol. 1, pp. 155–68, 1980
- Lazaro, A., Gunther, E., Mehling, H., Hiebler, S., Marin, J. M. and Zalba, B.(2006), "Verification of a T-history installation to measure enthalpy versus temperature curves of phase change materials," *Meas. Sci. Technol.* Vol. 17, pp. 2168-74, 2006
- Lee, S., Shin, H.K., Park, M., Rhee, K.Y., Park, S., (2014), "Thermal characterization of erythritol/expended graphite composites for high thermal storage capacity", *Carbon*, Vol. 68, pp. 67-72, 2014
- Leng, Y., (2013), *Materials Characterization: Introduction to microscopic and Spectroscopic Methods*, 2nd Edition, Wiley-CVH Verlag GmbH & Co. KGaA
- Li, Z., Sun, W.G., Wang, G., Wu, Z.G., (2014), "Experimental and numerical study on the effective thermal conductivity of paraffin/expended graphite composite", *Sol Energy Mater Sol Cells*, Vol. 128, pp. 447-455, 2014
- Li, M., Wu, Z., and Tan, J., (2013), "Heat storage properties of the cement mortar incorporated with composite

- phase change material", *Appl. Energy*, Vol. 103, pp. 393–399, 2013
- Li, Z., and Wu, Z.G., (2014), "Numerical study on the thermal behavior of phase change materials (PCMs) embedded in porous metal matrix", *Solar Energy*, Vol. 99, pp. 172–84, 2014
- Linder, M., Robkopf, C., Schmidt, M., and Worner, A., (2014)," Thermochemical energy storage in kW-scale based on CaO/Ca(OH)2", *Energy Procedia*, Vol. 49, pp. 888-897, 2014
- Lior, N., (2008), "Energy resources and use: The present situation and possible paths to the future", *Energy*, Vol. 33, pp. 842-857, 2008
- Liu, C., Yuan, Y., Zhang, N., Cao, X., Yang, X., (2014), "A novel PCM of lauric-myristic-stearic acid/expanded graphite composite for thermal energy storage", *Mater Lett*, Vol. 120, pp. 43–46, 2014
- Liu, M., Saman, W., and Bruno, F. (2012), "Development of a novel refrigeration system for refrigerated trucks incorporating phase change material", *Applied Energy*, Vol. 92, pp. 336-342, 2012
- Liu, M., Saman, W., Bruno, F., (2012), "Review on storage materials and thermal performance enhancement techniques for high temperature phase change thermal storage systems", *Renewable and Sustainable Energy Reviews*, Vol. 16, pp. 2118–2132, 2012
- Liu, S., Li, Y., and Zhang, Y., (2014), "Review on heat transfer mechanisms and characteristics in encapsulated PCMs", *Heat Transfer Eng.*, Vol. 36, pp. 880-901, 2014
- Liu, S.Y., Perng, Y.H., and Ho, Y.F., (2013), "The effect of renewable energy application on Taiwan buildings: What are the challenges and strategies for solar energy exploitation?" *Renewable and Sustainable Energy Reviews*, Vol. 28, pp. 92-106, 2013
- Lopez, J., Acem, Z., and Del Barrio, E.P., (2010), "KNO₃/NaNO₃ – Graphite materials for thermal energy storage at high temperature: Part II – Phase transition properties", *Appl. Therm. Eng.*, Vol. 30, pp. 1586-1593, 2010
- Mansel, A., Rogerson, and Cardoso, S.S.S., (2003), "Solidification in heat packs: I. nucleation rate", *AIChE Journal*, Vol. 49, pp. 505-515.
- Marin, J.M., Zalba, B., Cabeza, L.F. and Mehling, H. (2003), "Determination of enthalpy–temperature curves of phase change materials with the temperature-history method: improvement to temperature dependent properties," *Measurement Science and Technology*, vol. 14, pp. 184–189, 2003
- Marin, J.M., Zalba, B., Cabeza, L.F., and Mehling, H. (2005). "Improvement of a thermal energy storage using plates with paraffin-graphite composite." *International Journal of Heat and Mass Transfer*, Vol. 48, pp. 2561-2570, 2005
- Medrano, M., Gil, A., Martorell, I., Potau X., and Cabeza, L.F., (2010), "Contents State of the art on high-temperature thermal energy storage for power generation. Part 2 – Case studies", *Renewable and Sustainable Energy*, Vol. 14, pp. 56–72, 2010
- Mehling H., and Cabeza, L.F., (2008), *Heat and cold storage with PCM: an up to date introduction into basics and applications*, Heidelberg, Berlin: Springer, 2008.
- Mehling, H., Hiebler, S., and Ziegler, F. (2000), Latent heat storage using a PCM-graphite composite material, in: *Proceedings of TERRASTOCK 2000*, Stuttgart, Germany.
- Mehling, H., Krippner, R., Hauer, A., (2002), Research project on PCM in wood-light weight-concrete, *Proceedings of the 2nd Workshop of IEA ECES IA Annex 17*, Ljubljana (Slovenia).
- Mehmet, E. (2000), "Thermal Performance of a Solar-Aided Latent Heat Store Used For Space Heating by Heat Pump", *Solar Energy*, Vol. 69, pp. 15–25, 2000
- Mekhilef, S., Saidur, R., and Safari, A., (2011), "A review on solar energy use in industries", *Renewable and Sustainable Energy Reviews*, Vol. 15, pp.1777-1790, 2011
- Mette, B., Kerskes, H., and Druck, H., (2012), "Concepts of long term thermochemical energy storage for solar thermal applications- selected examples", *Energy Procedia*, Vol. 30, pp. 321-330, 2012
- Michels, H., and Pitz-Paal, R., (2007), "Cascaded latent heat storage for parabolic trough solar power plants", *Sol Energy*, Vol. 81, pp. 829–37, 2007
- Mills, A., Farid, M., Selman, J.R., and Al-Hallaj, S., (2006), "Thermal conductivity enhancement of phase change materials using a graphite matrix", *Appl. Therm. Eng.*, Vol.26, pp. 1652-61, 2006
- Moeini, S. M., Khodadadi, J.M., (2013), "Thermal conductivity improvement of phase change materials/graphite foam composites", *Carbon*, Vol. 60, pp. 117–28, 2013
- Mohamed, S.A., et al., (2017), "A review on current status and challenges of inorganic phase change materials for thermal energy storage systems", *Renewable and Sustainable Energy Reviews*, Vol. 70, pp. 1072-1089, 2017
- Mohammed, I.L., (2013), "Design and Development of a Parabolic Dish Solar Thermal Cooker", *International Journal of Engineering Research and Applications*, Vol. 3, pp. 1179-1186, 2013

- Mondeig, D., Rajabalee, F., Laprie, A., Oonk, H.A.J., Calvet, T., and Cuevas-Diarte, M.A., (2003), "Protection of temperature sensitive biomedical products using molecular alloys as phase change materials", *Transfusion and Apheresis Science*, Vol. 28, pp. 143-148, 2003
- Moreno-Alvarez, L., Herrera, N., and Fabian, C.M., (2010), "Differential formulation of the T-History calorimetric method", *Measurement Science and Technology*, Vol. 21, No. 21, pp. 127001-4, 2010
- Mosaffa, A.H., Garousi, F.L., Infante Ferreira, C.A., and Rosen, M.A., (2014), "Energy and exergy evaluation of a multiple-PCM thermal storage unit for free cooling applications", *Renew Energy*, Vol. 68, pp. 452-8, 2014
- Mukhopadhyay, P., and Gupta, R.K., (2013), *Graphite, graphene and their polymer nanocomposites*, CRC Press, USA, 2013
- Mullick, S.C., Kandpal, T.C., and Saxena, A.K. (1987), "Thermal Test procedure for box type solar cookers", *Solar Energy*, Vol. 39, pp. 353-360, 1987
- Nagano, K., Mochida, T., Takeda, S., Domanski, D., and Rebow, M. (2003), "Thermal performance of manganese (ii) nitrate hexahydrate as a phase change materials for cooling systems", *Applied Thermal Engineering*, Vol. 23, pp. 229-243, 2003
- Nagano, K., Ogawa, K., Mochida, T., Hayashi, K., and Ogoshi, H., (2004), "Thermal characteristics of magnesium nitrate hexahydrate and magnesium chloride hexahydrate mixture as a phase change material for effective utilization of urban waste heat", *Applied Thermal Engineering*, Vol. 24, pp. 221-232, 2004
- Nasiru, I., Ibrahim, Al- Sulaiman, F.A., Rahman, S., Yibas, B.S. and Sahin, A.Z., (2017), "Heat transfer enhancement of phase change materials for thermal energy storage applications: A critical review", *Renewable and Sustainable Energy Reviews*, Vol. 74, pp. 26-50, 2017
- Naumann, R., and Emons, H.H., (1989), "Results of thermal analysis for investigation of salt hydrates as latent heat-storage materials", *J Therm Anal Calorim*, Vol. 35, pp. 1009-1031, 1989
- Nicole, P., Thomas, B., Claudia, M., Markus, E. and Antje, W.B., (2015), "Thermal energy storage - overview and specific insight into nitrate salts for sensible and latent heat storage", *Journal of Nanotechnology*, Vol. 6, pp. 1487-1497, 2015
- Nithyanandam, K., and Pitchhumani, R., (2013), "Computational modeling of dynamic response of a latent thermal energy storage system with embedded heat pipes", *J. Sol. Energy Eng.*, Vol. 136, pp. 011010-7, 2013
- Okamoto, M., P. H. Nam, P. Maiti, T. Kotaka, T. Naka-yama, M. Takada, M. Ohshima, A. Usuki, N. Hasegawa and H. Okamoto, "Biaxial Flow-Induced Alignment of Silicate Layers in Polypropylene/Clay Nanocomposite Foam," *Nano Letters*, Vol. 1, No. 9, 2001, pp. 503-505.
- Olivares, R.I., and Edwards, W., (2013), "LiNO₃-NaNO₃-KNO₃ salt for thermal energy storage: thermal stability evaluation in different atmospheres", *Thermochim Acta*, Vol. 560, pp. 34-42, 2013
- Oro, E., de-Gracia, A., Castell, A., Farid, M.M., Cabeza, L.F., (2010), "Review on phase change materials (PCMs) for cold thermal energy storage applications", *Applied Energy*, Vol. 99, pp. 513-33, 2010
- Ozturk, H.H., (2004), "Experimental determination of energy and exergy efficiency of the solar parabolic-cooker", *Solar Energy*, Vol. 77, pp. 67-71, 2004
- Panwar, V., B. Kang, J. O. Park, S. Park and R. M. Mehta, "Study of Dielectric Properties Of Styrene-Acrylonitrile Graphite Sheets Composites In Low And High Frequency Region," *European Polymer Journal*, Vol. 45, No. 6, 2009, pp. 1777-1784.
- Paris, J., Falardeau, M., and Villeneuve, C., (1993), "Thermal storage by latent heat: a viable option for energy conservation in buildings", *Energy Sources*, Vol. 15, pp. 85-93, 1993
- Pebler, A., (1975), "Dissociation vapor pressure of sodium acetate trihydrate", *Thermochim. Acta*, Vol. 13, pp. 109-114, 1975
- Peck, J. H., Kim, J. J., Kang, C., and Hong, H., (2006) "A study of accurate latent heat measurement for a PCM with a low melting temperature using the T-history method", *International Journal of Refrigeration*, Vol. 29, pp. 1225-1232, 2006
- Peippo, K., Kauranen, P., Lund, P.D., (1991), "A multicomponent PCM wall optimized for passive solar heating", *Energy Build*, Vol. 17, No. 4, pp. 259-270, 1991
- Petela, R., (2005), "Exergy analysis of the solar cylindrical-parabolic cooker", *Solar Energy*, Vol. 79, pp. 221-233, 2005
- Philips, W.M., Stearns, J.W., (1985), "Advanced latent heat of fusion thermal energy storage for solar power systems", *Proceedings of the 20th intersociety energy conversion engineering conference*, pp. 384-91, 1985
- Pielichowska, K., Pielichowski, K., (2014), "Phase change materials for thermal energy storage", *Prog. Mater Sci.*, Vol. 65, pp. 67-123, 2014

- Pincemin, S., Olives, R., Py, X., and Christ, M., (2008), "Highly conductive composites made of phase change materials and graphite for thermal storage", *Solar Energy Mater. Solar Cells*, Vol. 92, pp. 603–613, 2008
- Pohekar, S., and Ramachandran, M., (2004), "Multi-criteria evaluation of cooking energy alternatives for promoting parabolic solar cooker in india," *Renewable Energy*, Vol. 29, pp. 1449–1460, 2004
- Pohekar, S., and Ramachandran, M., (2006) "Utility assessment of parabolic solar cooker as a domestic cooking device in india," *Renewable Energy*, Vol. 31, pp. 1827–1838, 2006
- Prakesh, J., Garg, H.P., and Datta, G., (1985), "A solar water heater with a built-in latent heat storage", *Energy Conversion and Management*, Vol. 25, pp. 51–56, 1985
- Py, X., Olives, R., and Mauran, S. (2001), "Paraffin/porous-graphite-matrix composite as a high and constant power thermal storage material", *Int. J. Heat Mass Transfer*, Vol. 44, pp. 2727–2737, 2001
- Raade, J.W., Padowitz, D., (2011), "Development of molten salt heat transfer fluid with low melting point and high thermal stability", *J. Sol Energy Eng*, Vol. 133, pp. 031013, 2011
- Rady M.A., Aquis, E., and LeBot, C., (2010), "Characterization of granular phase changing composites for thermal energy storage using the T-history method", *International Journal of Energy Research*, Vol. 34, pp. 333–44, 2010
- Ramadan, M., Aboul-Enein, S., and El-Sebaii, A., (1987), "A model of an improved low cost indoor solar cooker in Tanta", *Solar & Wind Technology*, Vol. 5, pp. 387–393, 1987
- References:
- Robak, C.W., Bergman, T.L., and Faghri, A., (2011), "Enhancement of latent heat energy storage using embedded heat pipes", *Int. J. Heat Mass Transfer*, Vol. 54, pp. 3476–84, 2011
- Roget, F., Favotto, C., and Rogez, J., (2013), "Study of the KNO₃-LiNO₃ and KNO₃-NaNO₃-LiNO₃ eutectics as phase change materials for thermal storage in a low-temperature solar power plant", *Solar Energy*, Vol. 95, pp. 155–69, 2013
- Rozanna, D., Chuah, T.G., Salmiah, A., Choong, T.S.Y., and Sari, M., (2004), "Fatty Acids as Phase Change Materials (PCMs) for Thermal Energy Storage: A Review", *Int. J. Green. Energ.* Vol. 1, No. 4, 495–513, 2004
- Russell, R., Chellappa, R., and Chandra, D., (2004), "Determination of the phase diagram of the binary system C(CH₂OH)₄-(NH₂)(CH₃)C(CH₂OH)₂ by high resolution Guinier diffractometry and differential scanning calorimetry", *Calphad-Computer Coupling of Phase Diagrams and Thermochemistry*, Vol. 28, pp. 41–48, 2004
- Salunkhe, P.B. and Krishna, D.J., (2017), "Investigations on latent heat storage materials for solar water and space heating applications", *Journal of Energy Storage*, Vol. 12, pp. 243–260, 2017
- Sandnes, B. and Rekstad, J., (2006), "Supercooling salt hydrates: Stored enthalpy as a function of temperature", *Solar Energy*, Vol. 80, pp. 616–25, 2006
- Santamouris, M., Balaras, C.A., Dascalaki, E., and Vallindras, M., (1994), "Passive solar agricultural greenhouses: a worldwide classification and evaluation of technologies and systems used for heating purposes", *Solar Energy*, Vol. 53, pp. 411 – 426, 1994
- Sari A., and Kaygusuz K., (2003), "Some fatty acids used for latent heat storage: thermal stability and corrosion of metals with respect to thermal cycling", *Renewable Energy*, Vol. 28, pp. 939–48, 2003
- Sari, A., (2003a), "Thermal characteristics of a eutectic mixture of myristic and palmitic acids as phase change material for heating application", *Appl. Therm. Eng.*, Vol. 23, pp. 1005–1017, 2003
- Sari, A., (2004), "Form-stable paraffin/high density polyethylene composites as solid-liquid phase change material for thermal energy storage: preparation and thermal properties", *Energy Convers Manag*, Vol. 45, pp. 2033–42, 2004
- Sari, A., (2005), "Eutectic mixtures of some fatty acids for low temperature solar heating applications: thermal properties and thermal reliability", *Appl. Thermal. Eng.*, Vol. 25, pp. 2100–2107, 2005
- Sari, A., and Karaipekli, A., (2007). "Thermal conductivity and latent heat thermal energy storage characteristics of paraffin/expanded graphite composite as phase change material", *Appl. Therm. Eng.*, Vol. 27, pp. 1271– 1277, 2007
- Sari, A., and Karaipekli, A., (2009), "Preparation, thermal properties and thermal reliability of palmitic acid/expanded graphite composite as form-stable PCM for thermal energy storage", *Sol. Energy Mater. and Sol. Cells*, Vol. 93, No. 5, pp. 571–576, 2009
- Sari, A., and Karaipekli, A., (2009), "Synthesis, characterization, thermal properties of a series of stearic acid esters as novel solid-liquid phase change materials", *Mater. Lett.*, Vol. 63, pp. 1213–1216, 2009
- Sari, A., Bicer, A., Lafic, O., Ceylan, M., 2011a. Galactitol hexa stearate and galactitol hexa palmitate as novel solid-liquid phase change materials for thermal energy storage. *Sol. Energy* 85, 2061–2071.
- Sari, A., Erolu, R., Bicer, A., and Karaipekli, A., (2011b), "Synthesis and thermal energy storage properties of erythritol tetrastearate and erythritol tetrapalmitate", *Chem. Eng. Technol.* Vol. 34, pp. 87–92, 2011

- Sciacovelli, A., Gagliardi, F., and Verda, V., (2015), "Maximization of performance of a PCM latent heat storage system with innovative fins", *Appl. Energy*, Vol.137, pp. 707-715, 2015
- Shabgard, H., Bergman, T.L., Sharifi, N., and Faghri, A., (2010), "High temperature latent heat thermal energy storage using heat pipes", *Int. J. Heat Mass Transf.*, Vol. 53, pp. 2979-2988, 2010
- Shaikh, S., Lafdi, K., and Hallinan, K., (2008), "Carbon nano additives to enhance latent energy storage of phase change materials", *J. Appl. Phys.*, Vol., 103, pp. 094302-6, 2008
- Shansundar, N., and Sparrow, E.M., (1975), "Analysis of multi-dimensional resolution phase change via the enthalpy model", *J. Heat Transfer, Trans. ASME*, pp. 333-40., 1975
- Sharifi, N., Wang, S., Bergman, T.L., and Faghri, A., (2012), "Heat pipe-assisted melting of a phase change material", *Int. J. Heat Mass Transf.*, Vol. 55, pp. 3458-69, 2012
- Sharma, A., and Chen, C.R., (2009)," Solar water heating system with phase change materials", *International Review of Chemical Engineering*, Vol. 1, pp. 297-307, 2009
- Sharma, A., Chen, C., Murty, V., and Shukla, A., (2009) "Solar cooker with latent heat storage systems: A review," *Renewable and Sustainable Energy Reviews*, Vol. 13, pp. 1599-1605, 2009
- Sharma, A., Chen, C.R., and Lan, N.V., (2009), "Solar-energy drying systems: A review", *Renewable and sustainable energy reviews*, Vol. 13, pp. 1185-1210, 2009
- Sharma, A., Kar, S.K., 2015, *Energy Sustainability through Green Energy*, Springer, 2015
- Sharma, A., Tyagi V., Chen C.R., and Buddhi D., (2009), "Review on thermal energy storage with phase change materials and applications", *Renew Sustain Energy Rev*, Vol 13, pp. 318-45, 2009
- Sharma, R.K., Ganesan, P. , and Tyagi, V.V., (2016), "Long-term thermal and chemical reliability study of different organic phase change materials for thermal energy storage applications", *J. Therm. Anal. Calorim*, Vol. 124, pp. 1357-1366, 2016
- Sharma, S.D., Buddhi, D., Sawhney, R.L., and Sharma, A., (2000), "Design, development and performance evaluation of a latent heat storage unit for evening cooking in a solar cooker", *Energy Conversion and Management*, Vol. 41, pp. 1497-1508, 2000
- Shukla, A., Sharma, A., Shukla, M., and Chen, C.R., (2016)," Development of thermal energy storage materials for biomedical applications", *Journal of medical engineering and technology*, Vol. 39, pp. 363-368, 2016
- Siahpush, A., O'Brien, J., and Crepeau, J., (2008), "Phase change heat transfer enhancement using copper porous foam", *J. Heat Transf.*, Vol. 130, pp. 082301-11, 2008
- Simons, J.A., (1976), "Reversible oxides of metals for TES", *sharing the sun solar technology in 70's proc. of the joint conference of the American Section of ISEC and S.E.C. of Canada*, Vol. 8, pp. 219, 1976
- Smith, J.M. and Van Ness, H.C., (1987), *Introduction to chemical engineering thermodynamics*, 4th edition, McGraw-Hills Book Company, 1987
- Sobolciak, P., Karkri, M., Al-Maadeed, M.A., and Krupa, I., (2016), "Thermal characterization of phase change materials based on linear low-density polyethylene, paraffin wax and expanded graphite", *Renew. Energy*, Vol. 88, pp. 372-382, 2016
- Sole, A., Miro, L., Barreneche, C., Martorell, I., and Cabeza, L.F.,(2013), "Review of the T-history method to determine thermophysical properties of phase change materials (PCM)", *Renewable and Sustainable Energy Reviews*, Vol. 26, pp. 425-436, 2013
- Stankovic, S.B., and Kyriacou, P.A., (2012), "Improved measurement technique for the characterization of phase change materials using the T-History method", *In: Proceedings of the 12th international conference on energy storage*, Spain (2012).
- Stritih, U., (2004), "An experimental study of enhanced heat transfer in rectangular PCM thermal storage", *International journal of heat and mass transfer*, Vol. 47, No. 12, pp. 2841-2847, 2004
- Subramaniam, P., Tulapurkar, C., Thiagarajan, and R. Thangamani, G., (2010), "Phase change materials for domestic refrigerators to improve food quality and prolong compressor off time", *International Refrigeration and Air Conditioning Conference*, Richmond (USA), 2010.
- Sun, J.Q., Zhang, R.Y., Liu, Z.P., and Lu, G.H. (2007). "Thermal reliability test of Al-34%Mg-6%Zn alloy as latent heat storage material and corrosion of metal with respect to thermal cycling." *Energy Conversion and Management*, Vol. 48(2), pp. 619-624, 2007
- Susan Steves Watson, William Keith Ross Watson, (1976), *Constant temperature device*, US Patent No. 3,951,127.
- Takahiro Wada, Ryoichi Yamamoto, and Yoshihiro Matsuo, (1984), "Heat storage capacity of sodium acetate trihydrate during thermal cycling", *Solar Energy*, Vol. 33, pp. 373-375, 1984
- Takeda, S., Nagano, K., Mochida, T., and Shimakura, K., (2004), "Development of a ventilation system utilizing thermal energy storage for granules containing phase change materials", *Solar Energy*, Vol. 77, pp. 329-338, 2004

- Tan, F.L., and Tso, C.P., (2004), "Cooling of mobile electronics devices using phase change materials", *Applied Thermal Engineering*, Vol. 24, pp. 159–169, 2004
- Telkes, M., 1980. *Solar materials science (Edited by L. E.Murr)*, Chap. 11. Academic Press, New York.
- The Paris Protocol - A blueprint for tackling global climate change beyond 2020, Com (2015) 81 final/2, Paris, December 2015.
- Thirugnanasambandam, M., Iniyan, S., Goic, R., (2010), "A review of solar thermal technologies", *Renewable and Sustainable Energy Reviews*, Vol. 14, pp. 312-322, 2010
- Tian, Y., and Zhao, C.Y., (2011), "A numerical investigation of heat transfer in phase change materials (PCMs) embedded in porous metals", *Energy*, Vol. 36, pp. 5539–5546, 2011
- Tian, Y., and Zhao, C.Y., (2013), "A review of solar collectors and thermal energy storage in solar thermal applications", *Appl. Energy*, vol. 104, pp. 538-553, 2013
- Totala, N.B., Shimpi, M.V., Shete, N.L., and Bhopate, V.S., (2013), "Natural Convection Characteristics in Vertical Cylinder", *International journal of engineering and science*, Vol. 3(8), pp. 27-31, 2013
- Turpenny, J.R., Etheridge, D.W., and Reay, D.A., (2000), "Novel ventilation cooling system for reducing air conditioning in building part1 testing and theoretical modeling", *Applied Thermal Engineering* Vol. 20, pp. 1019–1037, 2000
- Tyagi, V.V., and Buddhi, D., (2007), "PCM thermal storage in buildings: A state of art", *Renew. Sust. Energy Rev.* Vol. 11, pp. 1146–1166, 2007
- Ulman A., and Valentin, B., (1983), "Investigations of sodium acetate trihydrate for solar latent heat storage, controlling the melting point", *Solar Energy Materials*, Vol. 9, pp. 177-181, 1983
- Velraj, R., Seeniraj, R.V., Hafner, B., Faber, C, and Schwarzer, K., (1997), "Experimental analysis and numerical modelling of inward solidification on a finned vertical tube for a latent heat storage unit", *Solar Energy*, Vol. 60, pp. 281–290, 2000
- Ventola, L., Calvet, T., Cuevas-Diarte, M.A., Mondieig, D., and Oonk, H.A.J., (2002), "From concept to application. A new phase change material for thermal protection at -11 °C", *Journal of Material Research Innovation*, Vol. 6, pp. 284-290, 2002
- Wada, T., and Matsuo, Y., (1984), "Studies on salt hydrates for latent heat storage VI. Preheating effect on crystallization of sodium acetate trihydrate from aqueous solution with a small amount of disodium hydrogen phosphate", *Bull. Chem. Soc. Japan*, Vol. 57, pp. 561-567, 1984
- Wada, T., Kimura, F., and Matsuo, Y., (1983), "Studies on salt hydrates for latent heat storage IV. Crystallization in the binary system CH₃COONa-H₂O", *Bull. Chem. Soc. Japan*, Vol. 56, pp. 3827-3829, 1983
- Wada, T., Matsunaga K., and Matsuo, Y., (1984), "Studies on salt hydrates for latent heat storage V. Preheating effect on crystallization of sodium acetate trihydrate from aqueous solution with a small amount of sodium pyrophosphate decahydrate" *Bull. Chem. Soc. Japan*, Vol. 57, pp. 557, 1984
- Wang, F., Maidment, G., Missenden, J., and Tozer, R., (2007), "The novel use of phase change materials in refrigeration plant. Part 3: PCM for control and energy savings", *Applied Thermal Engineering*, Vol. 27, pp. 2893-2901, 2007
- Wang, J., Xie, H., and Xin, Z., (2008), "Thermal properties of heat storage composites containing multiwalled carbon nanotubes", *J. Appl. Phys.*, Vol. 104, pp. 113537-5, 2008
- Wang, W.L., Yang, X.X., Fang, Y.T., Ding, J., Yan, J.Y., (2009), "Preparation and thermal properties of polyethylene glycol/expanded graphite blends for energy storage" *Appl Energy*, Vol. 86, No. 9, pp. 1479-83, 2009
- Wang, X., Guo, Q., Zhong, Y., Wei, X., and Liu, L., (2013), "Heat transfer enhancement of neopentyl glycol using compressed expanded natural graphite for thermal energy storage" *Renew. Energy*, Vol. 51, pp. 241-246, 2013
- Wei, L.L., and Ohsasa, K, (2010), "Supercooling and Solidification Behavior of Phase Change Material", *ISIJ International*, Vol. 50, pp. 1265–1269, 2010
- Wood, R.J., (1981), thermal energy storage for recovery of industrial waste heat, *Thermal energy storage, (Lectures of a course held at JRC, ISPRA, Italy)*, 236, edited by Bhegi, G., Teidel, D., Reidel Publishing Co., 1981
- Wu, Z.G., Zhao, C.Y., (2011), "Experimental investigations of porous materials in high temperature thermal energy storage systems", *Solar Energy*, Vol. 85, pp. 1371–1380, 2011
- Wyse, B., (2011), Investigation into the time-shifting of domestic heat loads. Glasgow: University of Strathclyde, Glasgow, Scotland.
- Xiao, M.L., Sun, Liu, J., Li, Y. and Gong, K.G., (2002), "Synthesis and Properties of Polystyrene/Graphite Nanocomposites," *Polymer*, Vol. 43, No. 8, 2002, pp. 2245-2248, 2002
- Xiao, X., Zhang, P., and Li, M., (2013), "Thermal characterization of nitrates and nitrites/expanded graphite

- mixture phase change materials for solar energy storage", *Energy Convers. Manag.* Vol. 73, pp. 86–94, 2013
- Yagi, J., and Akiyama, T., (1995), "Storage of thermal energy for effective use of waste heat from industries", *Journal of Materials Processing Technology*, Vol. 48, pp. 793 – 804, 1995
- Yahya, D.D., (2013), "Experimental investigations of heat losses from a parabolic concentrator solar cooker", *African Journal of Engineering Research*, Vol. 1, pp. 90-96, 2013
- Yan, Q., (2011), "The thermal properties of shape-stabilized fatty acid mixtures used for wallboard", *Int. J. Sustain. Energy*, Vol. 30, pp. 47-54, 2011
- Yang, X., Yuan, Y., Zhang, N., Cao, X., and Liu, C., (2014), "Preparation and properties of myristic-palmitic-stearic acid/expanded graphite composites as phase change materials for energy storage", *Solar Energy*, Vol. 99, pp. 259-266, 2014
- Yang, X., Yuan, Y., Zhang, N., Cao, X., Liu, C., (2014), "Preparation and properties of myristic-palmitic-stearic acid/expanded graphite composites as phase change materials for energy storage", *Sol Energy*, Vol. 99, pp. 259-66, 2014
- Yasmin, A., Luo, J. J. and Daniel, I. M., (2006), "Processing of Expanded Graphite Reinforced Polymer Nanocompo-sites," *Composites Science and Technology*, Vol. 66, No. 9, pp. 1179-1186, 2006
- Ying, Bo-An; Kwok, Yi-Lin; Li, Yi; Zhu, Q.Y., and Yeung, C.Y., (2004), "Assessing the performance of textiles incorporating phase change materials", *Polymer Testing*, Vol. 23, pp. 541-549, 2004
- Yinping, Z., Jiang, Y. and Jiang, Y. (1999), "A simple method, the T -history method, of determining the heat of fusion, specific heat and thermal conductivity of phase-change materials," *Meas. Sci. Technol.*, vol. 10, pp. 201–205, 1999.
- Yuan, Y.P., Zhang, N., Tao, W.Q., Cao, X.L., and He, Y.L., (2014), "Fatty acids as phase change materials: a review" *Renew. Sust. Energy Rev.*, Vol. 29, pp. 482-498, 2014
- Yuping Wu, and Tao Wang, (2015), "Hydrated salts/expanded graphite composite with high thermal conductivity as a shape-stabilized phase change material for thermal energy storage", *Energy Conversion and Management*, Vol. 101, pp. 164-171, 2015
- Zalba, B., Marin J.M., Cabeza, L.F., and Mehling, H., (2003), "Review on thermal energy storage with phase change: materials, heat transfer analysis and applications", *Applied Thermal Engineering*, Vol. 23, pp. 251-283, 2003
- Zeng, J.L., Cao, Z., Yang, D.W., Sun, L.X., and Zhang, L., (2010), "Thermal conductivity enhancement of Ag nanowires on an organic phase change material", *J. of Therm., Anal., Calor.*, Vol. 101, pp. 385-389, 2010
- Zeng, J.L., Zhu, F.R., Yu, S.B., Zhu, L., Cao, Z., and Sun, L.X., (2012), "Effects of copper nanowires on the properties of an organic phase change material" *Solar Energy Mater Sol Cells*, Vol. Vol. 105, pp. 174-178, 2012
- Zhang Jian Bin, Yan, Z.P., Kai, M.A., Fang, H., Gouhua, C., and Hui, W.X., (2008), "Hydrogen bonding interactions between ethylene glycol and water: density, excess molar volume and spectral study", *Science in Chine Series B-Chemistry*, Vol. 51, No. 5, pp. 420-426, 2008
- Zhang, D., Tian, S. L., and Xiao, D. Y., (2007), "Experimental study on the phase change behavior of phase change material confined in pores", *Solar Energy*, Vol. 81, pp. 653-660, 2007
- Zhang, J.-J., Zhang, J.-L., He, S.-M., Wu, K.-Z., and Liu, X.-D., (2001), "Thermal studies on the solid-liquid phase transition in binary systems of fatty acids", *Thermochim. Acta*, Vol. 369, pp. 157-160, 2001
- Zhang, N., Yuan, Y., Wang, X., Cao, X., Yang, X., and Hu, S., (2013), "Preparation and characterization of lauric-myristic-palmitic acid ternary eutectic mixtures/expanded graphite composite phase change material for thermal energy storage", *Chem Eng J*, Vol. 231, pp. 214-219, 2013
- Zhang, N., Yuan, Y.P., Wang, X., Cao, X.L., Yang, X.J., and Hu, S.C., (2013), "Preparation and characterization of lauric-myristic-palmitic acid ternary eutectic mixtures/expanded graphite composite phase change material for thermal energy storage", *Chem. Eng. J.*, Vol. 231, pp. 214-219, 2013
- Zhang, P., Xiao, X., Meng, Z.N., Li, and M., (2015), "Heat transfer characteristics of a molten-salt thermal energy storage unit with and without heat transfer enhancement", *Applied Energy*, Vol. 137, pp. 758-772, 2015
- Zhang, S.T., Gu, A.Y., Gao, H.F., and Che, H.Q., (2011), "Characterization of Exfoliated Graphite Prepared with the Method of Secondary Intervening", *Int. J. Ind. Chem.*, Vol. 2, No. 2, pp. 123-130, 2011
- Zhang, Z., Shi, G., Wang, S., Fang, X., and Liu, X., (2013), "Thermal energy storage cement mortar containing n-octadecane/expanded graphite composite phase change material", *Renew. Energy*, Vol. 50, pp. 670-675, 2013
- Zhang, Z., Zhang, N., Peng, J., Fang, X., Gao, X., and Fang, Y., (2012), "Preparation and thermal energy storage properties of paraffin/expanded graphite composite phase change material", *Appl Energy*, Vol. 91, pp. 426-31, 2012

- Zhao, J., Guo, Y., Feng, F., Tong, Q., Qv, W., and Wang, H., (2011), "Microstructure and thermal properties of a paraffin/expanded graphite phase-change composite for thermal storage", *Renew. Energy*, Vol. 36, pp. 1339-1342, 2011
- Zhong, L., Zhang, X., Luan, Y., Wang, G., Feng, Y., and Feng, D., (2014), "Preparation and thermal properties of porous heterogeneous composite phase change materials based on molten salts/expanded graphite", *Solar Energy*, Vol. 107, pp. 63-73, 2014
- Zhong, Y., Li, S., Wei, X., Liu Z., Guo, Q., Shi, J., and Liu, L., (2010), "Heat transfer enhancement of paraffin wax using compressed expanded natural graphite for thermal energy storage" *Carbon NY*, Vol. 48, pp. 300-304, 2010
- Zhong, Y., Li, S., Wei, X., Liu, Z., Guo, Q., Shi, J., and Liu, L., (2010), "Heat transfer enhancement of paraffin wax using compressed expanded natural graphite for thermal energy storage", *Carbon*, Vol. 48, pp. 300-304.
- Zhou, Z., Zhang, Z., Zuo, J., Huang, K. and Zhang, L., (2015), "Phase change materials for solar thermal energy storage in residential buildings in cold climate", *Renewable and Sustainable Energy Reviews*, Vol. 48, pp. 692-703, 2015
- Ziye Ling, Jiajie Chen, Tao Xu, Xiaoming Fang, Xuenong Gao, and Zhengguo Zhang, (2015), "Thermal conductivity of an organic phase change material/expanded graphite composite across the phase change temperature range and a novel thermal conductivity model", *Energy Conversion and Management*, Vol. 102, pp. 202-208, 2015