

## References

- (1992), "IEEE recommended practice for powering and grounding sensitive electronic equipment.", *IEEE standard 1100*, 1992
- 61400-21, I. E. C., (2006), "Measurement and assessment of power quality characteristics of grid connected wind turbines", 2006
- Abdel-Galil, T. K., El-Saadany, E. F., Youssef, A. M., and Salama, M. M. A., (2005), "Disturbance classification using Hidden Markov Models and vector quantization", *IEEE Transactions on Power Delivery*, Vol.20, No.3, pp.2129–2135, July 2005
- Abrantes, A., (2012), "Overview of power quality aspects in wind generation", In *North American Power Symposium (NAPS), 2012*, pp. 1–6, Sept 2012
- Adhikari, N., Singh, B., Vyas, A. L., Chandra, A., and Kamal-Al-Haddad, (2013), "Analysis, design and control of a standalone hybrid renewable energy conversion system", In *Power Electronics for Distributed Generation Systems (PEDG), 2013 4th IEEE International Symposium on*, pp. 1–8, July 2013
- Afroni, M. J., Sutanto, D., and Stirling, D., (2013), "Analysis of Nonstationary Power-Quality Waveforms Using Iterative Hilbert Huang Transform and SAX Algorithm", *IEEE Transactions on Power Delivery*, Vol.28, No.4, pp.2134–2144, Oct 2013
- Ajala, O. and Sauer, P., (2014), "Stochastic processes in a grid-connected three-phase photovoltaic system", In *Power and Energy Conference at Illinois (PECI), 2014*, pp. 1–8, Feb 2014
- Ajil, K. S., Thapliyal, P. K., Shukla, M. V., Pal, P. K., Joshi, P. C., and Navalgund, R. R., (2010), "A New Technique for Temperature and Humidity Profile Retrieval From Infrared-Sounder Observations Using the Adaptive Neuro-Fuzzy Inference System", *IEEE Transactions on Geoscience and Remote Sensing*, Vol.48, No.4, pp.1650–1659, April 2010
- Akagi, H. and Fujita, H., (1995), "A new power line conditioner for harmonic compensation in power systems", *IEEE Transactions on Power Delivery*, Vol.10, No.3, pp.1570–1575, Jul 1995
- Akagi, H., Kanazawa, Y., and Nabae, A., (1984), "Instantaneous Reactive Power Compensators Comprising Switching Devices without Energy Storage Components", *IEEE Transactions on Industry Applications*, Vol.IA-20, No.3, pp.625–630, May 1984
- Al-Saffar, M. A. and Ismail, E. H., (2015), "A high voltage ratio and low stress DC-DC converter with reduced input current ripple for fuel cell source", *Renewable Energy*, Vol.82, pp.35 – 43, International Conference on Renewable Energy: Generation and Applications (ICREGA 2014), 2015
- Alaboudy, A. H. K., Daoud, A. A., Desouky, S. S., and Salem, A. A., (2013), "Converter controls and flicker study of PMSG-based grid connected wind turbines", *Ain Shams Engineering Journal*, Vol.4, No.1, pp.75 – 91, 2013
- Alam, M. J. E., Muttaqi, K. M., and Sutanto, D., (2013), "A SAX-Based Advanced Computational Tool for Assessment of Clustered Rooftop Solar PV Impacts on LV and MV Networks in Smart Grid", *Smart Grid, IEEE Transactions on*, Vol.4, No.1, pp.577–585, March 2013
- Alfonso-Gil, J. C., Orts-Grau, S., Muñoz-Galeano, N., Gimeno-Sales, F. J., and Seguí-Chilet, S., (2013), "Measurement System for a Power Quality Improvement Structure Based on IEEE Std.1459", *IEEE Transactions on Instrumentation and Measurement*, Vol.62, No.12, pp.3177–3188, Dec 2013
- Ananth, D., Kumar, G., Ramana, K., Kiran, S., and Rajesh, B., (2013), "Analysis of three phases four wire hysteresis current controller for unbalanced loads like DC motor and diode rectifier on different phases using DSTATCOM", In *India Conference (INDICON), 2013 Annual IEEE*, pp.

1-6, Dec 2013

- Angrisani, L., Daponte, P., D'Apuzzo, M., and Testa, A., (1998), "A measurement method based on the wavelet transform for power quality analysis", *IEEE Transactions on Power Delivery*, Vol.13, No.4, pp.990-998, Oct 1998
- Areerak, K. N., Bozhko, S. V., Asher, G. M., and Thomas, D. W. P., (2008), "DQ-transformation approach for modelling and stability analysis of AC-DC power system with controlled PWM rectifier and constant power loads", In *2008 13th International Power Electronics and Motion Control Conference*, pp. 2049-2054, Sept 2008
- Arya, S. and Singh, B., (2013), "Performance of DSTATCOM Using Leaky LMS Control Algorithm", *Emerging and Selected Topics in Power Electronics, IEEE Journal of*, Vol.1, No.2, pp.104-113, June 2013
- Arya, S., Singh, B., Chandra, A., and Al-Haddad, K., (2014a), "Learning-Based Anti-Hebbian Algorithm for Control of Distribution Static Compensator", *Industrial Electronics, IEEE Transactions on*, Vol.61, No.11, pp.6004-6012, Nov 2014
- Arya, S. R., Kant, K., Niwas, R., Singh, B., Chandra, A., and Al-Haddad, K., (2014b), "Power quality improvement in isolated distributed generating system using DSTATCOM", In *Industry Applications Society Annual Meeting, 2014 IEEE*, pp. 1-8, Oct 2014
- Axelberg, P. G. V., Gu, I. Y. H., and Bollen, M. H. J., (2007), "Support Vector Machine for Classification of Voltage Disturbances", *IEEE Transactions on Power Delivery*, Vol.22, No.3, pp.1297-1303, July 2007
- Babaei, E. and Kangarlu, M. F., (2012), "Sensitive load voltage compensation against voltage sags/swells and harmonics in the grid voltage and limit downstream fault currents using {DVR}", *Electric Power Systems Research*, Vol.83, No.1, pp.80 - 90, 2012
- Bahramirad, S., McClanahan, J., and Khodaei, A., (2013), "Application of real-time monitoring in efficient operation of distributed static compensators", In *Power and Energy Society General Meeting (PES), 2013 IEEE*, pp. 1-5, July 2013
- Bangarraju, J., Rajagopal, V., and Jayalaxmi, A., (2014), "Unit Template Synchronous Reference Frame Theory Based Control Algorithm for DSTATCOM", *Journal of The Institution of Engineers (India): Series B*, Vol.95, No.2, pp.135-141, 2014
- Barrero, F., Martinez, S., Yeves, F., Mur, F., and Martinez, P. M., (2003), "Universal and reconfigurable to UPS active power filter for line conditioning", *IEEE Transactions on Power Delivery*, Vol.18, No.1, pp.283-290, Jan 2003
- Barros, A. C., Tonelli-Neto, M. S., Decanini, J. G. M. S., and Minussi, C. R., (2015), "Detection and Classification of Voltage Disturbances in Electrical Power Systems using a Modified Euclidean ARTMAP Neural Network with Continuous Training", *Electric Power Components and Systems*, Vol.43, No.19, pp.2178-2188, 2015
- Barros, J., Diego, R. I., and de Apráiz, M., (2012), "Applications of wavelets in electric power quality: Voltage events", *Electric Power Systems Research*, Vol.88,, pp.130 - 136, 2012
- Behera, H. S., Dash, P. K., and Biswal, B., (2010), "Power quality time series data mining using S-transform and fuzzy expert system", *Applied Soft Computing*, Vol.10, No.3, pp.945 - 955, 2010
- Bertašienė, A. and Azzopardi, B., (2015), "Synergies of Wind Turbine control techniques", *Renewable and Sustainable Energy Reviews*, Vol.45, No.0, pp.336 - 342, 2015
- Bhattacharjee, C., Roy, A., and Roy, B., (2012), "Improvement of available load voltage for a constant speed WECS coupled with fuzzy-controlled DSTATCOM", In *Harmonics and Quality of Power (ICHQP), 2012 IEEE 15th International Conference on*, pp. 637-641, June 2012
- Bhattacharya, S. and Divan, D., (1995), "Synchronous frame based controller implementation for a hybrid series active filter system", In *Industry Applications Conference, 1995. Thirtieth IAS Annual Meeting, IAS '95., Conference Record of the 1995 IEEE*, volume 3, pp. 2531-2540 vol.3, Oct 1995
- Biswal, B., Behera, H., Bisoi, R., and Dash, P., (2012), "Classification of power quality data using decision tree and chemotactic differential evolution based fuzzy clustering", *Swarm and Evolutionary Computation*, Vol.4,, pp.12 - 24, 2012

- Biswal, B., Dash, P. K., and Panigrahi, K. B., (2009), "Power Quality Disturbance Classification Using Fuzzy C-Means Algorithm and Adaptive Particle Swarm Optimization", *Industrial Electronics, IEEE Transactions on*, Vol.56, No.1, pp.212–220, Jan 2009
- Bollen, M. H. and Gu, I., (2006), *Signal processing of power quality disturbances*, volume 30, John Wiley & Sons, 2006
- Borges, C. L. T. and Falcao, D. M., (2006), "Optimal distributed generation allocation for reliability, losses, and voltage improvement", *International Journal of Electrical Power and Energy Systems*, Vol.28, No.6, pp.413 – 420, 2006
- Brenna, M., Faranda, R., and Tironi, E., (2009), "A New Proposal for Power Quality and Custom Power Improvement: OPEN UPQC", *IEEE Transactions on Power Delivery*, Vol.24, No.4, pp.2107–2116, Oct 2009
- Cha, H. and Vu, T. K., (2010), "Comparative analysis of low-pass output filter for single-phase grid-connected Photovoltaic inverter", In *2010 Twenty-Fifth Annual IEEE Applied Power Electronics Conference and Exposition (APEC)*, pp. 1659–1665, Feb 2010
- Chacon, M. I., Duran, J. L., and Santiesteban, L. A., (2007), "A Wavelet-Fuzzy Logic Based System to Detect and Identify Electric Power Disturbances", In *2007 IEEE Symposium on Computational Intelligence in Image and Signal Processing*, pp. 52–57, April 2007
- Chaoui, A., Gaubert, J.-P., and Krim, F., (2010), "Power quality improvement using {DPC} controlled three-phase shunt active filter", *Electric Power Systems Research*, Vol.80, No.6, pp.657 – 666, 2010
- Chellammal, N., Dash, S. S., Velmurugan, V., and Gurram, R., (2012), "Power quality improvement using multilevel inverter as series active filter", In *2012 International Conference on Emerging Trends in Science, Engineering and Technology (INCOSSET)*, pp. 450–455, Dec 2012
- Chen, C.-S., Lin, C.-H., Hsieh, W.-L., Hsu, C.-T., and Ku, T.-T., (2013), "Enhancement of PV Penetration With DSTATCOM in Taipower Distribution System", *Power Systems, IEEE Transactions on*, Vol.28, No.2, pp.1560–1567, May 2013
- Chen, Y.-L., Hu, H.-W., and Tang, K., (2009), "Constructing a decision tree from data with hierarchical class labels", *Expert Systems with Applications*, Vol.36, No.3, Part 1, pp.4838 – 4847, 2009
- Cheng, P.-T., Bhattacharya, S., and Divan, D. M., (1998), "Control of square-wave inverters in high-power hybrid active filter systems", *IEEE Transactions on Industry Applications*, Vol.34, No.3, pp.458–472, May 1998
- Chicco, G., Corona, F., Porumb, R., and Spertino, F., (2014), "Experimental Indicators of Current Unbalance in Building-Integrated Photovoltaic Systems", *IEEE Journal of Photovoltaics*, Vol.4, No.3, pp.924–934, May 2014
- Chidurala, A., Saha, T. K., and Mithulananthan, N., (2013), "Power quality enhancement in unbalanced distribution network using Solar-DSTATCOM", In *2013 Australasian Universities Power Engineering Conference (AUPEC)*, pp. 1–6, Sept 2013
- Chilipi, R., Singh, B., and Murthy, S., (2014), "Performance of a Self-Excited Induction Generator With DSTATCOM-DTC Drive-Based Voltage and Frequency Controller", *Energy Conversion, IEEE Transactions on*, Vol.29, No.3, pp.545–557, Sept 2014
- Dalai, S., Dey, D., Chatterjee, B., Chakravorti, S., and Bhattacharya, K., (2015), "Cross-Spectrum Analysis-Based Scheme for Multiple Power Quality Disturbance Sensing Device", *Sensors Journal, IEEE*, Vol.15, No.7, pp.3989–3997, July 2015
- Darrow, K., Hedman, B., Bourgeois, T., and Rosenblum, D., (2005), "The role of distributed generation in power quality and reliability", *Final Report, Prepared for: New York State Energy Research and Development Authority*, 2005
- Dash, P. K., Panigrahi, B. K., Sahoo, D. K., and Panda, G., (2003a), "Power quality disturbance data compression, detection, and classification using integrated spline wavelet and S-transform", *IEEE Transactions on Power Delivery*, Vol.18, No.2, pp.595–600, April 2003
- Dash, P. K., Panigrahi, K. B., and Panda, G., (2003b), "Power quality analysis using S-transform",

- Power Delivery, IEEE Transactions on*, Vol.18, No.2, pp.406–411, April 2003
- Delfino, F., Pampararo, F., Procopio, R., and Rossi, M., (2012), “A Feedback Linearization Control Scheme for the Integration of Wind Energy Conversion Systems Into Distribution Grids”, *Systems Journal, IEEE*, Vol.6, No.1, pp.85–93, March 2012
- Demirdelen, T., Kayaalp, R., and Tumay, M., (2017), “Simulation modelling and analysis of modular cascaded multilevel converter based shunt hybrid active power filter for large scale photovoltaic system interconnection”, *Simulation Modelling Practice and Theory*, Vol.71,, pp.27 – 44, 2017
- Ding, K., Bian, X., Liu, H., and Peng, T., (2012), “A MATLAB-Simulink-Based PV Module Model and Its Application Under Conditions of Nonuniform Irradiance”, *Energy Conversion, IEEE Transactions on*, Vol.27, No.4, pp.864–872, Dec 2012
- Dugan, R. C., McGranaghan, M. F., and Beaty, H. W., (1996), “Electrical power systems quality”, *New York, NY: McGraw-Hill*, | c1996, Vol.1,, 1996
- Dugan, R. C., McGranaghan, M. F., Santoso, S., and Beaty, H. W., (2004), “Electrical Power Systems Quality”, *McGraw Hill*, No.2, pp.3–3, 2004
- Efkarpidis, N., Wijnhoven, T., Gonzalez, C., De Rybel, T., and Driesen, J., (2014), “Coordinated voltage control scheme for Flemish LV distribution grids utilizing OLTC transformers and D-STATCOM’s”, In *Developments in Power System Protection (DPSP 2014)*, 12th IET International Conference on, pp. 1–6, March 2014
- Ehlert, D. and Wrede, H., (2007), “Wind Turbines with Doubly-Fed Induction Generator Systems with Improved Performance due to Grid Requirements”, In *Power Engineering Society General Meeting, 2007. IEEE*, pp. 1–7, June 2007
- Eldery, M., El-Saadany, E., and Salama, M., (2007), “DSTATCOM Effect on the Adjustable Speed Drive Stability Boundaries”, *Power Delivery, IEEE Transactions on*, Vol.22, No.2, pp.1202–1209, April 2007
- Electromagnetic Compatibility (EMC), I., (2003), “Part 4, Section 30: testing and measurement technique-power quality measurement methods.”, *Standard IEC 61000-4-30*,, 2003
- Elnady, A. and Salama, M., (2005), “Unified approach for mitigating voltage sag and voltage flicker using the DSTATCOM”, *Power Delivery, IEEE Transactions on*, Vol.20, No.2, pp.992–1000, April 2005
- Engel, S., Rigbers, K., and De Doncker, R., (2009), “Digital repetitive control of a three-phase flat-top-modulated grid tie solar inverter”, In *Power Electronics and Applications, 2009. EPE '09. 13th European Conference on*, pp. 1–10, Sept 2009
- Eristi, H., Yildirim, O., Eristi, B., and Demir, Y., (2014), “Automatic recognition system of underlying causes of power quality disturbances based on S-Transform and Extreme Learning Machine”, *International Journal of Electrical Power and Energy Systems*, Vol.61,, pp.553 – 562, 2014
- Farahat, M. A. and Zobah, A., (2004), “Active filter for power quality improvement by artificial neural networks technique”, In *39th International Universities Power Engineering Conference, 2004. UIPEC 2004.*, volume 2, pp. 878–883 vol. 1, Sept 2004
- Farhoodnea, M., Mohamed, A., Shareef, H., and Zayandehroodi, H., (2013), “Power quality impacts of high-penetration electric vehicle stations and renewable energy-based generators on power distribution systems”, *Measurement*, Vol.46, No.8, pp.2423 – 2434, 2013
- Flores, R. A., (2002), “State of the art in the classification of power quality events, an overview”, In *10th International Conference on Harmonics and Quality of Power. Proceedings (Cat. No.02EX630)*, volume 1, pp. 17–20 vol.1, Oct 2002
- Forghani, M. and Afsharnia, S., (2007), “Online Wavelet Transform-Based Control Strategy for UPQC Control System”, *IEEE Transactions on Power Delivery*, Vol.22, No.1, pp.481–491, Jan 2007
- Freitas, W., Morelato, A., Xu, W., and Sato, F., (2005), “Impacts of AC Generators and DSTATCOM devices on the dynamic performance of distribution systems”, *Power Delivery, IEEE Transactions on*, Vol.20, No.2, pp.1493–1501, April 2005
- Fu, Q., Montoya, L. F., Solanki, A., Nasiri, A., Bhavaraju, V., Abdallah, T., and Yu, D. C.,

- (2012), "Microgrid Generation Capacity Design With Renewables and Energy Storage Addressing Power Quality and Surety", *Smart Grid, IEEE Transactions on*, Vol.3, No.4, pp.2019–2027, Dec 2012
- Fujita, H. and Akagi, H., (1998), "The unified power quality conditioner: the integration of series and shunt-active filters", *IEEE Transactions on Power Electronics*, Vol.13, No.2, pp.315–322, Mar 1998
- Gajanayake, C. J., Vilathgamuwa, D. M., Loh, P. C., Teodorescu, R., and Blaabjerg, F., (2009), "Z-Source-Inverter-Based Flexible Distributed Generation System Solution for Grid Power Quality Improvement", *IEEE Transactions on Energy Conversion*, Vol.24, No.3, pp.695–704, Sept 2009
- Ghosh, A. and Joshi, A., (2004), "The concept and operating principles of a mini custom power park", *Power Delivery, IEEE Transactions on*, Vol.19, No.4, pp.1766–1774, Oct 2004
- Ghosh, A. and Lubkeman, D., (1995), "The classification of power system disturbance waveforms using a neural network approach", *Power Delivery, IEEE Transactions on*, Vol.10, No.1, pp.109–115, Jan 1995
- Gonzalez, D. A. and McCall, J. C., (1987), "Design of Filters to Reduce Harmonic Distortion in Industrial Power Systems", *IEEE Transactions on Industry Applications*, Vol.IA-23, No.3, pp.504–511, May 1987
- Goswami, A., Gupta, C., and Singh, G., (2011), "Minimization of voltage sag induced financial losses in distribution systems using {FACTS} devices", *Electric Power Systems Research*, Vol.81, No.3, pp.767 – 774, 2011
- Granados-Lieberman, D., j. Romero-Troncoso, R., a. Osornio-Rios, R., Garcia-Perez, A., and Cabal-Yepez, E., (2011), "Techniques and methodologies for power quality analysis and disturbances classification in power systems: a review", *IET Generation, Transmission Distribution*, Vol.5, No.4, pp.519–529, April 2011
- Group, I. P. . W. et al., (1994), "Recommended practice for monitoring electric power quality", Technical report, Technical report, Draft 5
- Gu, Y. H. and Bollen, M. H. J., (2000), "Time-frequency and time-scale domain analysis of voltage disturbances", *IEEE Transactions on Power Delivery*, Vol.15, No.4, pp.1279–1284, Oct 2000
- Gunal, S., Gerek, O. N., Ece, D. G., and Edizkan, R., (2009), "The search for optimal feature set in power quality event classification", *Expert Systems with Applications*, Vol.36, No.7, pp.10266 – 10273, 2009
- Gupta, R. and Ghosh, A., (2006), "Frequency-domain characterization of sliding mode control of an inverter used in DSTATCOM application", *Circuits and Systems I: Regular Papers, IEEE Transactions on*, Vol.53, No.3, pp.662–676, March 2006
- Gupta, R., Ghosh, A., and Joshi, A., (2007), "Control of cascaded transformer multilevel inverter based {DSTATCOM}", *Electric Power Systems Research*, Vol.77, No.8, pp.989 – 999, 2007
- Gupta, R., Ghosh, A., and Joshi, A., (2010), "Multiband Hysteresis Modulation and Switching Characterization for Sliding-Mode-Controlled Cascaded Multilevel Inverter", *Industrial Electronics, IEEE Transactions on*, Vol.57, No.7, pp.2344–2353, July 2010
- Haghighat, H., Seifi, H., and Yazdian, A., (2003), "An instantaneous power theory based control scheme for unified power flow controller in transient and steady state conditions", *Electric Power Systems Research*, Vol.64, No.3, pp.175 – 180, 2003
- Han, J., Khushalani-Solanki, S., Solanki, J., and Schoene, J., (2012), "Study of unified control of STATCOM to resolve the Power quality issues of a grid-connected three phase PV system", In *Innovative Smart Grid Technologies (ISGT), 2012 IEEE PES*, pp. 1–7, Jan 2012
- Hande, V., Bansode, A., Ankushe, R., and Patil, D., (2014), "Voltage regulation with adaptive control algorithm for DSTATCOM", In *Power and Energy Systems Conference: Towards Sustainable Energy, 2014*, pp. 1–3, March 2014
- Heidari, M., Seifossadat, G., and Razaz, M., (2013), "Application of decision tree and discrete wavelet transform for an optimized intelligent-based islanding detection method in distributed systems with distributed generations", *Renewable and Sustainable Energy Reviews*, Vol.27,, pp.525

- Hingorani, N. G. and Gyugyi, L., (2000), *Understanding FACTS: concepts and technology of flexible AC transmission systems*, Wiley-IEEE press, 2000
- Holland, JH and Goldberg, DE, *Genetic Algorithms in Search, Optimization and Machine Learning*,
- Hong, M., Yu, X., Yu, N. P., and Loparo, K. A., (2016), "An Energy Scheduling Algorithm Supporting Power Quality Management in Commercial Building Microgrids", *IEEE Transactions on Smart Grid*, Vol.7, No.2, pp.1044-1056, March 2016
- Hosseini, S. H., Nouri, T., and Sabahi, M., (2009), "A novel hybrid active filter for power quality improvement and neutral current cancellation", In *2009 International Conference on Electrical and Electronics Engineering - ELECO 2009*, pp. I-244-I-248, Nov 2009
- Hsu, C.-T., Korimara, R., and Cheng, T.-J., (2015), "Power quality analysis for the distribution systems with a wind power generation system", *Computers and Electrical Engineering*, pp.-, 2015
- Hua, L., Baoqun, Z., and Guangjian, W., (2007), "Application of Wavelet Network for Automatic Power Quality Disturbances Recognition in Distribution Power System", In *2007 Chinese Control Conference*, pp. 254-258, July 2007
- Huang, S.-J., Hsieh, C.-T., and Huang, C.-L., (1999), "Application of Morlet wavelets to supervise power system disturbances", *IEEE Transactions on Power Delivery*, Vol.14, No.1, pp.235-243, Jan 1999
- Huang, T. C.-K., Hsu, W.-H., and Chen, Y.-L., (2013), "Conjecturable knowledge discovery: A fuzzy clustering approach", *Fuzzy Sets and Systems*, Vol.221,, pp.1 - 23, Theme: Clustering, 2013
- Hussain, S. and Subbaramiah, M., (2013), "An analytical approach for optimal location of DSTATCOM in radial distribution system", In *Energy Efficient Technologies for Sustainability (ICEETS), 2013 International Conference on*, pp. 1365-1369, April 2013
- Ibarra, L., Ponce, P., and Molina, A., (2015), "Generalized dq frame PWM strategy for three-phase electric machinery", *IFAC-PapersOnLine*, Vol.48, No.3, pp.1-7, 2015
- Ibrahim, W. R. A. and Morcos, M. M., (2002), "Artificial intelligence and advanced mathematical tools for power quality applications: a survey", *IEEE Transactions on Power Delivery*, Vol.17, No.2, pp.668-673, Apr 2002
- Islam, M., Guo, Y., and Zhu, J., (2014), "A High-Frequency Link Multilevel Cascaded Medium-Voltage Converter for Direct Grid Integration of Renewable Energy Systems", *Power Electronics, IEEE Transactions on*, Vol.29, No.8, pp.4167-4182, Aug 2014
- Iyer, S., Ghosh, A., and Joshi, A., (2005), "Inverter topologies for {DSTATCOM} applications – a simulation study", *Electric Power Systems Research*, Vol.75, No.2-3, pp.161 - 170, 2005
- Jain, B., Jain, S., and Nema, R., (2015), "Control strategies of grid interfaced wind energy conversion system: An overview", *Renewable and Sustainable Energy Reviews*, Vol.47, No.0, pp.983 - 996, 2015
- Jayaprakash, P., Singh, B., and Kothari, D., (2008), "Three-Phase 4-Wire DSTATCOM Based on H-Bridge VSC with a Star/Hexagon Transformer for Power Quality Improvement", In *Industrial and Information Systems, 2008. ICIIS 2008. IEEE Region 10 and the Third international Conference on*, pp. 1-6, Dec 2008
- Jayaprakash, P., Singh, B., and Kothari, D., (2012), "Reduction in rating of voltage source converter of DSTATCOM using a zig-zag transformer", In *Industrial Electronics (ISIE), 2012 IEEE International Symposium on*, pp. 1066-1071, May 2012
- Jayaraman, M., Sreedevi, V. T., and Balakrishnan, R., (2013), "Analysis and design of passive filters for power quality improvement in standalone PV systems", In *2013 Nirma University International Conference on Engineering (NUiCONE)*, pp. 1-6, Nov 2013
- Ji, T. Y., Wu, Q. H., Jiang, L., and Tang, W. H., (2011), "Disturbance detection, location and classification in phase space", *IET Generation, Transmission Distribution*, Vol.5, No.2, pp.257-265, February 2011
- Jintakosonwit, P., Akagi, H., Fujita, H., and Ogasawara, S., (2002), "Implementation and performance of automatic gain adjustment in a shunt-active filter for harmonic damping throughout a power distribution system", *IEEE Transactions on Power Electronics*, Vol.17, No.3, pp.438-447,

May 2002

- Jou, H.-L., Chang, Y.-H., Wu, J.-C., and Wu, K.-D., (2015), "Operation strategy for a lab-scale grid-connected photovoltaic generation system integrated with battery energy storage", *Energy Conversion and Management*, Vol.89, No.0, pp.197 – 204, 2015
- Jurado, F. and Saenz, J. R., (2002), "Comparison between discrete {STFT} and wavelets for the analysis of power quality events", *Electric Power Systems Research*, Vol.62, No.3, pp.183 – 190, 2002
- Kaddah, S. S., Abo-Al-Ez, K. M., Megahed, T. F., and Osman, M. G., (2016), "Probabilistic power quality indices for electric grids with increased penetration level of wind power generation", *International Journal of Electrical Power and Energy Systems*, Vol.77,, pp.50 – 58, 2016
- Kamel, R. M., (2014), "Three fault ride through controllers for wind systems running in isolated micro-grid and Effects of fault type on their performance: A review and comparative study", *Renewable and Sustainable Energy Reviews*, Vol.37, No.0, pp.698 – 714, 2014
- Kanirajan, P. and Kumar, V. S., (2015), "Power quality disturbance detection and classification using wavelet and {RBFNN}", *Applied Soft Computing*, Vol.35,, pp.470 – 481, 2015
- Kannan, V. K. and Rengarajan, N., (2012), "Photovoltaic based distribution static compensator for power quality improvement", *International Journal of Electrical Power and Energy Systems*, Vol.42, No.1, pp.685 – 692, 2012
- Karanki, S. B., Mishra, M. K., and Kumar, B. K., (2010), "Particle Swarm Optimization-Based Feedback Controller for Unified Power-Quality Conditioner", *IEEE Transactions on Power Delivery*, Vol.25, No.4, pp.2814–2824, Oct 2010
- Karimi, M., Mokhtari, H., and Iravani, M. R., (2000), "Wavelet based on-line disturbance detection for power quality applications", *IEEE Transactions on Power Delivery*, Vol.15, No.4, pp.1212–1220, Oct 2000
- Kasal, G. and Singh, B., (2008), "Zig-zag transformer based electronic load controller for an isolated asynchronous generator", In *Power and Energy Conference, 2008. PECon 2008. IEEE 2nd International*, pp. 431–436, Dec 2008
- Kersting, W., (1991), "Radial distribution test feeders", *Power Systems, IEEE Transactions on*, Vol.6, No.3, pp.975–985, Aug 1991
- Kezunovic, M. and Liao, Y., (2002), "A novel software implementation concept for power quality study", *IEEE Transactions on Power Delivery*, Vol.17, No.2, pp.544–549, Apr 2002
- Khadkikar, V., (2012), "Enhancing Electric Power Quality Using UPQC: A Comprehensive Overview", *IEEE Transactions on Power Electronics*, Vol.27, No.5, pp.2284–2297, May 2012
- Khasnobish, A., Bhattacharyya, S., Konar, A., Tibarewala, D. N., and Nagar, A. K., (2011), "A Two-fold classification for composite decision about localized arm movement from EEG by SVM and QDA techniques", In *The 2011 International Joint Conference on Neural Networks*, pp. 1344–1351, July 2011
- Khokhar, S., Zin, A. A. B. M., Mokhtar, A. S. B., and Pesaran, M., (2015), "A comprehensive overview on signal processing and artificial intelligence techniques applications in classification of power quality disturbances", *Renewable and Sustainable Energy Reviews*, Vol.51,, pp.1650 – 1663, 2015
- Kocatepe, C., Inan, A., Arikan, O., Yumurtaci, R., Kekezoglu, B., Baysal, M., Bozkurt, A., and Akkaya, Y., (2009), "Power quality assessment of grid-connected wind farms considering regulations in turkey", *Renewable and Sustainable Energy Reviews*, Vol.13, No.9, pp.2553 – 2561, 2009
- Koutroulis, E. and Blaabjerg, F., (2012), "A New Technique for Tracking the Global Maximum Power Point of PV Arrays Operating Under Partial-Shading Conditions", *Photovoltaics, IEEE Journal of*, Vol.2, No.2, pp.184–190, April 2012
- Kumar, C. and Mishra, M., (2013), "A modified DSTATCOM topology with reduced VSI rating, DC link voltage, and filter size", In *Clean Electrical Power (ICCEP), 2013 International Conference on*, pp. 325–331, June 2013
- Kumar, R., Singh, B., Shahani, D. T., Chandra, A., and Al-Haddad, K., (2015), "Recognition of

- Power-Quality Disturbances Using S-Transform-Based ANN Classifier and Rule-Based Decision Tree", *Industry Applications, IEEE Transactions on*, Vol.51, No.2, pp.1249–1258, March 2015
- Kumar, S. and Singh, B., (2009), "Control of 4-Leg VSC based DSTATCOM using modified Instantaneous Symmetrical Component Theory", In *Power Systems, 2009. ICPS '09. International Conference on*, pp. 1–6, Dec 2009
- Kummari, N., Singh, A., and Kumar, P., (2012), "Comparative evaluation of DSTATCOM control algorithms for load compensation", In *Harmonics and Quality of Power (ICHQP), 2012 IEEE 15th International Conference on*, pp. 299–306, June 2012
- Kuo, C.-L., Lin, C.-H., Yau, H.-T., and Chen, J.-L., (2013), "Using Self-Synchronization Error Dynamics Formulation Based Controller for Maximum Photovoltaic Power Tracking in Micro-Grid Systems", *Emerging and Selected Topics in Circuits and Systems, IEEE Journal on*, Vol.3, No.3, pp.459–467, Sept 2013
- Kwan, K. H., So, P. L., and Chu, Y. C., (2012), "An Output Regulation-Based Unified Power Quality Conditioner With Kalman Filters", *IEEE Transactions on Industrial Electronics*, Vol.59, No.11, pp.4248–4262, Nov 2012
- Labeeb, M. and Lathika, B., (2011), "Design and analysis of DSTATCOM using SRFT and ANN-fuzzy based control for power quality improvement", In *Recent Advances in Intelligent Computational Systems (RAICS), 2011 IEEE*, pp. 274–279, Sept 2011
- Latran, M. B. and Teke, A., (2015), "A novel wavelet transform based voltage sag/swell detection algorithm", *International Journal of Electrical Power and Energy Systems*, Vol.71,, pp.131 – 139, 2015
- le Roux, A. D. and Mouton, H. D. T., (2001), "A series-shunt compensator with combined UPS operation", In *ISIE 2001. 2001 IEEE International Symposium on Industrial Electronics Proceedings (Cat. No.01TH8570)*, volume 3, pp. 2038–2043 vol.3, 2001
- Lee, I. W. C. and Dash, P. K., (2003), "S-transform-based intelligent system for classification of power quality disturbance signals", *IEEE Transactions on Industrial Electronics*, Vol.50, No.4, pp.800–805, Aug 2003
- Levitin, G., Kalyuzhny, A., Sherkman, A., and Chertkov, M., (2000), "Optimal capacitor allocation in distribution systems using a genetic algorithm and a fast energy loss computation technique", *IEEE Transactions on Power Delivery*, Vol.15, No.2, pp.623–628, Apr 2000
- Li, S., Haskew, T. A., and Jackson, J., (2010), "Integrated power characteristic study of {DFIG} and its frequency converter in wind power generation", *Renewable Energy*, Vol.35, No.1, pp.42 – 51, 2010
- Liao, Y. and Lee, J.-B., (2004), "A fuzzy-expert system for classifying power quality disturbances", *International Journal of Electrical Power and Energy Systems*, Vol.26, No.3, pp.199 – 205, 2004
- Libo, W., Zhengming, Z., and Jianzheng, L., (2007), "A Single-Stage Three-Phase Grid-Connected Photovoltaic System With Modified MPPT Method and Reactive Power Compensation", *Energy Conversion, IEEE Transactions on*, Vol.22, No.4, pp.881–886, Dec 2007
- Lima, M. A. A., Cerqueira, A. S., Coury, D. V., and Duque, C. A., (2012), "A novel method for power quality multiple disturbance decomposition based on Independent Component Analysis", *International Journal of Electrical Power and Energy Systems*, Vol.42, No.1, pp.593 – 604, 2012
- Lin, W.-M., Wu, C.-H., Lin, C.-H., and Cheng, F.-S., (2008), "Detection and Classification of Multiple Power-Quality Disturbances With Wavelet Multiclass SVM", *Power Delivery, IEEE Transactions on*, Vol.23, No.4, pp.2575–2582, Oct 2008
- Liu, J., Xu, Z., and Huang, L., (2011), "Study on adaptive PI controller of distribution static synchronous compensator", In *Strategic Technology (IFOST), 2011 6th International Forum on*, volume 1, pp. 456–459, Aug 2011
- Luo, A., Xiao, H., Ma, F., Shuai, Z., and Wang, Y., (2014), "Distribution static compensator based on an improved direct power control strategy", *Power Electronics, IET*, Vol.7, No.4, pp.957–964, April 2014
- Mahanty, R., (2008), "Large value AC capacitor for harmonic filtering and reactive power compensation", *IET Generation, Transmission Distribution*, Vol.2, No.6, pp.876–891, November 2008



- Mahela, O. P. and Shaik, A. G., (2015), "A review of distribution static compensator", *Renewable and Sustainable Energy Reviews*, Vol.50, No.0, pp.531 – 546, 2015
- Mahela, O. P. and Shaik, A. G., (2016a), "Comprehensive overview of grid interfaced wind energy generation systems", *Renewable and Sustainable Energy Reviews*, Vol.57,, pp.260 – 281, 2016
- Mahela, O. P. and Shaik, A. G., (2016b), "Topological aspects of power quality improvement techniques: A comprehensive overview", *Renewable and Sustainable Energy Reviews*, Vol.58,, pp.1129 – 1142, 2016
- Mahela, O. P. and Shaik, A. G., (2017), "Comprehensive overview of grid interfaced solar photovoltaic systems", *Renewable and Sustainable Energy Reviews*, Vol.68, Part 1,, pp.316 – 332, 2017
- Mahela, O. P., Shaik, A. G., and Gupta, N., (2015), "A critical review of detection and classification of power quality events", *Renewable and Sustainable Energy Reviews*, Vol.41, No.0, pp.495 – 505, 2015
- Majumder, R., (2013), "Reactive Power Compensation in Single-Phase Operation of Microgrid", *Industrial Electronics, IEEE Transactions on*, Vol.60, No.4, pp.1403–1416, April 2013
- Mancilla-David, F., Arancibia, A., Riganti-Fulginei, F., Muljadi, E., and Cerroni, M., (2012), "A maximum power point tracker variable-dc-link three-phase inverter for grid-connected PV panels", In *Innovative Smart Grid Technologies (ISGT Europe), 2012 3rd IEEE PES International Conference and Exhibition on*, pp. 1-7, Oct 2012
- Manikandan, M., Samantaray, S., and Kamwa, I., (2015), "Detection and Classification of Power Quality Disturbances Using Sparse Signal Decomposition on Hybrid Dictionaries", *Instrumentation and Measurement, IEEE Transactions on*, Vol.64, No.1, pp.27–38, Jan 2015
- Manna, D. L., Vigni, V. L., Sanseverino, E. R., Dio, V. D., and Romano, P., (2014), "Reconfigurable electrical interconnection strategies for photovoltaic arrays: A review", *Renewable and Sustainable Energy Reviews*, Vol.33, No.0, pp.412 – 426, 2014
- Mariappan, B., Fernandes, B., and Ramamoorthy, M., (2014), "A novel single-stage solar inverter using hybrid active filter with power quality improvement", In *Industrial Electronics Society, IECON 2014 - 40th Annual Conference of the IEEE*, pp. 5443–5449, Oct 2014
- Masoum, M., Jamali, S., and Ghaffarzadeh, N., (2010a), "Detection and classification of power quality disturbances using discrete wavelet transform and wavelet networks", *Science, Measurement Technology, IET*, Vol.4, No.4, pp.193–205, July 2010
- Masoum, M. A. S., Jamali, S., and Ghaffarzadeh, N., (2010b), "Detection and classification of power quality disturbances using discrete wavelet transform and wavelet networks", *IET Science, Measurement Technology*, Vol.4, No.4, pp.193–205, July 2010
- Medina, A., Segundo-Ramirez, J., Ribeiro, P., Xu, W., Lian, K. L., Chang, G. W., Dinavahi, V., and Watson, N. R., (2013), "Harmonic Analysis in Frequency and Time Domain", *IEEE Transactions on Power Delivery*, Vol.28, No.3, pp.1813–1821, July 2013
- Melín, P. E., Espinoza, J. R., Muñoz, J. A., Baier, C. R., and Espinosa, E. E., (2010), "Decoupled control of a Unified Power Quality Conditioner based on a current source topology for fast AC mains disturbance compensation", In *2010 IEEE International Conference on Industrial Technology*, pp. 730–736, March 2010
- Miensi, R., Pawelek, R., Wasiak, I., Gburczyk, P., Foote, C., Burt, G., and Espie, P., (2004), "Power quality improvement in LV networks using distributed generation", In *2004 11th International Conference on Harmonics and Quality of Power (IEEE Cat. No.04EX951)*, pp. 779–788, Sept 2004
- Mikkili, S. and Panda, A. K., (2013), "Types-1 and -2 fuzzy logic controllers-based shunt active filter Id-Iq control strategy with different fuzzy membership functions for power quality improvement using RTDS hardware", *IET Power Electronics*, Vol.6, No.4, pp.818–833, April 2013
- Milanovic, J. V. and Zhang, Y., (2010), "Modeling of FACTS Devices for Voltage Sag Mitigation Studies in Large Power Systems", *IEEE Transactions on Power Delivery*, Vol.25, No.4, pp.3044–3052, Oct 2010
- Mishra, A., Tripathi, P., and Chatterjee, K., (2018), "A review of harmonic elimination techniques in grid connected doubly fed induction generator based wind energy system", *Renewable and*

- Sustainable Energy Reviews*, Vol.89,, pp.1 – 15, 2018
- Mishra, S., Bhende, C. N., and Panigrahi, K. B., (2008), “Detection and Classification of Power Quality Disturbances Using S-Transform and Probabilistic Neural Network”, *Power Delivery, IEEE Transactions on*, Vol.23, No.1, pp.280–287, Jan 2008
- Mishra, S. and Ray, P. K., (2016), “Nonlinear modeling and control of a photovoltaic fed improved hybrid DSTATCOM for power quality improvement”, *International Journal of Electrical Power and Energy Systems*, Vol.75,, pp.245 – 254, 2016
- Mitra, P. and Venayagamoorthy, G., (2010), “An Adaptive Control Strategy for DSTATCOM Applications in an Electric Ship Power System”, *Power Electronics, IEEE Transactions on*, Vol.25, No.1, pp.95–104, Jan 2010
- Mohanty, S. R., Ray, P. K., Kishor, N., and Panigrahi, B. K., (2013), “Classification of disturbances in hybrid {DG} system using modular {PNN} and {SVM}”, *International Journal of Electrical Power and Energy Systems*, Vol.44, No.1, pp.764 – 777, 2013
- Mohod, S. W. and Aware, M. V., (2010), “A STATCOM-Control Scheme for Grid Connected Wind Energy System for Power Quality Improvement”, *Systems Journal, IEEE*, Vol.4, No.3, pp.346–352, Sept 2010
- Mokhtari, G., Nourbakhsh, G., Zare, F., and Ghosh, A., (2013), “A new distributed control strategy to coordinate multiple dstatcoms in LV network”, In *Power Electronics for Distributed Generation Systems (PEDG), 2013 4th IEEE International Symposium on*, pp. 1–5, July 2013
- Monedero, I., Leon, C., Ropero, J., Garcia, A., Elena, J. M., and Montano, J. C., (2007), “Classification of Electrical Disturbances in Real Time Using Neural Networks”, *IEEE Transactions on Power Delivery*, Vol.22, No.3, pp.1288–1296, July 2007
- Moran, S., (1989), “A line voltage regulator/conditioner for harmonic-sensitive load isolation”, In *Conference Record of the IEEE Industry Applications Society Annual Meeting*,, pp. 947–951 vol.1, Oct 1989
- Moreno-Munoz, A., de-la Rosa, J. J. G., Lopez-Rodriguez, M. A., Flores-Arias, J. M., Bellido-Outerino, F. J., and de Adana, M. R., (2010), “Improvement of power quality using distributed generation”, *International Journal of Electrical Power and Energy Systems*, Vol.32, No.10, pp.1069 – 1076, 2010
- Naderi, E., Hagh, M., and Zare, K., (2013), “Determination of the performance of the distribution static compensator (D-STATCOM) in distribution network”, In *Electricity Distribution (CIRED 2013), 22nd International Conference and Exhibition on*, pp. 1–4, June 2013
- Nguyen, T. and Liao, Y., (2009), “Power quality disturbance classification utilizing S-transform and binary feature matrix method”, *Electric Power Systems Research*, Vol.79, No.4, pp.569 – 575, 2009
- P, K. and Mahapatra, K. K., (2012), “{PI} and fuzzy logic controllers for shunt active power filter – A report”, *{ISA} Transactions*, Vol.51, No.1, pp.163 – 169, 2012
- Paice, D. A., (1996), *Power Electronic Converter Harmonics: Multipulse Methods for Clean Power*, New York, IEEE Press, 1996
- Panigrahi, B., Dash, P., and Reddy, J., (2009), “Hybrid signal processing and machine intelligence techniques for detection, quantification and classification of power quality disturbances”, *Engineering Applications of Artificial Intelligence*, Vol.22, No.3, pp.442 – 454, 2009
- Panigrahi, B. K. and Sinha, S. K., (2006), “Detection and Classification of Non-stationary Power disturbances in Noisy Conditions”, In *2006 International Conference on Power Electronic, Drives and Energy Systems*, pp. 1–5, Dec 2006
- Patel, D. M., Nagera, A. R., and Roy, K. C., (2012), “Application of static compensator to improve the power quality of grid connected induction generator based wind farm”, In *IEEE-International Conference On Advances In Engineering, Science And Management (ICAESM -2012)*, pp. 1–4, March 2012
- Patra, S., Kishor, N., Mohanty, S. R., and Ray, P. K., (2016), “Power quality assessment in 3-phase grid connected PV system with single and dual stage circuits”, *International Journal of Electrical*

- Power and Energy Systems*, Vol.75,, pp.275 – 288, 2016
- Patsalides, M., Efthymiou, V., Stavrou, A., and Georghiou, G. E., (2016), “A generic transient PV system model for power quality studies”, *Renewable Energy*, Vol.89,, pp.526 – 542, 2016
- Paz, M. C. R., Ferraz, R. G., Bretas, A. S., and Leborgne, R. C., (2010), “System unbalance and fault impedance effect on faulted distribution networks”, *Computers and Mathematics with Applications*, Vol.60, No.4, pp.1105 – 1114, PCO’ 2010 Gold Coast, Australia 2–4th December 2010 3rd Global Conference on Power Control Optimization, 2010
- Peng, F. Z., Akagi, H., and Nabae, A., (1990), “A new approach to harmonic compensation in power systems-a combined system of shunt passive and series active filters”, *IEEE Transactions on Industry Applications*, Vol.26, No.6, pp.983–990, Nov 1990
- Plangklang, B., Thanomsat, N., and Phuksamak, T., (2016), “A verification analysis of power quality and energy yield of a large scale PV rooftop”, *Energy Reports*, Vol.2,, pp.1 – 7, 2016
- Platero, C. A., Blazquez, F., Frias, P., and Casado, A. J., (2010), “Coordinated Power Quality Improvement in Multiunit Diesel Power Plants”, *IEEE Transactions on Energy Conversion*, Vol.25, No.4, pp.1102–1111, Dec 2010
- Potgieter, J. and Kamper, M., (2015), “Design Optimization of Directly Grid-Connected PM Machines for Wind Energy Applications”, *Industry Applications, IEEE Transactions on*, Vol.51, No.4, pp.2949–2958, July 2015
- Psarros, G., Batzelis, E., and Papathanassiou, S., (2015), “Partial Shading Analysis of Multistring PV Arrays and Derivation of Simplified MPP Expressions”, *Sustainable Energy, IEEE Transactions on*, Vol.6, No.2, pp.499–508, April 2015
- Qader, M., (2015), “A novel strategic-control-based Distribution Static Synchronous Series Compensator (DSSSC) for power quality improvement”, *International Journal of Electrical Power and Energy Systems*, Vol.64,, pp.1106 – 1118, 2015
- Rahmani, B., Li, W., and Liu, G., (2015), “An Advanced Universal Power Quality Conditioning System and MPPT method for grid integration of photovoltaic systems”, *International Journal of Electrical Power and Energy Systems*, Vol.69,, pp.76 – 84, 2015
- Ram, J. P., Babu, T. S., and Rajasekar, N., (2017), “A comprehensive review on solar {PV} maximum power point tracking techniques”, *Renewable and Sustainable Energy Reviews*, Vol.67,, pp.826 – 847, 2017
- Ramirez, D., Martinez, S., Carrero, C., and Platero, C. A., (2012), “Improvements in the grid connection of renewable generators with full power converters”, *Renewable Energy*, Vol.43, No.0, pp.90 – 100, 2012
- Ramli, M. A., Hiendro, A., Sedraoui, K., and Twaha, S., (2015), “Optimal sizing of grid-connected photovoltaic energy system in Saudi Arabia”, *Renewable Energy*, Vol.75, No.0, pp.489 – 495, 2015
- Ramos, P. M. and Serra, A. C., (2009), “Comparison of frequency estimation algorithms for power quality assessment”, *Measurement*, Vol.42, No.9, pp.1312 – 1317, Concerning Foundational Concepts of Measurement Special Issue Section, 2009
- Rampinelli, G. A., Gasparin, F. P., Buhler, A. J., Krenzinger, A., and Romero, F. C., (2015), “Assessment and mathematical modeling of energy quality parameters of grid connected photovoltaic inverters”, *Renewable and Sustainable Energy Reviews*, Vol.52,, pp.133 – 141, 2015
- Rastogi, M., Mohan, N., and Edris, A. A., (1995), “Hybrid-active filtering of harmonic currents in power systems”, *IEEE Transactions on Power Delivery*, Vol.10, No.4, pp.1994–2000, Oct 1995
- Ray, P. K., Dubeya, H. C., Mohanty, S. R., Kishor, N., and Ganesh, K., (2010), “Power quality disturbance detection in grid-connected wind energy system using wavelet and S-transform”, In *Power, Control and Embedded Systems (ICPCES), 2010 International Conference on*, pp. 1–4, Nov 2010
- Ray, P. K., Kishor, N., and Mohanty, S. R., (2012), “Islanding and Power Quality Disturbance Detection in Grid-Connected Hybrid Power System Using Wavelet and S -Transform”, *Smart Grid, IEEE Transactions on*, Vol.3, No.3, pp.1082–1094, Sept 2012
- Ray, P. K., Mohanty, S. R., and Kishor, N., (2011), “Disturbance detection in grid-connected dis-

- tributed generation system using wavelet and S-transform", *Electric Power Systems Research*, Vol.81, No.3, pp.805 – 819, 2011
- Ray, P. K., Mohanty, S. R., and Kishor, N., (2013), "Classification of Power Quality Disturbances Due to Environmental Characteristics in Distributed Generation System", *IEEE Transactions on Sustainable Energy*, Vol.4, No.2, pp.302–313, April 2013
- Ray, P. K., Mohanty, S. R., Kishor, N., and Catalao, J. P. S., (2014), "Optimal Feature and Decision Tree-Based Classification of Power Quality Disturbances in Distributed Generation Systems", *Sustainable Energy, IEEE Transactions on*, Vol.5, No.1, pp.200–208, Jan 2014
- Rehman, Z., Al-Bahadly, I., and Mukhopadhyay, S., (2015), "Multiinput DC-DC converters in renewable energy applications – An overview", *Renewable and Sustainable Energy Reviews*, Vol.41, No.0, pp.521 – 539, 2015
- Ribeiro, M. V., Romano, J. M. T., and Duque, C. A., (2004), "An improved method for signal processing and compression in power quality evaluation", *IEEE Transactions on Power Delivery*, Vol.19, No.2, pp.464–471, April 2004
- Rodriguez, A., Aguado, J., Martin, F., Lopez, J., Munoz, F., and Ruiz, J., (2012), "Rule-based classification of power quality disturbances using S-transform", *Electric Power Systems Research*, Vol.86,, pp.113 – 121, 2012
- Rodriguez, A., Ruiz, I. E., Aguado, J., Lopez, J. J., Martin, F. I., and Muñoz, F., (2011), "Classification of power quality disturbances using S-transform and Artificial Neural Networks", In *2011 International Conference on Power Engineering, Energy and Electrical Drives*, pp. 1–6, May 2011
- Rodriguez, P., Pindado, R., and Bergas, J., (2002), "Alternative topology for three-phase four-wire PWM converters applied to a shunt active power filter", In *IEEE 2002 28th Annual Conference of the Industrial Electronics Society. IECON 02*, volume 4, pp. 2939–2944 vol.4, Nov 2002
- Rohilla, Y. and Pal, Y., (2013), "T-connected transformer integrated three-leg VSC based 3P4W DSTATCOM for power quality improvement", In *Engineering (NUI CONE), 2013 Nirma University International Conference on*, pp. 1–7, Nov 2013
- Ruiz-Rodriguez, F. J., Hernandez, J. C., and Jurado, F., (2015), "Voltage unbalance assessment in secondary radial distribution networks with single-phase photovoltaic systems", *International Journal of Electrical Power and Energy Systems*, Vol.64,, pp.646 – 654, 2015
- Sahu, G. and Mahapatra, K., (2014), "A novel control strategy of DSTATCOM for load compensation under distorted utility condition", In *Advances in Electrical Engineering (ICAEE), 2014 International Conference on*, pp. 1–6, Jan 2014
- Saleh, S., Aljankawey, A., Abu Khaizaran, M., and Alsayid, B., (2014), "Influences of power electronic converters on current-voltage behaviors during faults in DGUs-Part I: Wind energy conversion systems", In *Industry Applications Society Annual Meeting, 2014 IEEE*, pp. 1–8, Oct 2014
- Santoso, S., Powers, E. J., and Grady, W. M., (1997), "Power quality disturbance data compression using wavelet transform methods", *IEEE Transactions on Power Delivery*, Vol.12, No.3, pp.1250–1257, Jul 1997
- Santoso, S., Powers, E. J., Grady, W. M., and Hofmann, P., (1996), "Power quality assessment via wavelet transform analysis", *Power Delivery, IEEE Transactions on*, Vol.11, No.2, pp.924–930, Apr 1996
- Saqib, M. A. and Saleem, A. Z., (2015), "Power-quality issues and the need for reactive-power compensation in the grid integration of wind power", *Renewable and Sustainable Energy Reviews*, Vol.43,, pp.51 – 64, 2015
- Sarkhanloo, M. S., Yazdankhah, A. S., and Kazemzadeh, R., (2012), "A new control strategy for small wind farm with capabilities of supplying required reactive power and transient stability improvement", *Renewable Energy*, Vol.44, No.Supplement C, pp.32 – 39, 2012
- Sasaki, H. and Machida, T., (1971), "A New Method to Eliminate AC Harmonic Currents by Magnetic Flux Compensation-Considerations on Basic Design", *IEEE Transactions on Power Apparatus and Systems*, Vol.PAS-90, No.5, pp.2009–2019, Sept 1971
- Saxena, D., Verma, K., and Singh, S., (2010), "Power quality event classification: an overview and

- key issues", *International Journal of Engineering, Science and Technology*, Vol.2, No.3, pp.186–199, 2010
- Seifossadat, S. G., Kianinezhad, R., Ghasemi, A., and Monadi, M., (2008), "Quality improvement of shunt active power filter, using optimized tuned harmonic passive filters", In *2008 International Symposium on Power Electronics, Electrical Drives, Automation and Motion*, pp. 1388–1393, June 2008
- Shahbazi, M., Poure, P., Saadate, S., and Zolghadri, M. R., (2011), "Five-leg converter topology for wind energy conversion system with doubly fed induction generator", *Renewable Energy*, Vol.36, No.11, pp.3187 – 3194, 2011
- Shahnia, F., Chandrasena, R. P. S., Ghosh, A., and Rajakaruna, S., (2014), "Application of DSTATCOM for surplus power circulation in MV and LV distribution networks with single-phase distributed energy resources", *Electric Power Systems Research*, Vol.117,, pp.104 – 114, 2014
- Sharaf, A. M. and Khaki, B., (2011), "Power quality enhancement using FACTS neutral point filter compensator for EV-battery charging schemes", In *2011 International Conference on Energy, Automation and Signal*, pp. 1–7, Dec 2011
- Sharon, D., Montano, J. C., Lopez, A., Castilla, M., Borrás, D., and Gutierrez, J., (2008), "Power Quality Factor for Networks Supplying Unbalanced Nonlinear Loads", *IEEE Transactions on Instrumentation and Measurement*, Vol.57, No.6, pp.1268–1274, June 2008
- Shuai, Z., Luo, A., Shen, Z., Zhu, W., Lv, Z., and Wu, C., (2009), "A Dynamic Hybrid Var Compensator and a Two-Level Collaborative Optimization Compensation Method", *Power Electronics, IEEE Transactions on*, Vol.24, No.9, pp.2091–2100, Sept 2009
- Shukla, A., Ghosh, A., and Joshi, A., (2008), "Control Schemes for DC Capacitor Voltages Equalization in Diode-Clamped Multilevel Inverter-Based DSTATCOM", *Power Delivery, IEEE Transactions on*, Vol.23, No.2, pp.1139–1149, April 2008
- Shukla, S., Mishra, S., and Singh, B., (2009), "Empirical-Mode Decomposition With Hilbert Transform for Power-Quality Assessment", *IEEE Transactions on Power Delivery*, Vol.24, No.4, pp.2159–2165, Oct 2009
- Silva, E. N. M., Rodrigues, A. B., and da Guia da Silva, M., (2016), "Stochastic assessment of the impact of photovoltaic distributed generation on the power quality indices of distribution networks", *Electric Power Systems Research*, Vol.135,, pp.59 – 67, 2016
- Singh, A., Bhowmick, S., and Shukla, K., (2012), "Load compensation with DSTATCOM and BESS", In *Power Electronics (IICPE), 2012 IEEE 5th India International Conference on*, pp. 1–6, Dec 2012
- Singh, B., Al-Haddad, K., and Chandra, A., (1999), "A review of active filters for power quality improvement", *IEEE Transactions on Industrial Electronics*, Vol.46, No.5, pp.960–971, Oct 1999
- Singh, B. and Arya, S., (2014), "Back-Propagation Control Algorithm for Power Quality Improvement Using DSTATCOM", *Industrial Electronics, IEEE Transactions on*, Vol.61, No.3, pp.1204–1212, March 2014
- Singh, B., Arya, S., Chandra, A., and Al-Haddad, K., (2014a), "Implementation of Adaptive Filter in Distribution Static Compensator", *Industry Applications, IEEE Transactions on*, Vol.50, No.5, pp.3026–3036, Sept 2014
- Singh, B., Arya, S., Jain, C., and Goel, S., (2014b), "Implementation of four-leg distribution static compensator", *Generation, Transmission Distribution, IET*, Vol.8, No.6, pp.1127–1139, June 2014
- Singh, B., Jayaprakash, P., and Kothari, D., (2008a), "Isolated H-bridge VSC Based 3-phase 4-wire DSTATCOM for power quality improvement", In *Sustainable Energy Technologies, 2008. ICSET 2008. IEEE International Conference on*, pp. 366–371, Nov 2008
- Singh, B., Jayaprakash, P., and Kothari, D., (2008b), "A T-Connected Transformer and Three-leg VSC Based DSTATCOM for Power Quality Improvement", *Power Electronics, IEEE Transactions on*, Vol.23, No.6, pp.2710–2718, Nov 2008
- Singh, B., Jayaprakash, P., Kothari, D., Chandra, A., and Al Haddad, K., (2014c), "Comprehensive Study of DSTATCOM Configurations", *Industrial Informatics, IEEE Transactions on*, Vol.10, No.2, pp.854–870, May 2014

- Singh, B., Jayaprakash, P., Kumar, S., and Kothari, D., (2011a), "Implementation of Neural-Network-Controlled Three-Leg VSC and a Transformer as Three-Phase Four-Wire DSTATCOM", *Industry Applications, IEEE Transactions on*, Vol.47, No.4, pp.1892-1901, July 2011
- Singh, B., Jayaprakash, P., Somayajulu, T., and Kothari, D., (2009), "Reduced Rating VSC With a Zig-Zag Transformer for Current Compensation in a Three-Phase Four-Wire Distribution System", *Power Delivery, IEEE Transactions on*, Vol.24, No.1, pp.249-259, Jan 2009
- Singh, B. and Niwas, R., (2012), "Power quality improvements in diesel engine driven induction generator system using SRF theory", In *Power India Conference, 2012 IEEE Fifth*, pp. 1-5, Dec 2012
- Singh, B., Niwas, R., and Kumar Dube, S., (2014d), "Load Leveling and Voltage Control of Permanent Magnet Synchronous Generator-Based DG Set for Standalone Supply System", *Industrial Informatics, IEEE Transactions on*, Vol.10, No.4, pp.2034-2043, Nov 2014
- Singh, B. and Sharma, S., (2012), "Design and Implementation of Four-Leg Voltage-Source-Converter-Based VFC for Autonomous Wind Energy Conversion System", *Industrial Electronics, IEEE Transactions on*, Vol.59, No.12, pp.4694-4703, Dec 2012
- Singh, B. and Solanki, J., (2009), "A Comparison of Control Algorithms for DSTATCOM", *Industrial Electronics, IEEE Transactions on*, Vol.56, No.7, pp.2738-2745, July 2009
- Singh, B., Solanki, J., and Verma, V., (2005), "Neural Network Based Control of Reduced Rating DSTATCOM", In *INDICON, 2005 Annual IEEE*, pp. 516-520, Dec 2005
- Singh, M., Khadkikar, V., Chandra, A., and Varma, R. K., (2011b), "Grid Interconnection of Renewable Energy Sources at the Distribution Level With Power-Quality Improvement Features", *IEEE Transactions on Power Delivery*, Vol.26, No.1, pp.307-315, Jan 2011
- Somayajula, D. and Crow, M. L., (2014), "An Ultracapacitor Integrated Power Conditioner for Intermittency Smoothing and Improving Power Quality of Distribution Grid", *Sustainable Energy, IEEE Transactions on*, Vol.5, No.4, pp.1145-1155, Oct 2014
- Sreenivasarao, D., Agarwal, P., and Das, B., (2012), "Neutral current compensation in three-phase, four-wire systems: A review", *Electric Power Systems Research*, Vol.86, No.0, pp.170 - 180, 2012
- Sreenivasarao, D., Agarwal, P., and Das, B., (2013a), "Performance enhancement of a reduced rating hybrid D-STATCOM for three-phase, four-wire system", *Electric Power Systems Research*, Vol.97, No.0, pp.158 - 171, 2013
- Sreenivasarao, D., Agarwal, P., and Das, B., (2013b), "A T-connected transformer based hybrid D-STATCOM for three-phase, four-wire systems", *International Journal of Electrical Power and Energy Systems*, Vol.44, No.1, pp.964 - 970, 2013
- Srikanthan, S. and Mishra, M. K., (2010), "DC Capacitor Voltage Equalization in Neutral Clamped Inverters for DSTATCOM Application", *Industrial Electronics, IEEE Transactions on*, Vol.57, No.8, pp.2768-2775, Aug 2010
- Srivatchan, N. S., Rangarajan, P., and Rajalakshmi, S., (2015), "Control Scheme for Power Quality Improvement in Islanded Microgrid Operation", *Procedia Technology*, Vol.21,, pp.212-215, 2015
- Std.1459-2000, R. I., (March 2010), "Standard definitions for the measurement of electric power quantities under sinusoidal, non-sinusoidal, balanced, or unbalanced conditions", Technical report, IEEE Standard 1459-2010
- Stockwell, R., Mansinha, L., and Lowe, R., (1996), "Localization of the complex spectrum: the S transform", *Signal Processing, IEEE Transactions on*, Vol.44, No.4, pp.998-1001, Apr 1996
- Syafrudin, M., Hadzer, C. M., and Sutanto, J., (2002), "Zero-sequence harmonics current minimization using zero-blocking transformer and shunt LC passive filters", In *Proceedings. International Conference on Power System Technology*, volume 1, pp. 116-120 vol.1, Oct 2002
- Tan, R. H. G. and Ramachandramurthy, V. K., (2010), "Numerical Model Framework of Power Quality Events", *European Journal of Scientific Research*, Vol.43, No.1, pp.30-47, June 2010
- Teke, A., Saribulut, L., and Tumay, M., (2011), "A Novel Reference Signal Generation Method for Power-Quality Improvement of Unified Power-Quality Conditioner", *IEEE Transactions on Power Delivery*, Vol.26, No.4, pp.2205-2214, Oct 2011
- Thakur, P. and Singh, A. K., (2015), "Signal processing and AI based diagnosis of power qual-

- ity disturbances: A review", In *Energy Economics and Environment (ICEEE), 2015 International Conference on*, pp. 1–6, March 2015
- Thapar, A., Saha, T. K., and Dong, Z. Y., (2004), "Investigation of power quality categorisation and simulating it's impact on sensitive electronic equipment", In *IEEE Power Engineering Society General Meeting, 2004.*, pp. 528–533 Vol.1, June 2004
- Thomas, T. and Cheriyan, E., (2012), "Wind energy system for a laboratory scale micro-grid", In *Electrical, Electronics and Computer Science (SCEECS), 2012 IEEE Students' Conference on*, pp. 1–5, March 2012
- Tourou, P. and Sourkounis, C., (2014), "Review of control strategies for DFIG-based wind turbines under unsymmetrical grid faults", In *Ecological Vehicles and Renewable Energies (EVER), 2014 Ninth International Conference on*, pp. 1–9, March 2014
- Tsengenes, G. and Adamidis, G., (2011), "Investigation of the behavior of a three phase grid-connected photovoltaic system to control active and reactive power", *Electric Power Systems Research*, Vol.81, No.1, pp.177 – 184, 2011
- Uoya, M. and Koizumi, H., (2015), "A Calculation Method of Photovoltaic Array's Operating Point for MPPT Evaluation Based on One-Dimensional Newton Raphson Method", *Industry Applications, IEEE Transactions on*, Vol.51, No.1, pp.567–575, Jan 2015
- Urbanetz, J., Braun, P., and Ruther, R., (2012), "Power quality analysis of grid-connected solar photovoltaic generators in Brazil", *Energy Conversion and Management*, Vol.64,, pp.8 – 14, 2012
- Urtasun, A., Sanchis, P., Martín, I. S., López, J., and Marroyo, L., (2013), "Modeling of small wind turbines based on {PMSG} with diode bridge for sensorless maximum power tracking", *Renewable Energy*, Vol.55, No.0, pp.138 – 149, 2013
- Uyar, M., Yildirim, S., and Gencoglu, M. T., (2009), "An expert system based on S-transform and neural network for automatic classification of power quality disturbances", *Expert Systems with Applications*, Vol.36, No.3, Part 2, pp.5962 – 5975, 2009
- Valderrábano, A. and Ramirez, J. M., (2010), "{DStatCom} regulation by a fuzzy segmented {PI} controller", *Electric Power Systems Research*, Vol.80, No.6, pp.707 – 715, 2010
- Valtierra-Rodriguez, M., de Jesus Romero-Troncoso, R., Osornio-Rios, R. A., and Garcia-Perez, A., (2014), "Detection and Classification of Single and Combined Power Quality Disturbances Using Neural Networks", *Industrial Electronics, IEEE Transactions on*, Vol.61, No.5, pp.2473–2482, May 2014
- Vapnik, V., (2013), *The nature of statistical learning theory*, Springer Science and Business Media, 2013
- Virulkar, V. and Aware, M., (2008), "DSTATCOM with BESS, an efficient means for flicker mitigation", In *TENCON 2008 - 2008 IEEE Region 10 Conference*, pp. 1–6, Nov 2008
- Vlatkovic, V., Borojevic, D., and Lee, F. C., (1996), "Input filter design for power factor correction circuits", *IEEE Transactions on Power Electronics*, Vol.11, No.1, pp.199–205, Jan 1996
- Wei, Z., Yang, X., Sun, G., Sun, Y., and Ju, P., (2013), "Wind power system state estimation with automatic differentiation technique", *International Journal of Electrical Power and Energy Systems*, Vol.53, No.0, pp.297 – 306, 2013
- Widén, J., Wäckelgård, E., Paatero, J., and Lund, P., (2010), "Impacts of distributed photovoltaics on network voltages: Stochastic simulations of three Swedish low-voltage distribution grids", *Electric Power Systems Research*, Vol.80, No.12, pp.1562 – 1571, 2010
- Woo, S.-M., Kang, D.-W., Lee, W.-C., and seok Hyun, D., (2001), "The distribution STATCOM for reducing the effect of voltage sag and swell", In *Industrial Electronics Society, 2001. IECON '01. The 27th Annual Conference of the IEEE*, volume 2, pp. 1132–1137 vol.2, 2001
- Wright, P. S., (1999), "Short-time Fourier transforms and Wigner-Ville distributions applied to the calibration of power frequency harmonic analyzers", *IEEE Transactions on Instrumentation and Measurement*, Vol.48, No.2, pp.475–478, Apr 1999
- Wu, J.-C., Jou, H.-L., Wu, K.-D., and Hsiao, H.-H., (2012), "Three-phase four-wire hybrid power filter using a smaller power converter", *Electric Power Systems Research*, Vol.87,, pp.13 – 21, 2012

- xian Lun, S., Wang, S., hong Yang, G., and ting Guo, T., (2015), "A new explicit double-diode modeling method based on Lambert W-function for photovoltaic arrays", *Solar Energy*, Vol.116, No.0, pp.69 – 82, 2015
- Xu, T., Pan, J., Jiang, Y., Hou, H., and Li, Y., (2015), "The Effect of Three-phase Voltage Imbalance at PCC on Solar Panel Output Power", *Procedia Computer Science*, Vol.52,, pp.1218 – 1224, The 6th International Conference on Ambient Systems, Networks and Technologies (ANT-2015), the 5th International Conference on Sustainable Energy Information Technology (SEIT-2015), 2015
- Xu, X., Bishop, M., Sember, J., Edmonds, M., and Hao, C., (2013), "Dynamic modeling and simulation of distributed static compensators in system impact studies", In *Power and Energy Engineering Conference (APPEEC), 2013 IEEE PES Asia-Pacific*, pp. 1–5, Dec 2013
- Yan, R., Marais, B., and Saha, T. K., (2014), "Impacts of residential photovoltaic power fluctuation on on-load tap changer operation and a solution using {DSTATCOM}", *Electric Power Systems Research*, Vol.111, No.0, pp.185 – 193, 2014
- Yang, L., Yu, J., and Lai, Y., (2010), "Disturbance Source Identification of Voltage Sags Based On Hilbert-Huang Transform", In *2010 Asia-Pacific Power and Energy Engineering Conference*, pp. 1–4, March 2010
- Yang, W. and Tian, S. W., (2015), "Research on a power quality monitoring technique for individual wind turbines", *Renewable Energy*, Vol.75,, pp.187 – 198, 2015
- Yen, J. and Langari, R., (1999), *Fuzzy logic: intelligence, control, and information*, volume 1, Prentice Hall Upper Saddle River, 1999
- Yildiz, C., Kececioglu, O. F., Acikgoz, H., Gani, A., and Sekkeli, M., (2015), "Power Quality Measurement and Evaluation of a Wind Farm Connected to Distribution Grid", *Procedia - Social and Behavioral Sciences*, Vol.195,, pp.2370 – 2375, 2015
- Yutaka Ota, J., Shibano, Y., and Akagi, H., (2015), "A Phase-Shifted PWM D-STATCOM Using a Modular Multilevel Cascade Converter (SSBC); Part II: Zero-Voltage-Ride-Through Capability", *Industry Applications, IEEE Transactions on*, Vol.51, No.1, pp.289–296, Jan 2015
- Yuvaraj, V., Deepa, S., Rozario, A., and Kumar, M., (2011), "Improving Grid Power Quality with FACTS Device on Integration of Wind Energy System", In *Modelling Symposium (AMS), 2011 Fifth Asia*, pp. 157–162, May 2011
- Zanasi, R. and Cuoghi, S., (2011), "Power control of grid-connected photovoltaic systems", In *Industrial Electronics (ISIE), 2011 IEEE International Symposium on*, pp. 1100–1105, June 2011
- Zaveri, T., Bhalja, B., and Zaveri, N., (2012), "Comparison of control strategies for {DSTATCOM} in three-phase, four-wire distribution system for power quality improvement under various source voltage and load conditions", *International Journal of Electrical Power and Energy Systems*, Vol.43, No.1, pp.582 – 594, 2012
- Zaveri, T., Bhavesh, B., and Zaveri, N., (2011), "Control techniques for power quality improvement in delta connected load using DSTATCOM", In *Electric Machines Drives Conference (IEMDC), 2011 IEEE International*, pp. 1397–1402, May 2011
- Zhang, M., Li, K., and Hu, Y., (2011), "A real-time classification method of power quality disturbances", *Electric Power Systems Research*, Vol.81, No.2, pp.660 – 666, 2011
- Zhou, T. and Sun, W., (2015), "Study on maximum power point tracking of photovoltaic array in irregular shadow", *International Journal of Electrical Power and Energy Systems*, Vol.66, No.0, pp.227 – 234, 2015
- Zue, A. and Chandra, A., (2006), "Simulation and stability analysis of a 100 kW grid connected LCL photovoltaic inverter for industry", In *Power Engineering Society General Meeting, 2006. IEEE*, pp. 6 pp.–, 2006