

List of Figures

<i>Figures</i>	<i>Title</i>	<i>page</i>
1.1	Power quality disturbances in voltage waveform	3
1.2	Wind energy conversion system without PEC	4
1.3	DFIG based wind energy conversion system with PEC	4
1.4	Grid-connected solar PV system	5
1.5	Renewable energy sources integrated hybrid power system	6
1.6	Flow diagram for evaluation of PQ disturbances	8
1.7	Single-line diagram of the DSTATCOM	13
1.8	Equivalent circuit of the DSTATCOM	13
1.9	Phasor diagram of DSTATCOM (a) Lagging operation and (b) Leading operation	13
1.10	Block diagram of the DSTATCOM	14
2.1	Block diagram of power quality event classifier	21
2.2	Circuit diagram of quasi passive filter	28
2.3	Topological classification of DSTATCOM	30
3.1	Single stage PQ disturbances recognition scheme using rule-based decision tree	42
3.2	Single stage PQ disturbance recognition scheme based on decision tree initialized Fuzzy C-means clustering	42
3.3	Complex PQ disturbances recognition methodology	44
3.4	S-transform based plots (a) Pure sine wave (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	46
3.5	S-transform based plots (a) Voltage sag (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Second derivative of sum absolute values curve (g) Amplitude-frequency curve	47
3.6	S-transform based plots (a) Voltage swell (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Second derivative of sum absolute values curve (g) Amplitude-frequency curve	48
3.7	S-transform based plots (a) Voltage interruption (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Second derivative of sum absolute values curve (g) Amplitude-frequency curve	49
3.8	S-transform based plots (a) Harmonics (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	50
3.9	S-transform based plots (a) Flicker (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	51
3.10	S-transform based plots (a) Oscillatory transient (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Second derivative of sum absolute values curve (g) Amplitude-frequency curve	52
3.11	S-transform based plots (a) Impulsive transient (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	53
3.12	S-transform based plots (a) Multiple notches (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	54
3.13	S-transform based plots (a) Multiple spikes (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	55

3.14	Flowchart for classification of single-stage PQ disturbances using rule based decision tree	55
3.15	Fuzzy C-mean clustering of group G1 data	56
3.16	Fuzzy C-mean clustering of group G11 data	56
3.17	Fuzzy C-mean clustering of group G12 data	57
3.18	Fuzzy C-mean clustering of group G2 data	57
3.19	Fuzzy C-mean clustering of group G21 data	58
3.20	Fuzzy C-mean clustering of group G22 data	58
3.21	S-transform based plots (a) Voltage sag with harmonics (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	61
3.22	S-transform based plots (a) Voltage swell with harmonics (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	62
3.23	S-transform based plots (a) Voltage interruption with harmonics (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve.	63
3.24	S-transform based plots (a) Flicker with harmonics (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	64
3.25	S-transform based plots (a) Voltage sag with OT (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	64
3.26	S-transform based plots (a) Voltage swell with OT (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	65
3.27	S-transform based plots (a) Flicker with oscillatory transient (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	66
3.28	S-transform based plots (a) Harmonics with OT (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	67
3.29	S-transform based plots (a) Voltage sag with IT (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	67
3.30	S-transform based plots (a) Voltage swell with IT (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	68
3.31	S-transform based plots (a) Flicker with impulsive transient (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	69
3.32	S-transform based plots (a) Harmonics with IT (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	70
3.33	S-transform based plots (a) Voltage sag with multiple spikes (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	71
3.34	S-transform based plots (a) Voltage sag with multiple notches (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	72
3.35	S-transform based plots (a) Voltage sag with OT and harmonics (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	73
3.36	S-transform based plots (a) Voltage swell with OT and harmonics (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	73

3.37	S-transform based plots (a) Flicker with harmonics and IT (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	74
3.38	S-transform based plots (a) Voltage sag with OT, IT and harmonics (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve	75
3.39	Rule-based decision tree methodology for classification of multiple PQ disturbances	75
3.40	Experimental set up for real time results	78
4.1	Block scheme of PQ recognition	82
4.2	Experimental set-up of power quality measurement with wind energy system	83
4.3	Block diagram of doubly-fed induction generator	84
4.4	Single line diagram of data acquisition system for power quality measurement with wind energy system	85
4.5	The <i>S</i> -transform based plots of voltage signals for outage and synchronization of DFIG with weak utility grid without load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	86
4.6	The <i>S</i> -transform based plots of voltage signals for outage and synchronization of DFIG with weak utility grid in the presence of resistive load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	87
4.7	The <i>S</i> -transform based plots of voltage signals for outage and synchronization of DFIG with weak utility grid in the presence of resistive-inductive load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	88
4.8	The <i>S</i> -transform based plots of voltage signals for outage and synchronization of DFIG with weak utility grid in the presence of induction motor load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	89
4.9	The <i>S</i> -transform based plots of voltage signals for outage and synchronization of DFIG with weak utility grid in the presence of non-linear load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	90
4.10	Experimental set-up of power quality measurement with solar PV system	91
4.11	Single line diagram of data acquisition system for power quality measurement with solar PV system	92
4.12	The <i>S</i> -transform based plots of voltage signal for outage and synchronization of solar PV system with weak utility grid without load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	94
4.13	The <i>S</i> -transform based plots of voltage signal for outage and synchronization of solar PV system with weak utility grid in the presence of resistive load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	95
4.14	The <i>S</i> -transform based plots of voltage signal for outage and synchronization of solar PV system with weak utility grid in the presence of RL load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	95

4.15	The S-transform based plots of voltage signal for outage and synchronization of solar PV system with weak utility grid in the presence of induction motor load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	96
4.16	The S-transform based plots of voltage signal for outage and synchronization of solar PV system with weak utility grid in the presence of non-linear load at PCC (a) Voltage signal with outage and related <i>S</i> -transform based plots (b) Voltage signal with synchronization and related <i>S</i> -transform based plots	97
5.1	Modified IEEE-13 bus test system	101
5.2	Block diagram of proposed grid connected wind energy conversion system	103
5.3	Block diagram of grid-connected solar PV system	105
5.4	Single-diode equivalent circuit of a solar cell	105
5.5	Flow chart for detection of islanding, outage and synchronization events	107
5.6	Block scheme of PQ recognition	108
5.7	(a) Frequency contour (b) Amplitude curve (c) Sum of absolute values curve (d) Phase curve (e) Amplitude-frequency curve from <i>S</i> -transform for grid synchronization of wind generator	110
5.8	Frequency variations during grid synchronization of wind generators	110
5.9	(a) Frequency contour (b) Amplitude curve (c) Sum of absolute values curve (d) Phase curve (e) Amplitude-frequency curve from <i>S</i> -transform for outage of wind generator	111
5.10	Frequency variations during outage of wind generators	111
5.11	(a) Frequency contour (b) Amplitude curve (c) Sum of absolute values curve (d) Phase curve (e) Amplitude-frequency curve from <i>S</i> -transform for islanding of test grid with diesel and wind generators	112
5.12	Frequency variations during islanding event	113
5.13	Wind speed variations	113
5.14	(a) Frequency contour (b) Amplitude curve (c) Sum of absolute values curve (d) Phase curve (e) Amplitude-frequency curve from <i>S</i> -transform for wind speed variations	114
5.15	Frequency variations during wind speed variations	114
5.16	(a) Voltage signal at PCC (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve from <i>S</i> -transform for grid synchronization of solar PV system	116
5.17	Frequency variations during grid synchronization of solar PV system	116
5.18	(a) Voltage signal at PCC (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve from <i>S</i> -transform for outage of solar PV system	117
5.19	Frequency variations during outage of solar PV system	118
5.20	(a) Voltage signal at PCC (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve from <i>S</i> -transform for abrupt change in solar insolation	118
5.21	Frequency variations during abrupt change in solar insolation	119
5.22	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for islanding with wind generator	121
5.23	Frequency variation during islanding with wind generator	121
5.24	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for islanding with solar PV system	122
5.25	Frequency variations during islanding with solar PV system	122

5.26	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for islanding with wind and solar PV generations	123
5.27	Frequency variations during islanding with wind and solar PV generation	123
5.28	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for outage of wind generator with solar PV generation	124
5.29	Frequency variations during outage of wind generator with solar PV generation	124
5.30	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for outage of solar PV system with wind generation	125
5.31	Frequency variations during outage of solar PV system with wind power generation	125
5.32	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for simultaneous outage of wind and solar PV generators	126
5.33	Frequency variations with simultaneous outage of wind and solar PV generators	126
5.34	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for grid synchronization of wind generator with solar PV system	127
5.35	Frequency variations with grid synchronization of wind generator with solar PV system	127
5.36	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for grid synchronization of solar PV system with wind generation	128
5.37	Frequency variations with grid synchronization of solar PV system with wind generator	128
5.38	(a) Voltage signal (b) <i>S</i> -contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for simultaneous grid synchronization of wind and solar generators	129
5.39	Frequency variations with simultaneous grid synchronization of wind generator and solar PV system	129
5.40	Classification of synchronization events from other operational events	131
5.41	Classification of islanding and outage operational events	131
5.42	Variance plots for detection of islanding events	132
5.43	Variance plots for detection of outage events	132
5.44	Variance plots for detection of synchronization events	133
5.45	Real time results (a) Frequency contour (b) Amplitude curve (c) Sum of absolute values curve (d) Phase curve (e) Amplitude-frequency curve from <i>S</i> -transform for outage of wind generator	134
5.46	Real time results (a) Voltage signal at PCC (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve (f) Amplitude-frequency curve from <i>S</i> -transform for grid synchronization of solar PV system	134
5.47	Real time results (a) Voltage signal (b) Frequency contour (c) Amplitude curve (d) Sum of absolute values curve (e) Phase curve and (f) Amplitude-frequency curve from <i>S</i> -transform for outage of solar PV generator in the presence of wind generation	135
5.48	Dynamic results of synchronization event of wind generator (a) Voltage (b) Active power supplied by wind generator (c) Reactive power supplied by wind generator and (d) Frequency variation	136
5.49	Dynamic results of outage event of wind generator (a) Voltage (b) Active power supplied by wind generator (c) Reactive power supplied by wind generator and (d) Frequency variation	136

5.50	Dynamic results of islanding event in the presence of wind generator (a) Voltage (b) Active power supplied by wind generator (c) Reactive power supplied by wind generator and (d) Frequency variation	137
6.1	Modified IEEE-13 bus test system incorporated with DSTATCOM and RE sources	141
6.2	Proposed DSTATCOM with BESS	141
6.3	Proposed SRF based control technique of DSTATCOM	143
6.4	Feeder tripping and re-closing without DSTATCOM in the network (a) RMS voltage at bus 632 (b) Active powers flow and (c) Reactive powers flow	146
6.5	Feeder tripping and re-closing with DSTATCOM in the network (a) RMS voltage at bus 632 (b) Active powers flow and (c) Reactive powers flow	147
6.6	Load switching without DSTATCOM in the network (a) RMS voltage at bus 632 (b) Active powers flow and (c) Reactive powers flow	147
6.7	Load switching with DSTATCOM in the network (a) RMS voltage at bus 632 (b) Active powers flow and (c) Reactive powers flow	148
6.8	Voltage sag and swell (a) Voltage without DSTATCOM (b) Voltage with DSTATCOM and (c) Reactive powers flow during voltage sag and swell	149
6.9	Wind synchronization (a) Voltage without DSTATCOM (b) Voltage with DSTATCOM (c) Active powers flow with DSTATCOM (d) Reactive powers flow with DSTATCOM	150
6.10	Wind outage (a) Voltage without DSTATCOM (b) Voltage with DSTATCOM (c) Active powers flow with DSTATCOM (d) Reactive powers flow with DSTATCOM	151
6.11	Wind speed variation	151
6.12	Wind speed variations (a) Voltage without DSTATCOM (b) Voltage with DSTATCOM (c) Active powers flow with DSTATCOM (d) Reactive powers flow with DSTATCOM	152
6.13	Solar PV outage (a) Voltage without DSTATCOM, (b) Voltage with DSTATCOM, (c) Active powers flow with DSTATCOM and (d) Reactive powers flow with DSTATCOM	153
6.14	Grid synchronization of solar PV system (a) Voltage without DSTATCOM, (b) Voltage with DSTATCOM, (c) Active powers flow with DSTATCOM and (d) Reactive powers flow with DSTATCOM	154
6.15	Abrupt change in solar insolation (a) Voltage without DSTATCOM, (b) Voltage with DSTATCOM, (c) Active powers flow with DSTATCOM and (d) Reactive powers flow with DSTATCOM	155
6.16	Outage of wind generator in the presence of solar PV system (a) Voltage without DSTATCOM (b) Voltage in the presence of DSTATCOM (c) Active powers flow with DSTATCOM and (d) Reactive powers flow with DSTATCOM	156
6.17	Outage of solar PV system in the presence of wind generator (a) Voltage without DSTATCOM (b) Voltage in the presence of DSTATCOM (c) Active powers flow with DSTATCOM and (d) Reactive powers flow with DSTATCOM	157
6.18	Simultaneous outage of solar PV system and wind generator (a) Voltage without DSTATCOM (b) Voltage in the presence of DSTATCOM (c) Active powers flow with DSTATCOM and (d) Reactive powers flow with DSTATCOM	157
6.19	Grid synchronization of wind generator (a) Voltage without DSTATCOM (b) Voltage in the presence of DSTATCOM (c) Active powers flow with DSTATCOM and (d) Reactive powers flow with DSTATCOM	158
6.20	Real time results of active power flow with feeder tripping and re-closing in the presence of DSTATCOM	159
6.21	Real time results of active power flow with wind generator outage in the presence of DSTATCOM	160
6.22	Real time results of active power flow with outage of solar PV system in the presence of DSTATCOM	160
6.23	Real time results of active power flow with outage of solar PV system in hybrid power system with DSTATCOM	161