

## References

- (ZSW), Z. für S. W.-F. B.-W. (2016). ZSW Sets New World Record for Thin-film Solar Cells. *Life Sciences*, 1–2. <https://doi.org/10.5235/204976114814222476>
- Ā, H. M., Ochiai, T., & Katsui, A. (2005). Preparation and characterization of Cu<sub>2</sub>ZnGeSe<sub>4</sub> thin films by selenization method using the Cu - Zn - Ge evaporated layer precursors, 275, 995–999. <https://doi.org/10.1016/j.jcrysGro.2004.11.154>
- Abermann, S. (2013). Non-vacuum processed next generation thin film photovoltaics: Towards marketable efficiency and production of CZTS based solar cells. *Solar Energy*, 94, 37–70. <https://doi.org/10.1016/j.solener.2013.04.017>
- Adachi, S. (2015a). Earth-Abundant Materials for Solar Cells: Cu<sub>2</sub>-II-IV-VI<sub>4</sub> Semiconductors. *Earth-Abundant Materials for Solar Cells: Cu<sub>2</sub>-II-IV-VI<sub>4</sub> Semiconductors*, 1–462. <https://doi.org/10.1002/9781119052814>
- Adachi, S. (2015b). Physical Properties: Compiled Experimental Data. *Copper Zinc Tin Sulfide-Based Thin-Film Solar Cells*, 149–179. <https://doi.org/10.1002/9781118437865.ch7>
- Antunez, P. D., Bishop, D. M., Luo, Y., & Haight, R. (2017). Efficient kesterite solar cells with high open-circuit voltage for applications in powering distributed devices. *Nature Energy*, 1–7. <https://doi.org/10.1038/s41560-017-0028-5>
- Araki, H., Kubo, Y., Jimbo, K., Maw, W. S., Katagiri, H., Yamazaki, M., ... Takeuchi, A. (2009). Preparation of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films by sulfurization of co-electroplated Cu-Zn-Sn precursors. *Physica Status Solidi (C) Current Topics in Solid State Physics*, 6(5), 1266–1268. <https://doi.org/10.1002/pssc.200881182>
- Araki, H., Kubo, Y., Mikaduki, A., Jimbo, K., Maw, W. S., Katagiri, H., ... Takeuchi, A. (2009). Preparation of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films by sulfurizing electroplated precursors. *Solar Energy Materials and Solar Cells*, 93(6–7), 996–999. <https://doi.org/10.1016/j.solmat.2008.11.045>
- Araki, H., Mikaduki, A., Kubo, Y., Sato, T., Jimbo, K., Maw, W. S., ... Takeuchi, A. (2008). Preparation of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films by sulfurization of stacked metallic layers. *Thin Solid Films*, 517(4), 1457–1460. <https://doi.org/10.1016/j.tsf.2008.09.058>
- Bag, S., Gunawan, O., Gokmen, T., Zhu, Y., & Mitzi, D. B. (2012). Hydrazine-processed Ge-substituted CZTSe solar cells. *Chemistry of Materials*, 24(23), 4588–4593. <https://doi.org/10.1021/cm302881g>
- Banwell, C. N. (1983). Fundamentals of molecular spectroscopy. McGROW-HILL BOOK COMPANY.
- Bär, M., Schubert, B. A., Marsen, B., Wilks, R. G., Pookpanratana, S., Blum, M., ... Schock, H. W. (2011). Cliff-like conduction band offset and KCN-induced recombination barrier enhancement at the CdS/Cu<sub>2</sub>ZnSnS<sub>4</sub> thin-film solar cell heterojunction. *Applied Physics Letters*, 99(22), 4–7. <https://doi.org/10.1063/1.3663327>
- Barkhouse, D. A. R., Haight, R., Sakai, N., Hiroi, H., Sugimoto, H., & Mitzi, D. B. (2012). Cd-free buffer layer materials on Cu<sub>2</sub>ZnSn(S<sub>x</sub>Se<sub>1-x</sub>)<sub>4</sub>: Band alignments with ZnO, ZnS, and In<sub>2</sub>S<sub>3</sub>. *Applied Physics Letters*, 100(19), 193904. <https://doi.org/10.1063/1.4714737>
- Benick, J., Richter, A., Müller, R., Hauser, H., Feldmann, F., Krenckel, P., ... Glunz, S. W. (2017). High-Efficiency n-Type HP mc Silicon Solar Cells. *IEEE Journal of Photovoltaics*, 7(5), 1171–1175. <https://doi.org/10.1109/JPHOTOV.2017.2714139>
- Berg, D. M., Djemour, R., Gütay, L., Zoppi, G., Siebentritt, S., & Dale, P. J. (2012). Thin film solar cells based on the ternary compound Cu<sub>2</sub>SnS<sub>3</sub>. *Thin Solid Films*, 520(19), 6291–6294. <https://doi.org/10.1016/j.tsf.2012.05.085>
- Bilgin, V., Kose, S., Atay, F., & Akyuz, I. (2005). The effect of substrate temperature on the structural and some physical properties of ultrasonically sprayed CdS films, 94, 103–108. <https://doi.org/10.1016/j.matchemphys.2005.04.028>

- Biswas, K., Lany, S., & Zunger, A. (2010). The electronic consequences of multivalent elements in inorganic solar absorbers: Multivalency of Sn in Cu<sub>2</sub>ZnSnS<sub>4</sub>. *Applied Physics Letters*, 96(20), 1–4. <https://doi.org/10.1063/1.3427433>
- Blaha, P., Schwarz, K., & Madsen, G. K. H. (2001). WIEN2K, An Augmented Plane Wave+ Local Orbitals Program for Calculating Crystal Properties (TU Wien, Austria, 2001). *Isbn* 3-9501031-1-2, 2, 254. <https://doi.org/citeulike-article-id:6205108>
- Bourdais, S., Choné, C., Delatouche, B., Jacob, A., Larramona, G., Moisan, C., ... Dennler, G. (2016). Is the Cu/Zn Disorder the Main Culprit for the Voltage Deficit in Kesterite Solar Cells? *Advanced Energy Materials*, 1–21. <https://doi.org/10.1002/aenm.201502276>
- BP. (2017). BP Statistical Review of World Energy 2017. *British Petroleum*, (66), 1–52. <https://doi.org/http://www.bp.com/content/dam/bp/en/corporate/pdf/energy-economics/statistical-review-2017/bp-statistical-review-of-world-energy-2017-full-report.pdf>
- Burgelman, M., & Decock, K. (2016). Marc Burgelman, Koen Decock, Alex Niemegeers, Johan Verschraegen, Stefaan Degrave Version: 17 february 2016. *Manual*, (February).
- Burton, L. A., Colombara, D., Abellon, R. D., Grozema, F. C., Peter, L. M., Savenije, T. J., ... Walsh, A. (2013). Synthesis, characterization, and electronic structure of single-crystal SnS, Sn<sub>2</sub>S<sub>3</sub>, and SnS<sub>2</sub>. *Chemistry of Materials*, 25(24), 4908–4916. <https://doi.org/10.1021/cm403046m>
- Burton, L. A., & Walsh, A. (2012). Phase stability of the earth-abundant tin sulfides SnS, SnS<sub>2</sub>, and Sn<sub>2</sub>S<sub>3</sub>. *Journal of Physical Chemistry C*, 116(45), 24262–24267. <https://doi.org/10.1021/jp309154s>
- Caballero, R., Victorov, I., Serna, R., Cano-Torres, J. M., Maffiotte, C., Garcia-Llamas, E., ... León, M. (2014). Band-gap engineering of Cu<sub>2</sub>ZnSn<sub>1-x</sub>GexS<sub>4</sub>single crystals and influence of the surface properties. *Acta Materialia*, 79, 181–187. <https://doi.org/10.1016/j.actamat.2014.06.040>
- Cao, Y., Denny, M. S., Caspar, J. V., Farneth, W. E., Guo, Q., Ionkin, A. S., ... Wu, W. (2012). High-efficiency solution-processed Cu<sub>2</sub>ZnSn(S,Se)4 thin-film solar cells prepared from binary and ternary nanoparticles. *Journal of the American Chemical Society*, 134(38), 15644–15647. <https://doi.org/10.1021/ja3057985>
- Chandrasekhar, H. R., Humphreys, R. G., Zwick, U., & Cardona, M. (1977). Infrared and Raman spectra of the IV-VI compounds SnS and SnSe. *Physical Review B*, 15(4), 2177–2183. <https://doi.org/10.1103/PhysRevB.15.2177>
- Chavda, A., Patel, M., Mukhopadhyay, I., & Ray, A. (2016). A facile , non-cyanide based etching of spray deposited Cu 2 ZnSnS 4 thin films for secondary phase removal. <https://doi.org/10.1021/acssuschemeng.5b01746>
- Chen, D., & Ravindra, N. M. (2013). Electronic and optical properties of Cu<sub>2</sub>ZnGeX<sub>4</sub> (X=S, Se and Te) quaternary semiconductors. *Journal of Alloys and Compounds*, 579, 468–472. <https://doi.org/10.1016/j.jallcom.2013.06.048>
- Chen, S., Gong, X. G., Walsh, A., & Wei, S. H. (2009). Electronic structure and stability of quaternary chalcogenide semiconductors derived from cation cross-substitution of II-VI and I-III-VI<sub>2</sub> compounds. *Physical Review B - Condensed Matter and Materials Physics*, 79(16), 1–10. <https://doi.org/10.1103/PhysRevB.79.165211>
- Chen, S., Gong, X. G., Walsh, A., & Wei, S. H. (2010). Defect physics of the kesterite thin-film solar cell absorber Cu 2 ZnSnS<sub>4</sub>. *Applied Physics Letters*, 96(2), 4–7. <https://doi.org/10.1063/1.3275796>
- Chen, S., Walsh, A., Gong, X.-G., & Wei, S.-H. (2013). Classification of Lattice Defects in the Kesterite Cu(2) ZnSnS(4) and Cu(2) ZnSnSe(4) Earth-Abundant Solar Cell Absorbers. *Advanced Materials (Deerfield Beach, Fla.)*, 1522–1539. <https://doi.org/10.1002/adma.201203146>
- Chen, S., Wang, L., Walsh, A., Gong, X. G., Wei, S., Chen, S., ... Wei, S. (2016). Abundance of Cu Zn + Sn Zn and 2Cu Zn + Sn Zn defect clusters in kesterite solar cells Abundance of Cu Zn 1 Sn Zn and 2Cu Zn 1 Sn Zn defect clusters in kesterite solar cells, 223901(2012), 10–14. <https://doi.org/10.1063/1.4768215>

- Chen, S., Yang, J. H., Gong, X. G., Walsh, A., & Wei, S. H. (2010). Intrinsic point defects and complexes in the quaternary kesterite semiconductor Cu<sub>2</sub>ZnSnS<sub>4</sub>. *Physical Review B - Condensed Matter and Materials Physics*, 81(24), 35–37. <https://doi.org/10.1103/PhysRevB.81.245204>
- Cheng, Y. C., Jin, C. Q., Gao, F., Wu, X. L., Zhong, W., Li, S. H., & Chu, P. K. (2009). Raman scattering study of zinc blende and wurtzite ZnS. *Journal of Applied Physics*, 106(12). <https://doi.org/10.1063/1.3270401>
- Chiril, A., Buecheler, S., Pianezzi, F., Bloesch, P., Gretener, C., Uhl, A. R., ... Tiwari, A. N. (2011). Highly efficient Cu (In , Ga ) Se 2 solar cells grown on flexible polymer films. *Nature Materials*, 10(11), 857–861. <https://doi.org/10.1038/nmat3122>
- Chopra, K. L., Paulson, P. D., & Dutta, V. (2004). Thin-film solar cells: an overview. *Progress in Photovoltaics: Research and Applications*, 12(23), 69–92. <https://doi.org/10.1002/pip.541>
- Collard, A. D., & Hillhouse, H. W. (2016). Germanium Alloyed Kesterite Solar Cells with Low Voltage Deficits. *Chemistry of Materials*, 28(7), 2067–2073. <https://doi.org/10.1021/acs.chemmater.5b04806>
- Courel, M., Andrade-Arvizu, J. A., & Vigil-Galán, O. (2015). Loss mechanisms influence on Cu<sub>2</sub>ZnSnS<sub>4</sub>/CdS-based thin film solar cell performance. *Solid-State Electronics*, 111, 243–250. <https://doi.org/10.1016/j.sse.2015.05.038>
- Courel, M., Andrade-Arvizu, J. A., & Vigil-Galán, O. (2016). The role of buffer/kesterite interface recombination and minority carrier lifetime on kesterite thin film solar cells. *Materials Research Express*, 3(9), 95501. <https://doi.org/10.1088/2053-1591/3/9/095501>
- Courel, M., Pulgaran-Agudelo, F. A., Andrade-Arvizu, J. A., & Vigil-Galan, O. (2016). Open-circuit voltage enhancement in CdS/Cu<sub>2</sub>ZnSnSe<sub>4</sub>-based thin film solar cells: A metal-insulator-semiconductor (MIS) performance. *Solar Energy Materials and Solar Cells*, 149, 204–212. <https://doi.org/10.1016/j.solmat.2016.01.027>
- Crovetto, A., Palsgaard, M., Gunst, T., Markussen, T., Stokbro, K., Brandbyge, M., & Hansen, O. (2017). Interface band gap narrowing behind open circuit voltage losses in Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cells, 83903. <https://doi.org/10.1063/1.4976830>
- Crovetto, A., Yan, C., Iandolo, B., Zhou, F., Stride, J., Schou, J., ... Hansen, O. (2016). Lattice-matched Cu<sub>2</sub>ZnSnS<sub>4</sub>/CeO<sub>2</sub> solar cell with open circuit voltage boost. *Applied Physics Letters*, 109(23), 233904. <https://doi.org/10.1063/1.4971779>
- Cui, H., Lee, C., Li, W., Liu, X., Wen, X., & Hao, X. (2015). Improving Efficiency of Evaporated Cu<sub>2</sub>ZnSnS<sub>4</sub> Thin Film Solar Cells by a Thin Ag Intermediate Layer between Absorber and Back Contact. *International Journal of Photoenergy*, 2015, 1–9. <https://doi.org/10.1155/2015/170507>
- Cui, H., Liu, X., Liu, F., Hao, X., Song, N., Yan, C., ... Yan, C. (2016). Boosting Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cells efficiency by a thin Ag intermediate layer between absorber and back contact Boosting Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cells efficiency by a thin Ag intermediate layer between absorber and back contact, 41115(2014), 2012–2016. <https://doi.org/10.1063/1.4863951>
- Dai, P., Zhang, G., Chen, Y., Jiang, H., Feng, Z., Lin, Z., & Zhan, J. (2012). Porous copper zinc tin sulfide thin film as photocathode for double junction photoelectrochemical solar cells. *Chemical Communications*, 48, 3006. <https://doi.org/10.1039/c2cc17652a>
- Delbos, S. (2012). Késterite thin films for photovoltaics: a review. *EPJ Photovoltaics*, 3, 35004. <https://doi.org/10.1051/epjpv/2012008>
- Dhakal, T. P., Harvey, S., Van Hest, M., & Teeter, G. (2015). Back contact band offset study of Mo-CZTS based solar cell structure by using XPS/UPS techniques. *2015 IEEE 42nd Photovoltaic Specialist Conference, PVSC 2015*, (June), 1–5. <https://doi.org/10.1109/PVSC.2015.7355623>
- Di Benedetto, F., Bernardini, G. P., Borrini, D., Lottermoser, W., Tippelt, G., & Amthauer, G. (2005). 57Fe- and 119Sn- Mossbauer study on stannite (Cu<sub>2</sub>FeSnS<sub>4</sub>)-kesterite (Cu<sub>2</sub>ZnSnS<sub>4</sub>) solid solution. *Physics and Chemistry of Minerals*, 31(10), 683–690. <https://doi.org/10.1007/s00269-004-0430-y>
- Dimroth, F. (2014). New world record for solar cell efficiency at 46%. Press Release. *Presseinformation*, (26), 1–4.

- Doña, J. (1995). Chemical bath codeposited CdS-ZnS film characterization. *Thin Solid Films*, 268, 5–12. [https://doi.org/10.1016/0040-6090\(95\)06738-8](https://doi.org/10.1016/0040-6090(95)06738-8)
- Ennaoui, A., Lux-Steiner, M., Weber, A., Abou-Ras, D., Kötschau, I., Schock, H. W., ... Kirbs, A. (2009). Cu<sub>2</sub>ZnSnS<sub>4</sub> thin film solar cells from electroplated precursors: Novel low-cost perspective. *Thin Solid Films*, 517(7), 2511–2514. <https://doi.org/10.1016/j.tsf.2008.11.061>
- Erkan, M. E., Chawla, V., Repins, I., & Scarpulla, M. A. (2015). Interplay between surface preparation and device performance in CZTSSe solar cells: Effects of KCN and NH<sub>4</sub>OH etching. *Solar Energy Materials and Solar Cells*, 136, 78–85. <https://doi.org/10.1016/j.solmat.2015.01.006>
- Fairbrother, A., Fontané, X., Izquierdo-Roca, V., Espíndola-Rodríguez, M., López-Marino, S., Placidi, M., ... Saucedo, E. (2013). On the formation mechanisms of Zn-rich Cu<sub>2</sub>ZnSnS<sub>4</sub> films prepared by sulfurization of metallic stacks. *Solar Energy Materials and Solar Cells*, 112, 97–105. <https://doi.org/10.1016/j.solmat.2013.01.015>
- Fairbrother, A., García-Hemme, E., Izquierdo-Roca, V., Fontané, X., Pulgarín-Agudelo, F. a, Vigil-Galán, O., ... Saucedo, E. (2012). Development of a selective chemical etch to improve the conversion efficiency of Zn-rich Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cells. *Journal of the American Chemical Society*, 134(19), 8018–8021. <https://doi.org/10.1021/ja301373e>
- Fernandes, P. A., Salomé, P. M. P., & da Cunha, A. F. (2010). A study of ternary Cu<sub>2</sub>SnS<sub>3</sub> and Cu<sub>3</sub>SnS<sub>4</sub> thin films prepared by sulfurizing stacked metal precursors. *J. Phys. D: Appl. Phys.*, 43(21), 215403. <https://doi.org/10.1088/0022-3727/43/21/215403>
- Fernandes, P. A., Salomé, P. M. P., & Da Cunha, A. F. (2010). Cu<sub>x</sub>SnS<sub>x+1</sub> (x = 2, 3) thin films grown by sulfurization of metallic precursors deposited by dc magnetron sputtering. *Physica Status Solidi (C) Current Topics in Solid State Physics*, 7(3–4), 901–904. <https://doi.org/10.1002/pssc.200982746>
- Fernandes, P. A., Salomé, P. M. P., Sartori, A. F., Malaquias, J., Da Cunha, A. F., Schubert, B.-A., ... Ribeiro, G. M. (2013). Effects of sulphurization time on Cu<sub>2</sub>ZnSnS<sub>4</sub> absorbers and thin films solar cells obtained from metallic precursors. *Solar Energy Materials and Solar Cells*, 115, 157–165.
- Garcia-Hemme, E., Fairbrother, A., Calvo-Barrio, L., Saucedo, E., & Martil, I. (2016). Compositional Dependence of Chemical and Electrical Properties in Cu<sub>2</sub>ZnSnS<sub>4</sub> Thin Films. *IEEE Journal of Photovoltaics*, 6(4), 990–996. <https://doi.org/10.1109/JPHOTOV.2016.2566888>
- García, V., Nair, P., & Nair, M. T. (1999). Copper selenide thin films by chemical bath deposition. *Journal of Crystal Growth*, 203(1–2), 113–124. [https://doi.org/10.1016/S0022-0248\(99\)00040-8](https://doi.org/10.1016/S0022-0248(99)00040-8)
- Ge, J., Chu, J., Jiang, J., Yan, Y., & Yang, P. (2014). Characteristics of in-substituted CZTS thin film and bifacial solar cell. *ACS Applied Materials and Interfaces*, 6(23), 21118–21130. <https://doi.org/10.1021/am505980n>
- Ge, J., Chu, J., Yan, Y., Jiang, J., & Yang, P. (2015). Co-electroplated Kesterite Bifacial Thin-Film Solar Cells: A Study of Sulfurization Temperature. *ACS Applied Materials & Interfaces*, 7(19), 10414–10428. <https://doi.org/10.1021/acsmami.5b01641>
- Ghediya, P. R., & Chaudhuri, T. K. (2015). Dark and photo-conductivity of doctor-bladed CZTS films above room temperature. *Journal of Physics D: Applied Physics*, 48(45), 455109. <https://doi.org/10.1088/0022-3727/48/45/455109>
- Ghosh, A., Thangavel, R., & Rajagopalan, M. (2013). First principles study of electronic and optical properties of Cu<sub>2</sub>ZnSnX<sub>4</sub> (X = S, Se) solar absorbers by Tran-Blaha-modified Becke-Johnson potential approach. *Journal of Materials Science*, 48(23), 8259–8267. <https://doi.org/10.1007/s10853-013-7638-5>
- Giraldo, S., Neuschitzer, M., Thersleff, T., López-Marino, S., Sánchez, Y., Xie, H., ... Saucedo, E. (2015). Large Efficiency Improvement in Cu<sub>2</sub>ZnSnSe<sub>4</sub>Solar Cells by Introducing a Superficial Ge Nanolayer. *Advanced Energy Materials*, 5(21), 1–6. <https://doi.org/10.1002/aenm.201501070>
- Gordillo, G., Mesa, F., & Calder, C. (2006). Electrical and Morphological Properties of Low Resistivity Mo thin Films Prepared by Magnetron Sputtering, 36(3), 982–985.

- Green, M. A. (2016). Commercial progress and challenges for photovoltaics. *Nature Energy*, 1(1), 15015. <https://doi.org/10.1038/nenergy.2015.15>
- Green, M. A., Emery, K., Hishikawa, Y., Warta, W., & Dunlop, E. D. (2018). Solar cell efficiency tables (version 51). *Progress in Photovoltaic Research and Applications*, 26, 3–12. <https://doi.org/10.1002/pip.2978>
- Gunawan, O., Todorov, T. K., & Mitzi, D. B. (2010). Loss mechanisms in hydrazine-processed Cu<sub>2</sub>ZnSn(Se,S)<sub>4</sub> solar cells. *Applied Physics Letters*, 97(2010), 233506. <https://doi.org/10.1063/1.3522884>
- Guo, B. L., Chen, Y. H., Liu, X. J., Liu, W. C., & Li, a. D. (2014). Optical and electrical properties study of sol-gel derived Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films for solar cells. *AIP Advances*, 4(9), 97115. <https://doi.org/10.1063/1.4895520>
- Guo, Q., Ford, G. M., Yang, W. C., Walker, B. C., Stach, E. a., Hillhouse, H. W., & Agrawal, R. (2010). Fabrication of 7.2% efficient CZTSSe solar cells using CZTS nanocrystals. *Journal of the American Chemical Society*, 132(49), 17384–17386. <https://doi.org/10.1021/ja108427b>
- Guo, Q., Hillhouse, H. W., & Agrawal, R. (2009). Synthesis of Cu<sub>2</sub>ZnSnS<sub>4</sub> nanocrystal ink and its use for solar cells. *Journal of the American Chemical Society*, 131(33), 11672–11673. <https://doi.org/10.1021/ja904981r>
- Gupta, G. K., & Dixit, A. (2017). Effect of precursor and composition on the physical properties of the low-cost solution processed Cu<sub>2</sub>ZnSnS<sub>4</sub> thin film for solar photovoltaic application. *Journal of Renewable and Sustainable Energy*, 9(1), 13502. <https://doi.org/10.1063/1.4974341>
- Gupta, G. K., Garg, A., & Dixit, A. (2018). Electrical and impedance spectroscopy analysis of sol-gel derived spin coated Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cell. *Journal of Applied Physics*, 13101(123), 0–11. Retrieved from <https://doi.org/10.1063/1.5002619>
- Gupta, P., & Ravindra, R. (1980). Comments on the Moss Formula, 715, 715–719.
- Gurav, K. V., Shin, S. W., Patil, U. M., Deshmukh, P. R., Suryawanshi, M. P., Agawane, G. L., ... Kim, J. H. (2014). Cu<sub>2</sub>ZnSnS<sub>4</sub> (CZTS)-based room temperature liquefied petroleum gas (LPG) sensor. *Sensors and Actuators B: Chemical*, 190, 408–413. <https://doi.org/10.1016/j.snb.2013.08.064>
- Hages, C. J., Carter, N. J., Agrawal, R., & Unold, T. (2014). Generalized current-voltage analysis and efficiency limitations in non-ideal solar cells: Case of Cu<sub>2</sub>ZnSn(S<sub>x</sub>Se<sub>1-x</sub>)<sub>4</sub> and Cu<sub>2</sub>Zn(S<sub>y</sub>Ge<sub>1-y</sub>)(S<sub>x</sub>Se<sub>1-x</sub>)<sub>4</sub>. *Journal of Applied Physics*, 115(23), 234504. <https://doi.org/10.1063/1.4882119>
- Hages, C. J., Levcenco, S., Miskin, C. K., Alsmeier, J., Abou-ras, D., Wilks, R. G., ... Agrawal, R. (2013). Improved performance of Ge-alloyed CZTGeSSe thin-film solar cells through control of elemental losses. *Progress in Photovoltaic Research and Applications*. <https://doi.org/10.1002/pip.2442>
- Haught, R., Barkhouse, A., Gunawan, O., Shin, B., Copel, M., Hopstaken, M., & Mitzi, D. B. (2011). Band alignment at the Cu<sub>2</sub>ZnSn (S<sub>x</sub>Se<sub>1-x</sub>)<sub>4</sub> / CdS interface. *Applied Physics Letters*, 98(25). <https://doi.org/10.1063/1.3600776>
- Henry, J., Mohanraj, K., & Sivakumar, G. (2015). Electrical and optical properties of CZTS thin films prepared by SILAR method. *Journal of Asian Ceramic Societies*, 4, 81–84. <https://doi.org/10.1016/j.jascer.2015.12.003>
- Htay, M. T., Hashimoto, Y., Momose, N., Sasaki, K., Ishiguchi, H., Igarashi, S., ... Ito, K. (2011). A cadmium-free Cu<sub>2</sub>ZnSnS<sub>4</sub>/ZnO heterojunction solar cell prepared by practicable processes. *Japanese Journal of Applied Physics*, 50(3), 1–4. <https://doi.org/10.1143/JJAP.50.032301>
- Huang, P., Huang, C., Lin, M., Chou, C., Hsu, C., Kuo, C., ... Kuo, C. (2013). The Effect of Sputtering Parameters on the Film Properties of Molybdenum Back Contact for CIGS Solar Cells, The Effect of Sputtering Parameters on the Film Properties of Molybdenum Back Contact for CIGS Solar Cells. *International Journal of Photoenergy, International Journal of Photoenergy*, 2013, 2013, e390824. <https://doi.org/10.1155/2013/390824>, 10.1155/2013/390824
- Huang, T. J., Yin, X., Qi, G., & Gong, H. (2014). CZTS-based materials and interfaces and their effects on the performance of thin film solar cells. *Physica Status Solidi - Rapid Research*

- Letters*, 8(9), 735–762. <https://doi.org/10.1002/pssr.201409219>
- Ito, K. (2015). *Copper Zinc Tin Sulfide-Based Thin-Film Solar Cells*. John Wiley & Sons. <https://doi.org/10.1002/9781118437865.ch1>
- Ito, K., & Nakazawa, T. (1988). Electrical and Optical Properties of Stannite-Type Quaternary Semiconductor Thin Films. *Japanese Journal of Applied Physics*, 27, 2094–2097. <https://doi.org/10.1143/JJAP.27.2094>
- Jackson, P., Wuerz, R., Hariskos, D., Lotter, E., Witte, W., & Powalla, M. (2016). Effects of heavy alkali elements in Cu(In,Ga)Se<sub>2</sub> solar cells with efficiencies up to 22.6%. *Physica Status Solidi - Rapid Research Letters*, 10(8), 583–586. <https://doi.org/10.1002/pssr.201600199>
- Jiang, F., Gunawan, Harada, T., Kuang, Y., Minegishi, T., Domen, K., & Ikeda, S. (2015). Pt/In<sub>2</sub>S<sub>3</sub>/CdS/Cu<sub>2</sub>ZnSnS<sub>4</sub> Thin Film as an Efficient and Stable Photocathode for Water Reduction under Sunlight Radiation. *Journal of the American Chemical Society*, 137(42), 13691–13697. <https://doi.org/10.1021/jacs.5b09015>
- Jiang, F., Ozaki, C., Gunawan, Harada, T., Tang, Z., Minemoto, T., ... Ikeda, S. (2016). Effect of Indium Doping on Surface Optoelectrical Properties of Cu<sub>2</sub>ZnSnS<sub>4</sub> Photoabsorber and Interfacial/Photovoltaic Performance of Cadmium Free In<sub>2</sub>S<sub>3</sub>/Cu<sub>2</sub>ZnSnS<sub>4</sub> Heterojunction Thin Film Solar Cell. *Chemistry of Materials*, 28(10), 3283–3291. <https://doi.org/10.1021/acs.chemmater.5b04984>
- Jimbo, K., Kimura, R., Kamimura, T., Yamada, S., Maw, W. S., Araki, H., ... Katagiri, H. (2007). Cu<sub>2</sub>ZnSnS<sub>4</sub>-type thin film solar cells using abundant materials. *Thin Solid Films*, 515(15 SPEC. ISS.), 5997–5999. <https://doi.org/10.1016/j.tsf.2006.12.103>
- Johnson, M., Baryshev, S. V., Thimsen, E., Manno, M., Zhang, X., Veryovkin, I. V., ... Aydil, E. S. (2014). Alkali-metal-enhanced grain growth in Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films. *Energy Environ. Sci.*, 7(6), 1931–1938. <https://doi.org/10.1039/C3EE44130J>
- Just, J., Sutter-Fella, C. M., Lützenkirchen-Hecht, D., Frahm, R., Schorr, S., & Unold, T. (2016). Secondary phases and their influence on the composition of the kesterite phase in CZTS and CZTSe thin films. *Phys. Chem. Chem. Phys.*, 18(23), 15988–15994. <https://doi.org/10.1039/C6CP00178E>
- Katagiri, H., Jimbo, K., Moriya, K., & Tsuchida, K. (2003). Solar cell without environmental pollution by using CZTS thin film. *3rd World Conference on Photovoltaic Energy Conversion, 2003. Proceedings of*, 3, 2874–2879. <https://doi.org/10.1109/WCPEC.2003.1305183>
- Katagiri, H., Jimbo, K., Tahara, M., Araki, H., & Oishi, K. (2009). The influence of the composition ratio on CZTS-based thin film solar cells Hironori Katagiri, Kazuo Jimbo, Masami Tahara, Hideaki Araki and Koichiro Oishi Nagaoka National College of Technology, 888 Nishikatakai, Nagaoka, Niigata 940-8532, Japan. *Materials Research Society Symposium Proceedings Vol. 1165, 1165, 1165-M04-1*. <https://doi.org/10.1016/j.solmat.2011.05.050>
- Katagiri, H., Jimbo, K., Yamada, S., Kamimura, T., Maw, W. S., Fukano, T., ... Motohiro, T. (2008). Enhanced conversion efficiencies of Cu<sub>2</sub>ZnSnS<sub>4</sub>-based thin film solar cells by using preferential etching technique. *Applied Physics Express*, 1(4), 0412011–0412012. <https://doi.org/10.1143/APEX.1.041201>
- Katagiri, H., Saitoh, K., Washio, T., Shinohara, H., Kurumadani, T., & Miyajima, S. (2001). Development of thin film solar cell based on Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films. *Solar Energy Materials and Solar Cells*, 65, 141–148. [https://doi.org/10.1016/S0927-0248\(00\)00088-X](https://doi.org/10.1016/S0927-0248(00)00088-X)
- Katagiri, H., Sasaguchi, N., Hando, S., Hoshino, S., Ohashi, J., & Yokota, T. (1997). Preparation and evaluation of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films by sulfurization of E-B evaporated precursors. *Solar Energy Materials and Solar Cells*, 49(1-4), 407–414. [https://doi.org/10.1016/S0927-0248\(97\)00119-0](https://doi.org/10.1016/S0927-0248(97)00119-0)
- Kataoka, K., Tajima, S., Umehara, M., Takahashi, N., Isomura, N., Kitazumi, K., & Kimoto, Y. (2016). Band slope in CdS layer of ZnO:Ga/CdS/Cu<sub>2</sub>ZnSnS<sub>4</sub> photovoltaic cells revealed by hard X-ray photoelectron spectroscopy. *Applied Physics Letters*, 109(20), 203902. <https://doi.org/10.1063/1.4967979>
- Kayes, B. M., Nie, H., Twist, R., Spruytte, S. G., Reinhardt, F., Kizilyalli, I. C., & Higashi, G. S. (2011). 27.6% Conversion efficiency, a new record for single-junction solar cells under 1 sun

- illumination. *Conference Record of the IEEE Photovoltaic Specialists Conference*, 000004–000008. <https://doi.org/10.1109/PVSC.2011.6185831>
- Khadka, D. B., & Kim, J. (2013). Study of structural and optical properties of kesterite Cu<sub>2</sub>ZnGeX<sub>4</sub> (X = S, Se) thin films synthesized by chemical spray pyrolysis, 4, 10500–10509. <https://doi.org/10.1039/c3ce41387j>
- Kim, I., Kim, K., Oh, Y., Woo, K., Cao, G., Jeong, S., & Moon, J. (2014). Bandgap-graded Cu<sub>2</sub>Zn(Sn<sub>1-x</sub>Gex)S<sub>4</sub> thin-film solar cells derived from metal chalcogenide complex ligand capped nanocrystals. *Chemistry of Materials*, 26(13), 3957–3965. <https://doi.org/10.1021/cm501568d>
- Kim, J., Hiroi, H., Todorov, T. K., Gunawan, O., Kuwahara, M., Gokmen, T., ... Mitzi, D. B. (2014). High efficiency Cu<sub>2</sub>ZnSn(S,Se)<sub>4</sub> solar cells by applying a double in 2S3/CdS Emitter. *Advanced Materials*, 26(44), 7427–7431. <https://doi.org/10.1002/adma.201402373>
- Kim, J., Kim, G. Y., Jo, W., Yang, K.-J., Sim, J.-H., Kim, D.-H., & Kang, J.-K. (2016). Effects of Mo back-contact annealing on surface potential and carrier transport in Cu<sub>2</sub>ZnSnS<sub>4</sub> thin film solar cells. *RSC Adv.*, 6(105), 103337–103345. <https://doi.org/10.1039/C6RA22563B>
- Kim, S., Kim, K. M., Tampo, H., Shibata, H., Matsubara, K., & Niki, S. (2016). Improvement of a voltage deficit of Ge-incorporated kesterite solar cell with 12.3% conversion efficiency. *Applied Physics Express*, in press. <https://doi.org/10.7567/APEX.9.102301>
- Kim, S., Park, J. S., & Walsh, A. (2018). Identification of Killer Defects in Kesterite Thin-Film Solar Cells. *ACS Energy Letters*, 3(2), 496–500. <https://doi.org/10.1021/acsenergylett.7b01313>
- Kobayashi, T., Jimbo, K., Tsuchida, K., Shinoda, S., Oyanaoi, T., & Katagiri, H. (2005). Investigation of Cu<sub>2</sub>ZnSnS<sub>4</sub>-based thin film solar cells using abundant materials. *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers*, 44(1 B), 783–787. <https://doi.org/10.1143/JJAP.44.783>
- Kodan, N., Auluck, S., & Mehta, B. R. (2016). A DFT study of the electronic and optical properties of a photovoltaic absorber material Cu<sub>2</sub>ZnGeS<sub>4</sub> using GGA ... *Journal of Alloys and Compounds*, 675(March), 236–243. <https://doi.org/10.1016/j.jallcom.2016.03.108>
- Körbel, S., Kammerlander, D., Sarmiento-Pérez, R., Attaccalite, C., Marques, M. A. L., & Botti, S. (2015). Optical properties of Cu-chalcogenide photovoltaic absorbers from self-consistent GW and the Bethe-Salpeter equation. *Physical Review B - Condensed Matter and Materials Physics*, 91(7). <https://doi.org/10.1103/PhysRevB.91.075134>
- Kronik, L., Cahen, D., & Schock, H. (1998). Effects of sodium on polycrystalline Cu(In,Ga)Se<sub>2</sub> and its solar cell performance. *Advanced Materials*, 10(1), 31–+. [https://doi.org/10.1002/\(SICI\)1521-4095\(199801\)10:1<31::AID-ADMA31>3.0.CO;2-3](https://doi.org/10.1002/(SICI)1521-4095(199801)10:1<31::AID-ADMA31>3.0.CO;2-3)
- Larraona, G., Levcenko, S., Bourdais, S., Jacob, A., Chon, C., Delatouche, B., ... Dennler, G. (2015). Fine-Tuning the Sn Content in CZTSSe Thin Films to Achieve 10.8% Solar Cell Efficiency from Spray-Deposited Water-Ethanol-Based Colloidal Inks. *Advanced Energy Materials*, 5(24), 1–10. <https://doi.org/10.1002/aenm.201501404>
- Lee, Y. S., Gershon, T., Gunawan, O., Todorov, T. K., Gokmen, T., Virgus, Y., & Guha, S. (2015). Cu<sub>2</sub>ZnSnSe<sub>4</sub> thin-film solar cells by thermal co-evaporation with 11.6% efficiency and improved minority carrier diffusion length. *Advanced Energy Materials*, 5(7). <https://doi.org/10.1002/aenm.201401372>
- León, M., Levcenko, S., Serna, R., Gurieva, G., Nateprov, A., Merino, J. M., ... Arushanov, E. (2010). Optical constants of Cu<sub>2</sub>ZnGeS<sub>4</sub> bulk crystals. *Journal of Applied Physics*, 108(9). <https://doi.org/10.1063/1.3500439>
- Levcenko, S., Caballero, R., Dermenji, L., Telesh, E. V., Victorov, I. A., Merino, J. M., ... Bodnar, I. V. (2015). Preparation and optical characterization of Cu<sub>2</sub>ZnGeSe<sub>4</sub> thin films. *Optical Materials*, 40, 76–80. <https://doi.org/10.1016/j.optmat.2014.11.050>
- Li, J., Du, Q., Liu, W., Jiang, G., Feng, X., Zhang, W., ... Zhu, C. (2012). The band offset at CdS/Cu<sub>2</sub>ZnSnS<sub>4</sub> heterojunction interface. *Electronic Materials Letters*, 8(4), 365–367. <https://doi.org/10.1007/s13391-012-2023-0>
- Li, W., & Seal, S. (2004). Nonlinear Optical Materials by Sol-Gel Method. *Encyclopedia of Nanoscience and Nanotechnology*, 8(5), 49–66.

- Liley, J. Ben. (2013). Diffuse and direct components of solar radiation in ground-based and satellite-derived data. *AIP Conference Proceedings*, 1531(2013), 496–499. <https://doi.org/10.1063/1.4804815>
- Litvinchuk, A. P. (2016). Optical properties and lattice dynamics of Cu<sub>2</sub>ZnGeSe<sub>4</sub> quaternary semiconductor: A density-functional study. *Physica Status Solidi (B) Basic Research*, 253(2), 323–328. <https://doi.org/10.1002/pssb.201552415>
- Liu, F., Sun, K., Li, W., Yan, C., Cui, H., Jiang, L., ... Green, M. A. (2014). Enhancing the Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cell efficiency by back contact modification: Inserting a thin TiB<sub>2</sub> intermediate layer at Cu<sub>2</sub>ZnSnS<sub>4</sub>/Mo interface. *Applied Physics Letters*, 104(5). <https://doi.org/10.1063/1.4863736>
- Liu, R., Tan, M., Xu, L., Zhang, X., Chen, J., & Tang, X. (2016). Preparation of high-quality Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films for solar cells via the improvement of sulfur partial pressure using a static annealing sulfurization approach. *Solar Energy Materials and Solar Cells*, 157, 221–228. <https://doi.org/10.1016/j.solmat.2016.05.040>
- Liu, X., Cui, H., Li, W., Song, N., Liu, F., Conibeer, G., & Hao, X. (2014). Improving Cu<sub>2</sub>ZnSnS<sub>4</sub> (CZTS) solar cell performance by an ultrathin ZnO intermediate layer between CZTS absorber and Mo back contact. *Physica Status Solidi - Rapid Research Letters*, 8(12), 966–970. <https://doi.org/10.1002/pssr.201409052>
- Lopez-Marino, S., Placidi, M., Perez-Tomas, A., Llobet, J., Izquierdo-Roca, V., Fontane, X., ... Saucedo, E. (2013). Inhibiting the absorber/Mo-back contact decomposition reaction in Cu<sub>2</sub>ZnSnSe<sub>4</sub> solar cells: the role of a ZnO intermediate nanolayer. *Journal of Materials Chemistry A*, 1(29), 8338–8343. <https://doi.org/10.1039/c3ta11419h>
- López-Marino, S., Sánchez, Y., Placidi, M., Fairbrother, A., Espindola-Rodríguez, M., Fontané, X., ... Saucedo, E. (2013). ZnSe etching of Zn-Rich Cu<sub>2</sub>ZnSnSe<sub>4</sub>: An oxidation route for improved solar-cell efficiency. *Chemistry - A European Journal*, 19(44), 14814–14822. <https://doi.org/10.1002/chem.201302589>
- Mahan, J. E., Ekstedt, T. W., Frank, R. I., & Kaplow, R. (1979). Measurement of Minority Carrier Lifetime in Solar Cells from Photo-induced Open-Circuit Voltage Decay. *IEEE Transactions on Electron Devices*, 26(5), 733–739. <https://doi.org/10.1109/T-ED.1979.19487>
- Malerba, C., Valentini, M., Azanza Ricardo, C. L., Rinaldi, A., Cappelletto, E., Scardi, P., & Mittiga, A. (2016). Blistering in Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films: Correlation with residual stresses. *Materials & Design*. <https://doi.org/10.1016/j.matdes.2016.07.019>
- Mane, R. S., & Lokhande, C. D. (2000). Chemical deposition method for metal chalcogenide thin films. *Mateerials Chemistry and Physics*, 65, 1–31.
- Mathew, S., Yella, A., Gao, P., Humphry-Baker, R., Curchod, B. F. E., Ashari-Astani, N., ... Grätzel, M. (2014). Dye-sensitized solar cells with 13% efficiency achieved through the molecular engineering of porphyrin sensitizers. *Nature Chemistry*, 6(3), 242–247. <https://doi.org/10.1038/nchem.1861>
- Matsui, T., Sai, H., Suezaki, T., Matsumoto, M., Saito, K., Yoshida, I., & Kondo, M. (2013). DEVELOPMENT OF HIGHLY STABLE AND EFFICIENT AMORPHOUS SILICON BASED SOLAR CELLS. In *28th European Photovoltaic Solar Energy Conference and Exhibition DEVELOPMENT* (pp. 2213–2217).
- Matsushita, H., Maeda, T., Katsui, A., & Takizawa, T. (2000). Thermal analysis and synthesis from the melts of Cu-based quaternary compounds Cu { III } IV { VI } and Cu { II } IV { VI } ( II " Zn , Cd ; III " Ga , In ; IV " Ge , Sn ; VI " Se ), 208, 416–422.
- Mattox, D. M. (1998). *HANDBOOK OF PHYSICAL VAPOR DEPOSITION (PVD): Film Formation , Adhesion , Surface preparation and contamination control*. Noyes Publications. <https://doi.org/10.1080/10426919908907566>
- Milan Tapajna, Jaroslav Pjencak Andrej Vrbicky, Ladislav Harmatha, P. K. (2004). Application of Open Circuit Voltage Decay To The characterization of Epitaxial Layer. *Journal of Electrical Engineering*, 55(9), 239–244.
- Minceva-Sukarova, B., Najdoski, M., Grozdanov, I., & Chunnillall, C. J. (1997). Raman spectra of thin solid films of some metal sulfides. *Journal of Molecular Structure*, 410–411(January 2014), 267–270. [https://doi.org/10.1016/S0022-2860\(96\)09713-X](https://doi.org/10.1016/S0022-2860(96)09713-X)

- Momose, N., Htay, M. T., Yudasaka, T., Igarashi, S., Seki, T., Iwano, S., ... Ito, K. (2011). Cu<sub>2</sub>ZnSnS<sub>4</sub> thin film solar cells utilizing sulfurization of metallic precursor prepared by simultaneous sputtering of metal targets. *Japanese Journal of Applied Physics*, 50(1 PART 3), 4-7. <https://doi.org/10.1143/JJAP.50.01BG09>
- Moritake, N., Fukui, Y., Oonuki, M., Tanaka, K., & Uchiki, H. (2009). Preparation of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin film solar cells under non-vacuum condition. *Physica Status Solidi (C) Current Topics in Solid State Physics*, 6(5), 1233–1236. <https://doi.org/10.1002/pssc.200881158>
- Mousel, M., Redinger, A., Djemour, R., Arasimowicz, M., Valle, N., Dale, P., & Siebentritt, S. (2013). HCl and Br<sub>2</sub>-MeOH etching of Cu<sub>2</sub>ZnSnSe<sub>4</sub> polycrystalline absorbers. *Thin Solid Films*, 535(1), 83–87. <https://doi.org/10.1016/j.tsf.2012.12.095>
- Mousel, M., Schwarz, T., Djemour, R., Weiss, T. P., Sendler, J., Malaquias, J. C., ... Siebentritt, S. (2014). Cu-Rich precursors improve kesterite solar cells. *Advanced Energy Materials*, 4(2), 1–6. <https://doi.org/10.1002/aenm.201300543>
- Mutter, D., & Dunham, S. T. (2015). Calculation of Defect Concentrations and Phase Stability in Cu<sub>2</sub>ZnSnS<sub>4</sub> and Cu<sub>2</sub>ZnSnSe<sub>4</sub> From Stoichiometry. *IEEE Journal of Photovoltaics*, 5(4), 1188–1196. <https://doi.org/10.1109/JPHOTOV.2015.2430015>
- Nagaoka, A., Miyake, H., Taniyama, T., Kakimoto, K., Nose, Y., Scarpulla, M. a., & Yoshino, K. (2014). Effects of sodium on electrical properties in Cu<sub>2</sub>ZnSnS<sub>4</sub> single crystal. *Applied Physics Letters*, 104(15), 152101. <https://doi.org/10.1063/1.4871208>
- Nakada, T., Kijima, S., Kuromiya, Y., Arai, R., Ishii, Y., Kawamura, N., ... Yamada, N. (2007). Chalcopyrite thin-film tandem solar cells with 1.5 V open-circuit-voltage. *Conference Record of the 2006 IEEE 4th World Conference on Photovoltaic Energy Conversion, WCPEC-4*, 1, 400–403. <https://doi.org/10.1109/WCPEC.2006.279474>
- Nakada, T., & Kunioka, A. (2013). Direct evidence of Cd diffusion into Cu ( In , Ga ) Se 2 thin films during chemical-bath deposition process of CdS films Direct evidence of Cd diffusion into Cu „ In , Ga ... Se 2 thin films during chemical-bath deposition process of CdS films, 2444(1999), 108–111. <https://doi.org/10.1063/1.123875>
- Nishiwaki, S., Siebentritt, S., Walk, P., & Lux-Steiner, M. C. (2003). A stacked chalcopyrite thin-film tandem solar cell with 1.2 V open-circuit voltage. *Progress in Photovoltaics: Research and Applications*, 11(4), 243–248. <https://doi.org/10.1002/pip.486>
- Olekseyuk, I. D., Dudchak, I. V., & Piskach, L. V. (2004). Phase equilibria in the Cu<sub>2</sub>S-ZnS-SnS<sub>2</sub> system. *Journal of Alloys and Compounds*, 368(1-2), 135–143. <https://doi.org/10.1016/j.jallcom.2003.08.084>
- Parasyuk, O. V., Gulay, L. D., Romanyuk, Y. E., & Piskach, L. V. (2010). ChemInform Abstract: Phase Diagram of the Cu<sub>2</sub>GeSe<sub>3</sub>-ZnSe System and Crystal Structure of the Cu<sub>2</sub>ZnGeSe<sub>4</sub> Compound. *ChemInform*, 33(24), no-no. <https://doi.org/10.1002/chin.200224021>
- Parasyuk, O. V., Piskach, L. V., Romanyuk, Y. E., Olekseyuk, I. D., Zaremba, V. I., & Pekhnyo, V. I. (2005). Phase relations in the quasi-binary Cu<sub>2</sub>GeS<sub>3</sub>-ZnS and quasi-ternary Cu<sub>2</sub>S-Zn(Cd)S-GeS<sub>2</sub> systems and crystal structure of Cu<sub>2</sub>ZnGeS<sub>4</sub>. *Journal of Alloys and Compounds*, 397(1-2), 85–94. <https://doi.org/10.1016/j.jallcom.2004.12.045>
- Park, J., Huang, J., Sun, K., Ouyang, Z., Liu, F., Yan, C., ... Hao, X. (2018). The effect of thermal evaporated MoO<sub>3</sub> intermediate layer as primary back contact for kesterite Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cells. *Thin Solid Films*, 648(October 2017), 39–45. <https://doi.org/10.1016/j.tsf.2018.01.012>
- Patel, M., Mukhopadhyay, I., & Ray, A. (2013). Study of the junction and carrier lifetime properties of a spray-deposited CZTS thin-film solar cell. *Semiconductor Science and Technology*, 28(October 2015), 55001. <https://doi.org/10.1088/0268-1242/28/5/055001>
- Penn, D. R. (1962). Wave-number-dependent dielectric function of semiconductors. *Physical Review*, 128(5), 2093–2097. <https://doi.org/10.1103/PhysRev.128.2093>
- Persson, C. (2010). Electronic and optical properties of Cu<sub>2</sub>ZnSnS<sub>4</sub> and Cu<sub>2</sub>ZnSnSe<sub>4</sub>. *Journal of Applied Physics*, 107(5). <https://doi.org/10.1063/1.3318468>
- Peter, L. M. (2011). Towards sustainable photovoltaics: the search for new materials. *Philosophical Transactions. Series A, Mathematical, Physical, and Engineering Sciences*, 369(1942), 1840–1856. <https://doi.org/10.1098/rsta.2010.0348>

- Petroleum, B. (2016). BP Statistical Review of World Energy. *BP Statistical Review of World Energy*, (June), 1–48.
- Pinto, A. H., Shin, S. W., Aydil, E. S., & Penn, R. L. (2016). Selective removal of Cu<sub>2-x</sub>(S,Se) phases from Cu<sub>2</sub>ZnSn(S,Se)<sub>4</sub> thin films. *Green Chem.*, 18(21), 5814–5821. <https://doi.org/10.1039/C6GC01287F>
- Polizzotti, A., Repins, I. L., Noufi, R., Wei, S.-H., & Mitzi, D. B. (2013). The state and future prospects of kesterite photovoltaics. *Energy & Environmental Science*, 6(11), 3171. <https://doi.org/10.1039/c3ee41781f>
- Prabhakar, T., & Jampana, N. (2011). Effect of sodium diffusion on the structural and electrical properties of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films. *Solar Energy Materials and Solar Cells*, 95(3), 1001–1004. <https://doi.org/10.1016/j.solmat.2010.12.012>
- Reddy, T. S., & Kumar, M. C. S. (2016). Effect of substrate temperature on the physical properties of co-evaporated Sn<sub>2</sub>S<sub>3</sub> thin films. *Ceramics International*, 42(10), 12262–12269. <https://doi.org/10.1016/j.ceramint.2016.04.172>
- Redinger, A., Mousel, M., Djemour, R., Gutay, L., Valle, N., & Siebentritt, S. (2014). Cu<sub>2</sub>ZnSnSe<sub>4</sub> thin film solar cells produced via co-evaporation and annealing including a SnSe<sub>2</sub> capping layer. *Progress in Photovoltaics: Research and Applications*, 22(3–4), 51–57. <https://doi.org/10.1002/pip>
- Rühle, S. (2016). Tabulated values of the Shockley-Queisser limit for single junction solar cells. *Solar Energy*, 130, 139–147. <https://doi.org/10.1016/j.solener.2016.02.015>
- Sanehira, E. M., Marshall, A. R., Christians, J. A., Harvey, S. P., Ciesielski, P. N., Wheeler, L. M., ... Luther, J. M. (2017). Enhanced mobility CsPbI<sub>3</sub> quantum dot arrays for record-efficiency, high-voltage photovoltaic cells. *Science Advances*, 3(10), eaao4204. <https://doi.org/10.1126/sciadv.aao4204>
- Santoni, a, Biccari, F., Malerba, C., Valentini, M., Chierchia, R., & Mittiga, A. (2013). Valence band offset at the CdS/Cu<sub>2</sub>ZnSnS<sub>4</sub> interface probed by x-ray photoelectron spectroscopy. *Journal of Physics D: Applied Physics*, 46(17), 175101. <https://doi.org/10.1088/0022-3727/46/17/175101>
- Sarmadian, N., Saniz, R., Partoens, B., & Lamoen, D. (2016). First-principles study of the optoelectronic properties and photovoltaic absorber layer efficiency of Cu-based chalcogenides. *Journal of Applied Physics*, 120(8). <https://doi.org/10.1063/1.4961562>
- Sarmadian, N., Saniz, R., Partoens, B., & Lamoen, D. (2016). First-principles study of the optoelectronic properties and photovoltaic absorber layer efficiency of Cu-based chalcogenides. *arXiv [Cond-Mat.mtrl-Sci]*. <https://doi.org/10.1063/1.4961562>
- Sayad, Y. (2016). Photovoltaic potential of III-nitride based tandem solar cells. *Journal of Science: Advanced Materials and Devices*, 1(3), 379–381. <https://doi.org/10.1016/j.jsamd.2016.07.009>
- Schafer, W., & Nitsche, R. (1974). Tetrahedral quaternary chalcogenides of the type Cu<sub>2</sub>IIIVS<sub>4</sub>(Se<sub>4</sub>). *Materials Research Bulletin*, 9(5), 645–654. [https://doi.org/10.1016/0025-5408\(74\)90135-4](https://doi.org/10.1016/0025-5408(74)90135-4)
- Schleich, D. M., & Wold, A. (1977). Optical and electrical properties of quarternary chalcogenides. *Materials Research Bulletin*, 12(2), 111–114. [https://doi.org/10.1016/0025-5408\(77\)90150-7](https://doi.org/10.1016/0025-5408(77)90150-7)
- Schorr, S. (2011). The crystal structure of kesterite type compounds: A neutron and X-ray diffraction study. *Solar Energy Materials and Solar Cells*, 95(6), 1482–1488. <https://doi.org/10.1016/j.solmat.2011.01.002>
- Schroder, D. K. (2005). *Semiconductor Material and Device Characterization: Third Edition*. *Semiconductor Material and Device Characterization: Third Edition*. <https://doi.org/10.1002/0471749095>
- Schubert, B.-A., Marsen, B., Sonja Cinque, Unold, T., Klenk, R., Schorr, S., & Schock, H.-W. (2011). Cu<sub>2</sub>ZnSnS<sub>4</sub> thin film solar cells by fast coevaporation. *Progress in Photovoltaics: Research and Applications*, 19(2010), 93–96. <https://doi.org/10.1002/pip.976>
- Scofield, J. H., Duda, A., Albin, D., Ballard, B. L., & Predecki, P. K. (1995). Sputtered molybdenum bilayer back contact for copper indium diselenide-based polycrystalline thin-film solar cells. *Thin Solid Films*, 260(1), 26–31. [https://doi.org/10.1016/0040-6090\(95\)90003-2](https://doi.org/10.1016/0040-6090(95)90003-2)

- Scragg, J. J., Berg, D. M., & Dale, P. J. (2010). A 3.2% efficient Kesterite device from electrodeposited stacked elemental layers. *Journal of Electroanalytical Chemistry*, 646(1-2), 52-59. <https://doi.org/10.1016/j.jelechem.2010.01.008>
- Scragg, J. J., Dale, P. J., & Peter, L. M. (2008). Towards sustainable materials for solar energy conversion: Preparation and photoelectrochemical characterization of Cu<sub>2</sub>ZnSnS<sub>4</sub>. *Electrochemistry Communications*, 10(4), 639-642. <https://doi.org/10.1016/j.elecom.2008.02.008>
- Scragg, J. J., Kubart, T., Wa, J. T., Ericson, T., Linnarsson, M. K., & Platzer-bjo, C. (2013). Effects of Back Contact Instability on Cu<sub>2</sub>ZnSnS<sub>4</sub> Devices and Processes, (c).
- Shin, B., Bojarczuk, N. A., & Guha, S. (2013). On the kinetics of MoSe<sub>2</sub> interfacial layer formation in chalcogen-based thin film solar cells with a molybdenum back contact. *Applied Physics Letters*, 102(9). <https://doi.org/10.1063/1.4794422>
- Shin, B., Gunawan, O., Zhu, Y., Bojarczuk, N. A., Chey, S. J., & Guha, S. (2011). Thin film solar cell with 8.4 % power conversion efficiency using an earth-abundant Cu<sub>2</sub>ZnSnS<sub>4</sub> absorber, (November 2011), 72-76. <https://doi.org/10.1002/pip>
- Shin, B., Zhu, Y., Bojarczuk, N. A., Jay Chey, S., & Guha, S. (2012a). Control of an interfacial MoSe<sub>2</sub> layer in Cu<sub>2</sub>ZnSnSe<sub>4</sub> thin film solar cells: 8.9 power conversion efficiency with a TiN diffusion barrier. *Applied Physics Letters*, 101(5), 10-14. <https://doi.org/10.1063/1.4740276>
- Shin, B., Zhu, Y., Bojarczuk, N. A., Jay Chey, S., & Guha, S. (2012b). Control of an interfacial MoSe<sub>2</sub> layer in Cu<sub>2</sub>ZnSnSe<sub>4</sub> thin film solar cells: 8.9 power conversion efficiency with a TiN diffusion barrier. *Applied Physics Letters*, 101(5). <https://doi.org/10.1063/1.4740276>
- Shinde, N. M., Deshmukh, P. R., Patil, S. V., & Lokhande, C. D. (2013). Development of polyaniline/Cu<sub>2</sub>ZnSnS<sub>4</sub> (CZTS) thin film based heterostructure as room temperature LPG sensor. *Sensors and Actuators A: Physical*, 193(October 2015), 79-86. <https://doi.org/10.1016/j.sna.2012.12.022>
- Shockley, W., & Queisser, H. J. (1961). Detailed balance limit of efficiency of p-n junction solar cells. *Journal of Applied Physics*, 32(3), 510-519. <https://doi.org/10.1063/1.1736034>
- Siebentritt, S. (2013). Why are kesterite solar cells not 20% efficient? *Thin Solid Films*, 535(1), 1-4. <https://doi.org/10.1016/j.tsf.2012.12.089>
- Simya, O. K., Mahaboobbatcha, A., & Balachander, K. (2015). A comparative study on the performance of Kesterite based thin film solar cells using SCAPS simulation program. *Superlattices and Microstructures*, 82, 248-261. <https://doi.org/10.1016/j.spmi.2015.02.020>
- Smith, a. J., Meek, P. E., & Liang, W. Y. (1977). Raman scattering studies of SnS<sub>2</sub> and SnSe<sub>2</sub>. *Journal of Physical Chemistry C*, 1321(10), 1321. <https://doi.org/10.1088/0022-3719/10/8/035>
- Soler-Illia, G. A. A. (2009). *Molecular Chemistry of Sol-Gel Derived Nanomaterials*. Herausgegeben von Robert J. P. Corriu und Nguyen Trong Anh. *Angewandte Chemie* (Vol. 121). <https://doi.org/10.1002/ange.200904371>
- Sun, K., Yan, C., Liu, F., Huang, J., Zhou, F., Stride, J. A., ... Hao, X. (2016). Over 9% Efficient Kesterite Cu<sub>2</sub>ZnSnS<sub>4</sub> Solar Cell Fabricated by Using Zn<sub>1-???</sub>xCd<sub>x</sub>S Buffer Layer. *Advanced Energy Materials*, 6(12). <https://doi.org/10.1002/aenm.201600046>
- Swapna Mary, G., Hema Chandra, G., Anantha Sunil, M., & Gupta, M. (2017). Influence of Selenization Time on Microstructural, Optical, and Electrical Properties of Cu<sub>2</sub>ZnGeSe<sub>4</sub>Films. *Journal of Electronic Materials*, 47(1), 1-11. <https://doi.org/10.1007/s11664-017-5860-7>
- Swapna Mary, G., Nagapure, D. R., Patil, R. M., Hema Chandra, G., Anantha Sunil, M., Prasada Rao, R., ... Venkata Subbaiah, Y. P. (2016). Growth and characterization of Cu<sub>2</sub>ZnGeSe<sub>4</sub> thin films by selenization of multiple stacks (Cu/Se/ZnSe/Se/Ge/Se) in high vacuum. *Vacuum*, 131, 264-270. <https://doi.org/10.1016/j.vacuum.2016.06.020>
- Sze, S. M., & Ng, K. K. (2007). *Physics of Semiconductor Devices*. *Physics of semiconductor devices*. <https://doi.org/10.1049/ep.1970.0039>

- Tajima, S., Itoh, T., Hazama, H., Ohishi, K., & Asahi, R. (2015). Improvement of the open-circuit voltage of Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cells using a two-layer structure. *Applied Physics Express*, 8(82302), 1–4. <https://doi.org/10.7567/APEX.8.082302>
- Takahashi, E., Pethe, S. A., Dhere, N. G., & Solar, F. (2010). Correlation between preparation parameters and properties of molybdenum back contact layer for cigs thin film solar cell, 2478–2482.
- Takuya Kato, Homare Hiroi, Noriyuki Sakai, Satoshi Muraoka, H. S. (2012). CHARACTERIZATION OF FRONT AND BACK INTERFACES ON Cu<sub>2</sub>ZnSnS<sub>4</sub> THIN-FILM SOLAR CELLS. *Compare A Journal Of Comparative Education*, 27th Europ(c), 1–3.
- Tanaka, K., Fukui, Y., Moritake, N., & Uchiki, H. (2011). Chemical composition dependence of morphological and optical properties of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films deposited by sol-gel sulfurization and Cu<sub>2</sub>ZnSnS<sub>4</sub> thin film solar cell efficiency. *Solar Energy Materials and Solar Cells*, 95(3), 838–842. <https://doi.org/10.1016/j.solmat.2010.10.031>
- Tanaka, K., Moritake, N., & Uchiki, H. (2007). Preparation of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films by sulfurizing sol-gel deposited precursors. *Solar Energy Materials and Solar Cells*, 91(13), 1199–1201. <https://doi.org/10.1016/j.solmat.2007.04.012>
- Tanaka, K., Oonuki, M., Moritake, N., & Uchiki, H. (2009). Cu<sub>2</sub>ZnSnS<sub>4</sub>Cu<sub>2</sub>ZnSnS<sub>4</sub> thin film solar cells prepared by non-vacuum processing. *Solar Energy Materials and Solar Cells*, 93(5), 583–587. <https://doi.org/10.1016/j.solmat.2008.12.009>
- Tanaka, T., Nagatomo, T., Kawasaki, D., Nishio, M., Guo, Q., Wakahara, A., ... Ogawa, H. (2005). Preparation of Cu<sub>2</sub>ZnSnS<sub>4</sub> thin films by hybrid sputtering. *Journal of Physics and Chemistry of Solids*, 66(11), 1978–1981. <https://doi.org/10.1016/j.jpcs.2005.09.037>
- Tanaka, T., Sueishi, T., Saito, K., Guo, Q., Nishio, M., Yu, K. M., & Walukiewicz, W. (2012). Existence and removal of Cu<sub>2</sub>Se second phase in coevaporated Cu<sub>2</sub>ZnSnSe<sub>4</sub>thin films. *Journal of Applied Physics*, 111(5). <https://doi.org/10.1063/1.3691964>
- Tao, J., Chen, L., Cao, H., Zhang, C., Liu, J., Zhang, Y., ... Chu, J. (2016). Co-electrodeposited Cu<sub>2</sub>ZnSnS<sub>4</sub> thin-film solar cells with over 7% efficiency fabricated via fine-tuning of the Zn content in absorber layers. *Journal of Materials Chemistry A*, 4(10), 3798–3805. <https://doi.org/10.1039/C5TA09636G>
- Timmo, K., Altosaar, M., Raudoja, J., Grossberg, M., Danilson, M., Volobujeva, O., & Mellikov, E. (2010). Chemical etching of Cu<sub>2</sub>ZnSn(S,Se)4 monograins powder. *Conference Record of the IEEE Photovoltaic Specialists Conference*, 1982–1985. <https://doi.org/10.1109/PVSC.2010.5616411>
- Todorov, T., Gershon, T., Gunawan, O., Sturdevant, C., & Guha, S. (2014). Perovskite-kesterite monolithic tandem solar cells with high open-circuit voltage. *Applied Physics Letters*, 105(17), 1–6. <https://doi.org/10.1063/1.4899275>
- Todorov, T. K., Tang, J., Bag, S., Gunawan, O., Gokmen, T., Zhu, Y., & Mitzi, D. B. (2013). Beyond 11% Efficiency: Characteristics of State-of-the-Art Cu<sub>2</sub>ZnSn(S,Se)<sub>4</sub> Solar Cells. *Advanced Energy Materials*, 3(1), 34–38. <https://doi.org/10.1002/aenm.201200348>
- Tong, Z., Zhang, K., Sun, K., Yan, C., Liu, F., & Jiang, L. (2016). Solar Energy Materials & Solar Cells Modification of absorber quality and Mo-back contact by a thin Bi intermediate layer for kesterite Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cells, 144, 537–543.
- Viezbicke, B. D., Patel, S., Davis, B. E., & Birnie, D. P. (2015). Evaluation of the Tauc method for optical absorption edge determination: ZnO thin films as a model system. *Physica Status Solidi (B)*, 11(8), n/a-n/a. <https://doi.org/10.1002/pssb.201552007>
- Vishwakarma, M., Varandani, D., Shivaprasad, S. M., & Mehta, B. R. (2018). Structural, optical, electrical properties and energy band diagram of Cu<sub>2</sub>ZnSiS<sub>4</sub>thin films. *Solar Energy Materials and Solar Cells*, 174(October 2017), 577–583. <https://doi.org/10.1016/j.solmat.2017.08.018>
- Wang, J., Zhang, P., Song, X., & Gao, L. (2014). Surfactant-free hydrothermal synthesis of Cu<sub>2</sub>ZnSnS<sub>4</sub> (CZTS) nanocrystals with photocatalytic properties. *RSC Advances*, 4(53), 27805. <https://doi.org/10.1039/c4ra03444a>
- Wang, K., Gunawan, O., Todorov, T., Shin, B., Chey, S. J., Bojarczuk, N. a., ... Guha, S. (2010). Thermally evaporated Cu<sub>2</sub>ZnSnS<sub>4</sub> solar cells. *Applied Physics Letters*, 97(14), 143508.

<https://doi.org/10.1063/1.3499284>

- Wang, W., Winkler, M. T., Gunawan, O., Gokmen, T., Todorov, T. K., Zhu, Y., & Mitzi, D. B. (2014). Device characteristics of CZTSSe thin-film solar cells with 12.6% efficiency. *Advanced Energy Materials*, 4(7), 1–5. <https://doi.org/10.1002/aenm.201301465>
- Wei, S. H., Zhang, S. B., & Zunger, A. (1999). Effects of Na on the electrical and structural properties of CuInSe<sub>2</sub>. *Journal of Applied Physics*, 85(10), 7214–7218. <https://doi.org/10.1063/1.370534>
- Williamson, G. K., & Smallman, R. E. (1956). III. Dislocation densities in some annealed and cold-worked metals from measurements on the X-ray debye-scherrer spectrum. *Philosophical Magazine*, 1(1), 34–46. <https://doi.org/10.1080/14786435608238074>
- Xie, H., Sánchez, Y., López-Marino, S., Espíndola-Rodríguez, M., Neuschitzer, M., Sylla, D., ... Saucedo, E. (2014). Impact of Sn(S,Se) secondary phases in Cu<sub>2</sub>ZnSn(S,Se)<sub>4</sub> solar cells: A chemical route for their selective removal and absorber surface passivation. *ACS Applied Materials and Interfaces*, 6(15), 12744–12751. <https://doi.org/10.1021/am502609c>
- Xin, X., He, M., Han, W., Jung, J., & Lin, Z. (2011). Low-Cost Copper Zinc Tin Sulfide Counter Electrodes for High-Efficiency Dye-Sensitized Solar Cells. *Angewandte Chemie International Edition*, 50(49), 11739–11742. <https://doi.org/10.1002/anie.201104786>
- Yamaguchi, M., Yamada, H., Katsumata, Y., Lee, K.-H., Araki, K., & Kojima, N. (2017). Efficiency potential and recent activities of high-efficiency solar cells. *Journal of Materials Research*, 32(18), 3445–3457. <https://doi.org/10.1557/jmr.2017.335>
- Yan, C., Liu, F., Song, N., Ng, B. K., Stride, J. A., Tadich, A., & Hao, X. (2014). Band alignments of different buffer layers (CdS, Zn(O,S), and In<sub>2</sub>S<sub>3</sub>) on Cu<sub>2</sub>ZnSnS<sub>4</sub>. *Applied Physics Letters*, 104(17), 2–7. <https://doi.org/10.1063/1.4873715>
- Yan, C., Sun, K., Liu, F., Huang, J., Zhou, F., & Hao, X. (2017). Boost Voc of pure sulfide kesterite solar cell via a double CZTS layer stacks. *Solar Energy Materials and Solar Cells*, 160(September 2016), 7–11. <https://doi.org/10.1016/j.solmat.2016.09.027>
- Yang, W. S., Noh, J. H., Jeon, N. J., Kim, Y. C., Ryu, S., Seo, J., & Seok, S. I. (2015). High-Performance Photovoltaic Perovskite Layers Fabricated through Intramolecular Exchange. *Science* (80-. ), 348(6240), 1234–1237. <https://doi.org/10.1126/science.aaa1227>
- Yoshikawa, K., Kawasaki, H., Yoshida, W., Irie, T., Konishi, K., Nakano, K., ... Yamamoto, K. (2017). Silicon heterojunction solar cell with interdigitated back contacts for a photoconversion efficiency over 26%. *Nature Energy*, 2(5). <https://doi.org/10.1038/nenergy.2017.32>
- Yu, X., An, X., Genç, A., Ibáñez, M., Arbiol, J., Zhang, Y., & Cabot, A. (2015). Cu<sub>2</sub>ZnSnS<sub>4</sub>-PtM (M = Co, Ni) Nanoheterostructures for Photocatalytic Hydrogen Evolution. *The Journal of Physical Chemistry C*, 119(38), 21882–21888. <https://doi.org/10.1021/acs.jpcc.5b06199>
- Zekry, A., Abdel-Naby, M., Ragaie, H. F., & El Akkad, F. E. (1993). Capacitance and Conductance of ZnxCd1-xS/ZnTe Heterojunctions. *IEEE Transactions on Electron Devices*, 40(2), 259–266. <https://doi.org/10.1109/16.182498>
- Zeng, F., Sun, K., Gong, L., Jiang, L., Liu, F., Lai, Y., & Li, J. (2015). Back contact-absorber interface modification by inserting carbon intermediate layer and conversion efficiency improvement in Cu<sub>2</sub>ZnSn(S,Se)<sub>4</sub> solar cell. *Physica Status Solidi - Rapid Research Letters*, 9(12), 687–691. <https://doi.org/10.1002/pssr.201510280>
- Zhou, F., Zeng, F., Liu, X., Liu, F., Song, N., Yan, C., ... Hao, X. (2015). Improvement of J<sub>sc</sub> in a Cu<sub>2</sub>ZnSnS<sub>4</sub> Solar Cell by Using a Thin Carbon Intermediate Layer at the Cu<sub>2</sub>ZnSnS<sub>4</sub>/Mo Interface. *ACS Applied Materials and Interfaces*, 7(41), 22868–22873. <https://doi.org/10.1021/acsami.5b05652>

...