

References

- Amanullah, A., Upadhyay, A., Chhangani, D., Joshi, V., Mishra, R., Yamanaka, K., *et al.*, (2017a), "Proteasomal Dysfunction Induced By Diclofenac Engenders Apoptosis Through Mitochondrial Pathway," *J Cell Biochem*, Vol. 118, No. 5, pp. 1014-1027
- Amanullah, A., Upadhyay, A., Joshi, V., Mishra, R., Jana, N. R., and Mishra, A., (2017b), "Progressing neurobiological strategies against proteostasis failure: Challenges in neurodegeneration," *Prog Neurobiol*, Vol. 159, No., pp. 1-38
- Amm, I., Sommer, T., and Wolf, D. H., (2014), "Protein quality control and elimination of protein waste: the role of the ubiquitin-proteasome system," *Biochim Biophys Acta*, Vol. 1843, No. 1, pp. 182-96
- Anchisi, L., Dessi, S., Pani, A., and Mandas, A., (2013), "Cholesterol homeostasis: a key to prevent or slow down neurodegeneration," *Frontiers in Physiology*, Vol. 3, No. 486,
- Arslan, M. A., Chikina, M., Csermely, P., and Soti, C., (2012), "Misfolded proteins inhibit proliferation and promote stress-induced death in SV40-transformed mammalian cells," *FASEB J*, Vol. 26, No. 2, pp. 766-77
- Bakkenist, C. J. and Kastan, M. B., (2004), "Initiating cellular stress responses," *Cell*, Vol. 118, No. 1, pp. 9-17
- Bales, E. S., Dietrich, C., Bandyopadhyay, D., Schwahn, D. J., Xu, W., Didenko, V., *et al.*, (1999), "High levels of expression of p27KIP1 and cyclin E in invasive primary malignant melanomas," *J Invest Dermatol*, Vol. 113, No. 6, pp. 1039-46
- Ballar, P., Ors, A. U., Yang, H., and Fang, S., (2010), "Differential regulation of CFTR Δ F508 degradation by ubiquitin ligases gp78 and Hrd1," *Int J Biochem Cell Biol*, Vol. 42, No. 1, pp. 167-73
- Ballar, P., Shen, Y., Yang, H., and Fang, S., (2006), "The role of a novel p97/valosin-containing protein-interacting motif of gp78 in endoplasmic reticulum-associated degradation," *J Biol Chem*, Vol. 281, No. 46, pp. 35359-68
- Ballar, P., Zhong, Y., Nagahama, M., Tagaya, M., Shen, Y., and Fang, S., (2007), "Identification of SVIP as an endogenous inhibitor of endoplasmic reticulum-associated degradation," *J Biol Chem*, Vol. 282, No. 47, pp. 33908-14
- Barral, J. M., Broadley, S. A., Schaffar, G., and Hartl, F. U., (2004), "Roles of molecular chaperones in protein misfolding diseases," *Semin Cell Dev Biol*, Vol. 15, No. 1, pp. 17-29
- Barzegar, A., (2016), "Antioxidant activity of polyphenolic myricetin in vitro cell- free and cell-based systems," *Mol Biol Res Commun*, Vol. 5, No. 2, pp. 87-95
- Bence, N. F., Sampat, R. M., and Kopito, R. R., (2001), "Impairment of the ubiquitin-proteasome system by protein aggregation," *Science*, Vol. 292, No. 5521, pp. 1552-5
- Benlimame, N., Le, P. U., and Nabi, I. R., (1998), "Localization of autocrine motility factor receptor to caveolae and clathrin-independent internalization of its ligand to smooth endoplasmic reticulum," *Mol Biol Cell*, Vol. 9, No. 7, pp. 1773-86
- Benlimame, N., Simard, D., and Nabi, I. R., (1995), "Autocrine motility factor receptor is a marker for a distinct membranous tubular organelle," *J Cell Biol*, Vol. 129, No. 2, pp. 459-71
- Berhanu, W. M. and Masunov, A. E., (2015), "Atomistic mechanism of polyphenol amyloid aggregation inhibitors: molecular dynamics study of Curcumin, Exifone, and Myricetin interaction with the segment of tau peptide oligomer," *J Biomol Struct Dyn*, Vol. 33, No. 7, pp. 1399-411
- Bernassola, F., Karin, M., Ciechanover, A., and Melino, G., (2008), "The HECT family of E3 ubiquitin ligases: multiple players in cancer development," *Cancer cell*, Vol. 14, No. 1, pp. 10-21
- Besson, A., Hwang, H. C., Cicero, S., Donovan, S. L., Gurian-West, M., Johnson, D., *et al.*, (2007), "Discovery of an oncogenic activity in p27Kip1 that causes stem cell expansion and a multiple tumor phenotype," *Genes Dev*, Vol. 21, No. 14, pp. 1731-46
- Bohm, B. A., *Introduction to flavonoids*: Harwood academic publishers, 1998.
- Braakman, I. and Bulleid, N. J., (2011), "Protein folding and modification in the mammalian endoplasmic reticulum," *Annu Rev Biochem*, Vol. 80, No., pp. 71-99
- Bukau, B., Weissman, J., and Horwich, A., (2006), "Molecular chaperones and protein quality control," *Cell*, Vol. 125, No. 3, pp. 443-51

- Cairns, R. A., Harris, I. S., and Mak, T. W., (2011), "Regulation of cancer cell metabolism, " *Nature Reviews Cancer*, Vol. 11, No. 2, pp. 85-95
- Cao, J., Wang, J., Qi, W., Miao, H. H., Wang, J., Ge, L., *et al.*, (2007), "Ufd1 is a cofactor of gp78 and plays a key role in cholesterol metabolism by regulating the stability of HMG-CoA reductase, " *Cell Metab*, Vol. 6, No. 2, pp. 115-28
- Cao, X., Xue, L., Han, L., Ma, L., Chen, T., and Tong, T., (2011), "WW domain-containing E3 ubiquitin protein ligase 1 (WWP1) delays cellular senescence by promoting p27(Kip1) degradation in human diploid fibroblasts, " *J Biol Chem*, Vol. 286, No. 38, pp. 33447-56
- Carpenter, J. E. and Grose, C., (2014), "Varicella-zoster virus glycoprotein expression differentially induces the unfolded protein response in infected cells, " *Front Microbiol*, Vol. 5, No., p. 322
- Carrano, A. C., Eytan, E., Hershko, A., and Pagano, M., (1999), "SKP2 is required for ubiquitin-mediated degradation of the CDK inhibitor p27, " *Nature cell biology*, Vol. 1, No. 4, pp. 193-199
- Chang, Y., Chang, C.-Y., Wang, S.-J., and Huang, S.-K., (2015a), "Myricetin inhibits the release of glutamate in rat cerebrocortical nerve terminals, " *Journal of medicinal food*, Vol. 18, No. 5, pp. 516-523
- Chang, Y., Chang, C. Y., Wang, S. J., and Huang, S. K., (2015b), "Myricetin inhibits the release of glutamate in rat cerebrocortical nerve terminals, " *J Med Food*, Vol. 18, No. 5, pp. 516-23
- Chang, Y. W., Tseng, C. F., Wang, M. Y., Chang, W. C., Lee, C. C., Chen, L. T., *et al.*, (2015c), "Deacetylation of HSPA5 by HDAC6 leads to GP78-mediated HSPA5 ubiquitination at K447 and suppresses metastasis of breast cancer, " *Oncogene*, Vol. 35, No. 12, pp. 1517-1528
- Chen, B., Mariano, J., Tsai, Y. C., Chan, A. H., Cohen, M., and Weissman, A. M., (2006), "The activity of a human endoplasmic reticulum-associated degradation E3, gp78, requires its Cue domain, RING finger, and an E2-binding site, " *Proc Natl Acad Sci U S A*, Vol. 103, No. 2, pp. 341-6
- Chen, S., Ferrone, F. A., and Wetzel, R., (2002), "Huntington's disease age-of-onset linked to polyglutamine aggregation nucleation, " *Proc Natl Acad Sci U S A*, Vol. 99, No. 18, pp. 11884-9
- Chen, W., Li, Y., Li, J., Han, Q., Ye, L., and Li, A., (2011), "Myricetin affords protection against peroxynitrite-mediated DNA damage and hydroxyl radical formation, " *Food Chem Toxicol*, Vol. 49, No. 9, pp. 2439-44
- Chen, Y. and Klionsky, D. J., (2011), "The regulation of autophagy - unanswered questions, " *J Cell Sci*, Vol. 124, No. Pt 2, pp. 161-70
- Chen, Z., Ballar, P., Fu, Y., Luo, J., Du, S., and Fang, S., (2014), "The E3 ubiquitin ligase gp78 protects against ER stress in zebrafish liver, " *J Genet Genomics*, Vol. 41, No. 7, pp. 357-68
- Chen, Z., Du, S., and Fang, S., (2012), "gp78: a multifaceted ubiquitin ligase that integrates a unique protein degradation pathway from the endoplasmic reticulum, " *Curr Protein Pept Sci*, Vol. 13, No. 5, pp. 414-24
- Chhangani, D., Jana, N. R., and Mishra, A., (2013), "Misfolded proteins recognition strategies of E3 ubiquitin ligases and neurodegenerative diseases, " *Mol Neurobiol*, Vol. 47, No. 1, pp. 302-12
- Chhangani, D., Joshi, A. P., and Mishra, A., (2012), "E3 ubiquitin ligases in protein quality control mechanism, " *Mol Neurobiol*, Vol. 45, No. 3, pp. 571-85
- Chhangani, D. and Mishra, A., (2013), "Protein quality control system in neurodegeneration: a healing company hard to beat but failure is fatal, " *Mol Neurobiol*, Vol. 48, No. 1, pp. 141-56
- Chhangani, D., Upadhyay, A., Amanullah, A., Joshi, V., and Mishra, A., (2014), "Ubiquitin ligase ITCH recruitment suppresses the aggregation and cellular toxicity of cytoplasmic misfolded proteins, " *Sci Rep*, Vol. 4, No., p. 5077
- Chiu, C. G., St-Pierre, P., Nabi, I. R., and Wiseman, S. M., (2008), "Autocrine motility factor receptor: a clinical review, " *Expert Rev Anticancer Ther*, Vol. 8, No. 2, pp. 207-17
- Chobot, V. and Hadacek, F., (2011), "Exploration of pro-oxidant and antioxidant activities of the flavonoid myricetin, " *Redox Rep*, Vol. 16, No. 6, pp. 242-7
- Choi, K., Kim, H., Kang, H., Lee, S. Y., Lee, S. J., Back, S. H., *et al.*, (2014), "Regulation of diacylglycerol acyltransferase 2 protein stability by gp78-associated endoplasmic-reticulum-associated degradation, " *FEBS J*, Vol. 281, No. 13, pp. 3048-60
- Choudhury, Y., Tay, F. C., Lam, D. H., Sandanaraj, E., Tang, C., Ang, B.-T., *et al.*, (2012), "Attenuated adenosine-to-inosine editing of microRNA-376a* promotes invasiveness of glioblastoma cells, " *The Journal of Clinical Investigation*, Vol. 122, No. 11, pp. 4059-4076
- Chu, I. M., Hengst, L., and Slingerland, J. M., (2008), "The Cdk inhibitor p27 in human cancer: prognostic potential and relevance to anticancer therapy, " *Nat Rev Cancer*, Vol. 8, No. 4, pp. 253-67
- Ciechanover, A., (1994), "The ubiquitin-proteasome proteolytic pathway, " *Cell*, Vol. 79, No. 1, pp. 13-21
- Ciechanover, A. and Brundin, P., (2003), "The ubiquitin proteasome system in neurodegenerative diseases: sometimes the chicken, sometimes the egg, " *Neuron*, Vol. 40, No. 2, pp. 427-46

- Craig, E. A., Weissman, J. S., and Horwich, A. L., (1994), "Heat shock proteins and molecular chaperones: mediators of protein conformation and turnover in the cell, " *Cell*, Vol. 78, No. 3, pp. 365-372
- Dajas, F., Rivera-Megret, F., Blasina, F., Arredondo, F., Abin-Carriquiry, J. A., Costa, G., *et al.*, (2003), "Neuroprotection by flavonoids, " *Braz J Med Biol Res*, Vol. 36, No. 12, pp. 1613-20
- Dang, C. V., (2012), "Links between metabolism and cancer, " *Genes & development*, Vol. 26, No. 9, pp. 877-890
- Das, R., Mariano, J., Tsai, Y. C., Kalathur, R. C., Kostova, Z., Li, J., *et al.*, (2009), "Allosteric activation of E2-RING finger-mediated ubiquitylation by a structurally defined specific E2-binding region of gp78, " *Mol Cell*, Vol. 34, No. 6, pp. 674-85
- David, D. C., (2012), "Aging and the aggregating proteome, " *Front Genet*, Vol. 3, No., p. 247
- DeBerardinis, R. J., Lum, J. J., Hatzivassiliou, G., and Thompson, C. B., (2008), "The biology of cancer: metabolic reprogramming fuels cell growth and proliferation, " *Cell metabolism*, Vol. 7, No. 1, pp. 11-20
- DeToma, A. S., Choi, J. S., Braymer, J. J., and Lim, M. H., (2011), "Myricetin: a naturally occurring regulator of metal-induced amyloid-beta aggregation and neurotoxicity, " *Chembiochem*, Vol. 12, No. 8, pp. 1198-201
- Devi, K. P., Rajavel, T., Habtemariam, S., Nabavi, S. F., and Nabavi, S. M., (2015), "Molecular mechanisms underlying anticancer effects of myricetin, " *Life Sci*, Vol. 142, No., pp. 19-25
- El-Gammal, A. A. and Mansour, R. M. A., (1986), "Antimicrobial Activities of Some Flavonoid Compounds, " *Zentralblatt für Mikrobiologie*, Vol. 141, No. 7, pp. 561-565
- Ellis, R. J. and Hemmingsen, S. M., (1989), "Molecular chaperones: proteins essential for the biogenesis of some macromolecular structures, " *Trends Biochem Sci*, Vol. 14, No. 8, pp. 339-42
- Endo, K., Shirai, A., Furukawa, M., and Yoshizaki, T., (2006), "Prognostic value of cell motility activation factors in patients with tongue squamous cell carcinoma, " *Hum Pathol*, Vol. 37, No. 8, pp. 1111-6
- Esfandiary, E., Karimipour, M., Mardani, M., Ghanadian, M., Alaei, H. A., Mohammadnejad, D., *et al.*, (2015), "Neuroprotective effects of Rosa damascena extract on learning and memory in a rat model of amyloid-beta-induced Alzheimer's disease, " *Adv Biomed Res*, Vol. 4, No., p. 131
- Fairbank, M., St-Pierre, P., and Nabi, I. R., (2009), "The complex biology of autocrine motility factor/phosphoglucose isomerase (AMF/PGI) and its receptor, the gp78/AMFR E3 ubiquitin ligase, " *Mol Biosyst*, Vol. 5, No. 8, pp. 793-801
- Fang, S., Ferrone, M., Yang, C., Jensen, J. P., Tiwari, S., and Weissman, A. M., (2001), "The tumor autocrine motility factor receptor, gp78, is a ubiquitin protein ligase implicated in degradation from the endoplasmic reticulum, " *Proc Natl Acad Sci U S A*, Vol. 98, No. 25, pp. 14422-7
- Fang, S., Lorick, K. L., Jensen, J. P., and Weissman, A. M., (2003), "RING finger ubiquitin protein ligases: implications for tumorigenesis, metastasis and for molecular targets in cancer, " *Semin Cancer Biol*, Vol. 13, No. 1, pp. 5-14
- Fero, M. L., Rivkin, M., Tasch, M., Porter, P., Carow, C. E., Firpo, E., *et al.*, (1996), "A syndrome of multiorgan hyperplasia with features of gigantism, tumorigenesis, and female sterility in p27(Kip1)-deficient mice, " *Cell*, Vol. 85, No. 5, pp. 733-44
- Fisher, E. A., Lapierre, L. R., Junkins, R. D., and McLeod, R. S., (2008), "The AAA-ATPase p97 facilitates degradation of apolipoprotein B by the ubiquitin-proteasome pathway, " *J Lipid Res*, Vol. 49, No. 10, pp. 2149-60
- Fredersdorf, S., Burns, J., Milne, A. M., Packham, G., Fallis, L., Gillett, C. E., *et al.*, (1997), "High level expression of p27(kip1) and cyclin D1 in some human breast cancer cells: inverse correlation between the expression of p27(kip1) and degree of malignancy in human breast and colorectal cancers, " *Proc Natl Acad Sci U S A*, Vol. 94, No. 12, pp. 6380-5
- Fu, M., Li, L., Albrecht, T., Johnson, J. D., Kojic, L. D., and Nabi, I. R., (2011), "Autocrine motility factor/phosphoglucose isomerase regulates ER stress and cell death through control of ER calcium release, " *Cell Death Differ*, Vol. 18, No. 6, pp. 1057-70
- Fu, M., St-Pierre, P., Shankar, J., Wang, P. T., Joshi, B., and Nabi, I. R., (2013), "Regulation of mitophagy by the Gp78 E3 ubiquitin ligase, " *Mol Biol Cell*, Vol. 24, No. 8, pp. 1153-62
- Funasaka, T., Hu, H., Yanagawa, T., Hogan, V., and Raz, A., (2007), "Down-regulation of phosphoglucose isomerase/autocrine motility factor results in mesenchymal-to-epithelial transition of human lung fibrosarcoma cells, " *Cancer Res*, Vol. 67, No. 9, pp. 4236-43
- Gestwicki, J. E. and Garza, D., (2012), "Protein quality control in neurodegenerative disease, " *Prog Mol Biol Transl Sci*, Vol. 107, No., pp. 327-53
- Goldberg, A. L., (2003a), "Protein degradation and protection against misfolded or damaged proteins, " *Nature*, Vol. 426, No. 6968, pp. 895-9

- Goldberg, A. L., (2003b), "Protein degradation and protection against misfolded or damaged proteins, " *Nature*, Vol. 426, No. 6968, p. 895
- Griffin, J. L. and Shockcor, J. P., (2004), "Metabolic profiles of cancer cells, " *Nature reviews cancer*, Vol. 4, No. 7, pp. 551-561
- Grotewold, E., (2006), "The science of flavonoids, " No.,
- Guenther, R., Krenn, V., Morawietz, L., Dankof, A., Melcher, I., Schaser, K. D., *et al.*, (2005), "Giant cell tumors of the bone: molecular profiling and expression analysis of Ephrin A1 receptor, Claudin 7, CD52, FGFR3 and AMFR, " *Pathol Res Pract*, Vol. 201, No. 10, pp. 649-63
- Hahlbrock, K. and Grisebach, H., (1979), "Enzymic controls in the biosynthesis of lignin and flavonoids, " *Annual Review of Plant Physiology*, Vol. 30, No. 1, pp. 105-130
- Han, C., Jin, L., Mei, Y., and Wu, M., (2013), "Endoplasmic reticulum stress inhibits cell cycle progression via induction of p27 in melanoma cells, " *Cellular signalling*, Vol. 25, No. 1, pp. 144-149
- Hara, T., Hashimoto, Y., Akuzawa, T., Hirai, R., Kobayashi, H., and Sato, K., (2014), "Rer1 and calnexin regulate endoplasmic reticulum retention of a peripheral myelin protein 22 mutant that causes type 1A Charcot-Marie-Tooth disease, " *Sci Rep*, Vol. 4, No., p. 6992
- Hartl, F. U., (1996), "Molecular chaperones in cellular protein folding, " *Nature*, Vol. 381, No. 6583, pp. 571-9
- Hartl, F. U., Bracher, A., and Hayer-Hartl, M., (2011), "Molecular chaperones in protein folding and proteostasis, " *Nature*, Vol. 475, No. 7356, p. 324
- Haslam, E., "Natural Proanthocyanidins," in *The Flavonoids*, J. B. Harborne, T. J. Mabry, and H. Mabry, Eds., ed Boston, MA: Springer US, 1975, pp. 505-559.
- Hattori, T., Isobe, T., Abe, K., Kikuchi, H., Kitagawa, K., Oda, T., *et al.*, (2007), "Pirh2 promotes ubiquitin-dependent degradation of the cyclin-dependent kinase inhibitor p27Kip1, " *Cancer Res*, Vol. 67, No. 22, pp. 10789-95
- Havsteen, B. H., (2002), "The biochemistry and medical significance of the flavonoids, " *Pharmacol Ther*, Vol. 96, No. 2-3, pp. 67-202
- He, J., Wang, Y., Chang, A. K., Xu, L., Wang, N., Chong, X., *et al.*, (2014), "Myricetin prevents fibrillogenesis of hen egg white lysozyme, " *J Agric Food Chem*, Vol. 62, No. 39, pp. 9442-9
- Hebert, D. N. and Molinari, M., (2007), "In and out of the ER: protein folding, quality control, degradation, and related human diseases, " *Physiol Rev*, Vol. 87, No. 4, pp. 1377-408
- Hendrix, M. J., Wood, W. R., Seftor, E. A., Lotan, D., Nakajima, M., Misiorowski, R. L., *et al.*, (1990), "Retinoic acid inhibition of human melanoma cell invasion through a reconstituted basement membrane and its relation to decreases in the expression of proteolytic enzymes and motility factor receptor, " *Cancer Res*, Vol. 50, No. 13, pp. 4121-30
- Hershko, A. and Ciechanover, A., (1998), "The ubiquitin system, " *Annu Rev Biochem*, Vol. 67, No., pp. 425-79
- Hershko, A. and Ciechanover, A., (1992), "The ubiquitin system for protein degradation, " *Annu Rev Biochem*, Vol. 61, No., pp. 761-807
- Hightower, L. E., (1991), "Heat shock, stress proteins, chaperones, and proteotoxicity, " *Cell*, Vol. 66, No. 2, pp. 191-197
- Hirono, Y., Fushida, S., Yonemura, Y., Yamamoto, H., Watanabe, H., and Raz, A., (1996), "Expression of autocrine motility factor receptor correlates with disease progression in human gastric cancer, " *Br J Cancer*, Vol. 74, No. 12, pp. 2003-7
- Hochstrasser, M., (1996), "Ubiquitin-dependent protein degradation, " *Annu Rev Genet*, Vol. 30, No., pp. 405-39
- Houck, S. A., Singh, S., and Cyr, D. M., (2012), "Cellular responses to misfolded proteins and protein aggregates, " *Methods Mol Biol*, Vol. 832, No., pp. 455-61
- Hsu, P. P. and Sabatini, D. M., (2008), "Cancer cell metabolism: Warburg and beyond, " *Cell*, Vol. 134, No. 5, pp. 703-707
- Iida, H., Towatari, M., Tanimoto, M., Morishita, Y., Kodera, Y., and Saito, H., (1997), "Overexpression of cyclin E in acute myelogenous leukemia, " *Blood*, Vol. 90, No. 9, pp. 3707-13
- Iiizumi, M., Liu, W., Pai, S. K., Furuta, E., and Watabe, K., (2008), "Drug development against metastasis-related genes and their pathways: a rationale for cancer therapy, " *Biochimica et Biophysica Acta (BBA)-Reviews on Cancer*, Vol. 1786, No. 2, pp. 87-104
- Jiang, W. G., Raz, A., Douglas-Jones, A., and Mansel, R. E., (2006), "Expression of autocrine motility factor (AMF) and its receptor, AMFR, in human breast cancer, " *J Histochem Cytochem*, Vol. 54, No. 2, pp. 231-41

- Jin, S. and White, E., (2007), "Role of autophagy in cancer: management of metabolic stress, " *Autophagy*, Vol. 3, No. 1, pp. 28-31
- Joshi, B., Li, L., and Nabi, I. R., (2010), "A Role for KAI1 in Promotion of Cell Proliferation and Mammary Gland Hyperplasia by the gp78 Ubiquitin Ligase, " *Journal of Biological Chemistry*, Vol. 285, No. 12, pp. 8830-8839
- Kabashi, E. and Durham, H. D., (2006), "Failure of protein quality control in amyotrophic lateral sclerosis, " *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, Vol. 1762, No. 11-12, pp. 1038-1050
- Kalff, J. and Robinson, R., (1925), "XXVIII.-A synthesis of myricetin and of a galangin monomethyl ether occurring in galanga root, " *Journal of the Chemical Society, Transactions*, Vol. 127, No. 0, pp. 181-184
- Kamura, T., Hara, T., Matsumoto, M., Ishida, N., Okumura, F., Hatakeyama, S., *et al.*, (2004), "Cytoplasmic ubiquitin ligase KPC regulates proteolysis of p27(Kip1) at G1 phase, " *Nat Cell Biol*, Vol. 6, No. 12, pp. 1229-35
- Kara, M., Ohta, Y., Tanaka, Y., Oda, M., and Watanabe, Y., (2001), "Autocrine motility factor receptor expression in patients with stage I non-small cell lung cancer, " *Ann Thorac Surg*, Vol. 71, No. 3, pp. 944-8
- Kawanishi, K., Doki, Y., Shiozaki, H., Yano, M., Inoue, M., Fukuchi, N., *et al.*, (2000), "Correlation between loss of E-cadherin expression and overexpression of autocrine motility factor receptor in association with progression of human gastric cancers, " *Am J Clin Pathol*, Vol. 113, No. 2, pp. 266-74
- Kaynak, K., Kara, M., Oz, B., Akgoz, B., Sar, M., and Raz, A., (2005), "Autocrine motility factor receptor expression implies an unfavourable prognosis in resected stage I pulmonary adenocarcinomas, " *Acta Chir Belg*, Vol. 105, No. 4, pp. 378-82
- Khan, E., Tawani, A., Mishra, S. K., Verma, A. K., Upadhyay, A., Kumar, M., *et al.*, (2018), "Myricetin Reduces Toxic Level of CAG Repeats RNA in Huntington's Disease (HD) and Spino Cerebellar Ataxia (SCAs), " *ACS Chem Biol*, Vol. 13, No. 1, pp. 180-188
- Kiyokawa, H., Kineman, R. D., Manova-Todorova, K. O., Soares, V. C., Hoffman, E. S., Ono, M., *et al.*, (1996), "Enhanced growth of mice lacking the cyclin-dependent kinase inhibitor function of p27(Kip1), " *Cell*, Vol. 85, No. 5, pp. 721-32
- Klein, J. A. and Ackerman, S. L., (2003), "Oxidative stress, cell cycle, and neurodegeneration, " *The Journal of clinical investigation*, Vol. 111, No. 6, pp. 785-793
- Koepp, D. M., Harper, J. W., and Elledge, S. J., (1999), "How the cyclin became a cyclin: regulated proteolysis in the cell cycle, " *Cell*, Vol. 97, No. 4, pp. 431-434
- Koeppen, A. H., (2005), "The pathogenesis of spinocerebellar ataxia, " *Cerebellum*, Vol. 4, No. 1, pp. 62-73
- Kojic, L. D., Wiseman, S. M., Ghaidi, F., Joshi, B., Nedev, H., Saragovi, H. U., *et al.*, (2008), "Raft-dependent endocytosis of autocrine motility factor/phosphoglucose isomerase: a potential drug delivery route for tumor cells, " *PLoS One*, Vol. 3, No. 10, p. e3597
- Kopito, R. R., (1997), "ER quality control: the cytoplasmic connection, " *Cell*, Vol. 88, No. 4, pp. 427-30
- Korman, H. J., Peabody, J. O., Cerny, J. C., Farah, R. N., Yao, J., and Raz, A., (1996), "Autocrine motility factor receptor as a possible urine marker for transitional cell carcinoma of the bladder, " *J Urol*, Vol. 155, No. 1, pp. 347-9
- Korolchuk, V. I., Menzies, F. M., and Rubinsztein, D. C., (2010), "Mechanisms of cross-talk between the ubiquitin-proteasome and autophagy-lysosome systems, " *FEBS Lett*, Vol. 584, No. 7, pp. 1393-8
- Kossatz, U. and Malek, N. P., (2007), "p27: tumor suppressor and oncogene ...?, " *Cell Res*, Vol. 17, No. 10, pp. 832-3
- Koyano, S., Uchihara, T., Fujigasaki, H., Nakamura, A., Yagishita, S., and Iwabuchi, K., (1999), "Neuronal intranuclear inclusions in spinocerebellar ataxia type 2: triple-labeling immunofluorescent study, " *Neurosci Lett*, Vol. 273, No. 2, pp. 117-20
- Kozłowska, A. and Szostak-Wegierek, D., (2014), "Flavonoids--food sources and health benefits, " *Rocz Panstw Zakł Hig*, Vol. 65, No. 2, pp. 79-85
- Kültz, D., (2005), "Molecular and evolutionary basis of the cellular stress response, " *Annu. Rev. Physiol.*, Vol. 67, No., pp. 225-257
- Larrea, M. D., Liang, J., Da Silva, T., Hong, F., Shao, S. H., Han, K., *et al.*, (2008), "Phosphorylation of p27Kip1 regulates assembly and activation of cyclin D1-Cdk4, " *Mol Cell Biol*, Vol. 28, No. 20, pp. 6462-72
- Le, P. U., Benlimame, N., Lagana, A., Raz, A., and Nabi, I. R., (2000), "Clathrin-mediated endocytosis and recycling of autocrine motility factor receptor to fibronectin fibrils is a limiting factor for NIH-3T3 cell motility, " *J Cell Sci*, Vol. 113 (Pt 18), No., pp. 3227-40
- Leclerc, N., Vallee, A., and Nabi, I. R., (2000), "Expression of the AMF/neuroleukin receptor in developing and adult brain cerebellum, " *J Neurosci Res*, Vol. 60, No. 5, pp. 602-12

- Lee, J. and Kim, S. S., (2009), "The function of p27KIP1 during tumor development, " *Exp Mol Med*, Vol. 41, No., pp. 765-771
- Lei, Y., Chen, J., Zhang, W., Fu, W., Wu, G., Wei, H., *et al.*, (2012), "In vivo investigation on the potential of galangin, kaempferol and myricetin for protection of D-galactose-induced cognitive impairment, " *Food Chem*, Vol. 135, No. 4, pp. 2702-7
- Li, W., Tu, D., Li, L., Wollert, T., Ghirlando, R., Brunger, A. T., *et al.*, (2009), "Mechanistic insights into active site-associated polyubiquitination by the ubiquitin-conjugating enzyme Ube2g2, " *Proc Natl Acad Sci U S A*, Vol. 106, No. 10, pp. 3722-7
- Li, Y. and Ding, Y., (2012), "Minireview: Therapeutic potential of myricetin in diabetes mellitus, " *Food Science and Human Wellness*, Vol. 1, No. 1, pp. 19-25
- Liang, J. S., Kim, T., Fang, S., Yamaguchi, J., Weissman, A. M., Fisher, E. A., *et al.*, (2003), "Overexpression of the tumor autocrine motility factor receptor Gp78, a ubiquitin protein ligase, results in increased ubiquitinylation and decreased secretion of apolipoprotein B100 in HepG2 cells, " *J Biol Chem*, Vol. 278, No. 26, pp. 23984-8
- Liotta, L. A., Mandler, R., Murano, G., Katz, D. A., Gordon, R. K., Chiang, P. K., *et al.*, (1986), "Tumor cell autocrine motility factor, " *Proc Natl Acad Sci U S A*, Vol. 83, No. 10, pp. 3302-6
- Lloyd, R. V., Erickson, L. A., Jin, L., Kulig, E., Qian, X., Cheville, J. C., *et al.*, (1999), "p27kip1: a multifunctional cyclin-dependent kinase inhibitor with prognostic significance in human cancers, " *Am J Pathol*, Vol. 154, No. 2, pp. 313-23
- Lotan, R., Amos, B., Watanabe, H., and Raz, A., (1992), "Suppression of melanoma cell motility factor receptor expression by retinoic acid, " *Cancer Res*, Vol. 52, No. 18, pp. 4878-84
- Low, P., (2011), "The role of ubiquitin-proteasome system in ageing, " *Gen Comp Endocrinol*, Vol. 172, No. 1, pp. 39-43
- Luo, Y., Long, J. M., Lu, C., Chan, S. L., Spangler, E. L., Mascarucci, P., *et al.*, (2002), "A link between maze learning and hippocampal expression of neuroleukin and its receptor gp78, " *J Neurochem*, Vol. 80, No. 2, pp. 354-61
- Ma, Z. G., Wang, J., Jiang, H., Liu, T. W., and Xie, J. X., (2007), "Myricetin reduces 6-hydroxydopamine-induced dopamine neuron degeneration in rats, " *Neuroreport*, Vol. 18, No. 11, pp. 1181-5
- Madore, H. P. and England, J. M., (1977), "Rabies virus protein synthesis in infected BHK-21 cells, " *J Virol*, Vol. 22, No. 1, pp. 102-12
- Mani, A. and Gelmann, E. P., (2005), "The ubiquitin-proteasome pathway and its role in cancer, " *J Clin Oncol*, Vol. 23, No. 21, pp. 4776-89
- Maruyama, K., Watanabe, H., Shiozaki, H., Takayama, T., Gofuku, J., Yano, H., *et al.*, (1995), "Expression of autocrine motility factor receptor in human esophageal squamous cell carcinoma, " *Int J Cancer*, Vol. 64, No. 5, pp. 316-21
- McClellan, A. J., Tam, S., Kaganovich, D., and Frydman, J., (2005), "Protein quality control: chaperones culling corrupt conformations, " *Nat Cell Biol*, Vol. 7, No. 8, pp. 736-41
- McNaught, K. S., Perl, D. P., Brownell, A. L., and Olanow, C. W., (2004), "Systemic exposure to proteasome inhibitors causes a progressive model of Parkinson's disease, " *Ann Neurol*, Vol. 56, No. 1, pp. 149-62
- Meldrum, B. S., (2000), "Glutamate as a neurotransmitter in the brain: review of physiology and pathology, " *J Nutr*, Vol. 130, No. 4S Suppl, pp. 1007S-15S
- Metzger, M. B., Hristova, V. A., and Weissman, A. M., (2012), "HECT and RING finger families of E3 ubiquitin ligases at a glance, " *J Cell Sci*, Vol. 125, No. Pt 3, pp. 531-7
- Metzger, M. B., Pruneda, J. N., Klevit, R. E., and Weissman, A. M., (2014), "RING-type E3 ligases: Master manipulators of E2 ubiquitin-conjugating enzymes and ubiquitination, " *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, Vol. 1843, No. 1, pp. 47-60
- Middleton, E., Kandaswami, C., and Theoharides, T. C., (2000), "The effects of plant flavonoids on mammalian cells: implications for inflammation, heart disease, and cancer, " *Pharmacological reviews*, Vol. 52, No. 4, pp. 673-751
- Miean, K. H. and Mohamed, S., (2001), "Flavonoid (myricetin, quercetin, kaempferol, luteolin, and apigenin) content of edible tropical plants, " *Journal of agricultural and food chemistry*, Vol. 49, No. 6, pp. 3106-3112
- Miranda, E., Romisch, K., and Lomas, D. A., (2004), "Mutants of neuroserpin that cause dementia accumulate as polymers within the endoplasmic reticulum, " *J Biol Chem*, Vol. 279, No. 27, pp. 28283-91

- Mishra, A., Dikshit, P., Purkayastha, S., Sharma, J., Nukina, N., and Jana, N. R., (2008), "E6-AP promotes misfolded polyglutamine proteins for proteasomal degradation and suppresses polyglutamine protein aggregation and toxicity, " *J Biol Chem*, Vol. 283, No. 12, pp. 7648-56
- Mishra, A., Godavarthi, S. K., Maheshwari, M., Goswami, A., and Jana, N. R., (2009), "The ubiquitin ligase E6-AP is induced and recruited to aggresomes in response to proteasome inhibition and may be involved in the ubiquitination of Hsp70-bound misfolded proteins, " *J Biol Chem*, Vol. 284, No. 16, pp. 10537-45
- Mishra, A. and Jana, N. R., (2008), "Regulation of turnover of tumor suppressor p53 and cell growth by E6-AP, a ubiquitin protein ligase mutated in Angelman mental retardation syndrome, " *Cell Mol Life Sci*, Vol. 65, No. 4, pp. 656-66
- Molina-Jimenez, M. F., Sanchez-Reus, M. I., Andres, D., Cascales, M., and Benedi, J., (2004), "Neuroprotective effect of fraxetin and myricetin against rotenone-induced apoptosis in neuroblastoma cells, " *Brain Res*, Vol. 1009, No. 1-2, pp. 9-16
- Molina-Jimenez, M. F., Sanchez-Reus, M. I., and Benedi, J., (2003), "Effect of fraxetin and myricetin on rotenone-induced cytotoxicity in SH-SY5Y cells: comparison with N-acetylcysteine, " *Eur J Pharmacol*, Vol. 472, No. 1-2, pp. 81-7
- Morito, D., Hirao, K., Oda, Y., Hosokawa, N., Tokunaga, F., Cyr, D. M., *et al.*, (2008), "Gp78 cooperates with RMA1 in endoplasmic reticulum-associated degradation of CFTRDeltaF508, " *Mol Biol Cell*, Vol. 19, No. 4, pp. 1328-36
- Mukherjee, R. and Chakrabarti, O., (2016), "Ubiquitin-mediated regulation of the E3 ligase GP78 by MGRN1 in trans affects mitochondrial homeostasis, " *Journal of Cell Science*, Vol. 129, No. 4, pp. 757-773
- Nabi, I. R., Guay, G., and Simard, D., (1997), "AMF-R tubules concentrate in a pericentriolar microtubule domain after MSV transformation of epithelial MDCK cells, " *J Histochem Cytochem*, Vol. 45, No. 10, pp. 1351-63
- Nabi, I. R. and Raz, A., (1987), "Cell shape modulation alters glycosylation of a metastatic melanoma cell-surface antigen, " *International Journal of Cancer*, Vol. 40, No. 3, pp. 396-402
- Nabi, I. R., Watanabe, H., and Raz, A., (1992), "Autocrine motility factor and its receptor: role in cell locomotion and metastasis, " *Cancer Metastasis Rev*, Vol. 11, No. 1, pp. 5-20
- Nabi, I. R., Watanabe, H., and Raz, A., (1990), "Identification of B16-F1 melanoma autocrine motility-like factor receptor, " *Cancer Res*, Vol. 50, No. 2, pp. 409-14
- Nagai, Y., Ishikawa, O., Miyachi, Y., and Watanabe, H., (1996), "Expression of autocrine motility factor receptor in cutaneous malignant melanoma, " *Dermatology*, Vol. 192, No. 1, pp. 8-11
- Nakamori, S., Watanabe, H., Kameyama, M., Imaoka, S., Furukawa, H., Ishikawa, O., *et al.*, (1994), "Expression of autocrine motility factor receptor in colorectal cancer as a predictor for disease recurrence, " *Cancer*, Vol. 74, No. 7, pp. 1855-1862
- Nakayama, K., Ishida, N., Shirane, M., Inomata, A., Inoue, T., Shishido, N., *et al.*, (1996), "Mice lacking p27(Kip1) display increased body size, multiple organ hyperplasia, retinal dysplasia, and pituitary tumors, " *Cell*, Vol. 85, No. 5, pp. 707-20
- Nakayama, K. I. and Nakayama, K., (2006), "Ubiquitin ligases: cell-cycle control and cancer, " *Nat Rev Cancer*, Vol. 6, No. 5, pp. 369-81
- Nalepa, G., Rolfe, M., and Harper, J. W., (2006), "Drug discovery in the ubiquitin-proteasome system, " *Nat Rev Drug Discov*, Vol. 5, No. 7, pp. 596-613
- Nandi, D., Tahiliani, P., Kumar, A., and Chandu, D., (2006), "The ubiquitin-proteasome system, " *J Biosci*, Vol. 31, No. 1, pp. 137-55
- Nedelsky, N. B., Todd, P. K., and Taylor, J. P., (2008), "Autophagy and the ubiquitin-proteasome system: collaborators in neuroprotection, " *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, Vol. 1782, No. 12, pp. 691-699
- Niinaka, Y., Haga, A., Negishi, A., Yoshimasu, H., Raz, A., and Amagasa, T., (2002), "Regulation of cell motility via high and low affinity autocrine motility factor (AMF) receptor in human oral squamous carcinoma cells, " *Oral Oncol*, Vol. 38, No. 1, pp. 49-55
- Niinaka, Y., Oida, S., Ishisaki, A., Takeda, K., Iimura, T., Maruoka, Y., *et al.*, (1996), "Autocrine motility factor and its receptor expressions in human oral squamous cell carcinoma (SCC) cells, " *Int J Oncol*, Vol. 9, No. 3, pp. 433-8
- Nollen, E. A. and Morimoto, R. I., (2002), "Chaperoning signaling pathways: molecular chaperones as stress-sensing 'heat shock' proteins, " *J Cell Sci*, Vol. 115, No. Pt 14, pp. 2809-16

- Ohta, Y., Tanaka, Y., Hara, T., Oda, M., Watanabe, S., Shimizu, J., *et al.*, (2000), "Clinicopathological and biological assessment of lung cancers with pleural dissemination, " *Ann Thorac Surg*, Vol. 69, No. 4, pp. 1025-9
- Ong, K. C. and Khoo, H. E., (1997), "Biological effects of myricetin, " *Gen Pharmacol*, Vol. 29, No. 2, pp. 121-6
- Onishi, Y., Tsukada, K., Yokota, J., and Raz, A., (2003), "Overexpression of autocrine motility factor receptor (AMFR) in NIH3T3 fibroblasts induces cell transformation, " *Clin Exp Metastasis*, Vol. 20, No. 1, pp. 51-8
- Ono, K., Yoshiike, Y., Takashima, A., Hasegawa, K., Naiki, H., and Yamada, M., (2003), "Potent anti-amyloidogenic and fibril-destabilizing effects of polyphenols in vitro: implications for the prevention and therapeutics of Alzheimer's disease, " *J Neurochem*, Vol. 87, No. 1, pp. 172-81
- Otto, T., Bex, A., Schmidt, U., Raz, A., and Rubben, H., (1997), "Improved prognosis assessment for patients with bladder carcinoma, " *Am J Pathol*, Vol. 150, No. 6, pp. 1919-23
- Otto, T., Birchmeier, W., Schmidt, U., Hinke, A., Schipper, J., Rübber, H., *et al.*, (1994), "Inverse relation of E-cadherin and autocrine motility factor receptor expression as a prognostic factor in patients with bladder carcinomas, " *Cancer research*, Vol. 54, No. 12, pp. 3120-3123
- Pagano, M., (1997), "Cell cycle regulation by the ubiquitin pathway, " *The FASEB Journal*, Vol. 11, No. 13, pp. 1067-1075
- Pagano, M., Tam, S. W., Theodoras, A. M., Beer-Romero, P., Del Sal, G., Chau, V., *et al.*, (1995), "Role of the ubiquitin-proteasome pathway in regulating abundance of the cyclin-dependent kinase inhibitor p27, " *Science*, Vol. 269, No. 5224, pp. 682-5
- Park, K.-S., Chong, Y., and Kim, M. K., (2016), "Myricetin: biological activity related to human health, " *Applied Biological Chemistry*, Vol. 59, No. 2, pp. 259-269
- Paul, S., (2008), "Dysfunction of the ubiquitin-proteasome system in multiple disease conditions: therapeutic approaches, " *Bioessays*, Vol. 30, No. 11-12, pp. 1172-84
- Peng, I. W. and Kuo, S. M., (2003), "Flavonoid structure affects the inhibition of lipid peroxidation in Caco-2 intestinal cells at physiological concentrations, " *J Nutr*, Vol. 133, No. 7, pp. 2184-7
- Perkin, A. G. and Hummel, J. J., (1896), "LXXVI.-The colouring principle contained in the bark of *Myrica nagi*. Part I, " *Journal of the Chemical Society, Transactions*, Vol. 69, No. 0, pp. 1287-1294
- Pettersen, E. F., Goddard, T. D., Huang, C. C., Couch, G. S., Greenblatt, D. M., Meng, E. C., *et al.*, (2004), "UCSF Chimera--a visualization system for exploratory research and analysis, " *J Comput Chem*, Vol. 25, No. 13, pp. 1605-12
- Pickart, C. M., (2001), "Mechanisms underlying ubiquitination, " *Annu Rev Biochem*, Vol. 70, No., pp. 503-33
- Ponting, C. P., (2000), "Proteins of the endoplasmic-reticulum-associated degradation pathway: domain detection and function prediction, " *Biochem J*, Vol. 351 Pt 2, No., pp. 527-35
- Prusiner, S. B., (1991), "Molecular biology of prion diseases, " *Science*, Vol. 252, No. 5012, pp. 1515-1523
- Ramezani, M., Darbandi, N., Khodagholi, F., and Hashemi, A., (2016), "Myricetin protects hippocampal CA3 pyramidal neurons and improves learning and memory impairments in rats with Alzheimer's disease, " *Neural Regen Res*, Vol. 11, No. 12, pp. 1976-1980
- Reed, W., Florens, V. A., Holm, R., Hannisdal, E., and Nesland, J. M., (1999), "Elevated levels of p27, p21 and cyclin D1 correlate with positive oestrogen and progesterone receptor status in node-negative breast carcinoma patients, " *Virchows Arch*, Vol. 435, No. 2, pp. 116-24
- Roa, B. B., Garcia, C. A., Suter, U., Kulpa, D. A., Wise, C. A., Mueller, J., *et al.*, (1993), "Charcot-Marie-Tooth Disease Type 1A--Association with a Spontaneous Point Mutation in the PMP22 Gene, " *New England Journal of Medicine*, Vol. 329, No. 2, pp. 96-101
- Ross, C. A. and Poirier, M. A., (2004), "Protein aggregation and neurodegenerative disease, " *Nat Med*, Vol. 10 Suppl, No., pp. S10-7
- Schipper-Krom, S., Juenemann, K., and Reits, E. A., (2012), "The Ubiquitin-Proteasome System in Huntington's Disease: Are Proteasomes Impaired, Initiators of Disease, or Coming to the Rescue?, " *Biochem Res Int*, Vol. 2012, No., p. 837015
- Selkoe, D. J., (2004), "Cell biology of protein misfolding: the examples of Alzheimer's and Parkinson's diseases, " *Nat Cell Biol*, Vol. 6, No. 11, pp. 1054-61
- Semwal, D. K., Semwal, R. B., Combrinck, S., and Viljoen, A., (2016), "Myricetin: A Dietary Molecule with Diverse Biological Activities, " *Nutrients*, Vol. 8, No. 2, p. 90
- Sgambato, A., Zhang, Y. J., Arber, N., Hibshoosh, H., Doki, Y., Ciaparrone, M., *et al.*, (1997), "Deregulated expression of p27(Kip1) in human breast cancers, " *Clin Cancer Res*, Vol. 3, No. 10, pp. 1879-87

- Shang, Y. and Zhu, Z., (2013), "gp78 is specifically expressed in human prostate cancer rather than normal prostate tissue," *J Mol Histol*, Vol. 44, No. 6, pp. 653-9
- Shao, J., Choe, V., Cheng, H., Tsai, Y. C., Weissman, A. M., Luo, S., *et al.*, (2014), "Ubiquitin Ligase gp78 Targets Unglycosylated Prion Protein PrP for Ubiquitylation and Degradation," *PLoS ONE*, Vol. 9, No. 4, p. e92290
- Shen, Y., Ballar, P., Apostolou, A., Doong, H., and Fang, S., (2007), "ER stress differentially regulates the stabilities of ERAD ubiquitin ligases and their substrates," *Biochem Biophys Res Commun*, Vol. 352, No. 4, pp. 919-24
- Shen, Y., Ballar, P., and Fang, S., (2006), "Ubiquitin ligase gp78 increases solubility and facilitates degradation of the Z variant of alpha-1-antitrypsin," *Biochem Biophys Res Commun*, Vol. 349, No. 4, pp. 1285-93
- Shimizu, K., Tani, M., Watanabe, H., Nagamachi, Y., Niinaka, Y., Shiroishi, T., *et al.*, (1999), "The autocrine motility factor receptor gene encodes a novel type of seven transmembrane protein1," *FEBS Letters*, Vol. 456, No. 2, pp. 295-300
- Shimmyo, Y., Kihara, T., Akaike, A., Niidome, T., and Sugimoto, H., (2008), "Three distinct neuroprotective functions of myricetin against glutamate-induced neuronal cell death: involvement of direct inhibition of caspase-3," *J Neurosci Res*, Vol. 86, No. 8, pp. 1836-45
- Shmueli, A., Tsai, Y. C., Yang, M., Braun, M. A., and Weissman, A. M., (2009), "Targeting of gp78 for ubiquitin-mediated proteasomal degradation by Hrd1: Cross-talk between E3s in the endoplasmic reticulum," *Biochemical and Biophysical Research Communications*, Vol. 390, No. 3, pp. 758-762
- Silletti, S. and Raz, A., (1996), "Regulation of autocrine motility factor receptor expression in tumor cell locomotion and metastasis," *Curr Top Microbiol Immunol*, Vol. 213 (Pt 2), No., pp. 137-69
- Silletti, S. and Raz, A., (1993), "Autocrine motility factor is a growth factor," *Biochem Biophys Res Commun*, Vol. 194, No. 1, pp. 446-57
- Silletti, S., Yao, J., Sanford, J., Mohammed, A., Otto, T., Wolman, S., *et al.*, (1993), "Autocrine motility factor-receptor in human bladder-carcinoma - gene-expression, loss of cell-contact regulation and chromosomal mapping," *Int J Oncol*, Vol. 3, No. 5, pp. 801-7
- Silletti, S., Yao, J. P., Pienta, K. J., and Raz, A., (1995), "Loss of cell-contact regulation and altered responses to autocrine motility factor correlate with increased malignancy in prostate cancer cells," *Int J Cancer*, Vol. 63, No. 1, pp. 100-5
- Simard, D. and Nabi, I. R., (1996), "Inverse relation of autocrine motility factor receptor and E-cadherin expression following MDCK epithelial cell transformation," *Biochem Biophys Res Commun*, Vol. 219, No. 1, pp. 122-7
- Singh, R. P., Sharad, S., and Kapur, S., (2004), "Free radicals and oxidative stress in neurodegenerative diseases: relevance of dietary antioxidants," *J Indian Acad Clin Med*, Vol. 5, No. 3, pp. 218-225
- Slingerland, J. and Pagano, M., (2000), "Regulation of the cdk inhibitor p27 and its deregulation in cancer," *J Cell Physiol*, Vol. 183, No. 1, pp. 10-7
- Solanki, I., Parihar, P., Mansuri, M. L., and Parihar, M. S., (2015), "Flavonoid-based therapies in the early management of neurodegenerative diseases," *Adv Nutr*, Vol. 6, No. 1, pp. 64-72
- Song, B. L., Sever, N., and DeBose-Boyd, R. A., (2005), "Gp78, a membrane-anchored ubiquitin ligase, associates with Insig-1 and couples sterol-regulated ubiquitination to degradation of HMG CoA reductase," *Mol Cell*, Vol. 19, No. 6, pp. 829-40
- Song, M., Yin, Y., Zhang, J., Zhang, B., Bian, Z., Quan, C., *et al.*, (2014), "MiR-139-5p inhibits migration and invasion of colorectal cancer by downregulating AMFR and NOTCH1," *Protein Cell*, Vol. 5, No. 11, pp. 851-61
- Spencer, J. P., Abd-el-Mohsen, M. M., and Rice-Evans, C., (2004), "Cellular uptake and metabolism of flavonoids and their metabolites: implications for their bioactivity," *Arch Biochem Biophys*, Vol. 423, No. 1, pp. 148-61
- St-Pierre, P., Dang, T., Joshi, B., and Nabi, I. R., (2012), "Peripheral endoplasmic reticulum localization of the Gp78 ubiquitin ligase activity," *J Cell Sci*, Vol. 125, No. Pt 7, pp. 1727-37
- Sutterluty, H., Chatelain, E., Marti, A., Wirbelauer, C., Senften, M., Muller, U., *et al.*, (1999), "p45SKP2 promotes p27Kip1 degradation and induces S phase in quiescent cells," *Nat Cell Biol*, Vol. 1, No. 4, pp. 207-14
- Szent-Gyorgyi, A., (1955), "Perspectives for the bioflavonoids," *Ann N Y Acad Sci*, Vol. 61, No. 3, pp. 732-5
- Takanami, I. and Takeuchi, K., (2003), "Autocrine motility factor-receptor gene expression in lung cancer," *Jpn J Thorac Cardiovasc Surg*, Vol. 51, No. 8, pp. 368-73

- Takanami, I., Takeuchi, K., Watanabe, H., Yanagawa, T., and Takagishi, K., (2002), "Autocrine motility factor receptor gene expression and cell motility in lung cancer cell lines, " *Oncol Rep*, Vol. 9, No. 1, pp. 125-8
- Takanami, I., Takeuchi, K., Watanabe, H., Yanagawa, T., Takagishi, K., and Raz, A., (2001), "Significance of autocrine motility factor receptor gene expression as a prognostic factor in non-small-cell lung cancer, " *Int J Cancer*, Vol. 95, No. 6, pp. 384-7
- Takano-Ishikawa, Y., Goto, M., and Yamaki, K., (2006), "Structure-activity relations of inhibitory effects of various flavonoids on lipopolysaccharide-induced prostaglandin E2 production in rat peritoneal macrophages: comparison between subclasses of flavonoids, " *Phytomedicine*, Vol. 13, No. 5, pp. 310-7
- Taniguchi, K., Yonemura, Y., Nojima, N., Hirono, Y., Fushida, S., Fujimura, T., *et al.*, (1998), "The relation between the growth patterns of gastric carcinoma and the expression of hepatocyte growth factor receptor (c-met), autocrine motility factor receptor, and urokinase-type plasminogen activator receptor, " *Cancer*, Vol. 82, No. 11, pp. 2112-22
- Taniguchi, S., Suzuki, N., Masuda, M., Hisanaga, S., Iwatsubo, T., Goedert, M., *et al.*, (2005), "Inhibition of heparin-induced tau filament formation by phenothiazines, polyphenols, and porphyrins, " *J Biol Chem*, Vol. 280, No. 9, pp. 7614-23
- Taraboulos, A., Rogers, M., Borchelt, D. R., McKinley, M. P., Scott, M., Serban, D., *et al.*, (1990), "Acquisition of protease resistance by prion proteins in scrapie-infected cells does not require asparagine-linked glycosylation, " *Proceedings of the National Academy of Sciences*, Vol. 87, No. 21, pp. 8262-8266
- Timar, J., Raso, E., Dome, B., Ladanyi, A., Banfalvi, T., Gilde, K., *et al.*, (2002), "Expression and function of the AMF receptor by human melanoma in experimental and clinical systems, " *Clin Exp Metastasis*, Vol. 19, No. 3, pp. 225-32
- Timar, J., Silletti, S., Bazaz, R., Raz, A., and Honn, K. V., (1993), "Regulation of melanoma-cell motility by the lipoxigenase metabolite 12-(S)-HETE, " *Int J Cancer*, Vol. 55, No. 6, pp. 1003-10
- Troncone, G., Martinez, J. C., Iaccarino, A., Zeppa, P., Caleo, A., Russo, M., *et al.*, (2005), "p27 Kip1 is expressed in proliferating cells in its form phosphorylated on threonine 187, " *BMC clinical pathology*, Vol. 5, No. 1, p. 3
- Trott, O. and Olson, A. J., (2010), "AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading, " *J Comput Chem*, Vol. 31, No. 2, pp. 455-61
- Tsai, B., Ye, Y., and Rapoport, T. A., (2002), "Retro-translocation of proteins from the endoplasmic reticulum into the cytosol, " *Nat Rev Mol Cell Biol*, Vol. 3, No. 4, pp. 246-55
- Tsai, Y. C., Lechner, G. S., Pearce, M. M., Wilson, G. L., Wojcikiewicz, R. J., Roitelman, J., *et al.*, (2012), "Differential regulation of HMG-CoA reductase and Insig-1 by enzymes of the ubiquitin-proteasome system, " *Mol Biol Cell*, Vol. 23, No. 23, pp. 4484-94
- Tsai, Y. C., Mendoza, A., Mariano, J. M., Zhou, M., Kostova, Z., Chen, B., *et al.*, (2007), "The ubiquitin ligase gp78 promotes sarcoma metastasis by targeting KAI1 for degradation, " *Nature Medicine*, Vol. 13, No. 12, pp. 1504-1509
- Upadhyay, A., Amanullah, A., Joshi, V., Mishra, R., and Mishra, A., "Molecular and Cellular Insights: Neuroinflammation and Amyotrophic Lateral Sclerosis," in *Inflammation: the Common Link in Brain Pathologies*, N. Jana, A. Basu, and P. N. Tandon, Eds., ed Singapore: Springer Singapore, 2016, pp. 209-230.
- Upadhyay, A., Joshi, V., Amanullah, A., Mishra, R., Arora, N., Prasad, A., *et al.*, (2017), "E3 Ubiquitin Ligases Neurobiological Mechanisms: Development to Degeneration, " *Frontiers in Molecular Neuroscience*, Vol. 10, No. 151,
- Vij, N., Fang, S., and Zeitlin, P. L., (2006), "Selective inhibition of endoplasmic reticulum-associated degradation rescues DeltaF508-cystic fibrosis transmembrane regulator and suppresses interleukin-8 levels: therapeutic implications, " *J Biol Chem*, Vol. 281, No. 25, pp. 17369-78
- Wagner, H. and Farkas, L., "Synthesis of Flavonoids," in *The Flavonoids*, J. B. Harborne, T. J. Mabry, and H. Mabry, Eds., ed Boston, MA: Springer US, 1975, pp. 127-213.
- Wang, B., Zhong, Y., Gao, C., and Li, J., (2017a), "Myricetin ameliorates scopolamine-induced memory impairment in mice via inhibiting acetylcholinesterase and down-regulating brain iron, " *Biochemical and Biophysical Research Communications*, Vol. 490, No. 2, pp. 336-342
- Wang, H. J., Benlimame, N., and Nabi, I., (1997), "The AMF-R tubule is a smooth ilimaquinone-sensitive subdomain of the endoplasmic reticulum, " *J Cell Sci*, Vol. 110 (Pt 24), No., pp. 3043-53

- Wang, L., Hou, G., Xue, L., Li, J., Wei, P., and Xu, P., (2010), "Autocrine motility factor receptor signaling pathway promotes cell invasion via activation of ROCK-2 in esophageal squamous cell cancer cells, " *Cancer Invest*, Vol. 28, No. 10, pp. 993-1003
- Wang, Q., Jiao, F., Zhang, P., Yan, J., Zhang, Z., He, F., *et al.*, (2017b), "CDK5-Mediated Phosphorylation-Dependent Ubiquitination and Degradation of E3 Ubiquitin Ligases GP78 Accelerates Neuronal Death in Parkinson's Disease, " *Molecular Neurobiology*, No., pp. 1-9
- Wang, Q., Liu, X., Cui, Y., Tang, Y., Chen, W., Li, S., *et al.*, (2014a), "The E3 ubiquitin ligase AMFR and INSIG1 bridge the activation of TBK1 kinase by modifying the adaptor STING, " *Immunity*, Vol. 41, No. 6, pp. 919-33
- Wang, Q. M., Wang, G. L., and Ma, Z. G., (2016), "Protective effects of myricetin on chronic stress-induced cognitive deficits, " *Neuroreport*, Vol. 27, No. 9, pp. 652-8
- Wang, W., Yang, L. Y., Yang, Z. L., Peng, J. X., and Yang, J. Q., (2007), "Elevated expression of autocrine motility factor receptor correlates with overexpression of RhoC and indicates poor prognosis in hepatocellular carcinoma, " *Dig Dis Sci*, Vol. 52, No. 3, pp. 770-5
- Wang, Y., Guan, S., Acharya, P., Liu, Y., Thirumaran, R. K., Brandman, R., *et al.*, (2012), "Multisite phosphorylation of human liver cytochrome P450 3A4 enhances Its gp78- and CHIP-mediated ubiquitination: a pivotal role of its Ser-478 residue in the gp78-catalyzed reaction, " *Mol Cell Proteomics*, Vol. 11, No. 2, p. M111 010132
- Wang, Y., Ha, S. W., Zhang, T., Kho, D. H., Raz, A., and Xie, Y., (2014b), "Polyubiquitylation of AMF requires cooperation between the gp78 and TRIM25 ubiquitin ligases, " *Oncotarget*, Vol. 5, No. 8, pp. 2044-51
- Wang, Y., Ma, L., Wang, C., Sheng, G., Feng, L., and Yin, C., (2015), "Autocrine motility factor receptor promotes the proliferation of human acute monocytic leukemia THP-1 cells, " *Int J Mol Med*, Vol. 36, No. 3, pp. 627-32
- Watanabe, H., Carmi, P., Hogan, V., Raz, T., Silletti, S., Nabi, I. R., *et al.*, (1991a), "Purification of human tumor cell autocrine motility factor and molecular cloning of its receptor, " *J Biol Chem*, Vol. 266, No. 20, pp. 13442-8
- Watanabe, H., Kanbe, K., and Chigira, M., (1994), "Differential purification of autocrine motility factor derived from a murine protein-free fibrosarcoma, " *Clin Exp Metastasis*, Vol. 12, No. 2, pp. 155-63
- Watanabe, H., Nabi, I. R., and Raz, A., (1991b), "The relationship between motility factor receptor internalization and the lung colonization capacity of murine melanoma cells, " *Cancer Res*, Vol. 51, No. 10, pp. 2699-705
- Watanabe, H., Takehana, K., Date, M., Shinozaki, T., and Raz, A., (1996), "Tumor cell autocrine motility factor is the neuroleukin/phosphohexose isomerase polypeptide, " *Cancer research*, Vol. 56, No. 13, pp. 2960-2963
- Wickner, S., Maurizi, M. R., and Gottesman, S., (1999), "Posttranslational quality control: folding, refolding, and degrading proteins, " *Science*, Vol. 286, No. 5446, pp. 1888-93
- Winkel-Shirley, B., (2001), "Flavonoid biosynthesis. A colorful model for genetics, biochemistry, cell biology, and biotechnology, " *Plant Physiol*, Vol. 126, No. 2, pp. 485-93
- Wu, S., Yue, Y., Peng, A., Zhang, L., Xiang, J., Cao, X., *et al.*, (2016), "Myricetin ameliorates brain injury and neurological deficits via Nrf2 activation after experimental stroke in middle-aged rats, " *Food Funct*, Vol. 7, No. 6, pp. 2624-34
- Yan, L., Liu, W., Zhang, H., Liu, C., Shang, Y., Ye, Y., *et al.*, (2014), "Ube2g2-gp78-mediated HERP polyubiquitylation is involved in ER stress recovery, " *J Cell Sci*, Vol. 127, No. Pt 7, pp. 1417-27
- Yanagawa, T., Funasaka, T., Tsutsumi, S., Watanabe, H., and Raz, A., (2004), "Novel roles of the autocrine motility factor/phosphoglucose isomerase in tumor malignancy, " *Endocr Relat Cancer*, Vol. 11, No. 4, pp. 749-59
- Yang, H., Liu, C., Zhong, Y., Luo, S., Monteiro, M. J., and Fang, S., (2010), "Huntingtin Interacts with the Cue Domain of gp78 and Inhibits gp78 Binding to Ubiquitin and p97/VCP, " *PLoS ONE*, Vol. 5, No. 1, p. e8905
- Yang, Y., Cheng, X. R., Zhang, G. R., Zhou, W. X., and Zhang, Y. X., (2012), "Autocrine motility factor receptor is involved in the process of learning and memory in the central nervous system, " *Behav Brain Res*, Vol. 229, No. 2, pp. 412-8
- Yao, L. H., Jiang, Y. M., Shi, J., Tomas-Barberan, F. A., Datta, N., Singanusong, R., *et al.*, (2004), "Flavonoids in food and their health benefits, " *Plant Foods Hum Nutr*, Vol. 59, No. 3, pp. 113-22
- Yelian, F. D., Liu, A., Todt, J. C., Lei, J., Qureshi, F., Jacques, S. M., *et al.*, (1996), "Expression and function of autocrine motility factor receptor in human choriocarcinoma, " *Gynecol Oncol*, Vol. 62, No. 2, pp. 159-165

- Ying, Z., Wang, H., Fan, H., and Wang, G., (2011), "The Endoplasmic Reticulum (ER)-associated Degradation System Regulates Aggregation and Degradation of Mutant Neuroserpin, " *Journal of Biological Chemistry*, Vol. 286, No. 23, pp. 20835-20844
- Ying, Z., Wang, H., Fan, H., Zhu, X., Zhou, J., Fei, E., *et al.*, (2009), "Gp78, an ER associated E3, promotes SOD1 and ataxin-3 degradation, " *Human Molecular Genetics*, Vol. 18, No. 22, pp. 4268-4281
- Zhang, K., Ma, Z., Wang, J., Xie, A., and Xie, J., (2011), "Myricetin attenuated MPP(+)-induced cytotoxicity by anti-oxidation and inhibition of MKK4 and JNK activation in MES23.5 cells, " *Neuropharmacology*, Vol. 61, No. 1-2, pp. 329-35
- Zhang, Q., Li, Z., Wu, S., Li, X., Sang, Y., Li, J., *et al.*, (2016), "Myricetin alleviates cuprizone-induced behavioral dysfunction and demyelination in mice by Nrf2 pathway, " *Food Funct*, Vol. 7, No. 10, pp. 4332-4342
- Zhang, T., Kho, D. H., Wang, Y., Harazono, Y., Nakajima, K., Xie, Y., *et al.*, (2015a), "Gp78, an E3 ubiquitin ligase acts as a gatekeeper suppressing nonalcoholic steatohepatitis (NASH) and liver cancer, " *PLoS One*, Vol. 10, No. 3, p. e0118448
- Zhang, T., Xu, Y., Liu, Y., and Ye, Y., (2015b), "gp78 functions downstream of Hrd1 to promote degradation of misfolded proteins of the endoplasmic reticulum, " *Mol Biol Cell*, Vol. 26, No. 24, pp. 4438-50
- Zheng, Q., Huang, T., Zhang, L., Zhou, Y., Luo, H., Xu, H., *et al.*, (2016), "Dysregulation of Ubiquitin-Proteasome System in Neurodegenerative Diseases, " *Front Aging Neurosci*, Vol. 8, No., p. 303
- Zhou, Q., Wang, G. T., Liang, L. J., Zheng, W., and Pang, Z. G., (2004), "[Expression of p27, Cyclin A in hepatocellular carcinoma and its clinical significance], " *Zhonghua Gan Zang Bing Za Zhi*, Vol. 12, No. 2, p. 110

...