

References

- Abhijith, T., Kumar, T.V.A. and Reddy, V.S., (2017), "Organic bistable memory devices based on MoO₃ nanoparticle embedded Alq₃ structures", *Nanotechnology*, Vol. 28, No. 9, pp. 095203
- Atkins, P. and Paula, J.d., (2006), *Atkins' Physical Chemistry*, W. H. Freeman and Company, New York, USA
- Aviram, A. and Ratner, M.A., (1974), "Molecular rectifiers", *Chemical Physics Letters*, Vol. 29, No. 2, pp. 277-283
- Bandhopadhyay, A. and Pal, A.J., (2003), "Large Conductance Switching and Binary Operation in Organic Devices: Role of Functional Groups", *The Journal of Physical Chemistry B*, Vol. 107, No. 11, pp. 2531-2536
- Bandyopadhyay, A. and Pal, A.J., (2004), "Multilevel conductivity and conductance switching in supramolecular structures of an organic molecule", *Applied Physics Letters*, Vol. 84, No. 6, pp. 999-1001
- Birnie, D.P., (2004), "Spin Coating Technique", *Sol-Gel Technologies for Glass Producers and Users*, Aegerter, M.A. and Mennig, M. USA, Springer US, pp. 49-55
- Bok, C.H., Wu, C. and Kim, T.W., (2017), "Operating mechanisms of highly-reproducible write-once-read-many-times memory devices based on graphene quantum dot:poly(methyl silsesquioxane) nanocomposites", *Applied Physics Letters*, Vol. 110, No. 1, pp. 013301
- Bozano, L.D., Kean, B.W., Beinhoff, M., Carter, K.R., Rice, P.M. and Scott, J.C., (2005), "Organic Materials and Thin-Film Structures for Cross-Point Memory Cells Based on Trapping in Metallic Nanoparticles", *Advanced Functional Materials*, Vol. 15, No. 12, pp. 1933-1939
- Brütting, W., (2005), *Physics of Organic Semiconductors*, Wiley-VCH, Weinheim, Germany
- Chen, C.-Y., Chang, H.-W., Chang, Y.-F., Chang, B.-J., Lin, Y.-S., Jian, P.-S., Yeh, H.-C., Chien, H.-T., Chen, E.-C., Chao, Y.-C., Meng, H.-F., Zan, H.-W., Lin, H.-W., Horng, S.-F., Cheng, Y.-J., Yen, F.-W., Lin, I.-F., Yang, H.-Y., Huang, K.-J. and Tseng, M.-R., (2011), "Continuous blade coating for multi-layer large-area organic light-emitting diode and solar cell", *Journal of Applied Physics*, Vol. 110, No. 9, pp. 094501
- Chen, J., Reed, M.A., Rawlett, A.M. and Tour, J.M., (1999), "Large On-Off Ratios and Negative Differential Resistance in a Molecular Electronic Device", *Science*, Vol. 286, No. 5444, pp. 1550
- Cho, B., Yun, J.-M., Song, S., Ji, Y., Kim, D.-Y. and Lee, T., (2011), "Direct Observation of Ag Filamentary Paths in Organic Resistive Memory Devices", *Advanced Functional Materials*, Vol. 21, No. 20, pp. 3976-3981
- Choi, H. and Mody, C.C.M., (2009), "The Long History of Molecular Electronics:Microelectronics Origins of Nanotechnology", *Social Studies of Science*, Vol. 39, No. 1, pp. 11-50
- Chu, C.W., Ouyang, J., Tseng, J.-H. and Yang, Y., (2005), "Organic Donor-Acceptor System Exhibiting Electrical Bistability for Use in Memory Devices", *Advanced Materials*, Vol. 17, No. 11, pp. 1440-1443
- Cölle, M., Büchel, M. and de Leeuw, D.M., (2006), "Switching and filamentary conduction in non-volatile organic memories", *Organic Electronics*, Vol. 7, No. 5, pp. 305-312
- Dearnaley, G., Stoneham, A.M. and Morgan, D.V., (1970), "Electrical phenomena in amorphous oxide films", *Reports on Progress in Physics*, Vol. 33, No. 3, pp. 1129
- Dennard, R.H., Gaensslen, F.H., Rideout, V.L., Bassous, E. and LeBlanc, A.R., (1974), "Design of ion-implanted MOSFET's with very small physical dimensions", *IEEE Journal of Solid-State Circuits*, Vol. 9, No. 5, pp. 256-268
- Diao, Y., Tee, B.C.K., Giri, G., Xu, J., Kim, D.H., Becerril, H.A., Stoltenberg, R.M., Lee, T.H., Xue, G., Mannsfeld, S.C.B. and Bao, Z., (2013), "Solution coating of large-area organic semiconductor thin films with aligned single-crystalline domains", *Nature Materials*, Vol. 12, pp. 665
- Dong-Hyeok, L. and Nahm-Gyoo, C., (2012), "Assessment of surface profile data acquired by a stylus profilometer", *Measurement Science and Technology*, Vol. 23, No. 10, pp. 105601
- Eaton, P. and West, P., (2010), *Atomic Force Microscopy*, Oxford University Press, USA
- Egerton, R., (2008), *Physical Principles of Electron Microscopy: An Introduction to TEM SEM and AEM*, Springer, New York, NY, USA
- Euan, M., (1996), "The development of a prototype high-speed stylus profilometer and its application to rapid 3D surface measurement", *Nanotechnology*, Vol. 7, No. 1, pp. 37
- Forrest, S.R., (2004), "The path to ubiquitous and low-cost organic electronic appliances on plastic", *Nature*, Vol. 428, pp. 911
- Furukawa, T., (1989), "Ferroelectric properties of vinylidene fluoride copolymers", *Phase Transitions*, Vol. 18, No. 3-4, pp. 143-211

- Gittins, D.I., Bethell, D., Schiffrin, D.J. and Nichols, R.J., (2000), "A nanometre-scale electronic switch consisting of a metal cluster and redox-addressable groups", *Nature*, Vol. 408, pp. 67
- Green, J.E., Wook Choi, J., Boukai, A., Bunimovich, Y., Johnston-Halperin, E., DeIonno, E., Luo, Y., Sheriff, B.A., Xu, K., Shik Shin, Y., Tseng, H.-R., Stoddart, J.F. and Heath, J.R., (2007), "A 160-kilobit molecular electronic memory patterned at 1011 bits per square centimetre", *Nature*, Vol. 445, pp. 414
- Gregor, L.V., (1968), "Electrical conductivity of polydivinylbenzene films", *Thin Solid Films*, Vol. 2, No. 3, pp. 235-246
- Hall, D.B., Underhill, P. and Torkelson, J.M., (1998), "Spin coating of thin and ultrathin polymer films", *Polymer Engineering & Science*, Vol. 38, No. 12, pp. 2039-2045
- Hamedi, M., Forchheimer, R. and Inganäs, O., (2007), "Towards woven logic from organic electronic fibres", *Nature Materials*, Vol. 6, pp. 357
- Handy, R.M. and Scala, L.C., (1966), "Electrical and Structural Properties of Langmuir Films", *Journal of The Electrochemical Society*, Vol. 113, No. 2, pp. 109-116
- Harsha, K.S.S., (2007), *Principles of Physical Vapor Deposition of Thin Films*, Elsevier,
- Horowitz, G., (1998), "Organic Field-Effect Transistors", *Advanced Materials*, Vol. 10, No. 5, pp. 365-377
- Jae-Won, L. and Won-Ju, C., (2017), "Fabrication of resistive switching memory based on solution processed PMMA-HfO_x blended thin films", *Semiconductor Science and Technology*, Vol. 32, No. 2, pp. 025009
- Jakobsson, F.L.E., Crispin, X., Cölle, M., Büchel, M., de Leeuw, D.M. and Berggren, M., (2007), "On the switching mechanism in Rose Bengal-based memory devices", *Organic Electronics*, Vol. 8, No. 5, pp. 559-565
- Kallmann, H. and Pope, M., (1960), "Positive Hole Injection into Organic Crystals", *The Journal of Chemical Physics*, Vol. 32, No. 1, pp. 300-301
- Kamitsos, E.I., Tzimis, C.H. and Risen, W.M., (1982), "Raman study of the mechanism of electrical switching in Cu TCNQ films", *Solid State Communications*, Vol. 42, No. 8, pp. 561-565
- Kaur, R., Singh, J. and Tripathi, S.K., (2017), "Incorporation of inorganic nanoparticles into an organic polymer matrix for data storage application", *Current Applied Physics*, Vol. 17, No. 5, pp. 756-762
- Kiguchi, M. and Fujii, S., (2017), "Governing the Metal-Molecule Interface: Towards New Functionality in Single-Molecule Junctions", *Bulletin of the Chemical Society of Japan*, Vol. 90, No. 1, pp. 1-11
- Klauk, H., (2006), *Organic Electronics - Materials, Manufacturing, and Applications*, Wiley-VCH, Weinheim, Germany
- Klauk, H., Zschieschang, U., Pflaum, J. and Halik, M., (2007), "Ultralow-power organic complementary circuits", *Nature*, Vol. 445, pp. 745
- Kowarik, S., Gerlach, A. and Schreiber, F., (2008), "Organic molecular beam deposition: fundamentals, growth dynamics, and in situ studies", *Journal of Physics: Condensed Matter*, Vol. 20, No. 18, pp. 184005
- Laudise, R.A., Kloc, C., Simpkins, P.G. and Siegrist, T., (1998), "Physical vapor growth of organic semiconductors", *Journal of Crystal Growth*, Vol. 187, No. 3, pp. 449-454
- Li, Q., Mathur, G., Gowda, S., Surthi, S., Zhao, Q., Yu, L., Lindsey, J.S., Bocian, D.F. and Misra, V., (2004), "Multibit Memory Using Self-Assembly of Mixed Ferrocene/Porphyry Monolayers on Silicon", *Advanced Materials*, Vol. 16, No. 2, pp. 133-137
- Lin, W.-P., Liu, S.-J., Gong, T., Zhao, Q. and Huang, W., (2014), "Polymer-Based Resistive Memory Materials and Devices", *Advanced Materials*, Vol. 26, No. 4, pp. 570-606
- Liu, J., Zeng, Z., Cao, X., Lu, G., Wang, L.-H., Fan, Q.-L., Huang, W. and Zhang, H., (2012), "Preparation of MoS₂-Polyvinylpyrrolidone Nanocomposites for Flexible Nonvolatile Rewritable Memory Devices with Reduced Graphene Oxide Electrodes", *Small*, Vol. 8, No. 22, pp. 3517-3522
- Lu, W. and Lieber, C.M., (2007), "Nanoelectronics from the bottom up", *Nature Materials*, Vol. 6, pp. 841-850
- Ma, L., Liu, J., Pyo, S. and Yang, Y., (2002), "Organic bistable light-emitting devices", *Applied Physics Letters*, Vol. 80, No. 3, pp. 362-364
- Ma, L.P., Liu, J. and Yang, Y., (2002), "Organic electrical bistable devices and rewritable memory cells", *Applied Physics Letters*, Vol. 80, No. 16, pp. 2997-2999
- Mano, M.M., (1992), *Computer System Architecture (3rd Edition)*, Prentice Hall, USA
- Maserjian, J., (1974), "Tunneling in thin MOS structures", *Journal of Vacuum Science and Technology*, Vol. 11, No. 6, pp. 996-1003
- Middleman, S., (1987), "The effect of induced air-flow on the spin coating of viscous liquids", *Journal of Applied Physics*, Vol. 62, No. 6, pp. 2530-2532
- Mijatovic, D., Eijkel, J.C.T. and van den Berg, A., (2005), "Technologies for nanofluidic systems: top-down vs. bottom-up – a review", *Lab on a Chip*, Vol. 5, No. 5, pp. 492-500

- Moore, G.E., (2006), "Cramming more components onto integrated circuits, Reprinted from Electronics, volume 38, number 8, April 19, 1965, pp.114 ff", *IEEE Solid-State Circuits Society Newsletter*, Vol. 11, No. 3, pp. 33-35
- Mukherjee, B. and Pal, A.J., (2004), "Multilevel conductance and memory in ultrathin organic films", *Applied Physics Letters*, Vol. 85, No. 11, pp. 2116-2118
- Naber, R.C.G., Asadi, K., Blom, P.W.M., de Leeuw, D.M. and de Boer, B., (2010), "Organic Nonvolatile Memory Devices Based on Ferroelectricity", *Advanced Materials*, Vol. 22, No. 9, pp. 933-945
- Nagasaka, K., Jogo, A., Ibusuki, T., Oshima, H., Shimizu, Y. and Uzumaki, T., (2006), "CPP-GMR Technology for Future High-Density Magnetic Recording", *Fujitsu Scientific and Technical Journal*, Vol. 42, No. 1, pp. 149-157
- Nakashima, H. and Uozumi, K., (1997), "Negative differential resistance of a Coulomb blockade phenomenon in a junction array of ultrasmall islands", *International Journal of Electronics*, Vol. 83, No. 3, pp. 333-339
- O'Connor, T.F., Zaretski, A.V., Savagatrup, S., Printz, A.D., Wilkes, C.D., Diaz, M.I., Sawyer, E.J. and Lipomi, D.J., (2016), "Wearable organic solar cells with high cyclic bending stability: Materials selection criteria", *Solar Energy Materials and Solar Cells*, Vol. 144, pp. 438-444
- Ossila, (2018), <https://www.ossila.com/pages/spin-coating>, 2018
- Pagnia, H. and Sotnik, N., (1988), "Bistable switching in electroformed metal-insulator-metal devices", *physica status solidi (a)*, Vol. 108, No. 1, pp. 11-65
- Park, (2018), <http://www.parkafm.com/index.php/medias/nano-academy/how-afm-works>, 2018
- Park, J., Lee, S. and Lee, H.H., (2006), "High-mobility polymer thin-film transistors fabricated by solvent-assisted drop-casting", *Organic Electronics*, Vol. 7, No. 5, pp. 256-260
- Roberts, G.G., McGinnity, T.M., Barlow, W.A. and Vincett, P.S., (1980), "A.C. and D.C. conduction in lightly substituted anthracene Langmuir films", *Thin Solid Films*, Vol. 68, No. 1, pp. 223-232
- Roberts, G.G., Vincett, P.S. and Barlow, W.A., (1978), "AC and DC conduction in fatty acid Langmuir films", *Journal of Physics C: Solid State Physics*, Vol. 11, No. 10, pp. 2077-2085
- Schimmel, T., Koch, T., Küppers, J. and Lux-Steiner, M., (1999), "True atomic resolution under ambient conditions obtained by atomic force microscopy in the contact mode", *Applied Physics A*, Vol. 68, No. 4, pp. 399-402
- Scott, J.C. and Bozano, L.D., (2007), "Nonvolatile Memory Elements Based on Organic Materials", *Advanced Materials*, Vol. 19, No. 11, pp. 1452-1463
- Sekitani, T. and Someya, T., (2010), "Stretchable, Large-area Organic Electronics", *Advanced Materials*, Vol. 22, No. 20, pp. 2228-2246
- Shin, M., Lee, S., Park, K.W. and Lee, E.-H., (1998), "Geometrically Induced Multiple Coulomb Blockade Gaps", *Physical Review Letters*, Vol. 80, No. 26, pp. 5774-5777
- Sodini, C.G., Ekstedt, T.W. and Moll, J.L., (1982), "Charge accumulation and mobility in thin dielectric MOS transistors", *Solid-State Electronics*, Vol. 25, No. 9, pp. 833-841
- Stewart, D.R., Ohlberg, D.A.A., Beck, P.A., Chen, Y., Williams, R.S., Jeppesen, J.O., Nielsen, K.A. and Stoddart, J.F., (2004), "Molecule-Independent Electrical Switching in Pt/Organic Monolayer/Ti Devices", *Nano Letters*, Vol. 4, No. 1, pp. 133-136
- Sturm, J.C., Wu, C.C., Marcy, D. and Hebner, T.R., (2000), "Fabrication of organic semiconductor devices using ink jet printing", US Patent US6087196A, USA
- Sugi, M., Fukui, T. and Iizima, S., (1975), "Hopping conduction in Langmuir films", *Applied Physics Letters*, Vol. 27, No. 10, pp. 559-561
- Sugi, M. and Iizima, S., (1980), "Anisotropic photoconduction in dye-sensitized Langmuir films", *Thin Solid Films*, Vol. 68, No. 1, pp. 199-204
- Swinehart, D.F., (1962), "The Beer-Lambert Law", *Journal of Chemical Education*, Vol. 39, No. 7, pp. 333
- Takeda, E., (1984), "Hot-carrier effects in submicrometre MOS VLSIs", *IEE Proceedings I - Solid-State and Electron Devices*, Vol. 131, No. 5, pp. 153-162
- Tang, C.W., (1986), "Two-layer organic photovoltaic cell", *Applied Physics Letters*, Vol. 48, No. 2, pp. 183-185
- Tang, C.W. and VanSlyke, S.A., (1987), "Organic electroluminescent diodes", *Applied Physics Letters*, Vol. 51, No. 12, pp. 913-915
- Taylor, J., Brandbyge, M. and Stokbro, K., (2003), "Conductance switching in a molecular device: The role of side groups and intermolecular interactions", *Physical Review B*, Vol. 68, No. 12, pp. 121101
- Thaidigsmann, B., Lohmüller, E., Fertig, F., Clement, F. and Wolf, A., (2013), "Characterization and modeling of screen-printed metal insulator semiconductor tunnel junctions for integrated bypass functionality in crystalline silicon solar cells", *Journal of Applied Physics*, Vol. 113, No. 21, pp. 214502

- Tondelier, D., Lmimouni, K., Vuillaume, D., Fery, C. and Haas, G., (2004), "Metal/organic/metal bistable memory devices", *Applied Physics Letters*, Vol. 85, No. 23, pp. 5763-5765
- Vyas, G., Dagar, P. and Sahu, S., (2016), "A complementary switching mechanism for organic memory devices to regulate the conductance of binary states", *Applied Physics Letters*, Vol. 108, No. 23, pp. 233301
- Vyas, G., Dagar, P. and Sahu, S., (2018), "Exponential increase in the on-off ratio of conductance in organic memory devices by controlling the surface morphology of the devices", *Applied Physics A*, Vol. 124, No. 5, pp. 369
- Walheim, S., Böltau, M., Mlynek, J., Krausch, G. and Steiner, U., (1997), "Structure Formation via Polymer Demixing in Spin-Cast Films", *Macromolecules*, Vol. 30, No. 17, pp. 4995-5003
- Wang, C., Gu, P., Hu, B. and Zhang, Q., (2015), "Recent progress in organic resistance memory with small molecules and inorganic-organic hybrid polymers as active elements", *Journal of Materials Chemistry C*, Vol. 3, No. 39, pp. 10055-10065
- Waser, R. and Aono, M., (2007), "Nanoionics-based resistive switching memories", *Nature Materials*, Vol. 6, pp. 833
- Zhang, F., Di, C.-a., Berdunov, N., Hu, Y., Hu, Y., Gao, X., Meng, Q., Siringhaus, H. and Zhu, D., (2013), "Ultrathin Film Organic Transistors: Precise Control of Semiconductor Thickness via Spin-Coating", *Advanced Materials*, Vol. 25, No. 10, pp. 1401-1407
- Zhang, Q., He, J., Zhuang, H., Li, H., Li, N., Xu, Q., Chen, D. and Lu, J., (2016), "Rational Design of Small Molecules to Implement Organic Quaternary Memory Devices", *Advanced Functional Materials*, Vol. 26, No. 1, pp. 146-154
- Zhengchun, L., Fengliang, X., Yi, S. and Varahramyan, K., (2006), "Electrically bistable memory device based on spin-coated molecular complex thin film", *IEEE Electron Device Letters*, Vol. 27, No. 3, pp. 151-153