

## References

- Abdi,S., Nasiri,M., Mesbahi,A., and Khani,M.H. (2017) Investigation of uranium (VI) adsorption by polypyrrole, *Journal of Hazardous Materials*, Vol. 332, issue VI, pp. 132-139
- Amatucci,G.G., and Pereira,N. (2007) Fluoride based electrode materials for advanced energy storage devices, *Journal of Fluorine Chemistry*, Vol. 128, pp. 243-262
- Amayri,S., Arnold,T., Reich,T., Foerstendorf,H., Geipel,G., Bernhard,G., and Massanek,A. (2004) Spectroscopic characterization of the uranium carbonate andersonite  $\text{Na}_2\text{Ca}[\text{UO}_2(\text{CO}_3)_3]\cdot 6\text{H}_2\text{O}$ , *Environmental Science and Technology*, Vol. 38, issue 22, pp. 6032-6036
- Ameen,S., Akhtar,M.S., Seo,H., Soon,Y., and Shik,H. (2012) Influence of Sn doping on ZnO nanostructures from nanoparticles to spindle shape and their photoelectrochemical properties for dye sensitized solar cells, *Chemical Engineering Journal*, Vol. 187, pp. 351-356
- Anirudhan,T.S., Bringle,C.D., and Rijith,S. (2010) Removal of uranium (VI) from aqueous solutions and nuclear industry effluents using humic acid-immobilized zirconium-pillared clay, *Journal of Environmental Radioactivity*, Vol. 101, issue 3, pp. 267-276
- Annamalai,A., Shinde,P.S., Jeon,T.H., Lee,H.H., Kim,H.G., Choi,W., and Jang,J.S. (2016) Fabrication of superior  $\alpha\text{-Fe}_2\text{O}_3$  nanorod photoanodes through ex-situ Sn-doping for solar water splitting, *Solar Energy Materials and Solar Cells*, Vol. 144, pp. 247-255
- Anrman,J.O., Muntavt,J.C., and Foner,S. (1965) Magnetic anisotropy in antiferromagnetic corundum-type sesquioxides, Vol. 138, issue 1958, pp. 1958-1963
- Bahuguna,G., Janu,V.C., Uniyal,V., Kambhala,N., Angappane,S., Sharma,R.K., and Gupta,R. (2017) Electrophilic fluorination of  $\alpha\text{-Fe}_2\text{O}_3$  nanostructures and influence on magnetic properties, *Materials & Design*, Vol. 135, pp. 84-91
- Bai,H., Liu,Z., and Sun,D.D. (2011) Hierarchical ZnO/Cu "corn-like" materials with high photodegradation and antibacterial capability under visible light., *Physical chemistry chemical physics : PCCP*, Vol. 13, issue 13, pp. 6205-10
- Banks,R.E., Besheesh,M.K., Mohialdin-khaffaf,S.N., and Sharif,I. (1996) N-Halogeno compounds. Part 18. 1-Alkyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane salts: user-friendly site-selective electrophilic fluorinating agents of the N-fluoroammonium class, *J. Chem. Soc., Perkin Trans*, Vol. 1, pp. 2069-2076
- Banks,R.E., and Syvretb,R.G. (1992) 1-Alkyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane salts: A novel family of electrophilic fluorinating agents, *J. Chem. Soc., Chem. Commun*, pp. 595-596
- Bargar,J.R., Reitmeyer,R., Lenhart,J.J., and Davis,J.A. (2000) Characterization of U(VI) - carbonato ternary complexes on hematite: EXAFS and electrophoretic mobility measurements, *Geochimica et Cosmochimica Acta*, Vol. 64, issue 16, pp. 2737-2749
- Bassi,P.S., Antony,R.P., Boix,P.P., Fang,Y., Barber,J., and Wong,L.H. (2016) Crystalline  $\text{Fe}_2\text{O}_3/\text{Fe}_2\text{TiO}_5$  heterojunction nanorods with efficient charge separation and hole injection as photoanode for solar water oxidation, *Nano Energy*, Vol. 22, issue February, pp. 310-318
- Bassi,P.S., Gurudayal, Wong,L.H., and Barber,J. (2014) Iron based photoanodes for solar fuel production, *Physical Chemistry Chemical Physics*, Vol. 16, issue 24, p. 11834
- Bayramoglu,G., and Arica,M.Y. (2016) MCM-41 silica particles grafted with polyacrylonitrile: Modification in to amidoxime and carboxyl groups for enhanced uranium removal from aqueous medium, *Microporous and Mesoporous Materials*, Vol. 226, pp. 117-124
- Beattie,I.R., and Gilson,T.R. (1970) The single-crystal Raman spectra of nearly opaque materials. Iron(III) oxide and chromium(III) oxide, *J. Chem. SOC. A*, issue 0, pp. 980-986
- Benjamin,M.M., Sletten,R.S., Bailey,R.P., and Bennett,T. (1996) Sorption and filtration of metals using iron-oxide-coated sand, *Water Research*, Vol. 30, issue 11, pp. 2609-2620
- Bharathi,S., Nataraj,D., Seetha,M., Mangalaraj,D., Ponpandian,N., Masuda,Y., Senthil,K., and Yong,K. (2010) Controlled growth of single-crystalline, nanostructured dendrites and snowflakes of  $\alpha\text{-Fe}_2\text{O}_3$ : Influence of the surfactant on the morphology and investigation of morphology dependent magnetic properties, *CrystEngComm*, Vol. 12, issue 2, pp. 373-382
- Bhatnagar,A., and Jain,A.K. (2005) A comparative adsorption study with different industrial wastes as adsorbents for the removal of cationic dyes from water, *Journal of Colloid and Interface Science*, Vol. 281, issue 1, pp. 49-55
- Bhowmik,R.N., and Saravanan,A. (2010) Surface magnetism, Morin transition, and magnetic dynamics in antiferromagnetic  $\alpha\text{-Fe}_2\text{O}_3$  (hematite) nanograins, *Journal of Applied Physics*, Vol. 107, issue 5

- Brezesinski, T., Groenewolt, M., Antonietti, M., and Smarsly, B. (2006) Crystal-to-crystal phase transition in self-assembled mesoporous iron oxide films, *Angew. Chem. Int. Ed.*, Vol. 45, issue 5, pp. 781–784
- Butler, M.A., and Ginley, D.S. (1978) Prediction of flatband potentials at semiconductor-electrolyte interfaces from atomic electronegativities, *J. Electrochem. Soc.*, Vol. 125, issue 2, pp. 228–232
- Cai, J., Li, S., Liu, Y., Gao, M., Wang, D., and Qin, G. (2016) Orientation modulated charge transport in hematite for photoelectrochemical water splitting, *Functional Materials Letters*, Vol. 9, p. 1650047
- Cao, M., Liu, T., Gao, S., Sun, G., Wu, X., Hu, C., and Zhong, L.W. (2005) Single-crystal dendritic micro-pines of magnetic  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>: Large-scale synthesis, formation mechanism, and properties, *Angewandte Chemie - International Edition*, Vol. 44, pp. 2–6
- Catalano, J.G., and Brown, G.E. (2005) Uranyl adsorption onto montmorillonite: Evaluation of binding sites and carbonate complexation, *Geochimica et Cosmochimica Acta*, Vol. 69, issue 12, pp. 2995–3005
- Cesar, I., Sivula, K., Kay, A., Zboril, R., and Grätzel, M. (2009) Influence of feature size, film thickness, and silicon doping on the performance of nanostructured hematite photoanodes for solar water splitting, *Journal of Physical Chemistry C*, Vol. 113, pp. 772–782
- Chamritski, I., and Burns, G. (2005) Infrared- and Raman-active phonons of magnetite, maghemite, and hematite: A computer simulation and spectroscopic study, *J. Phys. Chem. B*, Vol. 109, issue 11, pp. 4965–4968
- Chanda, M., and Rampel, G.L. (1992) Removal of uranium from acidic sulfate solution by ion exchange on poly(4-vinylpyridine) and polybenzimidazole in protonated sulfate form, *Reactive Polymers*, Vol. 17, issue 2, pp. 159–174
- Chen, L.F., Ong, C.K., Neo, C.P., Varadan, V. V., and Varadan, V.K. (2004) “Microwave electronics measurement and materials characterization,” ed., 2004
- Chen, N., and Gu, M. (2012) Microstructure and microwave absorption properties of Y-substituted Ni-Zn ferrites, *Open Journal of Metal*, Vol. 02, issue 02, pp. 37–41
- Chen, X., Ren, X., Liu, Z., Zhuang, L., and Lu, J. (2013) Promoting the photoanode efficiency for water splitting by combining hematite and molecular Ru catalysts, *Electrochemistry Communications*, Vol. 27, pp. 148–151
- Chen, Y.Y., Yu, S.H., Yao, Q.Z., Fu, S.Q., and Zhou, G.T. (2018) One-step synthesis of Ag<sub>2</sub>O@Mg(OH)<sub>2</sub> nanocomposite as an efficient scavenger for iodine and uranium, *Journal of Colloid and Interface Science*, Vol. 510, pp. 280–291
- Cherepy, N.J., Liston, D.B., Lovejoy, J.A., Deng, H., and Zhang, J.Z. (1998) Ultrafast studies of photoexcited electron dynamics in  $\gamma$ - and  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> Semiconductor Nanoparticles, *The Journal of Physical Chemistry B*, Vol. 102, issue 5, pp. 770–776
- Chernyshova, I. V., Hochella, M.F., and Madden, A.S. (2007) Size-dependent structural transformations of hematite Nanoparticles. 1. Phase transition, *Physical Chemistry Chemical Physics*, Vol. 9, issue 14, pp. 1736–1750
- Chi, F., Zhang, S., Wen, J., Xiong, J., and Hu, S. (2018) Highly efficient recovery of uranium from seawater using an electrochemical approach, *Industrial and Engineering Chemistry Research*, Vol. 57, issue 23, pp. 8078–8084
- Chiang, T.H., Lyu, H., Hisatomi, T., Goto, Y., Takata, T., Katayama, M., Minegishi, T., and Domen, K. (2018) Efficient photocatalytic water splitting using Al-doped SrTiO<sub>3</sub> co-loaded with molybdenum oxide and rhodium-chromium oxide, *ACS Catalysis*, Vol. 8, issue 4, pp. 2782–2788
- Chung, H.K., Kim, W.H., Park, J., Cho, J., Jeong, T.Y., and Park, P.K. (2015) Application of Langmuir and Freundlich isotherms to predict adsorbate removal efficiency or required amount of adsorbent, *Journal of Industrial and Engineering Chemistry*, Vol. 28, pp. 241–246
- Congiu, M., De Marco, M.L., Bonomo, M., Nunes-Neto, O., Dini, D., and Graeff, C.F.O. (2017) Pristine and Al-doped hematite printed films as photoanodes of p-type dye-sensitized solar cells, *J Nanopart Res*, Vol. 19:7, pp. 1–14
- Cornell, R.M., and Schwertmann, U. (2003) “The iron oxides: structure, reactions, occurrences and uses,” ed., 2003
- Cui, H., Zhao, W., Yang, C., Yin, H., Lin, T., Shan, Y., Xie, Y., Gu, H., and Huang, F. (2014) Black TiO<sub>2</sub> nanotube arrays for high-efficiency photoelectrochemical water-splitting, *Journal of Materials Chemistry A*, Vol. 2, issue 23, pp. 8612–8616
- Cui, H., Zhu, G., Xie, Y., Zhao, W., Yang, C., Lin, T., Gu, H., and Huang, F. (2015) Black nanostructured Nb<sub>2</sub>O<sub>5</sub> with improved solar absorption and enhanced photoelectrochemical water splitting, *J. Mater. Chem. A*, Vol. 3, issue 22, pp. 11830–11837
- Dabirian, A., and Krol, R. Van De. (2015) High-temperature ammonolysis of thin film Ta<sub>2</sub>O<sub>5</sub> photoanodes: Evolution of structural, optical, and photoelectrochemical properties, *Chem. Mater.*, Vol. 27, issue 3, pp. 708–715, 2015

- Darezereshki,E., Bakhtiari,F., Alizadeh,M., Behrad Vakylabad,A., and Ranjbar,M. (2012) Direct thermal decomposition synthesis and characterization of hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) nanoparticles, *Materials Science in Semiconductor Processing*, Vol. 15, issue 1, pp. 91–97
- Deraz,N.M., and Alarifi,A. (2012) Novel processing and magnetic properties of hematite/maghemite nano-particles, *Ceramics International*, Vol. 38, issue 5, pp. 4049–4055
- Duff,M.C., and Amrhein,C. (1994) Uranium (VI) adsorption on goethite and soil in carbonate solutions, *Soil Sci. Soc. Am. J.*, issue VI, pp. 1393–1400
- Duff,M.C., Amrhein,C., Bertsch,P.M., and Hunter,D.B. (1997) The chemistry of uranium in evaporation pond sediment in the San Joaquin Valley, California, USA, using X-ray fluorescence and XANES techniques, *Geochimica et Cosmochimica Acta*, Vol. 61, issue 1, pp. 73–81
- Duff,M.C., Coughlin,J.U., and Hunter,D.B. (2002) Uranium co-precipitation with iron oxide minerals, *Geochimica et Cosmochimica Acta*, Vol. 66, issue 20, pp. 3533–3547
- Dunn,H.K., Feckl,J.M., Müller,A., Fattakhova-Rohlfing,D., Morehead,S.G., Roos,J., Peter,L.M., Scheu,C., and Bein,T. (2014) Tin doping speeds up hole transfer during light-driven water oxidation at hematite photoanodes, *Phys. Chem. Chem. Phys.*, Vol. 16, issue 44, pp. 24610–24620
- Fan,X., Liu,Y., Chen,S., Shi,J., Wang,J., Fan,A., Zan,W., Li,S., Goddard,W.A., and Zhang,X.M. (2018) Defect-enriched iron fluoride-oxide nanoporous thin films bifunctional catalyst for water splitting, *Nature Communications*, Vol. 9, issue 1
- de Faria,D.L.A., Silva,S.V., and de Oliveira,M.T. (1997) Raman microspectroscopy of some iron oxides and oxyhydroxides, *Journal of Raman Spectroscopy*, Vol. 28, pp. 873–878
- Feng,Y.B., Qiu,T., and Shen,C.Y. (2007) Absorbing properties and structural design of microwave absorbers based on carbonyl iron and barium ferrite, *Journal of Magnetism and Magnetic Materials*, Vol. 318, issue 1–2, pp. 8–13
- Figoli,A., Hoinkis,J., and Bundschuh,J. (2016) Membrane technologies for water treatment: Removal of toxic trace elements with emphasis on arsenic, fluoride and uranium, *Membrane Technologies for Water Treatment*, issue 4, pp. 1–284
- Fujishima,A., and Honda,K. (1972) Electrochemical photolysis of water at a semiconductor electrode, *Nature*, Vol. 238, pp. 37–38
- Fungaro,D.A., Yamaura,M., and Craesmeier,G.R. (2012) Uranium removal from aqueous solution by zeolite from fly ash-iron oxide magnetic nanocomposite, *International Review of Chemical Engineering*, Vol. 4, issue 3, pp. 353–358
- Gao,M., Zhu,G., and Gao,C. (2014) A review: Adsorption materials for the removal and recovery of uranium from aqueous solutions, *Energy Environ. Focus*, Vol. 3, issue 3, pp. 219–226
- Gasparotto,A., Barreca,D., Bekermann,D., Devi,A., Fischer,R.A., Fornasiero,P., Gombac,V., Lebedev,O.I., Maccato,C., Montini,T., Van Tendeloo,G., and Tondello,E. (2011) F-Doped Co<sub>3</sub>O<sub>4</sub> photocatalysts for sustainable H<sub>2</sub> generation from Water/Ethanol., *Journal of American Chemical Society*, Vol. 133, pp. 19362–19365
- Ghasemi Torkabad,M., Keshtkar,A.R., and Safdari,S.J. (2017) Uranium membrane separation from binary aqueous solutions of UO<sub>2</sub><sup>2+</sup>-K<sup>+</sup> and UO<sub>2</sub><sup>2+</sup>-Ca<sup>2+</sup> by the nanofiltration process, *Separation Science and Technology*, Vol. 52, issue 6, pp. 1095–1105
- Goodenough,J.B. (1971) Metallic oxides, *Progress in Solid State Chemistry*, Vol. 5, pp. 145–399
- Green,A.E., Chiang,C.-Y., Greer,H.F., Waller,A., Ruszin,A., Webster,J., Niu,Z., Self,K., and Zhou,W. (2017) Growth mechanism of dendritic hematite via hydrolysis of ferricyanide, *Crystal Growth & Design*, Vol. 17, pp. 800–808
- Grimes,C.A., Varghese,O.K., and Ranjan,S. (2008) "Light, water, hydrogen: The solar generation of hydrogen by water photoelectrolysis," *Springer*, ed., 2008
- Gu,B., Liang,L., Dickey,M.J., Yin,X., and Dai,S. (1998) Reductive precipitation of uranium (VI) by zero-valent iron, *Environmental Science and Technology*, Vol. 32, issue 21, pp. 3366–3373
- Guo,Z., Li,Y., and Wu,W. (2009) Sorption of U(VI) on goethite: Effects of pH, ionic strength, phosphate, carbonate and fulvic acid, *Applied Radiation and Isotopes*, Vol. 67, issue 6, pp. 996–1000
- Gurudayal,G., Chiam,S.Y., Kumar,M.H., Bassi,P.S., Seng,H.L., Barber,J., and Wong,L.H. (2014) Improving the efficiency of hematite nanorods for photoelectrochemical water splitting by doping with manganese, *ACS Applied Materials and Interfaces*, Vol. 6, issue 8, pp. 5852–5859
- Han,M., Qin,J., and Deng,L. (2012) Microwave permeability of nanocrystalline alloys (Fe<sub>0.67</sub>Co<sub>0.33</sub>)<sub>78</sub>Nb<sub>6</sub>B<sub>15</sub>Cu<sub>1</sub> and (Fe<sub>0.67</sub>Co<sub>0.33</sub>)<sub>78</sub>Nb<sub>6</sub>Al<sub>6</sub>B<sub>9</sub>Cu<sub>1</sub>, *Journal of Alloys and Compounds*, Vol. 543, pp. 79–83
- Hardee,K.L., and Bard,A.J. (1976) Semiconductor Electrodes: V . The application of chemically vapor deposited iron oxide films to photosensitized electrolysis, *J. Electrochem. Soc.*, Vol. 123, issue 7, pp.

- Hart, J.J., and Syvret, R.G. (1999) Industrial scale production of Selectfluor™ fluorination agent: from initial concept to full scale commercial production in a 5 year period, *Journal of Fluorine Chemistry*, Vol. 100, pp. 157–161
- Ho, C.H., and Doern, D.C. (1985) The sorption of uranyl species on a hematite sol, *Canadian Journal of Chemistry*, Vol. 63, issue 5, pp. 1100–1104
- Ho, K.-I., Huang, C.-H., Liao, J.-H., Zhang, W., Li, L.-J., Lai, C.-S., and Su, C.-Y. (2014) Fluorinated graphene as high performance dielectric materials and the applications for graphene nanoelectronics., *Scientific Reports*, Vol. 4, p. 5893
- Ho, Y.S., and McKay, G. (1999) Pseudo-second order model for sorption processes, *Process Biochemistry*, Vol. 34, issue 5, pp. 451–465
- Hu, Y.-S., Kleiman-Shwarsstein, A., Stucky, G.D., and McFarland, E.W. (2009) Improved photoelectrochemical performance of Ti-doped  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> thin films by surface modification with fluoride., *Chemical communications*, pp. 2652–2654
- IAEA. (1992) “Chemical precipitation processes for the treatment of aqueous radioactive waste,” ed., 1992
- Ilaiyaraja, P., Deb, A.K.S., Sivasubramanian, K., Ponraju, D., and Venkatraman, B. (2013) Adsorption of uranium from aqueous solution by PAMAM dendron functionalized styrene divinylbenzene, *Journal of Hazardous Materials*, Vol. 250–251, pp. 155–166
- Ilton, E.S., and Bagus, P.S. (2011) XPS determination of uranium oxidation states, *Surface and Interface Analysis*, Vol. 43, issue 13, pp. 1549–1560
- Iordanova, N., Dupuis, M., and Rosso, K.M. (2005) Charge transport in metal oxides: A theoretical study of hematite  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>, *The Journal of Chemical Physics*, Vol. 122, p. 144305
- Janu, V.C., Bahuguna, G., Laishram, D., Shejale, K.P., and Kumar, N. (2018) Surface fluorination of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> using selectfluor for enhancement in photoelectrochemical properties, *Solar Energy Materials and Solar Cells*, Vol. 174, pp. 240–247
- Jelinska, A., Bienkowski, K., Jadwiszczak, M., Pisarek, M., Strawski, M., Kurzydowski, D., Solarska, R., and Augustynski, J. (2018) Enhanced photocatalytic water splitting on very thin WO<sub>3</sub> films activated by high-temperature annealing, *ACS Catalysis*, Vol. 8, issue 11, pp. 10573–10580
- Karthikeyan, K., Amaresh, S., Lee, S.N., Aravindan, V., and Lee, Y.S. (2014) Fluorine-doped Fe<sub>2</sub>O<sub>3</sub> as High Energy Density Electroactive material for hybrid supercapacitor applications, *Chem. Asian J*, Vol. 9, issue 3, pp. 852–857
- Katsoyiannis, I.A. (2007) Carbonate effects and pH-dependence of uranium sorption onto bacteriogenic iron oxides : Kinetic and equilibrium studies, *Journal of Hazardous Materials*, Vol. 139, pp. 31–37
- Kausar, A., and Bhatti, H.N. (2013) Adsorptive removal of uranium from wastewater: A review, *J.Chem.Soc.Pak.*, Vol. 35, issue 3, pp. 1041–1052
- Kennedy, J.H., and Frese, K.W. (1978) Photooxidation of water at  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> electrodes, *Journal of The Electrochemical Society*, Vol. 125, pp. 709–714
- Khan, S.U.M., and Akikusa, J. (1999) Photoelectrochemical splitting of water at nanocrystalline n-Fe<sub>2</sub>O<sub>3</sub> thin-film electrodes, *Journal of Physical Chemistry B*, Vol. 103, pp. 7184–7189
- Khaselev, O., and Turner, J.A. (1998) A monolithic photovoltaic-photoelectrochemical device for hydrogen production via water splitting, *Science*, Vol. 280, issue 5362, pp. 425–427
- Kim, C.H., Chun, H.J., Kim, D.S., Kim, S.Y., Park, J., Moon, J.Y., Lee, G., Yoon, J., Jo, Y., Jung, M.-H., Jung, S. II, and Lee, C.J. (2006) Magnetic anisotropy of vertically aligned  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanowire array, *Applied Physics Letters*, Vol. 89, issue 22, p. 223103
- Kim, H., and Choi, W. (2007) Effects of surface fluorination of TiO<sub>2</sub> on photocatalytic oxidation of gaseous acetaldehyde, *Applied Catalysis B: Environmental*, Vol. 69, pp. 127–132
- Kim, J.Y., Jang, J.W., Youn, D.H., Magesh, G., and Lee, J.S. (2014) A stable and efficient hematite photoanode in a neutral electrolyte for solar water splitting: Towards stability engineering, *Advanced Energy Materials*, Vol. 4, issue 13, pp. 1–7
- Kim, K.Y., Kim, W.S., J.J.H., and Ju, Y.D. (1996) Wide band type electromagnetic wave absorber, United States Patents
- Knut, R., Lagerqvist, U., Palmgren, P., Pal, P., Svedlindh, P., Pohl, A., and Karis, O. (2015) Photoinduced reduction of surface states in Fe:ZnO, *Journal of Chemical Physics*, Vol. 142, issue 20
- Komulainen, H., Väisänen, S.B., Penttilä, I.M., Kurttio, P., Pekkanen, J., Mäkeläinen, I., Auvinen, A., Saha, H., and Salonen, L. (2010) Renal effects of uranium in drinking water., *Environmental Health Perspectives*, Vol. 110, issue 4, pp. 337–342
- Krol, R. Van de, and Grätzel, M. (2012) “Photoelectrochemical hydrogen production,” ed., 2012
- Kunat, M., Girol, S.G., Burghaus, U., and Wöll, C. (2003) The interaction of water with the oxygen-

- terminated, polar surface of ZnO, *The Journal of Physical Chemistry B*, Vol. 107, issue 51, pp. 14350–14356
- Kuncham, K., Nair, S., Durani, S., and Bose, R. (2017) Efficient removal of uranium(VI) from aqueous medium using ceria nanocrystals: an adsorption behavioural study, *Journal of Radioanalytical and Nuclear Chemistry*, Vol. 313, issue 1, pp. 101–112
- Lal, G.S., Pez, G.P., and Syvret, R.G. (1996) Electrophilic NF fluorinating agents, *Chemical Reviews*, Vol. 96, issue 5, pp. 1737–1756
- Lamb, A.C.M., Grieser, F., and Healy, T.W. (2016) The adsorption of uranium (VI) onto colloidal TiO<sub>2</sub>, SiO<sub>2</sub> and carbon black, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Elsevier B.V., Vol. 499, issue VI, pp. 156–162
- Lee, K.Y., Kim, K.W., Baek, Y.J., Chung, D.Y., Lee, E.H., Lee, S.Y., and Moon, J.K. (2014) Biosorption of uranium(VI) from aqueous solution by biomass of brown algae *Laminaria japonica*, *Water Science and Technology*, Vol. 70, issue 1, pp. 136–143
- Lee, M.H., Park, J.H., Han, H.S., Song, H.J., Cho, I.S., Noh, J.H., and Hong, K.S. (2014) Nanostructured Ti-doped hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) photoanodes for efficient photoelectrochemical water oxidation, *International Journal of Hydrogen Energy*, Elsevier Ltd, Vol. 39, issue 30, pp. 17501–17507
- Lenhart, J.J., and Honeyman, B.D. (1999) Uranium (VI) sorption to hematite in the presence of humic acid, *Geochimica et Cosmochimica Acta*, Vol. 63, issue 19, pp. 2891–2901
- Li, L., Huang, F., Yuan, Y., Hu, J., Tang, Q., and Tang, S. (2013) Preparation and sorption performance of magnetic 18-crown-6/Fe<sub>3</sub>O<sub>4</sub> nanocomposite for uranium(VI) in solution, *Journal of Radioanalytical and Nuclear Chemistry*, Vol. 298, issue 1, pp. 227–235
- Li, Q., Bian, J., Zhang, N., and Ng, D.H.L. (2015) Loading Ni(OH)<sub>2</sub> on the Ti-doped hematite photoanode for photoelectrochemical water splitting, *Electrochimica Acta*, Vol. 155, pp. 383–390
- Lian, J., Duan, X., Ma, J., Peng, P., Kim, T., and Zheng, W. (2009) Hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) with various morphologies: Ionic liquid-assisted synthesis, formation mechanism, and properties, *ACS Nano*, Vol. 3, pp. 3749–3761
- Liao, L., Zhang, Q., Su, Z., Zhao, Z., Wang, Y., Li, Y., Lu, X., Wei, D., Feng, G., Yu, Q., Cai, X., Zhao, J., Ren, Z., Fang, H., Robles-Hernandez, F., Baldelli, S., and Bao, J. (2014) Efficient solar water-splitting using a nanocrystalline CoO photocatalyst, *Nat Nano*, Vol. 9, pp. 69–73
- Lin, C.Y., Lai, Y.H., Mersch, D., and Reisner, E. (2012) Cu<sub>2</sub>O/NiO<sub>x</sub> nanocomposite as an inexpensive photocathode in photoelectrochemical water splitting, *Chem. Sci.*, Vol. 3, issue 12, pp. 3482–3487
- López, J.A., Moreno, C.D., Murillo, J., and Echegoyen, L. (2017) Xps study of the oxidation state of uranium dioxide, *Journal of Nuclear Physics, Material Sciences, Radiation and Applications*, Vol. 5, issue 1, pp. 237–242
- Lu, S., Zhu, K., Guo, H., Wang, H., Zhang, N., Alsaedi, A., Hayat, T., Li, Y., and Sun, Y. (2019) The influence of humic acid on U(VI) sequestration by calcium titanate, *Chemical Engineering Journal*, Elsevier, Vol. 368, issue February, pp. 598–605
- Lv, B., Liu, Z., Tian, H., Xu, Y., Wu, D., and Sun, Y. (2010) Single-crystalline dodecahedral and octodecahedral  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> particles synthesized by a fluoride anion-assisted hydrothermal method, *Advanced Functional Materials*, Vol. 20, issue 22, pp. 3987–3996
- Lv, H., Liang, X., Cheng, Y., Zhang, H., Tang, D., Zhang, B., Ji, G., and Du, Y. (2015) Coin-like  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>@CoFe<sub>2</sub>O<sub>4</sub> core-shell composites with excellent electromagnetic absorption performance, *ACS Applied Materials and Interfaces*, Vol. 7, issue 8, pp. 4744–4750
- Machala, L., Tuček, J., and Zbořil, R. (2011) Polymorphous transformations of nanometric iron(III) oxide: A review, *Chemistry of Materials*, Vol. 23, issue 14, pp. 3255–3272
- Mahmoud, M.A. (2018) Adsorption of U(VI) ions from aqueous solution using silicon dioxide nanopowder, *Journal of Saudi Chemical Society*, Vol. 22, issue 2, pp. 136–145
- Manos, M.J., and Kanatzidis, M.G. (2012) Layered metal sulfides capture uranium from seawater, *Journal of the American Chemical Society*, Vol. 134, issue 39, pp. 16441–16446
- Massey, M.J., Baier, U., Merlin, R., and Weber, W.H. (1990) Effects of pressure and isotopic substitution on the Raman spectrum of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>: Identification of two-magnon scattering, *Physical Review B*, Vol. 41, issue 11, pp. 7822–7827
- Mathuthu, M., Mokhine, N.D., and Stassen, E. (2019) Organic solvent extraction of uranium from alkaline nuclear waste, *Journal of Radioanalytical and Nuclear Chemistry*, Vol. 319, issue 3, pp. 687–693
- Mayer, M.T., Du, C., and Wang, D. (2012) Hematite/Si nanowire dual-absorber system for photoelectrochemical water splitting at low applied potentials, *J. Am. Chem. Soc.*, Vol. 134, issue 30, p. 12406–12409
- Meshram, M.R., Agrawal, N.K., Sinha, B., and Misra, P.S. (2004) Characterization of M-type barium

- hexagonal ferrite-based wide band microwave absorber, *Journal of Magnetism and Magnetic Materials*, Vol. 271, issue 2–3, pp. 207–214
- Micheli,D., Vricella,A., Pastore,R., and Marchetti,M. (2014) Synthesis and electromagnetic characterization of frequency selective radar absorbing materials using carbon nanopowders, *Carbon*, Elsevier Ltd, Vol. 77, pp. 756–774
- Michielssen,E., Sajer,J.-M., Ranjithan,S., and Mittra,R. (1993) Design of lightweight, broad-band microwave absorbers using genetic algorithms, *IEEE Transactions on Microwave Theory and Techniques*, Vol. 41, issue 6/7, pp. 1024–1031
- Mishra,S., Dwivedi,J., and Sankaramakrishnan,N. (2015) Studies on salophen anchored micro / meso porous activated carbon fibres for the removal and recovery of uranium, *RSC Adv.*, Vol. 5, pp. 33023–33036
- Morin,F.J. (1950) Magnetic susceptibility of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> and  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> with added titanium, *Physical Review*, Vol. 78, pp. 819–820
- Morin,F.J. (1954) Electrical Properties of alpha Fe<sub>2</sub>O<sub>3</sub>, *Physical Review*, Vol. 93, pp. 1195–1199
- Murphy,A.B., Barnes,P.R.F., Randeniya,L.K., Plumb,I.C., Grey,I.E., Horne,M.D., and Glasscock,J.A. (2006) Efficiency of solar water splitting using semiconductor electrodes, *International Journal of Hydrogen Energy*, Vol. 31, issue 14, pp. 1999–2017
- Murphy,R.J., Lenhart,J.J., and Honeyman,B.D. (1999) The sorption of thorium (IV) and uranium (VI) to hematite in the presence of natural organic matter, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Vol. 157, issue 1–3, pp. 47–62
- Naito,Y., and Suetake,K. (1971) Application of ferrite to electromagnetic wave absorber and its characteristics, *IEEE Transactions on Microwave Theory and Techniques*, Vol. MTT-19, issue 1, pp. 65–72
- Nakatani,Y., and Matsuoka,M. (1982) Effects of sulfate ion on gas sensitive properties of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> ceramics, *Japanese Journal of Applied Physics*, Vol. 21, issue 12, pp. L758–L760
- Nakau,T. (1960) Electrocal Conductivity of Fe<sub>2</sub>O<sub>3</sub>, *J. Phys. Soc. Japan*, Vol. 15, p. 727
- Narayanan,K.B., and Han,S.S. (2016) One-pot green synthesis of hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) nanoparticles by ultrasonic irradiation and their in-vitro cytotoxicity on human keratinocytes CRL-2310, *Journal of Cluster Science*, Vol. 27, issue 5, pp. 1763–1775
- Nyffeler,P.T., Durón,S.G., Burkart,M.D., Vincent,S.P., and Wong,C.H. (2004) Selectfluor: Mechanistic insight and applications, *Angewandte Chemie - International Edition*, Vol. 44, issue 2, pp. 192–212
- Ohlan,A., Singh,K., Chandra,A., and Dhawan,S.K. (2010) Microwave absorption behavior of core-shell structured poly (3,4-ethylenedioxy thiophene)-barium ferrite nanocomposites, *ACS Applied Materials and Interfaces*, Vol. 2, issue 3, pp. 927–933
- Osmanlioglu,A.E. (2002) Immobilization of radioactive waste by cementation with purified kaolin clay, *Waste Management*, Vol. 22, issue 5, pp. 481–483
- Panjan,M., Jovanovic,Đ., Stanojevic,B., Markovic,D., Tadic,M., Citakovic,N., and Spasojevic,V. (2012) Synthesis, morphology and microstructure of pomegranate-like hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) superstructure with high coercivity, *Journal of Alloys and Compounds*, Vol. 543, pp. 118–124
- Park,H., and Choi,W. (2004) Effects of TiO<sub>2</sub> surface fluorination on photocatalytic reactions and photoelectrochemical behaviors, *The Journal of Physical Chemistry B*, Vol. 108, pp. 4086–4093
- Pourabdollahi,H., and Zarei,A.R. (2017) Hydrothermal synthesis of carbonyl iron-carbon nanocomposite: characterization and electromagnetic performance, *Results in Physics*, Vol. 7, pp. 1978–1986
- Prim,S.R., Folgueras,M. V., de Lima,M.A., and Hotza,D. (2011) Synthesis and characterization of hematite pigment obtained from a steel waste industry, *Journal of Hazardous Materials*, Elsevier B.V., Vol. 192, issue 3, pp. 1307–1313
- Rabung,T., Geckeis,H., Kim,J. Il, and Beck,H.P. (1998) Sorption of Eu(III) on a natural hematite: Application of a surface complexation model, *Journal of Colloid and Interface Science*, Vol. 208, issue 1, pp. 153–161
- Raff,O., and Wilken,R.D. (1999) Removal of dissolved uranium by nanofiltration, *Desalination*, Vol. 122, issue 2–3, pp. 147–150
- Rahman,G., and Joo,O.S. (2012) Photoelectrochemical water splitting at nanostructured  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> electrodes, *International Journal of Hydrogen Energy*, Vol. 37, issue 19, pp. 13989–13997
- Rana,K., Thakur,P., Tomar,M., Gupta,V., and Thakur,A. (2018) Investigation of cobalt substituted M-type barium ferrite synthesized via co-precipitation method for radar absorbing material in Ku-band (12–18 GHz), *Ceramics International*, Vol. 44, issue 6, pp. 6370–6375
- Ranjithkumar,V., Sangeetha,S., and Vairam,S. (2014) Synthesis of magnetic activated carbon/ $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanocomposite and its application in the removal of acid yellow 17 dye from water, *Journal of Hazardous Materials*, Vol. 273, pp. 127–135
- Rodríguez-Fernández,A., Blanco,J.A., Lovesey,S.W., Scagnoli,V., Staub,U., Walker,H.C., Shukla,D.K., and

- Stremper, J. (2013) Chiral properties of hematite  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> inferred from resonant Bragg diffraction using circularly polarized x rays, *Physical Review B - Condensed Matter and Materials Physics*, Vol. 88, issue 9, pp. 3–8
- Rudzinski, W., and Plazinski, W. (2007) Theoretical description of the kinetics of solute adsorption at heterogeneous solid / solution interfaces On the possibility of distinguishing between the diffusional and the surface reaction kinetics models, *Journal of Physical Chemistry C*, Vol. 111, pp. 15100–15110
- Rufus, A., Sreeju, N., and Philip, D. (2016) Synthesis of biogenic hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) nanoparticles for antibacterial and nanofluid applications, *RSC Advances*, Vol. 6, issue 96, pp. 94206–94217
- Salama, W., Aref, M. El, and Gaupp, R. (2015) Spectroscopic characterization of iron ores formed in different geological environments using FTIR, XPS, Mössbauer spectroscopy and thermoanalyses, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, Elsevier B.V., Vol. 136, issue PC, pp. 1816–1826
- Saleh, T.A., Naemullah, Tuzen, M., and Sari, A. (2017) Polyethylenimine modified activated carbon as novel magnetic adsorbent for the removal of uranium from aqueous solution, *Chemical Engineering Research and Design*, Vol. 117, pp. 218–227
- Sarkar, D., Khan, G.G., Singh, A.K., and Mandal, K. (2012) Enhanced electrical, optical, and magnetic properties in multifunctional ZnO/ $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> semiconductor nanoheterostructures by Heterojunction Engineering, *The Journal of Physical Chemistry C*, Vol. 116, pp. 23540–23546
- Schindler, M., Hawthorne, F.C., Freund, M.S., and Burns, P.C. (2009a) XPS spectra of uranyl minerals and synthetic uranyl compounds. I: The U 4f spectrum, *Geochimica et Cosmochimica Acta*, Elsevier Ltd, Vol. 73, issue 9, pp. 2471–2487
- Schindler, M., Hawthorne, F.C., Freund, M.S., and Burns, P.C. (2009b) XPS spectra of uranyl minerals and synthetic uranyl compounds. II: The O 1s spectrum, *Geochimica et Cosmochimica Acta*, Elsevier Ltd, Vol. 73, issue 9, pp. 2488–2509
- Scientific, T.F. (2018) Material Safety Data Sheet, *Puredrill Tm/Mc Ia-35Lv*, Rev 4.0
- Sepulveda-Guzman, S., Rejea-Jayan, B., de la Rosa, E., Torres-Castro, A., Gonzalez-Gonzalez, V., and Jose-Yacaman, M. (2009) Synthesis of assembled ZnO structures by precipitation method in aqueous media, *Materials Chemistry and Physics*, Vol. 115, issue 1, pp. 172–178
- Shahpari, M., Behjat, A., Khajaminian, M., and Torabi, N. (2015) The influence of morphology of hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) counter electrodes on the efficiency of dye-sensitized solar cells, *Solar Energy*, Vol. 119, pp. 45–53
- Shan, C., Ma, Z., and Tong, M. (2014) Efficient removal of trace antimony(III) through adsorption by hematite modified magnetic nanoparticles, *Journal of Hazardous Materials*, Vol. 268, pp. 229–236
- Shejale, K.P., Laishram, D., and Sharma, R.K. (2016) High-performance dye-sensitized solar cell using dimensionally controlled titania synthesized at sub-zero temperatures, *RSC Adv.*, Vol. 6, pp. 23459–23466
- Shi, R., Ye, H.F., Liang, F., Wang, Z., Li, K., Weng, Y., Lin, Z., Fu, W.F., Che, C.M., and Chen, Y. (2018) Interstitial P-doped CdS with long-lived photogenerated electrons for photocatalytic water splitting without sacrificial agents, *Advanced Materials*, Vol. 30, issue 6, pp. 1–6
- Shinar, R., and Kennedy, J.H. (1982) Photoactivity of doped  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> electrodes, *Solar Energy Materials*, Vol. 6, issue 3, pp. 323–335
- Shuibo, X., Chun, Z., Xinghuo, Z., Jing, Y., Xiaojian, Z., and Jingsong, W. (2009) Removal of uranium (VI) from aqueous solution by adsorption of hematite, *Journal of Environmental Radioactivity*, Vol. 100, issue 2, pp. 162–166
- Simon, F.G., Biermann, V., and Peplinski, B. (2008) Uranium removal from groundwater using hydroxyapatite, *Applied Geochemistry*, Vol. 23, issue 8, pp. 2137–2145
- Sivula, K., Formal, F. Le, and Grätzel, M. (2009) WO<sub>3</sub>-Fe<sub>2</sub>O<sub>3</sub> photoanodes for water splitting: A host scaffold, guest absorber approach, *Chemistry of Materials*, Vol. 21, issue 13, pp. 2862–2867
- Sivula, K., Formal, F. Le, and Grätzel, M. (2011) Solar water splitting: Progress using hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) photoelectrodes, *ChemSusChem*, Vol. 4, issue 4, pp. 432–449
- Sopronov, V.L., Kalaev, M.E., Makaseev, Y.N., Sachkov, V.I., and Verkhoturova, V. V. (2016) Study on the process of Fe (III) oxide fluorination, *IOP Conference Series: Materials Science and Engineering*, Vol. 110, p. 012069
- Spasojević, V., Remškar, M., Tadić, M., Pirnat, J., Marković, D., Kusigerski, V., and Jagličić, Z. (2006) Synthesis and magnetic properties of concentrated  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles in a silica matrix, *Journal of Alloys and Compounds*, Vol. 441, issue 1–2, pp. 291–296
- Stafiej, A., and Pyrzynska, K. (2007) Adsorption of heavy metal ions with carbon nanotubes, *Separation and*

- Purification Technology*, Vol. 58, issue 1, pp. 49–52
- Su, J., Minegishi, T., and Domen, K. (2017) Efficient hydrogen evolution from water using CdTe photocathodes under simulated sunlight, *Journal of Materials Chemistry A*, Vol. 5, issue 25, pp. 13154–13160
- Sun, G., Dong, B., Cao, M., Wei, B., and Hu, C. (2011) Hierarchical dendrite-like magnetic materials of Fe<sub>3</sub>O<sub>4</sub>,  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub>, and Fe with high performance of microwave absorption, *Chem. Mater.*, Vol. 23, issue 6, pp. 1587–1593
- Sunder, S., Cramer, J.J., and Miller, N.H. (1996) Geochemistry of the cigar lake uranium deposit: XPS Studies, *Radiochimica Acta*, Vol. 74, pp. 303–307
- Suresh, R., Giribabu, K., Manigandan, R., Stephen, A., and Narayanan, V. (2014) Fabrication of Ni-Fe<sub>2</sub>O<sub>3</sub> magnetic nanorods and application to the detection of uric acid, *RSC Advances*, Vol. 4, issue 33, pp. 17146–17155
- Tadić, M., Čitaković, N., Panjan, M., Stojanović, Z., Marković, D., and Spasojević, V. (2011) Synthesis, morphology, microstructure and magnetic properties of hematite submicron particles, *Journal of Alloys and Compounds*, Vol. 509, issue 28, pp. 7639–7644
- Tadic, M., Panjan, M., Damnjanovic, V., and Milosevic, I. (2014) Magnetic properties of hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) nanoparticles prepared by hydrothermal synthesis method, *Applied Surface Science*, Vol. 320, pp. 183–187
- Tanuma, T., Okamoto, H., Ohnishi, K., Morikawa, S., and Suzuki, T. (2010) Partially fluorinated metal oxide catalysts for a friedel-crafts-type reaction of dichlorofluoromethane with tetrafluoroethylene, *Catalysis Letters*, Vol. 136, issue 1–2, pp. 77–82
- Tauc, J., Grigorovici, R., and Vancu, A. (1966) Optical properties and electronic structure of amorphous germanium, *Phys. Stat. Sol.*, Vol. 15, issue 2, pp. 627–637, 1966
- Teja, A.S., and Koh, P.Y. (2009) Synthesis, properties, and applications of magnetic iron oxide nanoparticles, *Progress in Crystal Growth and Characterization of Materials*, Vol. 55, issue 1–2, pp. 22–45
- Tuller, H.L. (2017) Solar to fuels conversion technologies: A perspective, *Materials for Renewable and Sustainable Energy*, Vol. 6, issue 1, pp. 1–16
- Tulloch, C.W., and Coffman, D.D. (1960) Synthesis of Fluorides by Metathesis with Sodium Fluoride, *Journal of Organic Chemistry*, Vol. 25, issue 11, pp. 2016–2019
- US Environmental Protection Agency. (2018) 2018 Edition of the Drinking Water Standards and Health Advisories Tables
- Vayssieres, L. (2009) On Solar Hydrogen & Nanotechnology, Wiley, John Wiley & Sons (Asia) Pte Ltd, ed.
- Vinoy, K.J., and Jha, R.M. (1995) Trends in radar absorbing materials technology, *Sadhana*, Vol. 20, issue 5, p. 815–850
- Wang, B., Chen, J.S., Wu, H.B., Wang, Z., and Lou, X.W. (2011) Quasiemulsion-templated formation of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> hollow spheres with enhanced lithium storage properties, *Journal of the American Chemical Society*, Vol. 133, pp. 17146–17148
- Wang, B.S., Li, R.Y., Zhang, Z.Y., Xing-Wang, Wu, X.L., Cheng, G.A., and Zheng, R.T. (2019) An overlapping ZnO nanowire photoanode for photoelectrochemical water splitting, *Catalysis Today*, Vol. 321, pp. 100–106
- Wang, C., Zhang, Y., Li, Y., Liu, J., and Wu, Q. (2017) Synthesis of fluorine-doped  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanorods toward enhanced lithium storage capability, *Nanotechnology*, Vol. 28, p. 065401
- Wang, G., Liu, J., Wang, X., Xie, Z., and Deng, N. (2009) Adsorption of uranium (VI) from aqueous solution onto cross-linked chitosan, *Journal of Hazardous Materials*, Vol. 168, issue 2–3, pp. 1053–1058
- Wang, H., Fu, F., Zhang, F., Wang, H.-E., Kershaw, S. V., Xu, J., Sun, S.-G., and Rogach, A.L. (2012) Hydrothermal synthesis of hierarchical SnO<sub>2</sub> microspheres for gas sensing and lithium-ion batteries applications: Fluoride-mediated formation of solid and hollow structures, *Journal of Materials Chemistry*, Vol. 22, pp. 2140–2148
- Wang, L., Zhou, X., Nguyen, N.T., Hwang, I., and Schmuki, P. (2016) Strongly enhanced water splitting performance of Ta<sub>3</sub>N<sub>5</sub> nanotube photoanodes with subnitrides, *Adv. Mater.*, Vol. 28, issue 12, pp. 2432–2438
- Wang, Y., Cheng, G., Zhang, Y., Ke, H., and Zhu, C. (2015) Synthesis of fluorinated SnO<sub>2</sub> 3D hierarchical structures assembled from nanosheets and their enhanced photocatalytic activity, *RSC Adv.*, Vol. 5, pp. 88079–88086
- Wang, Z., Bi, H., Liu, J., Sun, T., and Wu, X. (2008) Magnetic and microwave absorbing properties of polyaniline/ $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> nanocomposite, *Journal of Magnetism and Magnetic Materials*, Vol. 320, issue 16, pp. 2132–2139
- Wang, Z., Luan, D., Madhavi, S., Ming Li, C., and Lou, X.W. (David). (2011)  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanotubes with superior lithium storage capability, *Chem. Commun.*, Vol. 47, issue 28, pp. 8061–8063



- Wei,J., Zhang,Z., Wang,B., Wang,T., and Li,F. (2010) Microwave reflection characteristics of surface-modified Fe<sub>50</sub>Ni<sub>50</sub> fine particle composites, *Journal of Applied Physics*, Vol. 108, issue 123908, pp. 1–5
- WHO. (2011) Guidelines for Drinking-water Quality, *World Health Organization*, Geneva, Switzerland Vol. Fourth
- WHO. (2017) Guidelines for Drinking -water Quality, *World Health Organization*, Geneva, Switzerland Vol. Fourth, Pp. 178
- Xi,L., Bassi,P.S., Chiam,S.Y., Mak,W.F., Tran,P.D., Barber,J., Chye Loo,J.S., and Wong,L.H. (2012) Surface treatment of hematite photoanodes with zinc acetate for water oxidation, *Nanoscale*, Vol. 4, issue 15, p. 4430
- Xing,C., Wang,D., Wang,H., Li,Z., Mao,D., and Lai,X. (2009) Direct hydrothermal synthesis of single-crystalline hematite nanorods assisted by 1,2-propanediamine, *Nanotechnology*, Vol. 20, issue 24, p. 245603
- Yang,J., and Volesky,B. (1999) Biosorption of uranium on Sargassum biomass, *Water Research*, Vol. 33, issue 15, pp. 3357–3363
- Yang,S., Qian,J., Kuang,L., and Hua,D. (2017) Ion-Imprinted mesoporous silica for selective removal of uranium from highly acidic and radioactive effluent, *ACS Applied Materials and Interfaces*, Vol. 9, issue 34, pp. 29337–29344
- Yang,W., Xu,X., Li,Z., Yang,F., Zhang,L., Li,Y., Wang,A., and Chen,S. (2016) Construction of efficient counter electrodes for dye-sensitized solar cells: Fe<sub>2</sub>O<sub>3</sub> nanoparticles anchored onto graphene frameworks, *Carbon*, Vol. 96, pp. 947–954
- Yang,Y., Ma,H., Zhuang,J., and Wang,X. (2011) Morphology-controlled synthesis of hematite nanocrystals and their facet effects on gas-sensing properties, *Inorganic Chemistry*, Vol. 50, issue 20, pp. 10143–10151
- Yang,Y., Zhang,K., Lin,H., Li,X., Chan,H.C., Yang,L., and Gao,Q. (2017) MoS<sub>2</sub>-Ni<sub>3</sub>S<sub>2</sub> Heteronanorods as Efficient and Stable Bifunctional Electrocatalysts for Overall Water Splitting, *ACS Catalysis*, Vol. 7, issue 4, pp. 2357–2366
- Yi,X., He,J., Guo,Y., Han,Z., Yang,M., Jin,J., Gu,J., Ou,M., and Xu,X. (2018) Encapsulating Fe<sub>3</sub>O<sub>4</sub> into calcium alginate coated chitosan hydrochloride hydrogel beads for removal of Cu(II) and U(VI) from aqueous solutions, *Ecotoxicology and Environmental Safety*, Vol. 147, issue September 2017, pp. 699–707
- Yi,X., Xu,Z., Liu,Y., Guo,X., Ou,M., and Xu,X. (2017) Highly efficient removal of uranium (VI) from wastewater by polyacrylic acid hydrogels, *RSC Adv.*, Vol. 7, issue 11, pp. 6278–6287
- Yilmaz,C., and Unal,U. (2016) Morphology and crystal structure control of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> films by hydrothermal-electrochemical deposition in the presence of Ce<sup>3+</sup> and/or acetate, F<sup>-</sup> ions, *RSC Advances*, Royal Society of Chemistry, Vol. 6, pp. 8517–8527
- Youngblood,W.J., Lee,S.H.A., Maeda,K., and Mallouk,T.E. (2009) Visible light water splitting using dye-sensitized oxide semiconductors, *Accounts of Chemical Research*, Vol. 42, issue 12, pp. 1966–1973, 2009
- Youssef,W. (2017) Uranium adsorption from aqueous solution using sodium bentonite activated clay, *J Chem Eng Process Technol*, Vol. 08, issue 04, p. 1000349
- Youssef,W.M. (2017) Uranium adsorption from aqueous solution using sodium bentonite activated clay, *Journal of Chemical Engineering & Process Technology*, Vol. 08, issue 04
- Yu,J., Li,Z., Liu,Q., Wang,J., Wei,H., Zhang,M., and Liu,L. (2013) Uranium (VI) adsorption on alumina hollow microspheres synthesized via a facile self-templating process, *RSC Advances*, Vol. 3, issue 18, pp. 6621–6626
- Yu,J., Qi,L., and Jaroniec,M. (2010) Hydrogen production by photocatalytic water splitting over Pt/TiO<sub>2</sub> nanosheets with exposed (001) facets, *The Journal of Physical Chemistry C*, Vol. 114, issue 001, pp. 13118–13125
- Yu,J., and Wang,J. (2016) Removal of uranium from aqueous solution by carbon nanotubes, *Health Physics*, Vol. 111, issue 4, pp. 367–373
- Yu,J.C., Yu,J., Ho,W., Jiang,Z., and Zhang,L. (2002) Effects of F-doping on the photocatalytic activity and microstructures of nanocrystalline TiO<sub>2</sub> powders, *Chem. Mater.*, Vol. 14, issue 9, pp. 3808–3816, 2002
- Yuping Duan,H.G. (2017) “Microwave Absorbing Materials,” ed., 2017
- Zalkind,S., Rafailov,G., Halevy,I., Livneh,T., Rubini,A., Maimon,H., and Schweke,D. (2017) Uranium oxidation kinetics monitored by in-situ X-ray diffraction, *Journal of Nuclear Materials*, Vol. 485, pp. 202–206
- Zeng,H., Singh,A., and Basak,S. (2009) Nanoscale size effects on uranium (VI) adsorption to hematite, *Environmental Science and Technology*, Vol. 43, issue Vi, pp. 1373–1378, 2009
- Zhao,D., Wang,X., Yang,S., Guo,Z., and Sheng,G. (2012) Impact of water quality parameters on the

- sorption of U(VI) onto hematite, *Journal of Environmental Radioactivity*, Vol. 103, issue 1, pp. 20–29
- Zhong,Y., Shao,Y., Ma,F., Wu,Y., Huang,B., and Hao,X. (2017) Band-gap-matched CdSe QD/WS<sub>2</sub> nanosheet composite: Size-controlled photocatalyst for high-efficiency water splitting, *Nano Energy*, Vol. 31, pp. 84–89
- Zhou,H., Nanda,J., Martha,S.K., Adcock,J., Idrobo,J.C., Baggetto,L., Veith,G.M., Dai,S., Pannala,S., and Dudney,N.J. (2013) Formation of iron oxyfluoride phase on the surface of nano-Fe<sub>3</sub>O<sub>4</sub> conversion compound for electrochemical energy storage, *Journal of Physical Chemistry Letters*, Vol. 4, issue 21, pp. 3798–3805
- Zhou,S., Chen,B., Li,Y., Guo,J., Cai,X., Qin,Z., Bai,J., and Na,P. (2013) Synthesis, characterization, thermodynamic and kinetic investigations on uranium (VI) adsorption using organic-inorganic composites: Zirconyl- molybdopyrophosphate-tributyl phosphate, *Science China Chemistry*, Vol. 56, issue 11, pp. 1516–1524
- Zhu,L.P., Wang,L.L., Bing,N.C., Huang,C., Wang,L.J., and Liao,G.H. (2013) Porous fluorine-doped  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> hollow spheres: synthesis, growth mechanism, and their application in photocatalysis, *ACS Applied Materials and Interfaces*, Vol. 5, issue 23, pp. 12478–12487
- Zhu,M., Sun,Z., Fujitsuka,M., and Majima,T. (2018) Z-Scheme photocatalytic water splitting on a 2D heterostructure of black phosphorus/bismuth vanadate using visible light, *Angew. Chem. Int. Ed.*, Vol. 57, issue 8, pp. 2160–2164
- Ziegler,J., Fertig,D., Kaiser,B., Jaegermann,W., Blug,M., Hoch,S., and Busse,J. (2011) Preparation and characterization of GaP semiconductor electrodes for photoelectrochemical water splitting, *Energy Procedia*, Vol. 22, pp. 108–113