

## List of Figures

Figures	Title	Page
1.1	Photocatalytic degradation of five different industrial dyes using the synthesized hydrogen and HfO <sub>2</sub> doped TiO <sub>2</sub> nanomaterials.	3
1.2	Accelerated soot oxidation activity of hydrogenated HfO <sub>2</sub> nanocatalysts a result of annealing under hydrogen giving rise to enlarge of pores in the synthesized nanomaterials compared to the pristine.	4
1.3	Use of sustainable local Rajasthanian clay incorporated with Ni and Co oxides for use as catalysts in soot oxidation.	5
1.4	Nitrogen doped hollow carbon nanobubbles and solid carbon spheres for use as photoanode and counter electrode in DSSC, CO <sub>2</sub> capture and as a material for supercapacitor application.	6
1.5	Schematic representation of the synthesis of cesium leads halide all-inorganic perovskite.	6
3.1	(a) XRD of the material with JCPDS data (b) XRD of highest intense peak (1 0 1) denoting shift and intensity change. (c) XRF spectra of doped TiO <sub>2</sub> .	12
3.2	TEM images, HR-TEM images and the SAED images of pristine TiO <sub>2</sub> (a, d, g) HfO <sub>2</sub> /TiO <sub>2</sub> (b, e, h) and (c, f, i) H-HfO <sub>2</sub> /TiO <sub>2</sub> . The inset of a, b and c show the respective spherical structure.	13
3.3	(a–c) Degradation of five different dyes using TiO <sub>2</sub> , HfO <sub>2</sub> /TiO <sub>2</sub> and H-HfO <sub>2</sub> /TiO <sub>2</sub> at pH 7. (d-f) show the degradation of MB dye at different pH using H-HfO <sub>2</sub> /TiO <sub>2</sub> . Tauc plot of TiO <sub>2</sub> (g), H-TiO <sub>2</sub> (h) and H-HfO <sub>2</sub> /TiO <sub>2</sub> (i) respectively for band gap estimation.	14
3.4	Histogram plot of TiO <sub>2</sub> , HfO <sub>2</sub> /TiO <sub>2</sub> and H-HfO <sub>2</sub> /TiO <sub>2</sub> showing different degradation efficiency of respective five dyes as indicated in the inset. (f) Plot of recyclability test for MB dye using H-HfO <sub>2</sub> /TiO <sub>2</sub> as photocatalyst.	15
3.5	BET isotherm plots of pristine (a) TiO <sub>2</sub> , (b) H-HfO <sub>2</sub> /TiO <sub>2</sub> , (c) H-HfO <sub>2</sub> /TiO <sub>2</sub> and (d) H-HfO <sub>2</sub> /TiO <sub>2</sub> .	16
3.6	HPLC chromatogram of MB dye before (a) and after (b) photocatalytic degradation using H-HfO <sub>2</sub> /TiO <sub>2</sub> as photocatalyst.	17
4.1	(a) Schematic demonstrating the synthesis of HfO <sub>2</sub> solid nanosphere aggregates by sol-gel and hydrothermal methods. (b) Schematic representation of soot oxidation activity.	20
4.2	(a) XRD patterns of p-HfO <sub>2</sub> nanoparticles annealed in air and H-HfO <sub>2</sub> _2h, H-HfO <sub>2</sub> _6h, and H-HfO <sub>2</sub> _10h, (b) Plot showing peak intensity against with a 2θ shift, (c) Plot showing variation in particle size of the synthesized HfO <sub>2</sub> nanoaggregates, (d) variation of strain calculated from Williamson Hall plot and inset is the difference in color of p-HfO <sub>2</sub> showing white color and H-HfO <sub>2</sub> with off-white color after annealing in H <sub>2</sub> and (d) Williamson Hall plot of the synthesised HfO <sub>2</sub> nano aggregates, the strain is found from the slope and the crystallite size from the y-intercept by linear fitting.	21
4.3	(a) TEM and HRTEM images of air annealed HfO <sub>2</sub> (a, d), 2 h (b, e), and 6 h (c, f) hydrogen annealed HfO <sub>2</sub> . The SAED patterns of air annealed (g) and hydrogen annealed 2h (h) and 6h (i) samples, respectively, indicating the polycrystalline nature of HfO <sub>2</sub> .	22
4.4	(a) BET adsorption-desorption isotherm and pore size desorption curve for p-HfO <sub>2</sub> (a, b), H-HfO <sub>2</sub> _2h (c, d), H-HfO <sub>2</sub> _6h (e, f), and H-HfO <sub>2</sub> _10h (g, h), respectively.	22
4.5	X-ray photoelectron spectra (XPS) of Hf 4f and O 1s in (a, c) pristine and (b, d) hydrogenated HfO <sub>2</sub> , respectively. The background-subtracted raw experimental data is deconvoluted for identifying the peak contributions of Hf metal and suboxides.	24
4.6	O <sub>2</sub> -TPD profile and (b) desorption peak temperature for adsorbed oxygen calculated from peak for HfO <sub>2</sub> nanoaggregate samples.	25
4.7	(a) TGA profiles of carbon soot/HfO <sub>2</sub> mixtures (catalyst/soot ratio of 4:1) of different HfO <sub>2</sub> samples annealed in air and hydrogen, % weight loss curve and inset is the derivative of weight loss function indicating oxidative peak profile. (b) Bar graph showing the T <sub>10</sub> , T <sub>50</sub> , and T <sub>90</sub> temperatures in (°C) for all of the prepared samples; the values are indicated in Table 4.5. (c) Thermogravimetric analysis of pristine and hydrogenated HfO <sub>2</sub> . (d) TGA data showing the weight loss curve of carbon with T <sub>50</sub> at 746 °C. (e) Plot of Strain and catalytic activity of the synthesized nanomaterials.	27
4.8	Reusability test of the synthesized nanomaterials as catalyst, TGA plot of the as synthesized samples of HfO <sub>2</sub> with and without accelerated thermal test.	27
5.1	XRD pattern of NCS and pristine clay without doping (a), XPS survey scan (b), pore size distribution (inset), and adsorption-desorption isotherm (c) and FTIR spectra (d) of the synthesized catalysts.	30

5.2	High Resolution XPS (a) C 1s of NCS catalyst, O 1s spectra (b, c) of clay and NCS catalyst, (d) Co 2p and (e) Ni 2p high resolution scan of NCS catalyst.	31
5.3	High-resolution O <sub>2</sub> TPD of (a) clay and (b) NCS catalyst with its corresponding deconvoluted profile, and 1 <sup>st</sup> order derivative (c) and deconvoluted H <sub>2</sub> TPR (d) thermograms of clay and NCS catalyst and (f) H <sub>2</sub> TPR of Ni clay and Co clay catalyst.	33
5.4	TEM image (a, b and c) at different scale, HRTEM image (d) and IFFT image (e and f) with corresponding FFT image (f, h) of the selected area in (e), schematic representation of soot oxidation of NCS catalyst using soot (i) and soot oxidation activity of NCS (j).	34
6.1	Scheme 1. Schematic illustration of the reaction mechanism of CS and CNB formation by modified Stöber reaction. NH <sub>2</sub> Atm. is NH <sub>2</sub> atmosphere, where (1) Si(OR) <sub>4</sub> , (2) 3D Si-polymer network, (3) Resorcinol, (4) Formaldehyde, (5) Ethylenediamine (EDA), (6) Intermediate compound of (4) and (5) and (7) After excess reaction in between (3) and (4) forms polymer framework.	36
6.2	FESEM at different magnifications of (a, b and c) CNB and (d, e and f) CS, N <sub>2</sub> adsorption and desorption isotherms of (g) CNB and (h) CS with their respective pore size distribution (inset) in the range of 0.0 to 1.0 relative pressures, (i) Raman and (j) XRD spectra (scan rate 0.1°/min).	37
6.3	TEM images of group, single and HRTEM of CNB (a-c) with mesoporous shell (7 nm) and CS (d-f) with respective SAED pattern (g) and (f). (i) XPS survey spectra of CNB and CS.	38
6.4	TGA curves and FTIR spectra of CNB and CS	39
6.5	High resolution XPS spectra of N 1s (a, d), C 1s (b, e) and O 1s (c, f) spin orbits of the synthesized CNB and CS respectively.	40
6.6	CO <sub>2</sub> adsorption (a) and Cycle stability (b) of both the synthesized CS and CNB at 298 K.	41
6.7	(a, b) Plot summing up the PCE of increasing loading % of CNB and CS based photoanodes with our earlier reported material (Shejale, Laishram et al. 2016, Shejale, Laishram et al. 2017) (c) UV measurement of dye loading of different photoanodes for DSSC (d, f) Device parameters of fabricated DSSCs using the synthesized nanomaterials (dye N719, 0.5 mM and active area 0.04 cm <sup>2</sup> ) – IV graphs of the synthesized CNB and CS in combination with different % ZnO doped TiO <sub>2</sub> and TiO <sub>2</sub> synthesized at -40 °C (e and g), Nyquist plot (i) and bode plot (j) of the best performing solar cell, (h) equivalent model circuit used in fitting.	42
6.8	(a) Tafel plot, (b) cyclic voltammetry curves at 20 mV/s scan rate, (c) Nyquist plot with its equivalent circuit diagram (inset) of dummy cell (Consists of FTO coated Pt/CS/CNB sandwiched together and filled with 150 mM electrolyte where the active area was 0.25 cm <sup>2</sup> ). Rs: series resistance, Rct, Rw: charge transfer resistance, CPE: constant phase element and (d) schematic of a symmetrical dummy cell constructed using the synthesized carbon nanomaterials and Pt.	44
6.9	(a) Cyclic voltammetry plots (0.1mM Na <sub>2</sub> SO <sub>4</sub> , applied voltage 0-0.8V and scan rate 100 mV/s) with inset plot shows Nyquist plot and (b) Tafel curves with inset bar graph summarizing Tafel parameters and other electrokinetic parameters (E <sub>corr</sub> corrosion potential (mV), I <sub>corr</sub> corrosion current (μA), β <sub>a</sub> anodic and β <sub>c</sub> cathodic β Tafel constant (mV) of CS and CNB, CV obtained from CS (c) and CNB (d) at various scan rates.	45
7.1	Schematic representation of the thesis overview	48
7.2	PL spectra (a) and UV-vis spectra (b) of the synthesized different CsPbBr <sub>3</sub> composites. Inset (b) shows the band adsorption edge of GCN-CsPbBr <sub>3</sub> at 520 nm.	49
7.3	Photographic images of pristine CsPbBr <sub>3</sub> (a) under day light and under UV light (λ = 365 nm) of Sn-CsPbBr <sub>3</sub> (b), Ta-CsPbBr <sub>3</sub> (c), Ti-CsPbBr <sub>3</sub> (d), Mo-CsPbBr <sub>3</sub> (e) and GCN-CsPbBr <sub>3</sub> (f) deposited on glass.	49
7.4	High resolution TEM images of Mo-CsPbBr <sub>3</sub> (a) and GCN-CsPbBr <sub>3</sub> (b) showing lattice fringes and d-spacing.	50
7.5	Survey scan (a) and High resolution XPS spectra of Mo-CsPbBr <sub>3</sub> and GCN-CsPbBr <sub>3</sub> in Cs 3d (b), Pb 4f (c), Br 3d (d) and Mo 3d (e) region.	50
7.6	High resolution XPS spectra of GCN-CsPbBr <sub>3</sub> in C 1s (a), O 1s (b) and N 1s (c) region and Mo-CsPbBr <sub>3</sub> in C 1s (d) and O 1s (e) region.	51
7.7	Linear sweep voltammetry (LSV) under AM1.5 G solar simulated light with and without 420 nm UV cut-off filter for GCN-CsPbBr <sub>3</sub> (a) and Mo-CsPbBr <sub>3</sub> (b) and LSV of Ti-CsPbBr <sub>3</sub> , Ta-CsPbBr <sub>3</sub> and Sn-CsPbBr <sub>3</sub> without UV filter.	52
7.8	Photoelectrochemical study of GCN-CsPbBr <sub>3</sub> . Current density vs applied voltage curve during an ON-OFF light cycle (a), Light On-OFF amperometric i-t curve under AM1.5G solar simulated light with and without 420 nm cut-off filter (b), Amperometric li-t curve at +0.6 V applied bias when exposed to LEDs of different wavelength at 365, 420, 460, 580 and 640	52

	nm (c), EIS Nyquist plot (d) and Mott-Schottky (e).	
<b>7.9</b>	Photoelectrochemical study of Mo-CsPbBr <sub>3</sub> . Current density Vs voltage curve during an ON-OFF light cycle (a), Light On-OFF amperometric i-t curve under AM1.5G solar simulated light with and without 420 nm filter cut-off of (b), Amperometric i-t curve at +0.6 V applied bias when exposed to LEDs of different wavelength at 365, 420, 460, 580 and 640 nm (c), EIS Nyquist plot (d) and Mott-Schottky (e).	<b>53</b>
<b>7.10</b>	Photographic image of all inorganic perovskite CsPbBr <sub>3</sub> and CsPbI <sub>3</sub> demonstrating the change in photoluminescence (green to red) by changing the constituting anion.	<b>53</b>

...

