

References

- Aggarwal, J. K. and Ryoo, M. S. (2011), “Human activity analysis: A review”, *ACM Computing Surveys (CSUR)*, Vol. 43, No. 3, p. 16 2011
- Alexiadis, D. S. and Daras, P. (2014), “Quaternionic signal processing techniques for automatic evaluation of dance performances from MoCap data”, *IEEE Transactions on Multimedia*, Vol. 16, No. 5, pp. 1391–1406 2014
- Alexiadis, D. S., Kelly, P., Daras, P., O’Connor, N. E., Boubekour, T., and Moussa, M. B. (2011), “Evaluating a dancer’s performance using kinect-based skeleton tracking”, in *Proceedings of the 19th ACM international conference on Multimedia*, pp. 659–662, ACM 2011
- Andriluka, M., Pishchulin, L., Gehler, P., and Schiele, B. (2014), “2d human pose estimation: New benchmark and state of the art analysis”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 3686–3693 2014
- Ansorge, C. J. and Scheer, J. K. (1988), “International bias detected in judging gymnastic competition at the 1984 Olympic Games”, *Research quarterly for exercise and sport*, Vol. 59, No. 2, pp. 103–107 1988
- Baccouche, M., Mamalet, F., Wolf, C., Garcia, C., and Baskurt, A. (2010), “Action classification in soccer videos with long short-term memory recurrent neural networks”, in *International Conference on Artificial Neural Networks*, pp. 154–159, Springer 2010
- Badler, N. I., Hollick, M. J., and Granieri, J. P. (1993), “Real-time control of a virtual human using minimal sensors”, *Presence: Teleoperators & Virtual Environments*, Vol. 2, No. 1, pp. 82–86 1993
- Belongie, S., Malik, J., and Puzicha, J. (2001), “Shape context: A new descriptor for shape matching and object recognition”, in *Advances in neural information processing systems*, pp. 831–837 2001
- Belongie, S., Malik, J., and Puzicha, J. (2002), “Shape matching and object recognition using shape contexts”, *IEEE transactions on pattern analysis and machine intelligence*, Vol. 24, No. 4, pp. 509–522 2002
- Blank, M., Gorelick, L., Shechtman, E., Irani, M., and Basri, R. (2005), “Actions as space-time shapes”, in *Tenth IEEE International Conference on Computer Vision (ICCV’05) Volume 1*, Vol. 2, pp. 1395–1402, IEEE 2005
- Bobick, A. F. and Davis, J. W. (2001), “The Recognition of Human Movement Using Temporal Templates”, *IEEE TRANSACTIONS ON PATTERN ANALYSIS AND MACHINE INTELLIGENCE*, Vol. 23, pp. 257–267 2001
- Borzeshi, E. Z., Concha, O. P., Da Xu, R. Y., and Piccardi, M. (2013a), “Joint action segmentation and classification by an extended hidden Markov model”, *IEEE Signal Processing Letters*, Vol. 20, No. 12, pp. 1207–1210 2013a
- Borzeshi, E. Z., Concha, O. P., Da Xu, R. Y., and Piccardi, M. (2013b), “Joint action segmentation and classification by an extended hidden Markov model”, *IEEE Signal Processing Letters*, Vol. 20, No. 12, pp. 1207–1210 2013b
- Brand, M., Oliver, N., and Pentland, A. (1997), “Coupled hidden Markov models for complex action recognition”, in *Computer vision and pattern recognition, 1997. proceedings., 1997 ieee computer society conference on*, pp. 994–999, IEEE 1997
- Caba Heilbron, F., Escorcia, V., Ghanem, B., and Carlos Nibbles, J. (2015), “Activitynet: A large-scale video benchmark for human activity understanding”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 961–970 2015
- Cao, Z., Hidalgo, G., Simon, T., Wei, S.-E., and Sheikh, Y. (2018), “OpenPose: realtime multi-person 2D pose estimation using Part Affinity Fields”, *arXiv preprint arXiv:1812.08008* 2018
- Chang, C.-Y., Lange, B., Zhang, M., Koenig, S., Requejo, P., Somboon, N., Sawchuk, A. A., and Rizzo, A. A. (2012), “Towards pervasive physical rehabilitation using Microsoft Kinect”, in *2012 6th international*

- conference on pervasive computing technologies for healthcare (PervasiveHealth) and workshops, pp. 159–162, IEEE 2012
- Chang, Y.-J., Chen, S.-F., and Huang, J.-D. (2011), “A Kinect-based system for physical rehabilitation: A pilot study for young adults with motor disabilities”, *Research in developmental disabilities*, Vol. 32, No. 6, pp. 2566–2570 2011
- Chaquet, J. M., Carmona, E. J., and Fernández-Caballero, A. (2013), “A survey of video datasets for human action and activity recognition”, *Computer Vision and Image Understanding*, Vol. 117, No. 6, pp. 633–659 2013
- Chopra, S., Hadsell, R., LeCun, Y. et al. (2005), “Learning a similarity metric discriminatively, with application to face verification”, in *CVPR (1)*, pp. 539–546 2005
- Cohen, I., Garg, A., Huang, T. S. et al. (2000), “Emotion recognition from facial expressions using multilevel HMM”, in *NIPS*, Vol. 2, Citeseer 2000
- Concha, O. P., Da Xu, R. Y., Moghaddam, Z., and Piccardi, M. (2011a), “HMM-MIO: an enhanced hidden Markov model for action recognition”, in *CVPR 2011 WORKSHOPS*, pp. 62–69, IEEE 2011a
- Concha, O. P., Da Xu, R. Y., Moghaddam, Z., and Piccardi, M. (2011b), “HMM-MIO: an enhanced hidden Markov model for action recognition”, in *CVPR 2011 WORKSHOPS*, pp. 62–69, IEEE 2011b
- Costa, L., Trigueiros, P., and Cunha, A. (2016), “Automatic Meal Intake Monitoring Using Hidden Markov Models”, *Procedia Computer Science*, Vol. 100, pp. 110–117 2016
- Dalal, N. and Triggs, B. (2005), “Histograms of oriented gradients for human detection”, in *2005 CVPR*, Vol. 1, pp. 886–893, IEEE 2005
- De la Torre, F., Campoy, J., Ambadar, Z., and Cohn, J. F. (2007), “Temporal segmentation of facial behavior”, in *Computer Vision, 2007. ICCV 2007. IEEE 11th International Conference on*, pp. 1–8, IEEE 2007
- De la Torre, F., Hodgins, J. K., Montano, J., and Valcarcel, S. (2009), “Detailed Human Data Acquisition of Kitchen Activities: the CMU-Multimodal Activity Database (CMU-MMAC)”, in *Workshop on Developing Shared Home Behavior Datasets to Advance HCI and Ubiquitous Computing Research, in conjunction with CHI 2009* 2009
- Derpanis, K. G., Lecce, M., Daniilidis, K., and Wildes, R. P. (2012), “Dynamic scene understanding: The role of orientation features in space and time in scene classification”, in *2012 IEEE Conference on Computer Vision and Pattern Recognition*, pp. 1306–1313, IEEE 2012
- Dollár, P., Rabaud, V., Cottrell, G., and Sapiro, G. (2005), “Behavior recognition via sparse spatio-temporal features”, in *2005 IEEE International Workshop on Visual Surveillance and Performance Evaluation of Tracking and Surveillance*, pp. 65–72, IEEE 2005
- Doughty, H., Damen, D., and Mayol-Cuevas, W. (2018a), “Who’s Better? Who’s Best? Pairwise Deep Ranking for Skill Determination”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 6057–6066 2018a
- Doughty, H., Mayol-Cuevas, W., and Damen, D. (2018b), “The Pros and Cons: Rank-aware Temporal Attention for Skill Determination in Long Videos”, *arXiv preprint arXiv:1812.05538* 2018b
- Du, Y., Wang, W., and Wang, L. (2015), “Hierarchical recurrent neural network for skeleton based action recognition”, in *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 1110–1118 2015
- Duchenne, O., Laptev, I., Sivic, J., Bach, F., and Ponce, J. (2009a), “Automatic annotation of human actions in video”, in *2009 IEEE 12th International Conference on Computer Vision*, pp. 1491–1498, IEEE 2009a
- Duchenne, O., Laptev, I., Sivic, J., Bach, F., and Ponce, J. (2009b), “Automatic annotation of human actions in video”, in *2009 IEEE 12th ICCV*, pp. 1491–1498, IEEE 2009b
- Efros, A. A., Berg, A. C., Mori, G., and Malik, J. (2003a), “Recognizing Action at a Distance.”, in *ICCV*, pp. 726–733, IEEE Computer Society 2003a
- Efros, A. A., Berg, A. C., Mori, G., Malik, J. et al. (2003b), “Recognizing Action at a Distance.”, in *ICCV*, Vol. 3, pp. 726–733 2003b
- Emerson, J. W., Seltzer, M., and Lin, D. (2009), “Assessing judging bias: An example from the 2000

- Olympic Games”, *The American Statistician*, Vol. 63, No. 2, pp. 124–131 2009
- Fallahzadeh, R. and Ghasemzadeh, H. (2017), “Personalization without user interruption: boosting activity recognition in new subjects using unlabeled data”, in *Proceedings of the 8th International Conference on Cyber-Physical Systems*, pp. 293–302, ACM 2017
- Fawaz, H. I., Forestier, G., Weber, J., Idoumghar, L., and Muller, P.-A. (2018), “Evaluating surgical skills from kinematic data using convolutional neural networks”, in *International Conference on Medical Image Computing and Computer-Assisted Intervention*, pp. 214–221, Springer 2018
- Felzenszwalb, P. F. and Huttenlocher, D. P. (2005), “Pictorial structures for object recognition”, *International Journal of Computer Vision*, Vol. 61, No. 1, pp. 55–79 2005
- Ferrigno, G. and Pedotti, A. (1985), “ELITE: a digital dedicated hardware system for movement analysis via real-time TV signal processing”, *IEEE Transactions on Biomedical Engineering*, , No. 11, pp. 943–950 1985
- Forney, G. D. (1973), “The viterbi algorithm”, *Proceedings of the IEEE*, Vol. 61, No. 3, pp. 268–278 1973
- Forsyth, D. A., Arikan, O., Ikemoto, L., O’Brien, J., Ramanan, D. et al. (2006), “Computational studies of human motion: Part 1, tracking and motion synthesis”, *Foundations and Trends® in Computer Graphics and Vision*, Vol. 1, No. 2–3, pp. 77–254 2006
- Fortunato, S. (2010), “Community detection in graphs”, *Physics reports*, Vol. 486, No. 3, pp. 75–174 2010
- Gavrila, D. M. (1999), “The visual analysis of human movement: A survey”, *Computer vision and image understanding*, Vol. 73, No. 1, pp. 82–98 1999
- Gilbert, A., Illingworth, J., and Bowden, R. (2009), “Fast realistic multi-action recognition using mined dense spatio-temporal features”, in *2009 IEEE 12th ICCV*, pp. 925–931, IEEE 2009
- Gordon, A. S. (1995), “Automated video assessment of human performance”, in *Proceedings of AI-ED*, pp. 16–19 1995
- Gorelick, L., Blank, M., Shechtman, E., Irani, M., and Basri, R. (2007), “Actions as Space-Time Shapes”, *Transactions on Pattern Analysis and Machine Intelligence*, Vol. 29, No. 12, pp. 2247–2253 December 2007
- Grushin, A., Monner, D. D., Reggia, J. A., and Mishra, A. (2013), “Robust human action recognition via long short-term memory”, in *The 2013 International Joint Conference on Neural Networks (IJCNN)*, pp. 1–8, IEEE 2013
- Hassner, T. (2013), “A critical review of action recognition benchmarks”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops*, pp. 245–250 2013
- He, K., Zhang, X., Ren, S., and Sun, J. (2016), “Deep residual learning for image recognition”, in *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 770–778 2016
- Herda, L., Fua, P., Plankers, R., Boulic, R., and Thalmann, D. (2000), “Skeleton-based motion capture for robust reconstruction of human motion”, in *Computer Animation 2000. Proceedings*, pp. 77–83, IEEE 2000
- Hoai, M., Lan, Z.-Z., and De la Torre, F. (2011), “Joint segmentation and classification of human actions in video”, in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2011*, pp. 3265–3272, IEEE 2011
- Hochreiter, S. and Schmidhuber, J. (1997), “Long short-term memory”, *Neural computation*, Vol. 9, No. 8, pp. 1735–1780 1997
- Hu, M.-C., Chen, C.-W., Cheng, W.-H., Chang, C.-H., Lai, J.-H., and Wu, J.-L. (2015), “Real-time human movement retrieval and assessment with kinect sensor”, *IEEE transactions on cybernetics*, Vol. 45, No. 4, pp. 742–753 2015
- Jain, H. and Harit, G. (2016), “A framework to assess Sun salutation videos”, in *Proceedings of the Tenth Indian Conference on Computer Vision, Graphics and Image Processing*, p. 29, ACM 2016
- Jain, H. and Harit, G. (2018), “Detecting Missed and Anomalous Action Segments Using Approximate String Matching Algorithm”, in *Computer Vision, Pattern Recognition, Image Processing, and Graphics*, pp. 101–111, Springer Singapore, Singapore 2018
- Johansson, G. (1973), “Visual perception of biological motion and a model for its analysis”, *Perception & psychophysics*, Vol. 14, No. 2, pp. 201–211 1973

- Jug, M., Perš, J., Dežman, B., and Kovačič, S. (2003), “Trajectory based assessment of coordinated human activity”, in *ICCV*, pp. 534–543, Springer 2003
- Kliper-Gross, O., Hassner, T., and Wolf, L. (2012), “The action similarity labeling challenge”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 34, No. 3, pp. 615–621 2012
- Koppula, H. S., Gupta, R., and Saxena, A. (2013), “Learning human activities and object affordances from rgb-d videos”, *The International Journal of Robotics Research*, Vol. 32, No. 8, pp. 951–970 2013
- Kosmopoulos, D., Papoutsakis, K., and Argyros, A. (2016), “A framework for online segmentation and classification of modeled actions performed in the context of unmodeled ones”, *IEEE Transactions on Circuits and Systems for Video Technology* 2016
- Kosmopoulos, D. I., Papoutsakis, K., and Argyros, A. A. (2011), “Online segmentation and classification of modeled actions performed in the context of unmodeled ones”, *Trans. PAMI*, Vol. 33, No. 11, pp. 2188–2202 2011
- Krüger, B., Vögele, A., Willig, T., Yao, A., Klein, R., and Weber, A. (2017), “Efficient unsupervised temporal segmentation of motion data”, *IEEE Transactions on Multimedia*, Vol. 19, No. 4, pp. 797–812 2017
- Kuehne, H., Jhuang, H., Garrote, E., Poggio, T., and Serre, T. (2011), “HMDB: a large video database for human motion recognition”, in *2011 International Conference on Computer Vision*, pp. 2556–2563, IEEE 2011
- Kyan, M., Sun, G., Li, H., Zhong, L., Muneesawang, P., Dong, N., Elder, B., and Guan, L. (2015), “An approach to ballet dance training through ms kinect and visualization in a cave virtual reality environment”, *ACM Transactions on Intelligent Systems and Technology (TIST)*, Vol. 6, No. 2, p. 23 2015
- Lancichinetti, A. and Fortunato, S. (2009), “Community detection algorithms: a comparative analysis”, *Physical review E*, Vol. 80, No. 5, p. 056117 2009
- Lange, B., Chang, C.-Y., Suma, E., Newman, B., Rizzo, A. S., and Bolas, M. (2011), “Development and evaluation of low cost game-based balance rehabilitation tool using the Microsoft Kinect sensor”, in *2011 Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, pp. 1831–1834, IEEE 2011
- Laptev, I. (2005a), “On space-time interest points”, *International Journal of Computer Vision*, Vol. 64, No. 2-3, pp. 107–123 2005a
- Laptev, I. (2005b), “On space-time interest points”, *IJCV*, Vol. 64, No. 2-3, pp. 107–123 2005b
- Laptev, I., Marszalek, M., Schmid, C., and Rozenfeld, B. (2008a), “Learning realistic human actions from movies”, in *Computer Vision and Pattern Recognition, 2008. CVPR 2008. IEEE Conference on*, pp. 1–8, IEEE 2008a
- Laptev, I., Marszalek, M., Schmid, C., and Rozenfeld, B. (2008b), “Learning realistic human actions from movies”, in *CVPR*, pp. 1–8, IEEE 2008b
- Li, Y., Chai, X., and Chen, X. (2018), “End-To-End Learning for Action Quality Assessment”, in *Pacific Rim Conference on Multimedia*, pp. 125–134, Springer 2018
- Liu, H., Feris, R., and Sun, M.-T. (2011), “Benchmarking datasets for human activity recognition”, in *Visual Analysis of Humans* pp. 411–427, Springer 2011
- Lv, F. and Nevatia, R. (2007), “Single view human action recognition using key pose matching and viterbi path searching”, in *Computer Vision and Pattern Recognition, 2007. CVPR'07. IEEE Conference on*, pp. 1–8, IEEE 2007
- Marr, D. and Nishihara, H. K. (1978), “Representation and recognition of the spatial organization of three-dimensional shapes”, *Proceedings of the Royal Society of London B: Biological Sciences*, Vol. 200, No. 1140, pp. 269–294 1978
- Marszalek, M., Laptev, I., and Schmid, C. (2009), “Actions in context”, in *Computer Vision and Pattern Recognition, 2009. CVPR 2009. IEEE Conference on*, pp. 2929–2936, IEEE 2009
- Martin, J. H. and Jurafsky, D. (2000), “Speech and language processing”, *International Edition*, Vol. 710 2000
- Mazurova, E. and Penttinen, E. (2020), “Probing Athletes’ Perceptions Towards Electronic Judging Systems—A Case Study in Gymnastics”, in *Proceedings of the 53rd Hawaii International Conference on System Sciences* 2020

- Mendoza, M. Á. and De La Blanca, N. P. (2008), “Applying space state models in human action recognition: a comparative study”, in *International Conference on Articulated Motion and Deformable Objects*, pp. 53–62, Springer 2008
- Moeslund, T. B., Hilton, A., and Krüger, V. (2006), “A Survey of Advances in Vision-based Human Motion Capture and Analysis”, *Comput. Vis. Image Underst.*, Vol. 104, No. 2, pp. 90–126 Nov 2006, URL <http://dx.doi.org/10.1016/j.cviu.2006.08.002>
- Molet, T., Boulic, R., and Thalmann, D. (1999), “Human motion capture driven by orientation measurements”, *Presence: Teleoperators and Virtual Environments*, Vol. 8, No. 2, pp. 187–203 1999
- Morgan, H. N. and Rotthoff, K. W. (2014), “The harder the task, the higher the score: Findings of a difficulty bias”, *Economic Inquiry*, Vol. 52, No. 3, pp. 1014–1026 2014
- Natarajan, P. and Nevatia, R. (2008), “View and scale invariant action recognition using multiview shape-flow models”, in *Computer Vision and Pattern Recognition, 2008. CVPR 2008. IEEE Conference on*, pp. 1–8, IEEE 2008
- Newell, A., Yang, K., and Deng, J. (2016), “Stacked hourglass networks for human pose estimation”, in *European Conference on Computer Vision*, pp. 483–499, Springer 2016
- Newman, M. E. (2004), “Fast algorithm for detecting community structure in networks”, *Physical review E*, Vol. 69, No. 6, p. 066133 2004
- Ng, A. Y., Jordan, M. I., and Weiss, Y. (2002), “On spectral clustering: Analysis and an algorithm”, in *Advances in neural information processing systems*, pp. 849–856 2002
- Niebles, J. C., Wang, H., and Fei-Fei, L. (2008a), “Unsupervised learning of human action categories using spatial-temporal words”, *International journal of computer vision*, Vol. 79, No. 3, pp. 299–318 2008a
- Niebles, J. C., Wang, H., and Fei-Fei, L. (2008b), “Unsupervised learning of human action categories using spatial-temporal words”, *IJCV*, Vol. 79, No. 3, pp. 299–318 2008b
- Niebles, J. C., Chen, C.-W., and Fei-Fei, L. (2010), “Modeling temporal structure of decomposable motion segments for activity classification”, in *European conference on computer vision*, pp. 392–405, Springer 2010
- Ofli, F., Chaudhry, R., Kurillo, G., Vidal, R., and Bajcsy, R. (2013), “Berkeley MHAD: A comprehensive multimodal human action database”, in *Applications of Computer Vision (WACV), 2013 IEEE Workshop on*, pp. 53–60, IEEE 2013
- Omkar, S. (2012), “Surya Namaskaar for holistic well being: A comprehensive review of Surya Namaskaar”, *Journal of Yoga & Physical Therapy*, Vol. 2012 2012
- Oneata, D., Verbeek, J., and Schmid, C. (2013), “Action and event recognition with fisher vectors on a compact feature set”, in *Proceedings of the IEEE International Conference on Computer Vision*, pp. 1817–1824 2013
- Ozkan, D., Scherer, S., and Morency, L.-P. (2012), “Step-wise emotion recognition using concatenated-hmm”, in *Proceedings of the 14th ACM ICMI*, pp. 477–484, ACM 2012
- Pachoulakis, I., Xilourgos, N., Papadopoulos, N., and Analyti, A. (2016), “A Kinect-Based Physiotherapy and Assessment Platform for Parkinson’s Disease Patients”, *Journal of medical engineering*, Vol. 2016 2016
- Palma, C., Salazar, A., and Vargas, F. (2016), “HMM and DTW for evaluation of therapeutical gestures using kinect”, *arXiv preprint arXiv:1602.03742* 2016
- Papoutsakis, K., Panagiotakis, C., and Argyros, A. A. (2017), “Temporal Action Co-segmentation in 3D Motion Capture Data and Videos”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 6827–6836 2017
- Parisi, G. I., Magg, S., and Wermter, S. (2016), “Human motion assessment in real time using recurrent self-organization”, in *Robot and Human Interactive Communication (RO-MAN), 2016 25th IEEE International Symposium on*, pp. 71–76, IEEE 2016
- Parmar, P. and Morris, B. T. (2019), “What and how well you performed? A multitask learning approach to action quality assessment”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 304–313 2019
- Parmar, P. and Tran Morris, B. (2017), “Learning to score olympic events”, in *proceedings of the IEEE*

- Conference on Computer Vision and Pattern Recognition Workshops, pp. 20–28 2017
- Pirsiavash, H., Vondrick, C., and Torralba, A. (2014), “Assessing the quality of actions”, in *European Conference on Computer Vision*, pp. 556–571, Springer 2014
- Pishchulin, L., Insafutdinov, E., Tang, S., Andres, B., Andriluka, M., Gehler, P. V., and Schiele, B. (2016), “Deepcut: Joint subset partition and labeling for multi person pose estimation”, in *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 4929–4937 2016
- Poppe, R. (2007), “Vision-based human motion analysis: An overview”, *Computer vision and image understanding*, Vol. 108, No. 1, pp. 4–18 2007
- Poppe, R. (2010), “A survey on vision-based human action recognition”, *Image and vision computing*, Vol. 28, No. 6, pp. 976–990 2010
- Qiu, Z., Yao, T., and Mei, T. (2017), “Learning spatio-temporal representation with pseudo-3d residual networks”, in *proceedings of the IEEE International Conference on Computer Vision*, pp. 5533–5541 2017
- Rabiner, L. R. (1989), “A tutorial on hidden Markov models and selected applications in speech recognition”, *Proceedings of the IEEE*, Vol. 77, No. 2, pp. 257–286 1989
- Rao, C., Gritai, A., Shah, M., and Syeda-Mahmood, T. (2003), “View-invariant alignment and matching of video sequences”, in *null*, p. 939, IEEE 2003
- Raptis, M., Kirovski, D., and Hoppe, H. (2011), “Real-time classification of dance gestures from skeleton animation”, in *Proceedings of the 2011 ACM SIGGRAPH/Eurographics symposium on computer animation*, pp. 147–156, ACM 2011
- Reddy, K. K. and Shah, M. (2013), “Recognizing 50 human action categories of web videos”, *Machine Vision and Applications*, Vol. 24, No. 5, pp. 971–981 2013
- Rodriguez, M. D., Ahmed, J., and Shah, M. (2008), “Action MACH: a spatio-temporal maximum average correlation height filter for action recognition”, in *In Proceedings of IEEE International Conference on Computer Vision and Pattern Recognition 2008*
- Sakoe, H. and Chiba, S. (1978), “Dynamic programming algorithm optimization for spoken word recognition”, *IEEE transactions on acoustics, speech, and signal processing*, Vol. 26, No. 1, pp. 43–49 1978
- Sapp, B. and Taskar, B. (2013), “Modex: Multimodal decomposable models for human pose estimation”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 3674–3681 2013
- Schuldt, C., Laptev, I., and Caputo, B. (2004a), “Recognizing human actions: a local SVM approach”, in *Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International Conference on*, Vol. 3, pp. 32–36, IEEE 2004a
- Schuldt, C., Laptev, I., and Caputo, B. (2004b), “Recognizing Human Actions: A Local SVM Approach”, in *Proceedings of the Pattern Recognition, 17th International Conference on (ICPR’04) Volume 3 - Volume 03, ICPR ’04*, pp. 32–36, IEEE Computer Society, Washington, DC, USA 2004b, URL <http://dx.doi.org/10.1109/ICPR.2004.747>
- Shi, Q., Wang, L., Cheng, L., and Smola, A. (2008), “Discriminative human action segmentation and recognition using semi-Markov model”, in *IEEE Conference on Computer Vision and Pattern Recognition, 2008. CVPR 2008.*, pp. 1–8, IEEE 2008
- Shi, Y., Tian, Y., Wang, Y., and Huang, T. (2017), “Sequential deep trajectory descriptor for action recognition with three-stream CNN”, *IEEE Transactions on Multimedia*, Vol. 19, No. 7, pp. 1510–1520 2017
- Shotton, J., Girshick, R., Fitzgibbon, A., Sharp, T., Cook, M., Finocchio, M., Moore, R., Kohli, P., Criminisi, A., Kipman, A. et al. (2013), “Efficient human pose estimation from single depth images”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 35, No. 12, pp. 2821–2840 2013
- Soomro, K., Zamir, A. R., and Shah, M. (2012), “UCF101: A dataset of 101 human actions classes from videos in the wild”, *arXiv preprint arXiv:1212.0402* 2012
- Soran, B., Farhadi, A., and Shapiro, L. (2015), “Generating Notifications for Missing Actions: Don’t Forget to Turn the Lights Off!”, in *Proceedings of the IEEE International Conference on Computer Vision*, pp. 4669–4677 2015
- Starner, T. and Pentland, A. (1997), “Real-time american sign language recognition from video using

- hidden markov models”, in *Motion-Based Recognition* pp. 227–243, Springer 1997
- Su, C.-J. (2013), “Personal rehabilitation exercise assistant with kinect and dynamic time warping”, *International Journal of Information and Education Technology*, Vol. 3, No. 4, p. 448 2013
- Su, C.-J., Chiang, C.-Y., and Huang, J.-Y. (2014), “Kinect-enabled home-based rehabilitation system using Dynamic Time Warping and fuzzy logic”, *Applied Soft Computing*, Vol. 22, pp. 652–666 2014
- Sutskever, I., Vinyals, O., and Le, Q. V. (2014), “Sequence to sequence learning with neural networks”, in *Advances in neural information processing systems*, pp. 3104–3112 2014
- Sutton, C. and McCallum, A., *An introduction to conditional random fields for relational learning*, Vol. 2, Introduction to statistical relational learning. MIT Press 2006
- Toshev, A. and Szegedy, C. (2014), “DeepPose: Human pose estimation via deep neural networks”, in *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 1653–1660 2014
- Tran, D., Bourdev, L., Fergus, R., Torresani, L., and Paluri, M. (2015), “Learning spatiotemporal features with 3d convolutional networks”, in *Proceedings of the IEEE international conference on computer vision*, pp. 4489–4497 2015
- Turaga, P., Chellappa, R., Subrahmanian, V. S., and Udrea, O. (2008), “Machine recognition of human activities: A survey”, *IEEE Transactions on Circuits and Systems for Video Technology*, Vol. 18, No. 11, pp. 1473–1488 2008
- Turaga, P., Veeraraghavan, A., and Chellappa, R. (2009), “Unsupervised view and rate invariant clustering of video sequences”, *Computer Vision and Image Understanding*, Vol. 113, No. 3, pp. 353–371 2009
- Veeraraghavan, A., Chellappa, R., and Roy-Chowdhury, A. K. (2006), “The function space of an activity”, in *Computer Vision and Pattern Recognition, 2006 IEEE Computer Society Conference on*, Vol. 1, pp. 959–968, IEEE 2006
- Veeriah, V., Zhuang, N., and Qi, G.-J. (2015), “Differential recurrent neural networks for action recognition”, in *Proceedings of the IEEE international conference on computer vision*, pp. 4041–4049 2015
- Venkataraman, V., Vlachos, I., and Turaga, P. K. (2015), “Dynamical Regularity for Action Analysis.”, in *BMVC*, pp. 67–1 2015
- Wang, J., Liu, Z., Wu, Y., and Yuan, J. (2012), “Mining actionlet ensemble for action recognition with depth cameras”, in *Computer Vision and Pattern Recognition (CVPR), 2012 IEEE Conference on*, pp. 1290–1297, IEEE 2012
- Weinland, D., Ronfard, R., and Boyer, E. (2006), “Free Viewpoint Action Recognition Using Motion History Volumes”, *Comput. Vis. Image Underst.*, Vol. 104, No. 2, pp. 249–257 Nov 2006, URL <http://dx.doi.org/10.1016/j.cviu.2006.07.013>
- Weinland, D., Ronfard, R., and Boyer, E. (2011), “A survey of vision-based methods for action representation, segmentation and recognition”, *Computer vision and image understanding*, Vol. 115, No. 2, pp. 224–241 2011
- Willems, G., Tuytelaars, T., and Van Gool, L. (2008), “An efficient dense and scale-invariant spatio-temporal interest point detector”, in *European conference on computer vision*, pp. 650–663, Springer 2008
- Wu, C., Zhang, J., Savarese, S., and Saxena, A. (2015a), “Watch-n-patch: Unsupervised understanding of actions and relations”, in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 4362–4370 2015a
- Wu, C., Zhang, J., Savarese, S., and Saxena, A. (2015b), “Watch-n-Patch: Unsupervised Understanding of Actions and Relations”, in *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR) June 2015b*
- Xiang, X., Tian, Y., Reiter, A., Hager, G. D., and Tran, T. D. (2018), “S3d: Stacking segmental p3d for action quality assessment”, in *2018 25th IEEE International Conference on Image Processing (ICIP)*, pp. 928–932, IEEE 2018
- Yamato, J., Ohya, J., and Ishii, K. (1992a), “Recognizing human action in time-sequential images using hidden markov model”, in *Computer Vision and Pattern Recognition, 1992. Proceedings CVPR’92.*, 1992

- IEEE Computer Society Conference on*, pp. 379–385, IEEE 1992a
- Yamato, J., Ohya, J., and Ishii, K. (1992b), “Recognizing human action in time-sequential images using hidden markov model”, in *CVPR*, pp. 379–385, IEEE 1992b
- Yang, Y. and Ramanan, D. (2011), “Articulated pose estimation with flexible mixtures-of-parts”, in *Computer Vision and Pattern Recognition (CVPR), 2011 IEEE Conference on*, pp. 1385–1392, IEEE 2011
- Yi, D., Lei, Z., and Li, S. (2014), “Deep metric learning for practical person re-identification (2014)”, *ArXiv e-prints* 2014
- Yucer, S. and Akgul, Y. S. (2018), “3D Human Action Recognition with Siamese-LSTM Based Deep Metric Learning”, *arXiv preprint arXiv:1807.02131* 2018
- Zhang, H., Zhou, W., and Parker, L. E. (2014), “Fuzzy segmentation and recognition of continuous human activities”, in *2014 IEEE International Conference on Robotics and Automation (ICRA)*, pp. 6305–6312, IEEE 2014
- Zhao, W., Feng, H., Lun, R., Espy, D. D., and Reinthal, M. A. (2014), “A Kinect-based rehabilitation exercise monitoring and guidance system”, in *Software Engineering and Service Science (ICSESS), 2014 5th IEEE International Conference on*, pp. 762–765, IEEE 2014
- Zhou, F., De la Torre, F., and Hodgins, J. K. (2008), “Aligned cluster analysis for temporal segmentation of human motion”, in *8th IEEE International Conference on Automatic Face & Gesture Recognition, 2008. FG’08.*, pp. 1–7, IEEE 2008
- Zhou, F., De la Torre, F., and Hodgins, J. K. (2013), “Hierarchical aligned cluster analysis for temporal clustering of human motion”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 35, No. 3, pp. 582–596 2013
- Zhu, W., Lan, C., Xing, J., Zeng, W., Li, Y., Shen, L., and Xie, X. (2016), “Co-occurrence feature learning for skeleton based action recognition using regularized deep LSTM networks”, in *Thirtieth AAAI Conference on Artificial Intelligence* 2016
- Zia, A., Sharma, Y., Bettadapura, V., Sarin, E. L., Clements, M. A., and Essa, I. (2015), “Automated assessment of surgical skills using frequency analysis”, in *International Conference on Medical Image Computing and Computer-Assisted Intervention*, pp. 430–438, Springer 2015
- Zia, A., Sharma, Y., Bettadapura, V., Sarin, E. L., Ploetz, T., Clements, M. A., and Essa, I. (2016), “Automated video-based assessment of surgical skills for training and evaluation in medical schools”, *International journal of computer assisted radiology and surgery*, Vol. 11, No. 9, pp. 1623–1636 2016