

References

- Ageda, S., Fuke, C., Ihama, Y., & Miyazaki, T. (2006). The stability of organophosphorus insecticides in fresh blood. *Legal Medicine*, 8(3), 144–149. <https://doi.org/10.1016/j.legalmed.2005.12.003>
- Aktar, M. W., Sengupta, D., & Chowdhury, A. (2009). Impact of pesticides use in agriculture: their benefits and hazards. *Interdisciplinary Toxicology*, 2(1), 1–12. <https://doi.org/10.2478/v10102-009-0001-7>
- Albani J.R. (2004). *Structure and Dynamics of Macromolecules Absorption and Fluorescence Studies*. Energy. amsterdam: elsevier.
- Amaraneni, S. R., Kumar, S., & Gourinath, S. (2014). Biophysical aspects of lysozyme adduct with monocrotophos. *Analytical and Bioanalytical Chemistry*, 406(22), 5477–5485. <https://doi.org/10.1007/s00216-014-7953-y>
- Anand, B. G., Dubey, K., Shekhawat, D. S., & Kar, K. (2017). Intrinsic property of phenylalanine to trigger protein aggregation and hemolysis has a direct relevance to phenylketonuria. *Scientific Reports*. <https://doi.org/10.1038/s41598-017-10911-z>
- Anand, B. G., Prajapati, K. P., Shekhawat, D. S., & Kar, K. (2018). Tyrosine-Generated Nanostructures Initiate Amyloid Cross-Seeding in Proteins Leading to a Lethal Aggregation Trap. *Biochemistry*. <https://doi.org/10.1021/acs.biochem.8b00472>
- Anand, B. G., Shekhawat, D. S., Dubey, K., & Kar, K. (2017). Uniform, Polycrystalline, and Thermostable Piperine-Coated Gold Nanoparticles to Target Insulin Fibril Assembly. *ACS Biomaterials Science and Engineering*, 3(6), 1136–1145. <https://doi.org/10.1021/acsbiomaterials.7b00030>
- Anand, U., & Mukherjee, S. (2013). Reversibility in protein folding: effect of beta-cyclodextrin on bovine serum albumin unfolded by sodium dodecyl sulphate. *Phys Chem Chem Phys*, 15(23), 9375–9383. <https://doi.org/10.1039/c3cp50207d>
- Anglister, J., Srivastava, G., & Naider, F. (2016). Detection of intermolecular NOE interactions in large protein complexes. *Progress in Nuclear Magnetic Resonance Spectroscopy*. <https://doi.org/10.1016/j.pnmrs.2016.08.002>
- Angulo, Jesús, Enríquez-Navas, P. M., & Nieto, P. M. (2010). Ligand-receptor binding affinities from saturation transfer difference (STD) NMR. *Chemistry - A European Journal*. <https://doi.org/10.1002/chem.200903528>
- Angulo, Jesus, & Nieto, P. M. (2011a). STD-NMR: Application to transient interactions between biomolecules-a quantitative approach. *European Biophysics Journal*, 40(12), 1357–1369. <https://doi.org/10.1007/s00249-011-0749-5>
- Angulo, Jesus, & Nieto, P. M. (2011b). STD-NMR: Application to transient interactions between biomolecules-a quantitative approach. *European Biophysics Journal*. <https://doi.org/10.1007/s00249-011-0749-5>
- Anwar, S., Liaquat, F., Khan, Q. M., Khalid, Z. M., & Iqbal, S. (2009). Biodegradation of chlorpyrifos and its hydrolysis product 3,5,6-trichloro-2-pyridinol by *Bacillus pumilus* strain C2A1. *Journal of Hazardous Materials*, 168(1), 400–405. <https://doi.org/10.1016/j.jhazmat.2009.02.059>
- Assfalg, M., Ragona, L., Pagano, K., D'Onofrio, M., Zanzoni, S., Tomaselli, S., & Molinari, H. (2016). The study of transient protein-nanoparticle interactions by solution NMR spectroscopy. *Biochimica et Biophysica Acta - Proteins and Proteomics*. <https://doi.org/10.1016/j.bbapap.2015.04.024>
- Balazs, Y. S., Lisitsin, E., Carmiel, O., Shoham, G., Shoham, Y., & Schmidt, A. (2013). Identifying critical unrecognized sugar-protein interactions in GH10 xylanases from *Geobacillus stearothermophilus* using STD NMR. *FEBS Journal*. <https://doi.org/10.1111/febs.12437>
- Benedetti, D., Fern, Silva, a R. Da, Kvitko, K., Fern, S. P., es, & Silva, J. da. (2014). Genotoxicity Induced by Occupational Exposure to Pesticides (p. Ch. 0). Rijeka: InTech. <https://doi.org/10.5772/57319>
- Bernardes, M. F. F., Pazin, M., Pereira, L. C., & Dorta, D. J. (2015). Impact of Pesticides on Environmental and Human Health. In *Toxicology Studies-Cells, Drugs and Environment* (p. Ch. 8). Rijeka: InTech. <https://doi.org/10.5772/59710>
- Bhaskar Gollapudi, B., Mendrala, A. L., & Ann Linscombe, V. (1995). Evaluation of the genetic toxicity of the organophosphate insecticide chlorpyrifos. *Mutation Research/Genetic Toxicology*, 342(1), 25–36. [https://doi.org/10.1016/0165-1218\(95\)90087-X](https://doi.org/10.1016/0165-1218(95)90087-X)
- Bloembergen, N., Purcell, E. M., & Pound, R. V. (1948). Relaxation effects in nuclear magnetic resonance absorption. *Physical Review*, 73(7), 679–712. <https://doi.org/10.1103/PhysRev.73.679>
- Bonechi, C, Martini, S., Brizzi, V., Brizzi, a, Massarelli, P., Bruni, G., & Rossi, C. (2006). Nuclear magnetic

- resonance for studying recognition processes between anandamide and cannabinoid receptors. *European Journal of Medicinal Chemistry*, 41(10), 1117–1123. <https://doi.org/10.1016/j.ejmech.2006.05.017>
- Bonechi, Claudia, Donati, A., Picchi, M. P., Rossi, C., & Tiezzi, E. (1996). DNA-ligand interaction detected by proton selective and non-selective spin-lattice relaxation rate analysis. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 115, 89–95. [https://doi.org/10.1016/0927-7757\(96\)03659-X](https://doi.org/10.1016/0927-7757(96)03659-X)
- Bonechi, Claudia, Martini, S., & Rossi, C. (2011). Interaction study of indigo carmine with albumin and dextran by NMR relaxation. *Journal of Materials Science*, 46(8), 2541–2547. <https://doi.org/10.1007/s10853-010-5106-z>
- Bourquin, A. W., Garnas, R. L., Pritchard, P. H., Wilkes, F. G., Cripe, C. R., & Rubinstein, N. I. (1979). Interdependent microcosms for the assessment of pollutants in the marine environment. *International Journal of Environmental Studies*, 13(2), 131–140. <https://doi.org/10.1080/00207237908709814>
- Bravo, R., Caltabiano, L. M., Weerasekera, G., Whitehead, R. D., Fernandez, C., Needham, L. L., ... Barr, D. B. (2004). Measurement of dialkyl phosphate metabolites of organophosphorus pesticides in human urine using lyophilization with gas chromatography-tandem mass spectrometry and isotope dilution quantification. *J Expo Anal Environ Epidemiol*, 14(3), 249–259. Retrieved from <http://dx.doi.org/10.1038/sj.jea.7500322>
- Bronowska, A. K. (2011). Thermodynamics of Ligand-Protein Interactions: Implications for Molecular Design. *Thermodynamics - Interaction Studies - Solids, Liquids and Gases*. <https://doi.org/10.5772/19447>
- Brooks, B. R., Brooks, C. L. 3rd, Mackerell, A. D. J., Nilsson, L., Petrella, R. J., Roux, B., ... Karplus, M. (2009). CHARMM: the biomolecular simulation program. *Journal of Computational Chemistry*, 30(10), 1545–1614. <https://doi.org/10.1002/jcc.21287>
- Bundle, D. R., & Sigurskjold, B. W. (1994). Determination of accurate thermodynamics of binding by titration microcalorimetry. *Methods in Enzymology*. [https://doi.org/10.1016/S0076-6879\(94\)47022-7](https://doi.org/10.1016/S0076-6879(94)47022-7)
- C. Ramalho, T., A. de Castro, A., R. Silva, D., Cristina Silva, M., C. C. Franca, T., J. Bennion, B., & Kuca, K. (2016). Computational Enzymology and Organophosphorus Degrading Enzymes: Promising Approaches Toward Remediation Technologies of Warfare Agents and Pesticides. *Current Medicinal Chemistry*. <https://doi.org/10.2174/0929867323666160222113504>
- Cala, O., Guillièrè, F., & Krimm, I. (2014a). NMR-based analysis of protein-ligand interactions. *Analytical and Bioanalytical Chemistry*. <https://doi.org/10.1007/s00216-013-6931-0>
- Cala, O., Guillièrè, F., & Krimm, I. (2014b). NMR-based analysis of protein-ligand interactions. *Analytical and Bioanalytical Chemistry*, 406(4), 943–956. <https://doi.org/10.1007/s00216-013-6931-0>
- Cala, O., & Krimm, I. (2015). Ligand-orientation based fragment selection in STD NMR screening. *Journal of Medicinal Chemistry*. <https://doi.org/10.1021/acs.jmedchem.5b01114>
- Callies, O., & Hernández Daranas, A. (2016). Application of isothermal titration calorimetry as a tool to study natural product interactions. *Natural Product Reports*. <https://doi.org/10.1039/c5np00094g>
- Cao, H., & Yi, Y. (2017). Study on the interaction of chromate with bovine serum albumin by spectroscopic method. *BioMetals*, 30(4), 529–539. <https://doi.org/10.1007/s10534-017-0022-1>
- Carlomagno, T. (2012). NMR in natural products: Understanding conformation, configuration and receptor interactions. *Natural Product Reports*. <https://doi.org/10.1039/c2np00098a>
- Cartier, C., Warembourg, C., Le Maner-Idrissi, G., Lacroix, A., Rouget, F., Monfort, C., ... Chevrier, C. (2016). Organophosphate Insecticide Metabolites in Prenatal and Childhood Urine Samples and Intelligence Scores at 6 Years of Age: Results from the Mother-Child PELAGIE Cohort (France). *Environmental Health Perspectives*, 124(5), 674–680. <https://doi.org/10.1289/ehp.1409472>
- Chaires, J. B. (2006). A thermodynamic signature for drug-DNA binding mode. *Archives of Biochemistry and Biophysics*. <https://doi.org/10.1016/j.abb.2006.03.027>
- Chi, Z., Liu, R., & Zhang, H. (2010). Noncovalent interaction of oxytetracycline with the enzyme trypsin. *Biomacromolecules*, 11(9), 2454–2459. <https://doi.org/10.1021/bm100633h>
- Chinnathambi, S., Velmurugan, D., Hanagata, N., Aruna, P. R., & Ganesan, S. (2014). Investigations on the interactions of 5-fluorouracil with bovine serum albumin: Optical spectroscopic and molecular modeling studies. *Journal of Luminescence*, 151, 1–10. <https://doi.org/10.1016/j.jlumin.2014.01.063>
- Čolović, M. B., Krstić, D. Z., Lazarević-Pašti, T. D., Bondžić, A. M., & Vasić, V. M. (2013). Acetylcholinesterase Inhibitors: Pharmacology and Toxicology. *Current Neuropharmacology*, 11(3), 315–335. <https://doi.org/10.2174/1570159X11311030006>
- Copeland, R. A. (2003). Protein-Ligand Binding Equilibria. In *Enzymes*. <https://doi.org/10.1002/0471220639.ch4>
- Curl, C. L., Beresford, S. A. A., Fenske, R. A., Fitzpatrick, A. L., Lu, C., Nettleton, J. A., & Kaufman, J. D. (2015). Estimating pesticide exposure from dietary intake and organic food choices: the Multi-Ethnic

- Study of Atherosclerosis (MESA). *Environmental Health Perspectives*, 123(5), 475–483. <https://doi.org/10.1289/ehp.1408197>
- Dahiya, V., Anand, B. G., Kar, K., & Pal, S. (2019). In vitro interaction of organophosphate metabolites with bovine serum albumin: A comparative 1H NMR, fluorescence and molecular docking analysis. *Pesticide Biochemistry and Physiology*. <https://doi.org/10.1016/J.PESTBP.2019.10.004>
- Dahiya, V., Anand, B. G., Kar, K., & Pal, S. (2020). Analyzing organophosphate pesticide-serum albumin binding interaction: a combined STD NMR and molecular docking study. *Journal of Biomolecular Structure and Dynamics*. <https://doi.org/10.1080/07391102.2020.1745280>
- Dahiya, V., Chaubey, B., Dhaharwal, A. K., & Pal, S. (2017). Solvent-dependent binding interactions of the organophosphate pesticide, chlorpyrifos (CPF), and its metabolite, 3,5,6-trichloro-2-pyridinol (TCPy), with Bovine Serum Albumin (BSA): A comparative fluorescence quenching analysis. *Pesticide Biochemistry and Physiology*, 139, 92–100. <https://doi.org/10.1016/j.pestbp.2017.04.011>
- Dahiya, V., & Pal, S. (n.d.). *An In Vitro Nuclear Magnetic Resonance (NMR) study of Organophosphate metabolites in the presence of serum albumin : from distribution to destiny.*
- Dahiya, V., & Pal, S. (2018). The Effect Of Paracetamol On 5 Fluorouracil And Bovine Serum Albumin Interaction: A Biophysical Study. *AIP Conference Proceedings*, 140012(1953). <https://doi.org/10.1063/1.5033187>
- Dalvit, C., Fogliatto, G. P., Stewart, A., Veronesi, M., & Stockman, B. (2001). WaterLOGSY as a method for primary NMR screening: Practical aspects and range of applicability. *Journal of Biomolecular NMR*. <https://doi.org/10.1023/A:1013302231549>
- Damalas, C. A., & Eleftherohorinos, I. G. (2011). Pesticide Exposure, Safety Issues, and Risk Assessment Indicators. *International Journal of Environmental Research and Public Health* . <https://doi.org/10.3390/ijerph8051402>
- Davies, D. B., & Holub, B. J. (1980). Toxicological evaluation of dietary diazinon in the rat. *Archives of Environmental Contamination and Toxicology*, 9(6), 637–650. <https://doi.org/10.1007/BF01055539>
- Dewey, T. G. (1991a). Biophysical and Biochemical Aspects of Fluorescence Spectroscopy. *Springer*, 49(1), 305. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Dewey, T. G. (1991b). Biophysical and Biochemical Aspects of Fluorescence Spectroscopy. *Springer*, 49(1), 305. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Di Trani, J. M., De Cesco, S., O'Leary, R., Plescia, J., Do Nascimento, C. J., Moitessier, N., & Mittermaier, A. K. (2018). Rapid measurement of inhibitor binding kinetics by isothermal titration calorimetry /631/45/607 /631/1647/2204 /631/92/613 /631/154 /9 article. *Nature Communications*, 9(1). <https://doi.org/10.1038/s41467-018-03263-3>
- Ding, F., Liu, W., Diao, J. X., Yin, B., Zhang, L., & Sun, Y. (2011). Complexation of insecticide chlorantraniliprole with human serum albumin: Biophysical aspects. *Journal of Luminescence*, 131(7), 1327–1335. <https://doi.org/10.1016/j.jlumin.2011.03.007>
- Dodero, V. I., Quirolo, Z. B., & Sequeira, M. A. (2011). Biomolecular studies by circular dichroism. *Frontiers in Bioscience*. <https://doi.org/10.2741/3676>
- Dorai, K., & Kumar, A. (2001). Fluorine chemical shift tensors in substituted ⁻uorobenzenes using cross correlations in NMR relaxation. *Chemical Physics Letters*, 335(February), 176–182.
- Du, X., Li, Y., Xia, Y. L., Ai, S. M., Liang, J., Sang, P., ... Liu, S. Q. (2016). Insights into protein–ligand interactions: Mechanisms, models, and methods. *International Journal of Molecular Sciences*, 17(2), 1–34. <https://doi.org/10.3390/ijms17020144>
- Eftink, M. R. (1991). Fluorescence Quenching Reactions. In T. G. Dewey (Ed.), *Biophysical and Biochemical Aspects of Fluorescence Spectroscopy* (pp. 1–41). Boston, MA: Springer US. https://doi.org/10.1007/978-1-4757-9513-4_1
- Eftink, M. R., & Ghiron, C. A. (1981). Fluorescence quenching studies with proteins. *Analytical Biochemistry*. [https://doi.org/10.1016/0003-2697\(81\)90474-7](https://doi.org/10.1016/0003-2697(81)90474-7)
- Eskenazi, B., Marks, A. R., Bradman, A., Harley, K., Barr, D. B., Johnson, C., ... Jewell, N. P. (2007). Organophosphate Pesticide Exposure and Neurodevelopment in Young Mexican–American Children. *Environmental Health Perspectives*, 115(5), 792–798. <https://doi.org/10.1289/ehp.9828>
- Falconer, R. J., & Collins, B. M. (2011). Survey of the year 2009: Applications of isothermal titration calorimetry. *Journal of Molecular Recognition*. <https://doi.org/10.1002/jmr.1073>
- Fang, Q., Xing, M., Guo, C., & Liu, Y. (2017). Probing the interaction of doxycycline to trypsin and bovine hemoglobin by using multi-spectral techniques and molecular docking. *Journal of Molecular Liquids*, 242, 497–504. <https://doi.org/10.1016/j.molliq.2017.07.032>
- Ferri, D., Barba-Bon, A., Costero, A. M., Gavina, P., Parra, M., & Gil, S. (2015). An Au(III)-amino alcohol complex for degradation of organophosphorus pesticides. *RSC Advances*, 5(129), 106941–106944. <https://doi.org/10.1039/C5RA20645F>

- Fielding, L. (2003). NMR methods for the determination of protein-ligand dissociation constants. *Current Topics in Medicinal Chemistry*, 3(1), 39–53.
- Fielding, L. (2007). NMR methods for the determination of protein – ligand dissociation constants. *Progress in Nuclear Magnetic Resonance Spectroscopy*, 51, 219–242. <https://doi.org/10.1016/j.pnmrs.2007.04.001>
- Fisher, H. F., & Singh, N. (1995). Calorimetric methods for interpreting protein – Ligand interactions. *Methods in Enzymology*. [https://doi.org/10.1016/0076-6879\(95\)59045-5](https://doi.org/10.1016/0076-6879(95)59045-5)
- Fisher, J. (Julie), & Bain, A. D. (2014). *Modern NMR techniques for synthetic chemistry*.
- Fonseca, A. C., Jarmelo, S., Carvalho, R. A., Fausto, R., Gil, M. H., & Simões, P. N. (2010). ¹H NMR spectroscopic and quantum chemical studies on a poly(ester amide) model compound: Na-benzoyl-l-argininate ethyl ester chloride. structural preferences for the isolated molecule and in solution. *Journal of Physical Chemistry B*. <https://doi.org/10.1021/jp9114749>
- Fukuto, T. R. (1990). Mechanism of action of organophosphorus and carbamate insecticides. In *Environmental Health Perspectives* (Vol. 87, pp. 245–254). <https://doi.org/10.1289/ehp.9087245>
- Gairí, M., Feliz, M., & García, J. (2016). Saturation Transfer Difference Spectroscopy. *Encyclopedia of Analytical Chemistry*, 1–17. <https://doi.org/10.1002/9780470027318.a9498>
- Gallo, M.A., Lawryk, N. J. (1991). Handbook of Pesticide Toxicology. In E. R. L. Wayland J Hayes (Ed.), *Handbook of Pesticide Toxicology* (third, pp. 1065–1074). New York, NY: academic press.
- Gasymov, O. K., & Glasgow, B. J. (2007). ANS fluorescence: potential to augment the identification of the external binding sites of proteins. *Biochimica et Biophysica Acta*, 1774(3), 403–411. <https://doi.org/10.1016/j.bbapap.2007.01.002>
- Glassford, S. E., Byrne, B., & Kazarian, S. G. (2013). Recent applications of ATR FTIR spectroscopy and imaging to proteins. *Biochimica et Biophysica Acta - Proteins and Proteomics*. <https://doi.org/10.1016/j.bbapap.2013.07.015>
- Gokalp, O., Buyukvanli, B., Cicek, E., Ozer, M. K., Koyu, A., Altuntas, I., & Koylu, H. (2005). The effects of diazinon on pancreatic damage and ameliorating role of vitamin E and vitamin C. *Pesticide Biochemistry and Physiology*. <https://doi.org/10.1016/j.pestbp.2004.11.001>
- Gonçalves, R., Mateus, N., & de Freitas, V. (2010). Biological relevance of the interaction between procyanidins and trypsin: a multitechnique approach. *Journal of Agricultural and Food Chemistry*. <https://doi.org/10.1021/jf1023356>
- Gonçalves, R., Mateus, N., & De Freitas, V. (2011). Influence of carbohydrates on the interaction of procyanidin B3 with trypsin. *Journal of Agricultural and Food Chemistry*. <https://doi.org/10.1021/jf203060s>
- Gonçalves, R., Mateus, N., Pianet, I., Laguerre, M., & De Freitas, V. (2011). Mechanisms of tannin-induced trypsin inhibition: A molecular approach. *Langmuir*. <https://doi.org/10.1021/la202280c>
- Goncharov, N. V., Belinskaya, D. A., Razygraev, A. V., & Ukolov, A. I. (2015). On the Enzymatic Activity of Albumin. *Russian Journal of Bioorganic Chemistry*, 41(2), 113–124. <https://doi.org/10.1134/S1068162015020041>
- Gordon, S. E., & Perugini, M. A. (2016). Protein-ligand interactions. In *Analytical Ultracentrifugation: Instrumentation, Software, and Applications*. https://doi.org/10.1007/978-4-431-55985-6_16
- Greenfield, N. J. (2006). Using circular dichroism spectra to estimate protein secondary structure. *Nature Protocols*, 1(6), 2876–2890. <https://doi.org/10.1038/nprot.2006.202>
- Guha, D., Mitra, S., Das, R., & Mukherjee, S. (1999). Luminol fluorescence quenching by triethyl amine and non-linear Stern- Volmer plot: Solvent effect. *Indian Journal of Chemistry - Section A Inorganic, Physical, Theoretical and Analytical Chemistry*, 38(8), 760–767.
- Gwinn, M. R., Whipkey, D. L., Tennant, L. B., & Weston, A. (2005). Differential Gene Expression in Normal Human Mammary Epithelial Cells Treated with Malathion Monitored by DNA Microarrays. *Environmental Health Perspectives*, 113(8), 1046–1051. Retrieved from <http://www.jstor.org/stable/3436363>
- Han, Xiao Le, Tian, F. F., Ge, Y. S., Jiang, F. L., Lai, L., Li, D. W., ... Liu, Y. (2012a). Spectroscopic, structural and thermodynamic properties of chlorpyrifos bound to serum albumin: A comparative study between BSA and HSA. *Journal of Photochemistry and Photobiology B: Biology*, 109, 1–11. <https://doi.org/10.1016/j.jphotobiol.2011.12.010>
- Han, Xiao Le, Tian, F. F., Ge, Y. S., Jiang, F. L., Lai, L., Li, D. W., ... Liu, Y. (2012b). Spectroscopic, structural and thermodynamic properties of chlorpyrifos bound to serum albumin: A comparative study between BSA and HSA. *Journal of Photochemistry and Photobiology B: Biology*, 109, 1–11. <https://doi.org/10.1016/j.jphotobiol.2011.12.010>
- Han, Xiao-le, Tian, F., Ge, Y., Jiang, F., Lai, L., Li, D., ... Liu, Y. (2012). Spectroscopic , structural and thermodynamic properties of chlorpyrifos bound to serum albumin : A comparative study between

- BSA and HSA. *Journal of Photochemistry & Photobiology, B: Biology*, 109, 1–11. <https://doi.org/10.1016/j.jphotobiol.2011.12.010>
- Haque, R., & Tinsley, I J and McCrady, J. K. (1973). Binding of Organophosphate Insecticides to Lecithin:A Proton Magnetic Resonance Study. *Pesticide Biochemistry and Physiology*, 3, 73–76.
- Hargreaves, A. J. (2012). Neurodegenerations induced by organophosphorous compounds. *Advances in Experimental Medicine and Biology*, 724, 189–204. https://doi.org/10.1007/978-1-4614-0653-2_15
- Haselhorst, T., Lamerz, A. C., & Itzstein, M. Von. (2009). Saturation transfer difference NMR spectroscopy as a technique to investigate protein-carbohydrate interactions in solution. *Methods in Molecular Biology*. https://doi.org/10.1007/978-1-59745-022-5_26
- Hawkes, C. M., & Janata, J. (1973). Isothermal Titration Calorimeter. *Analytical Letters*. <https://doi.org/10.1080/00032717308062192>
- He, J., Wu, D., Zhai, Y., Wang, Q., Ma, X., Yang, H., & Li, H. (2016a). Interaction of inosine with human serum albumin as determined by NMR relaxation data and fluorescence methodology. *Journal of Molecular Liquids*, 219(Complete), 547–553. <https://doi.org/10.1016/j.molliq.2016.03.067>
- He, J., Wu, D., Zhai, Y., Wang, Q., Ma, X., Yang, H., & Li, H. (2016b). Interaction of inosine with human serum albumin as determined by NMR relaxation data and fluorescence methodology. *Journal of Molecular Liquids*. <https://doi.org/10.1016/j.molliq.2016.03.067>
- He, X. M., & Carter, D. C. (1992). Atomic structure and chemistry of human serum albumin. *Nature*, 358(6383), 209–215. Retrieved from <http://dx.doi.org/10.1038/358209a0>
- Hofstetter, H. (n.d.). Saturation Transfer Difference NMR STD- NMR Protein-ligand detection by NMR.
- Homans, S. W. (2007). Dynamics and thermodynamics of ligand-Protein interactions. *Topics in Current Chemistry*. <https://doi.org/10.1007/128-2006-090>
- Huang, R., Bonnichon, A., Claridge, T. D. W., & Leung, I. K. H. (2017). Protein-ligand binding affinity determination by the waterLOGSY method: An optimised approach considering ligand rebinding. *Scientific Reports*. <https://doi.org/10.1038/srep43727>
- Huang, S. Y., & Zou, X. (2010). Advances and challenges in Protein-ligand docking. *International Journal of Molecular Sciences*. <https://doi.org/10.3390/ijms11083016>
- IPCS Inchem, I. P. on C. S. (1992). Methyl parathion (EHC 145, 1992). Retrieved from <http://www.inchem.org/documents/ehc/ehc/ehc145.htm>.
- Jafari, F., Samadi, S., Nowroozi, A., Sadrjavadi, K., Moradi, S., Ashrafi-Kooshk, M. R., & Shahlaei, M. (2017). Experimental and computational studies on the binding of diazinon to human serum albumin. *Journal of Biomolecular Structure and Dynamics*. <https://doi.org/10.1080/07391102.2017.1329096>
- Jafari, Fataneh, Samadi, S., Nowroozi, A., Sadrjavadi, K., Moradi, S., Ashrafi-Kooshk, M. R., & Shahlaei, M. (2018). Experimental and computational studies on the binding of diazinon to human serum albumin. *Journal of Biomolecular Structure and Dynamics*. <https://doi.org/10.1080/07391102.2017.1329096>
- Jang, Y., Kim, J. E., Jeong, S. H., & Cho, M. H. (2014). Towards a strategic approaches in alternative tests for pesticide safety. *Toxicological Research*. <https://doi.org/10.5487/TR.2014.30.3.159>
- Jerschow, A., & Müller, N. (1997). Suppression of Convection Artifacts in Stimulated-Echo Diffusion Experiments. Double-Stimulated-Echo Experiments. *Journal of Magnetic Resonance*. <https://doi.org/10.1006/jmre.1997.1123>
- John, E. M., & Shaik, J. M. (2015a). Chlorpyrifos: pollution and remediation. *Environmental Chemistry Letters*. <https://doi.org/10.1007/s10311-015-0513-7>
- John, E. M., & Shaik, J. M. (2015b). Chlorpyrifos: pollution and remediation. *Environmental Chemistry Letters*, 13(3), 269–291. <https://doi.org/10.1007/s10311-015-0513-7>
- Johnson, M. A., Jaseja, M., Zou, W., Jennings, H. J., Copié, V., Pinto, B. M., & Pincus, S. H. (2003). NMR Studies of Carbohydrates and Carbohydrate-mimetic Peptides Recognized by an Anti-Group B Streptococcus Antibody. *Journal of Biological Chemistry*. <https://doi.org/10.1074/jbc.M301846200>
- Kairys, V., Baranauskienė, L., Kazlauskienė, M., Matulis, D., & Kazlauskas, E. (2019). Binding affinity in drug design: experimental and computational techniques. *Expert Opinion on Drug Discovery*, 14(8), 1–14. <https://doi.org/10.1080/17460441.2019.1623202>
- Karthikeyan, S., Bharanidharan, G., Kesharwani, M., Mani, K., Srinivasan, N., Velmurugan, D., ... Ganesan, S. (2015). Insights into the binding of thiosemicarbazone derivatives with human serum albumin: Spectroscopy and molecular modelling studies. *Journal of Biomolecular Structure and Dynamics*. <https://doi.org/10.1080/07391102.2015.1075905>
- Kasahara, Y., Suzuki, Y., Kabasawa, A., Minami, H., Matsuzawa, H., & Iwahashi, M. (2009). Ch/π interaction between benzene and hydrocarbons having six carbon atoms in their binary liquid mixtures. *Journal of Oleo Science*, 59(1), 21–29.
- Kavikarunya, S., & Reetha, D. (2012). Biological Degradation of Chlorpyrifos and Monocrotophos by Bacterial Isolates, 3(3), 685–691.

- Kavvalakis, M. P., & Tsatsakis, A. M. (2012). The atlas of dialkylphosphates; assessment of cumulative human organophosphorus pesticides' exposure. *Forensic Science International*, 218(1-3), 111-122. <https://doi.org/10.1016/j.forsciint.2011.10.019>
- Khaled A. Osman. (2011). *Pesticides and Human Health*. (E. Stoytcheva M, Ed.), *Pesticides in the Modern World - Effects of Pesticides Exposure* (Stoytcheva). InTech. <https://doi.org/10.5772/18734>
- Kim, J. R., & Ahn, Y. J. (2009). Identification and characterization of chlorpyrifos-methyl and 3,5,6-trichloro-2-pyridinol degrading Burkholderia sp. strain KR100. *Biodegradation*, 20(4), 487-497. <https://doi.org/10.1007/s10532-008-9238-7>
- Koskela, H. (2010). Use of NMR techniques for toxic organophosphorus compound profiling. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*. <https://doi.org/10.1016/j.jchromb.2009.10.030>
- Kouloumbos, V. N., Tsipi, D. F., Hiskia, A. E., Nikolic, D., & Van Breemen, R. B. (2003). Identification of photocatalytic degradation products of diazinon in TiO₂ aqueous suspensions using GC/MS/MS and LC/MS with quadrupole time-of-flight mass spectrometry. *Journal of the American Society for Mass Spectrometry*, 14(8), 803-817. [https://doi.org/10.1016/S1044-0305\(03\)00333-7](https://doi.org/10.1016/S1044-0305(03)00333-7)
- Kragh-Hansen, U, Chuang, V. T., & Otagiri, M. (2002). Practical aspects of the ligand-binding and enzymatic properties of human serum albumin. *Biol Pharm Bull*, 25(6), 695-704. Retrieved from http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12081132%5Cnpapers2://publication/uuid/628BC7BB-5AB6-4CEF-9ACE-40855E44473C
- Kragh-Hansen, Ulrich. (2013). Molecular and practical aspects of the enzymatic properties of human serum albumin and of albumin-ligand complexes. *Biochimica et Biophysica Acta (BBA)*, 1830(12), 5535-5544. <https://doi.org/10.1016/j.bbagen.2013.03.015>
- Krishnan, V. V. (2005). Ligand Screening by Saturation-Transfer Difference (STD) NMR Spectroscopy. *Current Analytical Chemistry*, 1(3), 307-320. <https://doi.org/10.2174/157341105774573956>
- L'Homme, C., Arbelot, M., Puigserver, A., & Biagini, A. (2003). Kinetics of hydrolysis of fructooligosaccharides in mineral-buffered aqueous solutions: Influence of pH and temperature. *Journal of Agricultural and Food Chemistry*, 51(1), 224-228. <https://doi.org/10.1021/jf0204699>
- Lakowicz, J R, & Weber, G. (1973). Quenching of protein fluorescence by oxygen. Detection of structural fluctuations in proteins on the nanosecond time scale. *Biochemistry*, 12(21), 4171-4179. <https://doi.org/10.1021/bi00745a020>
- Lakowicz, Joseph R. (2006). Principles of Fluorescence Spectroscopy. In *Principles of fluorescence spectroscopy*, Springer, New York, USA, 3rd edn, 2006. (third, pp. 278-283, 529-575). New York: springer science and business media. <https://doi.org/10.1007/978-0-387-46312-4>
- Lee, Y. C., & Lee, R. T. (1995). Carbohydrate-Protein Interactions: Basis of Glycobiology. *Accounts of Chemical Research*, 28(8), 321-327. <https://doi.org/10.1021/ar00056a001>
- Ley, N. B., Rowe, M. L., Williamson, R. A., & Howard, M. J. (2014). Optimising selective excitation pulses to maximise saturation transfer difference NMR spectroscopy. *RSC Advances*. <https://doi.org/10.1039/c3ra46246c>
- Li, J., Liu, J., Shen, W., Zhao, X., Hou, Y., Cao, H., & Cui, Z. (2010). Isolation and characterization of 3,5,6-trichloro-2-pyridinol-degrading Ralstonia sp. strain T6. *Bioresource Technology*, 101(19), 7479-7483. <https://doi.org/10.1016/j.biortech.2010.04.030>
- Li, X., He, J., & Li, S. (2007). Isolation of a chlorpyrifos-degrading bacterium, Sphingomonas sp. strain Dsp-2, and cloning of the mpd gene. *Research in Microbiology*. <https://doi.org/10.1016/j.resmic.2006.11.007>
- Li, Y., Yin, G., Wei, W., Wang, H., Jiang, S., Zhu, D., & Du, W. (2007). Interactions of Lycopodium alkaloids with acetylcholinesterase investigated by 1H NMR relaxation rate. *Biophysical Chemistry*, 129(2-3), 212-217. <https://doi.org/10.1016/j.bpc.2007.05.020>
- Limtiaco, J. F. K., Beni, S., Jones, C. J., Langeslay, D. J., & Larive, C. K. (2011). NMR methods to monitor the enzymatic depolymerization of heparin. *Analytical and Bioanalytical Chemistry*, 399(2), 593-603. <https://doi.org/10.1007/s00216-010-4132-7>
- Lin, F. Y., & Mackerell, A. D. (2017). Do Halogen-Hydrogen Bond Donor Interactions Dominate the Favorable Contribution of Halogens to Ligand-Protein Binding? *Journal of Physical Chemistry B*. <https://doi.org/10.1021/acs.jpcc.7b04198>
- Lindinger, W., Taucher, J., Jordan, A., Hansel, A., & Vogel, W. (1997). Endogenous production of methanol after the consumption of fruit. *Alcoholism, Clinical and Experimental Research*, 21(5), 939-943.
- Liu, B., Xiao, H., Li, J., Geng, S., Ma, H., & Liang, G. (2017). Interaction of phenolic acids with trypsin : Experimental and molecular modeling studies, 228, 1-6. <https://doi.org/10.1016/j.foodchem.2017.01.126>
- Liu, F., Wang, Y., Lv, C., Wang, L., Ou, J., Wang, M., & Liu, S. (2014). Impact of Halogen Substituents on

- Interactions between 2-Phenyl-2,3-dihydroquinazolin-4(1H)-one Derivatives and Human Serum Albumin, 2000–2014. <https://doi.org/10.3390/molecules17022000>
- Liu, J., He, Y., Liu, D., He, Y., Tang, Z., Lou, H., & Huo, Y. (2018). Characterizing the binding interaction of astilbin with bovine serum albumin : a spectroscopic study in combination with molecular docking technology. *RSC Advances*, 8, 7280–7286. <https://doi.org/10.1039/c7ra13272g>
- Liu, M., Mao, X. A., Ye, C., Huang, H., Nicholson, J. K., & Lindon, J. C. (1998). Improved Watergate Pulse Sequences for Solvent Suppression in NMR Spectroscopy. *Journal of Magnetic Resonance*. <https://doi.org/10.1006/jmre.1998.1405>
- Liu, M., Nicholson, J. K., & Lindon, J. C. (1997). Analysis of Drug – Protein Binding Using Nuclear Magnetic Resonance Based Molecular Diffusion Measurements. *Analytical Communications*, 34(August), 225–228.
- Liu, Ying, Cao, R., Qin, P., & Liu, R. (2012). Assessing the potential toxic effect of one persistent organic pollutant: Non-covalent interaction of dicofol with the enzyme trypsin. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 89, 210–215. <https://doi.org/10.1016/j.saa.2011.12.070>
- Liu, Yingying, Zhang, G., Liao, Y., & Wang, Y. (2015). Binding characteristics of psoralen with trypsin: Insights from spectroscopic and molecular modeling studies. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*. <https://doi.org/10.1016/j.saa.2015.07.018>
- Liu, Yingying, Zhang, G., Zeng, N., & Hu, S. (2017). Interaction between 8-methoxypsoralen and trypsin: Monitoring by spectroscopic, chemometrics and molecular docking approaches. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*. <https://doi.org/10.1016/j.saa.2016.09.015>
- Longstaffe, J. G., Simpson, M. J., Maas, W., & Simpson, A. J. (2010). Identifying components in dissolved humic acid that bind organofluorine contaminants using $1\text{H}\{19\text{F}\}$ reverse heteronuclear saturation transfer difference NMR spectroscopy. *Environmental Science and Technology*. <https://doi.org/10.1021/es101100s>
- Ludwig, C. (2009). Ligand based NMR methods for drug discovery. *Frontiers in Bioscience*. <https://doi.org/10.2741/3549>
- Ludwig, C., & Guenther, U. L. (2009). Ligand based NMR methods for drug discovery. *Frontiers in Bioscience (Landmark Edition)*, 14, 4565–4574.
- Lv, Y., Li, X., Wang, Z., Zheng, H., Zhang, Q., Huo, R., ... Han, T. (2014). Short communication: Interaction of bovine milk protein with chlorpyrifos. *Journal of Dairy Science*. <https://doi.org/10.3168/jds.2013-7581>
- Ma, Xiangling, & Wang, Q. (2016). Investigation and comparison of the binding between tolvaaptan and pepsin and trypsin : Multi - spectroscopic approaches and molecular docking, (November), 1–9. <https://doi.org/10.1002/jmr.2598>
- Ma, Xiaoli, He, J., Yan, J., Wang, Q., & Li, H. (2016a). Chemico-Biological Interactions Comparative analysis the binding affinity of mycophenolic sodium and meprednisone with human serum albumin : Insight by NMR relaxation data and docking simulation. *Chemico-Biological Interactions*, 248, 52–59. <https://doi.org/10.1016/j.cbi.2016.02.009>
- Ma, Xiaoli, He, J., Yan, J., Wang, Q., & Li, H. (2016b). Comparative analysis the binding affinity of mycophenolic sodium and meprednisone with human serum albumin: Insight by NMR relaxation data and docking simulation. *Chemico-Biological Interactions*, 248, 52–59. <https://doi.org/10.1016/j.cbi.2016.02.009>
- Magnarelli, G., & Fonovich, T. (2013). Protein phosphorylation pathways disruption by pesticides. *Adv. Biol. Chem.*, 3(October), 460–474. <https://doi.org/10.4236/abc.2013.35050>
- Manager, P., & Specifications, S. (2000). Protein Interaction Analysis. *Group*. <https://doi.org/10.1021/pr9011816.xComb>
- Maple, H. J., Garlish, R. A., Rigau-Roca, L., Porter, J., Whitcombe, I., Prosser, C. E., ... Crosby, J. (2012). Automated protein-ligand interaction screening by mass spectrometry. *Journal of Medicinal Chemistry*. <https://doi.org/10.1021/jm201347k>
- Marquardt, D. (1963). An Algorithm for Least-Squares Estimation of Nonlinear Parameters. *Journal of the Society for Industrial and Applied Mathematics*, 11(2), 431–441. <https://doi.org/10.1137/0111030>
- Marsillach, J., Costa, L. G., & Furlong, C. E. (2013). PROTEIN ADDUCTS AS BIOMAKERS OF EXPOSURE TO ORGANOPHOSPHORUS COMPOUNDS. *Toxicology*, 307, 46–54. <https://doi.org/10.1016/j.tox.2012.12.007>
- Martin, S. R., & Schilstra, M. J. (2008). Circular Dichroism and Its Application to the Study of Biomolecules. *Methods in Cell Biology*. [https://doi.org/10.1016/S0091-679X\(07\)84010-6](https://doi.org/10.1016/S0091-679X(07)84010-6)
- Martini, S., Bonechi, C., Casolaro, M., Corbini, G., & Rossi, C. (2006). Drug-protein recognition processes investigated by NMR relaxation data. A study on corticosteroid-albumin interactions. *Biochemical Pharmacology*, 71(6), 858–864. <https://doi.org/10.1016/j.bcp.2005.12.010>

- Martini, S., Bonechi, C., Corbini, G., & Rossi, C. (2007). Determination of the modified "affinity index" of small ligands and macromolecular receptors from NMR spin-lattice relaxation data. *Chemical Physics Letters*. <https://doi.org/10.1016/j.cplett.2007.09.011>
- Martini, S., Bonechi, C., & Rossi, C. (2008). Interaction of Quercetin and Its Conjugate Quercetin 3-O- β -D-Glucopyranoside with Albumin as Determined by NMR Relaxation Data. *Journal of Natural Products*, 71(2), 175–178. <https://doi.org/10.1021/np070285u>
- Martini, S., Bonechi, C., & Rossi, C. (2010). Interaction between Vine Pesticides and Bovine Serum Albumin Studied by Nuclear Spin Relaxation Data. *Journal of Agricultural and Food Chemistry*, 58(19), 10705–10709. <https://doi.org/10.1021/jf102035a>
- Mayer, M., & Meyer, B. (2001). Group epitope mapping by saturation transfer difference NMR to identify segments of a ligand in direct contact with a protein receptor. *Journal of the American Chemical Society*. <https://doi.org/10.1021/ja0100120>
- Mayer, Moriz, & Meyer, B. (1999). Characterization of Ligand Binding by Saturation Transfer Difference NMR Spectroscopy **. *Angew. Chem. Int. Ed*, 35, 1784–1788.
- Meng, X.-Y., Zhang, H.-X., Mezei, M., & Cui, M. (2012). Molecular Docking: A Powerful Approach for Structure-Based Drug Discovery. *Current Computer Aided-Drug Design*. <https://doi.org/10.2174/157340911795677602>
- Meyer, B., Klein, J., Mayer, M., Meinecke, R., Möller, H., Neffe, a, ... Ernst, B. (2004). Saturation transfer difference NMR spectroscopy for identifying ligand epitopes and binding specificities. *Ernst Schering Research Foundation Workshop*, (44), 149–167.
- Meyer, Bernd, & Peters, T. (2003a). NMR Spectroscopy of Proteins NMR Spectroscopy Techniques for Screening and Identifying Ligand Binding to Protein Receptors *Angewandte. Angew. Chem. Int. Ed*, (8), 864–890.
- Meyer, Bernd, & Peters, T. (2003b). NMR spectroscopy techniques for screening and identifying ligand binding to protein receptors. *Angewandte Chemie - International Edition*. <https://doi.org/10.1002/anie.200390233>
- Meyer, Bernd, & Peters, T. (2003c). NMR Spectroscopy Techniques for Screening and Identifying Ligand Binding to Protein Receptors NMR Spectroscopy Techniques for Screening and Identifying Ligand Binding to Protein Receptors. *Angew. Chem. Int. Ed.*, 42(8), 864–890.
- Miguel A. Sogorb, Sara garcia Arguelles, Victoria Carrera, and E. V. (2008). Serum albumin is as efficient as paraxonase in the detoxication of paraoxon at toxicologically relevant concentrations. *Chemical Research in Toxicology*, 21(8), 1524–1529. <https://doi.org/10.1021/tx800075x>
- Mittag, T., Schaffhausen, B., & Gu, U. L. (2003). Direct Observation of Protein - Ligand Interaction Kinetics †. *Biochemical Pharmacology*, 11128–11136.
- Moctezuma, E., Leyva, E., Palestino, G., & de Lasa, H. (2007). Photocatalytic degradation of methyl parathion: Reaction pathways and intermediate reaction products. *Journal of Photochemistry and Photobiology A: Chemistry*. <https://doi.org/10.1016/j.jphotochem.2006.07.014>
- Monaco, S., Tailford, L. E., Juge, N., & Angulo, J. (2017a). Differential Epitope Mapping by STD NMR Spectroscopy To Reveal the Nature of Protein–Ligand Contacts. *Angewandte Chemie - International Edition*, 56(48). <https://doi.org/10.1002/anie.201707682>
- Monaco, S., Tailford, L. E., Juge, N., & Angulo, J. (2017b). Differential Epitope Mapping by STD NMR Spectroscopy To Reveal the Nature of Protein–Ligand Contacts. *Angewandte Chemie - International Edition*. <https://doi.org/10.1002/anie.201707682>
- Moreira, A. A. G., De Lima-Neto, P., Caetano, E. W. S., Barroso-Neto, I. L., & Freire, V. N. (2016). Computational electronic structure of the bee killer insecticide imidacloprid. *New Journal of Chemistry*. <https://doi.org/10.1039/c6nj02743a>
- Morgan, M. K., Sheldon, L. S., Croghan, C. W., Jones, P. a, Robertson, G. L., Chuang, J. C., ... Lyu, C. W. (2005). Exposures of preschool children to chlorpyrifos and its degradation product 3,5,6-trichloro-2-pyridinol in their everyday environments. *Journal of Exposure Analysis and Environmental Epidemiology*, 15(4), 297–309. <https://doi.org/10.1038/sj.jea.7500406>
- Morris, G. M., Goodsell, D. S., Halliday, R. S., Huey, R., Hart, W. E., Belew, R. K., & Olson, A. J. (1998). Automated docking using a Lamarckian genetic algorithm and an empirical binding free energy function. *Journal of Computational Chemistry*. [https://doi.org/10.1002/\(SICI\)1096-987X\(19981115\)19:14<1639::AID-JCC10>3.0.CO;2-B](https://doi.org/10.1002/(SICI)1096-987X(19981115)19:14<1639::AID-JCC10>3.0.CO;2-B)
- Mostafalou, S., & Abdollahi, M. (2013). Pesticides and human chronic diseases: evidences, mechanisms, and perspectives. *Toxicology and Applied Pharmacology*, 268(2), 157–177. <https://doi.org/10.1016/j.taap.2013.01.025>
- Mourik, J., & de Jong, L. P. (1978). Binding of the organophosphates parathion and paraoxon to bovine and

- human serum albumin. *Archives of Toxicology*, 41(1), 43–48.
- Muñoz-García, J. C., Inacio dos Reis, R., Taylor, R. J., Henry, A. J., & Watts, A. (2018). Nanodisc-Targeted STD NMR Spectroscopy Reveals Atomic Details of Ligand Binding to Lipid Environments. *ChemBioChem*. <https://doi.org/10.1002/cbic.201800078>
- Narang, U., Narang, P., & Gupta, O. (2015). Toxicology symposia – Review Article Organophosphorus poisoning : A social calamity. *Journal of Mahatma Gandhi Institute of Medical Sciences*, 20(1), 46–51.
- Ni, Y., Zhang, F., & Kokot, S. (2012). Enantioselective binding interaction of the metolachlor pesticide enantiomers with bovine serum albumin--a spectroscopic analysis study. *Spectrochimica Acta. Part A, Molecular and Biomolecular Spectroscopy*, 97, 753–761. <https://doi.org/10.1016/j.saa.2012.07.063>
- Nienhaus, K., & Nienhaus, G. U. (2005). Probing heme protein-ligand interactions by UV/visible absorption spectroscopy. *Methods in Molecular Biology (Clifton, N.J.)*.
- Nitsche, C., & Otting, G. (2018). NMR studies of ligand binding. *Current Opinion in Structural Biology*, 48, 16–22. <https://doi.org/10.1016/j.sbi.2017.09.001>
- Nobrega, F. L., & Cabrita, E. J. (2011). Saturation-Transfer Difference (STD) NMR : A Simple and Fast Method for Ligand Screening and Characterization of Protein Binding for Ligand Screening and Characterization of Protein Binding, (July 2016), 990–994. <https://doi.org/10.1021/ed101169t>
- NPIC. Medical case profile, Oregon State University 1–4 (2010). Retrieved from <http://npic.orst.edu/mcapro/OPBIOMARKERS.pdf>
- Olsson, T. S. G., Williams, M. A., Pitt, W. R., & Ladbury, J. E. (2008). The thermodynamics of protein-ligand interaction and solvation: insights for ligand design. *Journal of Molecular Biology*, 384(4), 1002–1017. <https://doi.org/10.1016/j.jmb.2008.09.073>
- Østergaard, J., & Larsen, C. (2007). Bioreversible derivatives of phenol. 1. The role of human serum albumin as related to the stability and binding properties of carbonate esters with fatty acid-like structures in aqueous solution and biological media. *Molecules*, 12(10), 2380–2395. <https://doi.org/10.3390/12102380>
- Pailan, S., & Saha, P. (2015). Chemotaxis and degradation of organophosphate compound by a novel moderately thermo-halo tolerant *Pseudomonas* sp. strain BUR11: evidence for possible existence of two pathways for degradation. *PeerJ*, 3, e1378. <https://doi.org/10.7717/peerj.1378>
- Parella, T. (2006). PULSE PROGRAM CATALOGUE: 1D & 2D NMR EXPERIMENTS TOPSPIN v2.0 NMRGuide UAB. Retrieved from <https://www.as.miami.edu/media/college-of-arts-and-sciences/content-assets/chemistry/pdfs/Pulse Program Catalog.pdf>
- Parella, T., Adell, P., Sánchez-Ferrando, F., & Virgili, A. (1998). Effective multiple-solvent suppression scheme using the excitation sculpting principle. *Magnetic Resonance in Chemistry*. [https://doi.org/10.1002/\(sici\)1097-458x\(199804\)36:4<245::aid-omr264>3.3.co;2-a](https://doi.org/10.1002/(sici)1097-458x(199804)36:4<245::aid-omr264>3.3.co;2-a)
- Patching, S. G. (2014). Surface plasmon resonance spectroscopy for characterisation of membrane protein-ligand interactions and its potential for drug discovery. *Biochimica et Biophysica Acta - Biomembranes*. <https://doi.org/10.1016/j.bbamem.2013.04.028>
- Pattnaik, P. (2005). Surface Plasmon Resonance: Applications in Understanding Receptor–Ligand Interaction. *Applied Biochemistry and Biotechnology*. <https://doi.org/10.1385/abab:126:2:079>
- Piotto, M., Saudek, V., & Sklenář, V. (1992). Gradient-tailored excitation for single-quantum NMR spectroscopy of aqueous solutions. *Journal of Biomolecular NMR*. <https://doi.org/10.1007/BF02192855>
- Plesniak, L. A., Botsch, K., Leibrand, M., Kelly, M., Sem, D., Adams, J. A., & Jennings, P. (2008). Transferred NOE and saturation transfer difference NMR studies of novobiocin binding to EnvZ suggest binding mode similar to DNA gyrase. *Chemical Biology and Drug Design*. <https://doi.org/10.1111/j.1747-0285.2007.00607.x>
- qing Wang, Y., ping Tang, B., mei Zhang, H., hua Zhou, Q., & cheng Zhang, G. (2009). Studies on the interaction between imidacloprid and human serum albumin: Spectroscopic approach. *Journal of Photochemistry and Photobiology B: Biology*, 94(3), 183–190. <https://doi.org/10.1016/j.jphotobiol.2008.11.013>
- Racke, K. D. (1993). Environmental Fate of Chlorpyrifos BT - Reviews of Environmental Contamination and Toxicology: Continuation of Residue Reviews. In G. W. Ware (Ed.) (pp. 1–150). New York, NY: Springer New York. https://doi.org/10.1007/978-1-4612-4362-5_1
- Rahman, M. M., Rahman, M. H., & Rahman, N. N. (2005). Competitive binding of ibuprofen and naproxen to bovine serum albumin : modified form of drug-drug displacement interaction at the binding site. *Pakistan Journal of Pharmaceutical Sciences*, 18(1), 43–47.
- Rarey, M., Kramer, B., Lengauer, T., & Klebe, G. (1996). A fast flexible docking method using an incremental construction algorithm. *Journal of Molecular Biology*. <https://doi.org/10.1006/jmbi.1996.0477>
- Rasoulzadeh, F., Asgari, D., Naseri, a, & Rashidi, M. R. (2010). Spectroscopic studies on the interaction between erlotinib hydrochloride and bovine serum albumin. *Daru : Journal of Faculty of Pharmacy*,

- Tehran University of Medical Sciences, 18(3), 179–184. Retrieved from <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3304362&tool=pmcentrez&rendertype=abstract>
- Reddy, R. R., Phani Kumar, B. V. N., Shanmugam, G., Madhan, B., & Mandal, A. B. (2015). Molecular Level Insights on Collagen-Polyphenols Interaction Using Spin-Relaxation and Saturation Transfer Difference NMR. *Journal of Physical Chemistry B*. <https://doi.org/10.1021/acs.jpccb.5b07911>
- Reddy, R. R., Shanmugam, G., Madhan, B., & Phani Kumar, B. V. N. (2018). Selective binding and dynamics of imidazole alkyl sulfate ionic liquids with human serum albumin and collagen-a detailed NMR investigation. *Physical Chemistry Chemical Physics*. <https://doi.org/10.1039/c7cp08298c>
- Reffstrup, T. K., Larsen, J. C., & Meyer, O. (2010). Risk assessment of mixtures of pesticides. Current approaches and future strategies. *Regulatory Toxicology and Pharmacology: RTP*, 56(2), 174–192. <https://doi.org/10.1016/j.yrtph.2009.09.013>
- Ren, G., Sun, H., Guo, J., Fan, J., Li, G., & Xu, S. (2019). Molecular mechanism of the interaction between resveratrol and trypsin: Via spectroscopy and molecular docking. *Food and Function*, 10(6), 3291–3302. <https://doi.org/10.1039/c9fo00183b>
- Rezner, P., & Sułkowski, W. W. (2005). The competition of drugs to serum albumin in combination chemotherapy : NMR study, 747, 781–787. <https://doi.org/10.1016/j.molstruc.2004.11.050>
- Robert R. Lauwerys, P. H. (2001). Chapter three: Biological monitoring of exposure to organic substances. In *Industrial Chemical Exposure: Guidelines for Biological Monitoring, Third Edition* (third, p. 419). CRC Press.
- Ross, P. D., & Subramanian, S. (1981). Thermodynamics of protein association reactions: forces contributing to stability. *Biochemistry*, 20(11), 3096–3102. <https://doi.org/10.1021/bi00514a017>
- Rossi, C., Bonechi, C., Martini, S., Ricci, M., Corbini, G., Corti, P., & Donati, A. (2001). Ligand-macromolecule complexes: Affinity index determination by selective nuclear relaxation analysis. *Magnetic Resonance in Chemistry*, 39(8), 457–462. <https://doi.org/10.1002/mrc.876>
- Saadati, M., & Mirzaei, M. (2016). Insecticide-Enzyme Interaction: Cypermethrin, Chlorpyrifos, Diazinon and Deltamethrin with α -Amylase and Lipase in the Gut of Sunn Pest, *Eurygaster integriceps*. *Biological Systems: Open Access*. <https://doi.org/10.4172/2329-6577.1000168>
- Salian, S. R., Nayak, G., Kumari, S., Patel, S., Gowda, S., Shenoy, Y., ... Kalthur, G. (2019). Supplementation of biotin to sperm preparation medium enhances fertilizing ability of spermatozoa and improves preimplantation embryo development. *Journal of Assisted Reproduction and Genetics*. <https://doi.org/10.1007/s10815-018-1323-1>
- Sanchez-pedregal, V. M., Reese, M., Meiler, J., Blommers, M. J. J., Griesinger, C., & Carlomagno, T. (2005). The INPHARMA Method: Protein-Mediated Interligand NOEs for Pharmacophore Mapping**, 4172–4175. <https://doi.org/10.1002/anie.200500503>
- Schindler, B. K., Forster, K., & Angerer, J. (2009). Determination of human urinary organophosphate flame retardant metabolites by solid-phase extraction and gas chromatography-tandem mass spectrometry. *Journal of Chromatography. B, Analytical Technologies in the Biomedical and Life Sciences*, 877(4), 375–381. <https://doi.org/10.1016/j.jchromb.2008.12.030>
- Schulz-Gasch, T., & Stahl, M. (2003). Binding site characteristics in structure-based virtual screening: Evaluation of current docking tools. *Journal of Molecular Modeling*. <https://doi.org/10.1007/S00894-002-0112-Y>
- Sharma, A. K., Gaur, K., Tiwari, R. K., & Singh Gaur, M. (2011). Computational interaction analysis of organophosphorus pesticides with different metabolic proteins in humans. *Journal of Biomedical Research*, 25(5), 335–347. [https://doi.org/10.1016/S1674-8301\(11\)60045-6](https://doi.org/10.1016/S1674-8301(11)60045-6)
- Sharma, P., & Kocher, D. K. (2013). Synthesis of hapten for immunoassay of chlorpyrifos pesticide, 2(3), 46–52.
- Shi, W., Wang, Y., Zhang, H., Liu, Z., & Fei, Z. (2017). Probing deep into the binding mechanisms of folic acid with α -amylase, pepsin and trypsin: An experimental and computational study. *Food Chemistry*. <https://doi.org/10.1016/j.foodchem.2017.01.054>
- Shinada, N. K., De Brevern, A. G., & Schmidtke, P. (2019). Halogens in Protein-Ligand Binding Mechanism: A Structural Perspective. *Journal of Medicinal Chemistry*. <https://doi.org/10.1021/acs.jmedchem.8b01453>
- Shuai, L., Chen, Z., Fei, P., Wang, Q., & Yang, T. (2014). Spectroscopic analysis on the interaction of ferulic acid and tetramethylpyrazine with trypsin. *Luminescence*, 29(1), 79–86. <https://doi.org/10.1002/bio.2506>
- Silva, Dilson, Cortez-Moreira, M., Cunha Bastos, V. L. F., Cunha Bastos, J., & Martins Cortez, C. (2010a). Spectrofluorimetric study of the interaction of methyl-parathion with fish serum albumin. *Fish*

- Physiology and Biochemistry*, 36(3), 427–433. <https://doi.org/10.1007/s10695-009-9312-z>
- Silva, Dilson, Cortez-Moreira, M., Cunha Bastos, V. L. F., Cunha Bastos, J., & Martins Cortez, C. (2010b). The interaction of methyl-parathion with serum and albumin of the neo-tropical fish *Piaractus mesopotamicus*. *Ecotoxicology and Environmental Safety*, 73(1), 32–37. <https://doi.org/10.1016/j.ecoenv.2009.09.003>
- Silva, Dilson, Cortez, C. M., Cunha-Bastos, J., & Louro, S. R. W. (2004). Methyl parathion interaction with human and bovine serum albumin. *Toxicology Letters*, 147(1), 53–61. <https://doi.org/10.1016/j.toxlet.2003.10.014>
- Silva, Dilson, Cortez, C. M., & Louro, S. R. W. (2004). Chlorpromazine interactions to sera albumins. A study by the quenching of fluorescence. *Spectrochimica Acta. Part A, Molecular and Biomolecular Spectroscopy*, 60(5), 1215–1223. <https://doi.org/10.1016/j.saa.2003.08.003>
- Sinclair, C. J., & Boxall, A. B. A. (2003). Assessing the ecotoxicity of pesticide transformation products. *Environmental Science & Technology*, 37(20), 4617–4625.
- Singh, S., Sharma, K., & Awasthi, S. K. (2015). The interaction of (7-chloroquinolin-4-yl)-(2,5-dimethoxyphenyl)-amine hydrochloride dihydrate with serum albumin proteins, inputs from spectroscopic, molecular docking and X-ray diffraction studies. *RSC Adv.*, 5, 85854–85861. <https://doi.org/10.1039/c5ra02815a>
- Smallcombe, S. H., Patt, S. L., & Keifer, P. A. (1995). WET Solvent Suppression and Its Applications to LC NMR and High-Resolution NMR Spectroscopy. *Journal of Magnetic Resonance, Series A*. <https://doi.org/10.1006/jmra.1995.0759>
- Šmejkalová, D., & Piccolo, A. (2008). Host-guest interactions between 2,4-dichlorophenol and humic substances as evaluated by ¹H NMR relaxation and diffusion ordered spectroscopy. *Environmental Science and Technology*. <https://doi.org/10.1021/es801809v>
- Šmejkalová, D., Spaccini, R., Fontaine, B., & Piccolo, A. (2009). Binding of phenol and differently halogenated phenols to dissolved humic matter as measured by NMR spectroscopy. *Environmental Science and Technology*, 43(14), 5377–5382. <https://doi.org/10.1021/es900559b>
- Smith, J. N., Wang, J., Lin, Y., & Timchalk, C. (2010). Pharmacokinetics of the Chlorpyrifos Metabolite 3, 5, 6-Trichloro- 2-Pyridinol (TCPy) in Rat Saliva, 113(2), 315–325. <https://doi.org/10.1093/toxsci/kfp283>
- Sogorb, M. A., Álvarez-Escalante, C., Carrera, V., & Vilanova, E. (2007). An in vitro approach for demonstrating the critical role of serum albumin in the detoxication of the carbamate carbaryl at in vivo toxicologically relevant concentrations. *Archives of Toxicology*, 81(2), 113–119. <https://doi.org/10.1007/s00204-006-0142-9>
- Sogorb, M. A., & Vilanova, E. (2002). Enzymes involved in the detoxification of organophosphorus, carbamate and pyrethroid insecticides through hydrolysis. *Toxicology Letters*, 128(1–3), 215–228.
- Stott, K., Keeler, J., Hwang, T. L., Shaka, A. J., & Stonehouse, J. (1995). Excitation Sculpting in High-Resolution Nuclear Magnetic Resonance Spectroscopy: Application to Selective NOE Experiments. *Journal of the American Chemical Society*. <https://doi.org/10.1021/ja00119a048>
- Su, H., & Xu, Y. (2018). Application of ITC-based characterization of thermodynamic and kinetic association of ligands with proteins in drug design. *Frontiers in Pharmacology*, 9(OCT), 1–7. <https://doi.org/10.3389/fphar.2018.01133>
- Suganthi, M., & Elango, K. P. (2017a). Binding of organophosphate insecticides with serum albumin: multispectroscopic and molecular modelling investigations. *Physics and Chemistry of Liquids*, 55(2), 165–178. <https://doi.org/10.1080/00319104.2016.1183006>
- Suganthi, M., & Elango, K. P. (2017b). Binding of organophosphate insecticides with serum albumin: multispectroscopic and molecular modelling investigations. *Physics and Chemistry of Liquids*, 55(2), 165–178. <https://doi.org/10.1080/00319104.2016.1183006>
- Sułkowska, A. (2002). Interaction of drugs with bovine and human serum albumin. In *Journal of Molecular Structure* (Vol. 614, pp. 227–232). [https://doi.org/10.1016/S0022-2860\(02\)00256-9](https://doi.org/10.1016/S0022-2860(02)00256-9)
- Swainson, S. M. E., Taresco, V., Pearce, A. K., Clapp, L. H., Ager, B., McAllister, M., ... Garnett, M. C. (2019). Exploring the enzymatic degradation of poly(glycerol adipate). *European Journal of Pharmaceutics and Biopharmaceutics*, 142(July), 377–386. <https://doi.org/10.1016/j.ejpb.2019.07.015>
- TAMURA, A., SUGIMOTO, K., SATO, T., & FUJII, T. (1990). The Effects of Haematocrit, Plasma Protein Concentration and Temperature of Drug-containing Blood In-vitro on the Concentrations of the Drug in the Plasma. *Journal of Pharmacy and Pharmacology*, 42(8), 577–580. <https://doi.org/10.1111/j.2042-7158.1990.tb07062.x>
- Tanoli, N. U., Tanoli, S. A. K., Ferreira, A. G., Gul, S., & Ul-Haq, Z. (2015). Evaluation of binding competition and group epitopes of acetylcholinesterase inhibitors by STD NMR, Tr-NOESY, DOSY and molecular docking: An old approach but new findings. *MedChemComm*. <https://doi.org/10.1039/c5md00231a>

- Tanoli, N. U., Tanoli, S. A. K., Ferreira, A. G., Mehmood, M., Gul, S., Monteiro, J. L., ... Ul-Haq, Z. (2018). Characterization of the interactions between coumarin-derivatives and acetylcholinesterase: Examination by NMR and docking simulations. *Journal of Molecular Modeling*. <https://doi.org/10.1007/s00894-018-3751-3>
- Tarhoni, M. H., Lister, T., Ray, D. E., & Carter, W. G. (2008). Albumin binding as a potential biomarker of exposure to moderately low levels of organophosphorus pesticides. *Biomarkers : Biochemical Indicators of Exposure, Response, and Susceptibility to Chemicals*, 13(4), 343–363. <https://doi.org/10.1080/13547500801973563>
- Thompson, C. M., Prins, J. M., & George, K. M. (2010). Mass spectrometric analyses of organophosphate insecticide oxon protein adducts. *Environmental Health Perspectives*. <https://doi.org/10.1289/ehp.0900824>
- Tinoco, L. W., & Figueroa-Villar, J. D. (1999). Determination of Correlation Times from Selective and Non-Selective Spin-Lattice Relaxation Rates and their Use in Drug-Drug and Drug-Albumin Interaction Studies. *Journal of the Brazilian Chemical Society*. <https://doi.org/10.1590/S0103-50531999000400005>
- Trnkova, L., Bousova, I., Kubicek, V., & Drsata, J. (2010). Binding of naturally occurring hydroxycinnamic acids to bovine serum albumin. *Natural Science*, 02(06), 563–570. <https://doi.org/10.4236/ns.2010.26071>
- Trott, O., & Olson, A. J. (2010). Software news and update AutoDock Vina: Improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *Journal of Computational Chemistry*. <https://doi.org/10.1002/jcc.21334>
- Unione, L., Galante, S., Díaz, D., Cañada, F. J., & Jiménez-Barbero, J. (2014). NMR and molecular recognition. The application of ligand-based NMR methods to monitor molecular interactions. *MedChemComm*, 00, 1–10. <https://doi.org/10.1039/C4MD00138A>
- Unione, L., Galante, S., Dolores, D., & Ca, F. J. (2014). NMR and molecular recognition . The application of ligand-based NMR methods to monitor molecular interactions. *MedChemComm*, 1280–1289. <https://doi.org/10.1039/C4MD00138A>
- Vakurov, A., Simpson, C. E., Daly, C. L., Gibson, T. D., & Millner, P. A. (2004). Acetylcholinesterase-based biosensor electrodes for organophosphate pesticide detection. I. Modification of carbon surface for immobilization of acetylcholinesterase. *Biosensors & Bioelectronics*, 20(6), 1118–1125. <https://doi.org/10.1016/j.bios.2004.03.039>
- Vasile, F., Della Volpe, S., Ambrosio, F. A., Costa, G., Unver, M. Y., Zucal, C., ... Collina, S. (2018). Exploration of ligand binding modes towards the identification of compounds targeting HuR: a combined STD-NMR and Molecular Modelling approach. *Scientific Reports*. <https://doi.org/10.1038/s41598-018-32084-z>
- Vivian, J. T., & Callis, P. R. (2001). Mechanisms of Tryptophan Fluorescence Shifts in Proteins. *Biophysical Journal*, 80(5), 2093–2109. [https://doi.org/10.1016/S0006-3495\(01\)76183-8](https://doi.org/10.1016/S0006-3495(01)76183-8)
- Wagstaff, J. L., Taylor, S. L., & Howard, M. J. (2013a). Recent developments and applications of saturation transfer difference nuclear magnetic resonance (STD NMR) spectroscopy. *Mol. BioSyst. Mol. BioSyst*, 9(9), 571–577. <https://doi.org/10.1039/c2mb25395j>
- Wagstaff, J. L., Taylor, S. L., & Howard, M. J. (2013b). Recent developments and applications of saturation transfer difference nuclear magnetic resonance (STD NMR) spectroscopy. *Molecular BioSystems*. <https://doi.org/10.1039/c2mb25395j>
- Walker, C. H. (1998). The use of biomarkers to measure the interactive effects of chemicals. *Ecotoxicology and Environmental Safety*, 40(1–2), 65–70. <https://doi.org/10.1006/eesa.1998.1643>
- Wang, C., & Li, Y. (2011). Study on the Binding of Propiconazole to Protein by Molecular Modeling and a Multispectroscopic Method. *Journal of Agricultural and Food Chemistry*, 59(15), 8507–8512. <https://doi.org/10.1021/jf200970s>
- Wang, Jiaman, Ma, L., Zhang, Y., & Jiang, T. (2017). Investigation of the interaction of deltamethrin (DM) with human serum albumin by multi-spectroscopic method. *Journal of Molecular Structure*, 1129, 160–168. <https://doi.org/10.1016/j.molstruc.2016.09.061>
- Wang, Jun, Wang, J., Zhu, L., Xie, H., Shao, B., & Hou, X. (2014). The enzyme toxicity and genotoxicity of chlorpyrifos and its toxic metabolite TCP to zebrafish *Danio rerio* . *Ecotoxicology*, 23(10), 1858–1869. <https://doi.org/10.1007/s10646-014-1321-8>
- Wang, L. G., Jiang, X., Mao, Y. M., Zhao, Z. H., & Bian, Y. R. (2005). Organophosphorus Pesticide Extraction and Cleanup from Soils and Measurement Using GC-NPD. *Pedosphere*.
- Wang, L., Lu, D., Wang, J., Du, D., Zou, Z., Wang, H., ... Lin, Y. (2011). A novel immunochromatographic electrochemical biosensor for highly sensitive and selective detection of trichloropyridinol, a biomarker of exposure to chlorpyrifos. *Biosensors & Bioelectronics*, 26(6), 2835–2840.

- <https://doi.org/10.1016/j.bios.2010.11.008>
- Wang, Q., Huang, C.-R., Jiang, M., Zhu, Y.-Y., Wang, J., Chen, J., & Shi, J.-H. (2016). Binding interaction of atorvastatin with bovine serum albumin: Spectroscopic methods and molecular docking. *Spectrochimica Acta. Part A, Molecular and Biomolecular Spectroscopy*, 156, 155–163. <https://doi.org/10.1016/j.saa.2015.12.003>
- Wang, Yu Sen, Liu, D., & Wyss, D. F. (2004). Competition STD NMR for the detection of high-affinity ligands and NMR-based screening. *Magnetic Resonance in Chemistry*. <https://doi.org/10.1002/mrc.1381>
- Wang, Y. Q., & Zhang, H. M. (2014). Effects of bisphenol s on the structures and activities of trypsin and pepsin. *Journal of Agricultural and Food Chemistry*. <https://doi.org/10.1021/jf504347w>
- Wang, Y. Q., Zhang, H. M., Kang, Y. J., Gu, Y. L., & Cao, J. (2016). Mechanism of curcumin-induced trypsin inhibition: Computational and experimental studies. *Journal of Molecular Structure*. <https://doi.org/10.1016/j.molstruc.2015.11.026>
- Wang, Yan-qing, & Zhang, H. (2014). Effects of Bisphenol S on the Structures and Activities of Trypsin and Pepsin. <https://doi.org/10.1021/jf504347w>
- Wang, Yan qing, Tang, B. ping, Zhang, H. mei, Zhou, Q. hua, & Zhang, G. cheng. (2009). Studies on the interaction between imidacloprid and human serum albumin: Spectroscopic approach. *Journal of Photochemistry and Photobiology B: Biology*, 94(3), 183–190. <https://doi.org/10.1016/j.jphotobiol.2008.11.013>
- Wang, Yanqing, Han, Q., Zhang, G., & Zhang, H. (2020). Evaluation of the binding mechanism of iodine with trypsin and pepsin: A spectroscopic and molecular docking. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 230, 118036. <https://doi.org/10.1016/J.SAA.2020.118036>
- Wang, Yaping, Zhang, G., & Wang, L. (2015). Potential toxicity of phthalic acid esters plasticizer: Interaction of dimethyl phthalate with trypsin in vitro. *Journal of Agricultural and Food Chemistry*. <https://doi.org/10.1021/jf5046359>
- Warren, W. S., & Pines, A. (1982). Simple pulse sequences for selective multiple-quantum excitation. *Chemical Physics Letters*. [https://doi.org/10.1016/0009-2614\(82\)83042-X](https://doi.org/10.1016/0009-2614(82)83042-X)
- Weber, T., Smith, J., & Carver, Z. (2017). Non-invasive saliva human biomonitoring: development of an in vitro platform. *Journal of Exposure*, (September), 1–6. <https://doi.org/10.1038/jes.2015.74>
- Wilcken, R., Zimmermann, M. O., Lange, A., Joerger, A. C., & Boeckler, F. M. (2013). Principles and applications of halogen bonding in medicinal chemistry and chemical biology. *Journal of Medicinal Chemistry*. <https://doi.org/10.1021/jm3012068>
- Woodburn, K. B., Green, W. R., & Westerdahl, E. (1993). Aquatic Dissipation of Triclopyr in Lake Seminole, Georgia, 9, 2172–2177.
- Worek, F., Wille, T., Koller, M., & Thiermann, H. (2016). Toxicology of organophosphorus compounds in view of an increasing terrorist threat. *Archives of Toxicology*. <https://doi.org/10.1007/s00204-016-1772-1>
- Wu, C., & Linden, K. G. (2008). Degradation and Byproduct Formation of Parathion in Aqueous Solutions by UV and UV/H(2)O(2) Treatment. *Water Research*, 42(19), 4780–4790. <https://doi.org/10.1016/j.watres.2008.08.023>
- Wu, D., Zhai, Y., Yan, J., Xu, K., Wang, Q., Li, Y., & Li, H. (2015). Binding mechanism of tauroursodeoxycholic acid to human serum albumin: insights from NMR relaxation and docking simulations. *RSC Advances*, 5(15), 11036–11042. <https://doi.org/10.1039/C4RA11422A>
- Wu, G., Robertson, D. H., Brooks, C. L. 3rd, & Vieth, M. (2003). Detailed analysis of grid-based molecular docking: A case study of CDOCKER-A CHARMM-based MD docking algorithm. *Journal of Computational Chemistry*, 24(13), 1549–1562. <https://doi.org/10.1002/jcc.10306>
- Wu, Z., Huang, F., Chen, Y., Xu, H., Meti, M. D., Fan, Y., ... Hu, Z. (2018). Conformation change of trypsin induced by acteoside as studied using multiple spectroscopic and molecular docking methods. *International Journal of Food Properties*. <https://doi.org/10.1080/10942912.2018.1454944>
- Wu, Z., Shen, L., Han, Q., Lu, J., Tang, H., Xu, X., ... Hu, Z. (2017). Mechanism and Nature of Inhibition of Trypsin by Ligupurpuroside A, a Ku-Ding Tea Extract, Studied by Spectroscopic and Docking Methods. *Food Biophysics*. <https://doi.org/10.1007/s11483-016-9465-0>
- Xiang, G., Tong, C., & Lin, H. (2007). Nitroaniline isomers interaction with bovine serum albumin and toxicological implications. *Journal of Fluorescence*, 17(5), 512–521. <https://doi.org/10.1007/s10895-007-0203-3>
- Xu, G., Zheng, W., Li, Y., Wang, S., Zhang, J., & Yan, Y. (2008). Biodegradation of chlorpyrifos and 3,5,6-trichloro-2-pyridinol by a newly isolated *Paracoccus* sp. strain TRP. *International Biodeterioration and Biodegradation*, 62(1), 51–56. <https://doi.org/10.1016/j.ibiod.2007.12.001>
- Xu, H., Yao, N., Xu, H., Wang, T., Li, G., & Li, Z. (2013). Characterization of the interaction between

- eupatorin and bovine serum albumin by spectroscopic and molecular modeling methods. *International Journal of Molecular Sciences*, 14(7), 14185–14203. <https://doi.org/10.3390/ijms140714185>
- Yang, H., Huang, Y., Liu, J., Tang, P., Sun, Q., Xiong, X., ... Li, H. (2017). Binding modes of environmental endocrine disruptors to human serum albumin: Insights from STD-NMR, ITC, spectroscopic and molecular docking studies. *Scientific Reports*. <https://doi.org/10.1038/s41598-017-11604-3>
- Yang, H., Tang, P., Tang, B., Huang, Y., He, J., Li, S., & Li, H. (2017). Studies of DNA-binding properties of lafutidine as adjuvant anticancer agent to calf thymus DNA using multi-spectroscopic approaches, NMR relaxation data, molecular docking and dynamical simulation. *International Journal of Biological Macromolecules*, 99, 79–87. <https://doi.org/10.1016/j.ijbiomac.2017.02.062>
- Yang, L., Zhao, Y. H., Zhang, B. X., Yang, C. H., & Zhang, X. (2005). Isolation and characterization of a chlorpyrifos and 3,5,6-trichloro-2- pyridinol degrading bacterium. *FEMS Microbiology Letters*, 251(1), 67–73. <https://doi.org/10.1016/j.femsle.2005.07.031>
- Yoon, D., Kim, S., Lee, M., Yoon, C., & Kim, S. (2016). ¹H-NMR-based metabolomic study on toxicity of methomyl and methidathion in fish. *Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes*. <https://doi.org/10.1080/03601234.2016.1208460>
- Zhai, Y., Deng, P., Wang, X., Zhang, C., Gan, R., Gan, N., ... Li, H. (2018). Interaction mechanism of olaparib binding to human serum albumin investigated with NMR relaxation data and computational methods. *RSC Advances*. <https://doi.org/10.1039/c8ra05330h>
- Zhang, G., Wang, Y., Zhang, H., Tang, S., & Tao, W. (2007). Human serum albumin interaction with paraquat studied using spectroscopic methods. *Pesticide Biochemistry and Physiology*, 87(1), 23–29. <https://doi.org/10.1016/j.pestbp.2006.05.003>
- Zhang, H., Cao, J., Wu, S., & Wang, Y. (2014). Mechanism of gold nanoparticles-induced trypsin inhibition: A multi-technique approach. *Molecular Biology Reports*. <https://doi.org/10.1007/s11033-014-3357-5>