

## Contents

	Page
Abstract	I
Acknowledgements	iii
Contents	V
List of Figures	iX
List of Tables	Xiii
List of Symbols	Xv
List of Abbreviations	Xvi
<b>Chapter 1: Introduction</b>	<b>1</b>
1.1 Ligand-Protein interaction	1
1.2 Physicochemical mechanism of ligand-protein interaction	3
1.2.1 <i>The Binding Kinetics of Ligand-Protein Interaction</i>	3
1.2.2 <i>The Thermodynamic Parameters Relevant to the Ligand-Protein Interaction</i>	3
1.3 Methods used to study ligand-protein interaction	4
1.3.1 <i>Ligand-protein interaction by NMR</i>	7
(a) <i>The Protein-detected Methods</i>	8
(b) <i>The Ligand-detected Methods</i>	8
1.4 Agrochemical-protein interaction	9
1.4.1 <i>Organophosphate-protein interaction study</i>	10
1.5 Purpose of the study	12
1.5.1 <i>Organophosphate Pesticides Used in the Present thesis</i>	13
(a) <i>Chlorpyrifos (CPF)</i>	13
(b) <i>Diazinon (DZN)</i>	15
(c) <i>Parathion (PA)</i>	15
1.5.2 <i>Proteins used in the present thesis</i>	16
(a) <i>Serum Albumin</i>	16
(b) <i>Trypsin</i>	17
1.6 Scope of the thesis	17
<b>Chapter 2: Materials and Methods</b>	<b>19</b>
2.1 Materials used	19
2.2 Sample preparation	20
2.3 NMR experiments used for OP-protein interaction study	20
2.3.1 <i>Solvent Suppression Techniques for Aqueous Ligand-Protein Solutions</i>	20
2.3.2 <i>Chemical shift and line width change (line-broadening and signal intensity loss)</i>	22
2.3.3 <i>Saturation Transfer Difference NMR</i>	24
2.3.4 <i>NMR Relaxation for Ligand-Protein Interaction Study</i>	27
2.4 Complementary methods	29
2.4.1 <i>Molecular Docking</i>	30
2.4.2 <i>Isothermal Titration Calorimetry</i>	30
2.5 Fluorescence quenching study	30
<b>Chapter 3: Competitive binding of OP with BSA</b>	<b>33</b>
3.1 Introduction	33
3.2 Sample preparation	34
3.3 Experimental details	34
3.3.1 <i>STD NMR Experiments</i>	34
3.3.2 <i>Molecular Docking Details</i>	35
3.3.3 <i>Isothermal Titration Calorimetry Analysis</i>	35
3.4 Results and discussion	36

3.4.1	<i>Identification of OP-BSA Binding by STD NMR</i>	36
3.4.2	<i>K<sub>D</sub> Determination</i>	40
3.4.3	<i>Binding Site determination</i>	42
3.4.4	<i>Competition STD NMR for Ligands mixture</i>	43
3.5	Molecular docking study	45
3.6	Isothermal titration calorimetry	47
3.7	Conclusion	49
<b>Chapter 4: Comparative Interaction of TCPy and PM with BSA and relative BSA esterase activity</b>		51
4.1	Introduction	51
4.2	Sample preparation	52
4.3	Experimental details	52
4.3.1	<i>NMR Analysis</i>	52
4.3.2	<i>Fluorescence spectroscopy</i>	53
4.3.3	<i>Molecular Docking</i>	53
4.4	Results and discussion	53
4.4.1	Hydrolysis of TCPy and PM	53
4.4.2	Quantification of ligand-protein interaction	59
4.4.3	STD NMR Experiments	59
4.4.4	NMR Relaxation Study	60
4.4.5	Calculation of Normalized Affinity index $[A_N]_L^T$ and binding constant ( $K_a$ )	61
4.4.6	Molecular Docking	64
4.4.7	Fluorescence Quenching Mechanism	66
4.5	Conclusions	68
<b>Chapter 5: Interaction of OP and Their Metabolites with Trypsin: An NMR case study</b>		71
5.1	Introduction	71
5.2	Sample preparation	72
5.3	Experimental details	72
5.3.1	STD NMR Experiments	72
5.3.2	Molecular Docking Details	73
5.3.3	Fluorescence Measurements	73
5.3.4	Trypsin Activity Measurement	73
5.4	Results and discussion	74
5.4.1	Enzyme Activity of Trypsin	74
5.4.2	Identification of OP-BSA Binding by STD NMR	77
5.4.3	<i>K<sub>D</sub> Determination</i>	80
5.4.4	<i>Molecular docking study</i>	81
5.4.5	<i>Fluorescence Spectroscopy</i>	82
5.5	Conclusion	86
<b>Chapter 6: Solvent dependent interaction of OP with BSA: A comparative fluorescence quenching analysis</b>		87
6.1	Introduction	87
6.2	Sample preparation	88
6.3	Experimental details	88
6.3.1	<i>Fluorescence Measurements</i>	88
6.3.2	<i>UV-Vis Absorption Measurements</i>	89
6.3.3	<i>Circular Dichroism Spectroscopy</i>	89
6.4	Results and discussion	89
6.4.1	<i>Fluorescence quenching study</i>	89

	(a) BSA fluorescence quenching in the presence of 0-10 $\mu\text{M}$ TCPy and 0-5 $\mu\text{M}$ CPF in aqueous phosphate buffer (PB) measured at 280 nm as well as at 295 nm	89
	(b) BSA fluorescence quenching in the presence of 0-10 $\mu\text{M}$ TCPy and CPF in phosphate buffer (PB) with 10% methanol ( $\text{CH}_3\text{OH}$ ) measured at 280 nm as well as at 295 nm	94
	6.4.2 UV-vis spectral analysis	97
6.5	Conclusion	99
<b>Chapter 7: Summary</b>		101
<b>References</b>		103
<b>Publications</b>		116

