		page
Declaration		i
Certificate		ii
Abstract		iii
Acknowledge	ments	v
Contents		vii
List of Figures		Х
List of Tables		xiii
List of Symbo	ls	XV
List of Abbrev	viations	xvi
Chapter 1: Int	roduction	
1.1	Overview	1-3
1.2	Organization of the Thesis	4-5
Chapter 2: Li	terature Review	
2.1	Need of HSLA Steel In pipeline industry	6
2.2	Weldability of pipeline steel	6
2.3	Physicochemical behavior of submerged arc welding fluxes	7-9
2.4	Effect of flux composition on mechanical and microstructural behavior of pipeline	<u> </u>
1	steel welds	<i></i>
2.5	Effect of welding process parameters on mechanical properties and chemical composition of steel welds	10-11
2.6	Effect of slag-metal reactions in submerged arc welding	11
2.7	Effect of micro-alloying constituents on mechanical and microstructural behavior of	12-13
2./	weld metal	12 19
2.8	Effect of cooling rate on the mechanical and microstructure behavior of pipeline steel	14
	& pipeline weld	די
2.9	Effect of submerged arc welding fluxes on diffusible hydrogen content and hydrogen	15-16
	induced cracking in welds	1) 10
2.10	Literature on flux formulation design	16-18
2.11	Identification of gaps from literature	18-19
	bblem Formulation	10 19
<u>3.1</u>	Formulation of problem	20
3.1	Gaps in the study and Objective of the Study	20
	Experimental Plan	
3.2 Chapter 4: Ex	perimentation Detail	21
i i		
4.1	Design of experimentation for flux formulation	22-24
	4.1.1 Selection of welding process parameters	24-31
4.2	Submerged arc welding flux preparation	31-32
4.3	Physicochemical and thermophysical characterization of SAW fluxes (For three	32
	flux systems)	
	4.3.1 Density measurement of fluxes	32
	4.3.2 Grain finesses number (GFN) calculation	32
	4.3.3 Weight loss and Change in enthalpy measurement	32
	4.3.4 Thermal properties (e.g. thermal conductivity, thermal diffusivity and specific heat) measurement	33
	4.3.5 Contact angle and surface tension measurements	33-34
	4.3.6 Phase analysis of submerged arc fluxes	35
	4.3.7 Structural analysis of submerged arc fluxes	35
4.4	Multi-pass bead on plate weld deposits experimentation using SAW fluxes	35
	4.4.1 Multi-pass bead on plate experimentation for three flux system	35-36
	4.4.2 Chemical analysis of beads for three flux systems	36
	4.4.3 Average Grain size and microhardness measurements of beads	36
	4.4.4 Selection of adequate flux by qualitatively analysing multi-pass weld deposits for	36

4.5	Material and Experimental setup	36-38
<u>4.5</u> 4.6	Submerged arc welding and various characterizations using adequate fluxes for three	<u> </u>
4.0	flux systems	50
	4.6.1 Weld coupon preparation	38
	4.6.2 Submerged arc welding of plates	38-39
	4.6.3 Cutting of weld specimens	 39
	4.6.4 Mechanical characterization of weld samples	40
	4.6.4.1 Tensile testing of weld specimens	40
	4.6.4.2 Impact testing of weld specimens	40
	4.6.4.3 Microhardness testing of welds specimens	41
	4.6.5 Microstructural analysis of weld specimens	41
	4.6.6 Hydrogen induced cracking measurement of weld specimens	41-42
4.7	Corrosion analysis of heat treated X70 steel and weld specimen in different exposing	42
7.7	environment	7-
	4.7.1 Specimen preparation	42
	4.7.2 Heat treatment method for weight loss study	42-43
	4.7.3 Linear sweep voltammetry technique for weld joint corrosion study	43
Chanter 5 Re	sults and Discussion	LT.
<u>5.1</u>	Optimization of physicochemical and thermophysical properties	44
	5.1.1 Development and analysis of physicochemical and thermophysical responses for	44
	fluxes	77
	5.1.1.1 Regression model of density, grain finesses number, weight loss, change in	44-46
	enthalpy, thermal conductivity, thermal diffusivity and specific heat for three flux	• • •
	systems	
	5.1.1.2 Analysis of variance for density grain finesses number, weight loss, change in	46-66
	enthalpy, thermal conductivity, thermal diffusivity and specific heat for three flux	1
	systems	
	-)	
	5.1.1.3 Discussion of regression analysis of SAW flux components (Individual, binary	67-71
	and ternary) on grain finesses number, density, weight change, change in enthalpy,	
	thermal conductivity, thermal diffusivity and specific heat for three systems	
	5.1.1.4 Contour plots of physicochemical and thermophysical properties for three flux	71-75
	systems	
	5.1.1.5 Optimization of physicochemical and thermophysical properties	75-78
	5.1.1.6Discussion of contact angle & surface tension properties	78
	5.1.1.6.1 Influence of TiO ₂ /SiO ₂ , TiO ₂ /MgO & TiO ₂ /Al ₂ O ₃ flux ratios on the measured	78-79
	contact angle	
	5.1.1.6.2 Influence of TiO ₂ /SiO ₂ , TiO ₂ /MgO & TiO ₂ /Al ₂ O ₃ flux ratios on the surface	79-80
	tension properties	
-	5.1.1.6.3 Influence of TiO ₂ /SiO ₂ , TiO ₂ /MgO & TiO ₂ /Al ₂ O ₃ flux ratios on the work of	0 - 0 -
	$5.1.1.0.5$ influence of $10_2/50_2$, $10_2/50_2$ ingo a $10_2/51_20_3$ flax ratios on the work of	80-81
	adhesion	80-81
	adhesion	
		80-81
	adhesion 5.1.1.7 Phase analysis of flux constituents for three flux systems	
	adhesion	
	adhesion 5.1.1.7 Phase analysis of flux constituents for three flux systems 5.1.1.8 Structural analysis of flux constituents for three flux systems	81-82 83
5.2	adhesion 5.1.1.7 Phase analysis of flux constituents for three flux systems 5.1.1.8 Structural analysis of flux constituents for three flux systems Multi-pass bead on plate experimentation for three flux systems	81-82 83 84
5.2	adhesion 5.1.1.7 Phase analysis of flux constituents for three flux systems 5.1.1.8 Structural analysis of flux constituents for three flux systems Multi-pass bead on plate experimentation for three flux systems 5.2.1 Bead profile analysis	81-82 83 84 84
5.2	adhesion 5.1.1.7 Phase analysis of flux constituents for three flux systems 5.1.1.8 Structural analysis of flux constituents for three flux systems Multi-pass bead on plate experimentation for three flux systems 5.2.1 Bead profile analysis 5.2.2 Optimization of grain size, bead chemistry and microhardness during multi-pass	81-82 83
5.2	adhesion 5.1.1.7 Phase analysis of flux constituents for three flux systems 5.1.1.8 Structural analysis of flux constituents for three flux systems Multi-pass bead on plate experimentation for three flux systems 5.2.1 Bead profile analysis	81-82 83 84 84

		0 - 00
	5.2.2.1.1 Regression model of grain size, bead chemistry and microhardness for	85-88
	three flux system	
	5.2.2.1.2 Analysis of variance for grain size, bead chemistry and microhardness	89-108
	for three flux system	
	5.2.2.1.3 Discussion of regression analysis of flux components on grain size, bead	109-111
	chemistry and microhardness for three flux systems	
	5.2.2.1.4 Contour plots of grain size, bead chemistry and microhardness for	111-116
	three flux systems	
	5.2.2.1.5 Optimization of grain size, bead chemistry and microhardness for	116-119
	three flux systems	
5.3	Corrosion analysis and discussion	119
	5.3.1 Corrosion study of heat treated API X70 steel due to weight loss in different	119-125
	environments	
	5.3.2 Mechanical properties of heat treated API X70 steel in different environments	126-130
	5.3.3 Electrochemical corrosion study and of heat treated specimens in different	130-134
	environments	
5.4	Selection of flux (From three flux systems)	134
2.	5.4.1 Selection of suitable fluxes from three flux systems	134
	5.4.2 Chemical analysis of weld specimens	134-137
	5.4.3 Microhardness and microstructure evaluation of weld specimens	137-143
	5.4.4 Impact testing of weld and HAZ specimens at room temperature & -65° C	143-145
	5.4.5 Tensile testing of weld specimens	145-147
	5.4.6 Hydrogen induced cracking of welds specimens	147-150
	5.4.7 Electrochemical corrosion study of welds in different environments	150-153
Chapter 6 cond	lusion and Future Scope	
6.1 Concl		154-160
6.2 Future		160
Annexure		.00
Appendix 1		161-164
References		165-171
List of Publications		
		172