

## References

- Acton, O., et al. (2008). " $\pi$ - $\sigma$ -Phosphonic Acid Organic Monolayer/Sol-Gel Hafnium Oxide Hybrid Dielectrics for Low-Voltage Organic Transistors." *Advanced Materials*, vol. 20, pp. 3697-3701
- Akamatsu, H., et al. (1954). "Electrical conductivity of the perylene-bromine complex." *Nature*, vol. 173, pp. 168-169
- Amegadze, P. S. K. and Y.-Y. Noh (2014). "Development of high-performance n-type organic thin-film transistors using a small-molecule polymer blend." *Thin solid films*, vol. 556, pp. 414-418
- Anthony, J. E., et al. (2001). "Functionalized pentacene: improved electronic properties from control of solid-state order." *Journal of the American Chemical Society*, vol. 123, pp. 9482-9483
- Bae, J.-H., et al. (2010). "Thermal annealing effect on the crack development and the stability of 6, 13-bis (triisopropylsilylethynyl)-pentacene field-effect transistors with a solution-processed polymer insulator." *Organic Electronics*, vol. 11, pp. 784-788
- Bharti, D., et al. (2016). "High performance and electro-mechanical stability in small molecule: Polymer blend flexible organic field-effect transistors." *IEEE Electron Device Letters*, vol. 37, pp. 1215-1218
- Bharti, D. and S. P. Tiwari (2016). "Phase separation induced high mobility and electrical stability in organic field-effect transistors." *Synthetic Metals*, vol. 221, pp. 186-191
- Bobbert, P. A., et al. (2012). "Operational Stability of Organic Field-Effect Transistors." *Advanced Materials*, vol. 24, pp. 1146-1158
- Bollström, R., et al. (2009). "A multilayer coated fiber-based substrate suitable for printed functionality." *Organic Electronics*, vol. 10, pp. 1020-1023
- Bonacchini, G. E., et al. (2018). "Tattoo-Paper Transfer as a Versatile Platform for All-Printed Organic Edible Electronics." *Advanced Materials*, vol. 30, pp. 1706091
- Briseno, A. L., et al. (2006). "High-performance organic single-crystal transistors on flexible substrates." *Advanced Materials*, vol. 18, pp. 2320-2324
- Bu, L., et al. (2018). "Printing Semiconductor-Insulator Polymer Bilayers for High-Performance Coplanar Field-Effect Transistors." *Advanced Materials*, vol. 30, pp. 1704695
- Burroughes, J. H., et al. (1990). "Light-emitting diodes based on conjugated polymers." *Nature*, vol. 347, pp. 539-541
- Campos, A., et al. (2018). "Reduction of charge traps and stability enhancement in solution-processed organic field-effect transistors based on a blended n-type semiconductor." *ACS applied materials & interfaces*, vol. 10, pp. 15952-15961
- Campos, A., et al. (2018). "High Performance Organic Field-Effect Transistors with Solid and Aqueous Dielectric Based on a Solution Sheared Sulfur-Bridged Annulene Derivative." *Advanced Electronic Materials*, vol. 4, pp. 1700349
- Chang, J. B. and V. Subramanian (2006). "Effect of active layer thickness on bias stress effect in pentacene thin-film transistors." *Applied physics letters*, vol. 88, pp. 233513
- Chen, H.-W., et al. (2018). "Liquid crystal display and organic light-emitting diode display: present status and future perspectives." *Light: Science & Applications*, vol. 7, pp. 17168-17168
- Chen, H., et al. (2019). "Low-Voltage, High-Performance Flexible Organic Field-Effect Transistors Based on Ultrathin Single-Crystal Microribbons." *ACS applied materials & interfaces*, vol. 11, pp. 34188-34195
- Chen, Y., et al. (2017). "Achieving high-performance ternary organic solar cells through tuning acceptor alloy." *Advanced Materials*, vol. 29, pp. 1603154
- Chen, Z., et al. (2012). "High-performance ambipolar diketopyrrolopyrrole-thieno [3, 2-b] thiophene copolymer field-effect transistors with balanced hole and electron mobilities." *Advanced Materials*, vol. 24, pp. 647-652
- Chiang, C. K., et al. (1977). "Electrical conductivity in doped polyacetylene." *Physical review letters*, vol. 39, pp. 1098
- Cho, S. Y., et al. (2013). "Inkjet-printed organic thin film transistors based on TIPS pentacene with insulating polymers." *Journal of Materials Chemistry C*, vol. 1, pp. 914-923
- Choi, S., et al. (2017). "Highly flexible and efficient fabric-based organic light-emitting devices for clothing-shaped wearable displays." *Scientific reports*, vol. 7, pp. 1-8

- Conti, S., et al. (2017). "An Inkjet-Printed, Ultralow Voltage, Flexible Organic Field Effect Transistor." *Advanced Materials Technologies*, vol. 2, pp. 1600212
- Dai, S., et al. (2018). "Intrinsically ionic conductive cellulose nanopapers applied as all solid dielectrics for low voltage organic transistors." *Nature communications*, vol. 9, pp. 1-10
- Di, C. a., et al. (2013). "Multi-functional integration of organic field-effect transistors (OFETs): advances and perspectives." *Advanced Materials*, vol. 25, pp. 313-330
- Diao, Y., et al. (2013). "Solution coating of large-area organic semiconductor thin films with aligned single-crystalline domains." *Nature materials*, vol. 12, pp. 665-671
- Dimitrakopoulos, C. D., et al. (1999). "Low-Voltage, High-Mobility Pentacene Transistors with Solution-Processed High Dielectric Constant Insulators." *Advanced Materials*, vol. 11, pp. 1372-1375
- Ding, L., et al. (2017). "Flexible-blade coating of small molecule organic semiconductor for low voltage organic field effect transistor." *IEEE Electron Device Letters*, vol. 38, pp. 338-340
- Dodabalapur, A., et al. (1998). "Organic smart pixels." *Applied physics letters*, vol. 73, pp. 142-144
- Dutta, S. and K. S. Narayan (2004). "Gate-Voltage Control of Optically-Induced Charges and Memory Effects in Polymer Field-Effect Transistors." *Advanced Materials*, vol. 16, pp. 2151-2155
- Eder, F., et al. (2004). "Organic electronics on paper." *Applied physics letters*, vol. 84, pp. 2673-2675
- Feng, L., et al. (2016). "Unencapsulated air-stable organic field effect transistor by all solution processes for low power vapor sensing." *Scientific reports*, vol. 6, pp. 20671
- Fiore, V., et al. (2015). "An integrated 13.56-MHz RFID tag in a printed organic complementary TFT technology on flexible substrate." *IEEE Transactions on Circuits and Systems I: Regular Papers*, vol. 62, pp. 1668-1677
- Fritz, S. E., et al. (2005). "Effect of dielectric roughness on performance of pentacene TFTs and restoration of performance with a polymeric smoothing layer." *The Journal of Physical Chemistry B*, vol. 109, pp. 10574-10577
- Fujisaki, Y., et al. (2014). "Transparent nanopaper-based flexible organic thin-film transistor array." *Advanced Functional Materials*, vol. 24, pp. 1657-1663
- Gaal, M., et al. (2003). "Imprinted conjugated polymer laser." *Advanced Materials*, vol. 15, pp. 1165-1167
- Garnier, F., et al. (1990). "An all-organic" soft" thin film transistor with very high carrier mobility." *Advanced Materials*, vol. 2, pp. 592-594
- Giri, G., et al. (2011). "Tuning charge transport in solution-sheared organic semiconductors using lattice strain." *Nature*, vol. 480, pp. 504-508
- Grau, G., et al. (2014). "Printed transistors on paper: Towards smart consumer product packaging." *Advanced Functional Materials*, vol. 24, pp. 5067-5074
- Gutman, F. and L. E. Lyons (1967). "Organic Semiconductors." J, Wiley&Sons, New York, vol.
- Haase, K., et al. (2018). "High-mobility, solution-processed organic field-effect transistors from C8-BTBT: polystyrene blends." *Advanced Electronic Materials*, vol. 4, pp. 1800076
- Hamaguchi, A., et al. (2015). "Single-Crystal-Like Organic Thin-Film Transistors Fabricated from Dinaphtho [2, 3-b: 2', 3'-f] thieno [3, 2-b] thiophene (DNTT) Precursor-Polystyrene Blends." *Advanced Materials*, vol. 27, pp. 6606-6611
- Hasegawa, T. and J. Takeya (2009). "Organic field-effect transistors using single crystals." *Science and Technology of Advanced Materials*, vol. 10, pp. 024314
- He, P., et al. (2015). "Tuning the Crystal Polymorphs of Alkyl Thienoacene via Solution Self-Assembly Toward Air-Stable and High-Performance Organic Field-Effect Transistors." *Advanced Materials*, vol. 27, pp. 825-830
- He, Z., et al. (2012). "Air-flow navigated crystal growth for TIPS pentacene-based organic thin-film transistors." *Organic Electronics*, vol. 13, pp. 1819-1826
- Huang, J., et al. (2017). "Printable and flexible phototransistors based on blend of organic semiconductor and biopolymer." *Advanced Functional Materials*, vol. 27, pp. 1604163
- Huang, J., et al. (2013). "Highly transparent and flexible nanopaper transistors." *ACS nano*, vol. 7, pp. 2106-2113
- Huang, W., et al. (2013). "Hysteresis mechanism and control in pentacene organic field-effect transistors with polymer dielectric." *AIP Advances*, vol. 3, pp. 052122
- Hulea, I. N., et al. (2006). "Tunable Fröhlich polarons in organic single-crystal transistors." *Nature materials*, vol. 5, pp. 982-986
- Hwang, D. K., et al. (2012). "Solvent and polymer matrix effects on TIPS-pentacene/polymer blend organic field-effect transistors." *Journal of Materials Chemistry*, vol. 22, pp. 5531-5537
- Hwang, D. K., et al. (2011). "Flexible and stable solution-processed organic field-effect transistors." *Organic Electronics*, vol. 12, pp. 1108-1113

- Iino, H., et al. (2012). "Improved thermal stability in organic FET fabricated with a soluble BTBT derivative." *Journal of non-crystalline solids*, vol. 358, pp. 2516-2519
- James, D. T., et al. (2011). "Thin-film morphology of inkjet-printed single-droplet organic transistors using polarized Raman spectroscopy: effect of blending TIPS-pentacene with insulating polymer." *ACS nano*, vol. 5, pp. 9824-9835
- Jang, J., et al. (2013). "Transparent High-Performance Thin Film Transistors from Solution-Processed SnO<sub>2</sub>/ZrO<sub>2</sub> Gel-like Precursors." *Advanced Materials*, vol. 25, pp. 1042-1047
- Jeong, H., et al. (2018). "Novel Eco-Friendly Starch Paper for Use in Flexible, Transparent, and Disposable Organic Electronics." *Advanced Functional Materials*, vol. 28, pp. 1704433
- Ji, D., et al. (2013). "Large scale, flexible organic transistor arrays and circuits based on polyimide materials." *Organic Electronics*, vol. 14, pp. 2528-2533
- Ji, D., et al. (2018). "Copolymer dielectrics with balanced chain-packing density and surface polarity for high-performance flexible organic electronics." *Nature communications*, vol. 9, pp. 1-9
- Kalb, W. L., et al. (2010). "Trap density of states in small-molecule organic semiconductors: A quantitative comparison of thin-film transistors with single crystals." *Physical Review B*, vol. 81, pp. 155315
- Kaltenbrunner, M., et al. (2013). "M. 3 Drack, R. Schwödauer, I. Graz, S. Bauer-Gogonea." *Nature*, vol. 499, pp. 4
- Kang, J., et al. (2008). "Structure and properties of small molecule- polymer blend semiconductors for organic thin film transistors." *Journal of the American Chemical Society*, vol. 130, pp. 12273-12275
- Kang, M., et al. (2017). "Ambipolar Small-Molecule:Polymer Blend Semiconductors for Solution-Processable Organic Field-Effect Transistors." *ACS applied materials & interfaces*, vol. 9, pp. 2686-2692
- Khan, M. A., et al. (2012). "High-performance non-volatile organic ferroelectric memory on banknotes." *Advanced Materials*, vol. 24, pp. 2165-2170
- Khim, D., et al. (2013). "Simple Bar-Coating Process for Large-Area, High-Performance Organic Field-Effect Transistors and Ambipolar Complementary Integrated Circuits." *Advanced Materials*, vol. 25, pp. 4302-4308
- Kim, C. S., et al. (2008). "Solvent-dependent electrical characteristics and stability of organic thin-film transistors with drop cast bis (triisopropylsilylethynyl) pentacene." *Applied physics letters*, vol. 93, pp. 327
- Kim, D. H., et al. (2014). "Directed self-assembly of organic semiconductors via confined evaporative capillary flows for use in organic field-effect transistors." *Organic Electronics*, vol. 15, pp. 2322-2327
- Kim, S. H., et al. (2008). "Hysteresis-free pentacene field-effect transistors and inverters containing poly (4-vinyl phenol-co-methyl methacrylate) gate dielectrics." *Applied physics letters*, vol. 92, pp. 166
- Kim, Y.-H., et al. (2004). "Organic TFT array on a paper substrate." *IEEE Electron Device Letters*, vol. 25, pp. 702-704
- Kozuka, H., et al. (1987). "Field-effect transistor with polythiophene thin film." *Synthetic Metals*, vol. 18, pp. 699-704
- Kwon, S., et al. (2014). "Template-mediated nano-crystallite networks in semiconducting polymers." *Nature communications*, vol. 5, pp. 1-10
- Lai, S., et al. (2016). "Tailoring the sensing performances of an OFET-based biosensor." *Sensors and Actuators B: Chemical*, vol. 233, pp. 314-319
- Lamprecht, B., et al. (2005). "Organic photodiodes on newspaper." *physica status solidi (a)*, vol. 202, pp. R50-R52
- Lee, S., et al. (2006). "Effects of hydroxyl groups in polymeric dielectrics on organic transistor performance." *Applied physics letters*, vol. 88, pp. 162109
- Lee, S. J., et al. (2015). "Centro-apical self-organization of organic semiconductors in a line-printed organic semiconductor: Polymer blend for one-step printing fabrication of organic field-effect transistors." *Scientific reports*, vol. 5, pp. 14010
- Lee, W. H., et al. (2012). "The Influence of the Solvent Evaporation Rate on the Phase Separation and Electrical Performances of Soluble Acene-Polymer Blend Semiconductors." *Advanced Functional Materials*, vol. 22, pp. 267-281
- Lee, W. H., et al. (2009). "Semiconductor-dielectric blends: a facile all solution route to flexible all-organic transistors." *Advanced Materials*, vol. 21, pp. 4243-4248
- Lee, W. H. and Y. D. Park (2014). "Organic semiconductor/insulator polymer blends for high-performance organic transistors." *Polymers*, vol. 6, pp. 1057-1073
- Leterrier, Y., et al. (2010). "Mechanical failure analysis of thin film transistor devices on steel and polyimide substrates for flexible display applications." *Engineering fracture mechanics*, vol. 77, pp. 660-670
- Lewis, J. (2006). "Material challenge for flexible organic devices." *Materials today*, vol. 9, pp. 38-45

- Li, H., et al. (2012). "High-Performance Transistors and Complementary Inverters Based on Solution-Grown Aligned Organic Single-Crystals." *Advanced Materials*, vol. 24, pp. 2588-2591
- Li, M., et al. (2018). "Integrated circuits based on conjugated polymer monolayer." *Nature communications*, vol. 9, pp. 1-8
- Li, S., et al. (2018). "Improving performance of OFET by tuning occurrence of charge transport based on pentacene interaction with SAM functionalized contacts." *Microelectronic Engineering*, vol. 195, pp. 62-67
- Li, X., et al. (2011). "Charge transport in high-performance ink-jet printed single-droplet organic transistors based on a silylethynyl substituted pentacene/insulating polymer blend." *Organic Electronics*, vol. 12, pp. 1319-1327
- Li, Y., et al. (2012). "Solution-processed organic crystals for field-effect transistor arrays with smooth semiconductor/dielectric interface on paper substrates." *Organic Electronics*, vol. 13, pp. 815-819
- Lim, B., et al. (2017). "High performance solution processed organic field effect transistors with novel diketopyrrolopyrrole-containing small molecules." *Scientific reports*, vol. 7, pp. 1-8
- Lim, J. A., et al. (2008). "Self-organization of ink-jet-printed triisopropylsilylethynyl pentacene via evaporation-induced flows in a drying droplet." *Advanced Functional Materials*, vol. 18, pp. 229-234
- Lin, P. and F. Yan (2012). "Organic thin-film transistors for chemical and biological sensing." *Advanced Materials*, vol. 24, pp. 34-51
- Ling, H., et al. (2019). "Stability improvement in flexible low-voltage organic field-effect transistors with complementary polymeric dielectrics." *Organic Electronics*, vol. 65, pp. 259-265
- Little, W. A. (1964). "Possibility of Synthesizing an Organic Superconductor." *Physical Review*, vol. 134, pp. A1416-A1424
- Little, W. A. (1965). "Superconductivity at room temperature." *Scientific American*, vol. 212, pp. 21-27
- Liu, J., et al. (2016). "Fast charge separation in a non-fullerene organic solar cell with a small driving force." *Nature Energy*, vol. 1, pp. 1-7
- Liu, Z., et al. (2018). "Binary polymer composite dielectrics for flexible low-voltage organic field-effect transistors." *Organic Electronics*, vol. 53, pp. 205-212
- Ljubic, D., et al. (2016). "Effect of polymer binders on uv-responsive organic thin-film phototransistors with benzothienobenzothiophene semiconductor." *ACS applied materials & interfaces*, vol. 8, pp. 3744-3754
- Lu, G., et al. (2016). "Amphiphilic (phthalocyaninato)(porphyrinato) europium triple-decker nanoribbons with air-stable ambipolar OFET performance." *ACS applied materials & interfaces*, vol. 8, pp. 6174-6182
- Madec, M.-B., et al. (2008). "Organic field effect transistors from ambient solution processed low molar mass semiconductor-insulator blends." *Journal of Materials Chemistry*, vol. 18, pp. 3230-3236
- Mannsfeld, S. C. B., et al. (2010). "Highly sensitive flexible pressure sensors with microstructured rubber dielectric layers." *Nature materials*, vol. 9, pp. 859-864
- Mas-Torrent, M., et al. (2006). "Large photoresponsivity in high-mobility single-crystal organic field-effect phototransistors." *ChemPhysChem*, vol. 7, pp. 86-88
- McNeill, R., et al. (1963). "Electronic conduction in polymers. I. The chemical structure of polypyrrole." *Australian Journal of Chemistry*, vol. 16, pp. 1056-1075
- Meager, I., et al. (2014). "Thieno [3, 2-b] thiophene Flanked Isoindigo Polymers for High Performance Ambipolar OFET Applications." *Advanced Functional Materials*, vol. 24, pp. 7109-7115
- Minari, T., et al. (2014). "Room-Temperature Printing of Organic Thin-Film Transistors with  $\pi$ -Junction Gold Nanoparticles." *Advanced Functional Materials*, vol. 24, pp. 4886-4892
- Minemawari, H., et al. (2011). "Inkjet printing of single-crystal films." *Nature*, vol. 475, pp. 364-367
- Mitra, K. Y., et al. (2017). "Fully Inkjet-Printed Thin-Film Transistor Array Manufactured on Paper Substrate for Cheap Electronic Applications." *Advanced Electronic Materials*, vol. 3, pp. 1700275
- Moore, G. E. J. P. o. t. I. (1998). "Cramming more components onto integrated circuits." vol. 86, pp. 82-85
- Myny, K., et al. (2010). "a. K. Tripathi, GH Gelinck, J. Genoe and W. Dehaene." *Org. Electron*, vol. 11, pp. 1176-1179
- Ng, T. N., et al. (2008). "Flexible image sensor array with bulk heterojunction organic photodiode." *Applied physics letters*, vol. 92, pp. 191
- Nikolka, M., et al. (2017). "High operational and environmental stability of high-mobility conjugated polymer field-effect transistors through the use of molecular additives." *Nature materials*, vol. 16, pp. 356-362
- Onojima, N., et al. (2020). "Small molecule/polymer blends prepared by environmentally-friendly process for mechanically-stable flexible organic field-effect transistors." *Organic Electronics*, vol. 78, pp. 105597

- Onojima, N., et al. (2013). "Bottom-contact organic field-effect transistors based on single-crystalline domains of 6, 13-bis (triisopropylsilylethynyl) pentacene prepared by electrostatic spray deposition." *Organic Electronics*, vol. 14, pp. 2406-2410
- Ortiz, R. P., et al. (2010). "High-k organic, inorganic, and hybrid dielectrics for low-voltage organic field-effect transistors." *Chemical reviews*, vol. 110, pp. 205-239
- Park, H., et al. (2019). "Flexible and stable organic field-effect transistors using low-temperature solution-processed polyimide gate dielectrics." *Organic Electronics*, vol. 68, pp. 70-75
- Park, S. K., et al. (2009). "Environmental and operational stability of solution-processed 6, 13-bis (triisopropyl-silylethynyl) pentacene thin film transistors." *Organic Electronics*, vol. 10, pp. 486-490
- Park, Y. M., et al. (2013). "Solution-processable zirconium oxide gate dielectrics for flexible organic field effect transistors operated at low voltages." *Chemistry of Materials*, vol. 25, pp. 2571-2579
- Peng, B. and P. K. L. Chan (2014). "Flexible organic transistors on standard printing paper and memory properties induced by floated gate electrode." *Organic Electronics*, vol. 15, pp. 203-210
- Peng, B., et al. (2014). "High performance organic transistor active-matrix driver developed on paper substrate." *Scientific reports*, vol. 4, pp. 6430
- Pettersson, F., et al. (2014). "Ion-modulated transistors on paper using phase-separated semiconductor/insulator blends." *MRS Communications*, vol. 4, pp. 51-55
- Pitsalidis, C., et al. (2014). "High performance transistors based on the controlled growth of triisopropylsilylethynyl-pentacene crystals via non-isotropic solvent evaporation." *RSC Advances*, vol. 4, pp. 20804-20813
- Pitsalidis, C., et al. (2016). "High mobility transistors based on electrospray-printed small-molecule/polymer semiconducting blends." *Journal of Materials Chemistry C*, vol. 4, pp. 3499-3507
- Pope, M., et al. (1963). "Electroluminescence in organic crystals." *The Journal of Chemical Physics*, vol. 38, pp. 2042-2043
- Qi, Z., et al. (2015). "High-Performance Thermally Stable Organic Phototransistors Based on PSeTPTI/PC61BM for Visible and Ultraviolet Photodetection." *Advanced Functional Materials*, vol. 25, pp. 3138-3146
- Qian, C., et al. (2015). "Flexible organic field-effect transistors on biodegradable cellulose paper with efficient reusable ion gel dielectrics." *RSC Advances*, vol. 5, pp. 14567-14574
- Raghuwanshi, V., et al. (2020). "High Performance Flexible Organic Field-Effect Transistors with Barium Strontium Titanate Gate Dielectric Deposited at Room Temperature." *ACS Applied Electronic Materials*, vol. 1, pp. 14567-14574
- Raghuwanshi, V., et al. (2018). "Semiconductor: polymer blend ratio dependent performance and stability in low voltage flexible organic field-effect transistors." *Synthetic Metals*, vol. 236, pp. 54-60
- Raghuwanshi, V., et al. (2019). "Operationally Stable Organic FETs With Bilayer Dielectrics on Low-Cost Flexible Polyimide Substrate." *IEEE Transactions on Electron Devices*, vol. 66, pp. 4915-4920
- Raghuwanshi, V., et al. (2019). "Solution-Processed Organic Field-Effect Transistors with High Performance and Stability on Paper Substrate." *ACS Applied Materials and Interfaces*, vol. 11, pp. 8357-8364.
- Raghuwanshi, V., et al. (2016). "Flexible organic field-effect transistors with TIPS-pentacene crystals exhibiting high electrical stability upon bending." *Organic Electronics*, vol. 31, pp. 177-182
- Raghuwanshi, V., et al. (2016). "Performance enhancement in mechanically stable flexible organic-field effect transistors with TIPS-pentacene: polymer blend." *Organic Electronics*, vol. 34, pp. 284-288
- Rauch, T., et al. (2009). "Near-infrared imaging with quantum-dot-sensitized organic photodiodes." *nature photonics*, vol. 3, pp. 332
- Ren, X., et al. (2016). "A low-operating-power and flexible active-matrix organic-transistor temperature-sensor array." *Advanced Materials*, vol. 28, pp. 4832-4838
- Richter, L. J., et al. (2017). "Morphology development in solution-processed functional organic blend films: an in situ viewpoint." *Chemical reviews*, vol. 117, pp. 6332-6366
- Riera-Galindo, S., et al. (2018). "Role of polymorphism and thin-film morphology in organic semiconductors processed by solution shearing." *ACS omega*, vol. 3, pp. 2329-2339
- Riera-Galindo, S., et al. (2019). "Organic Semiconductor/Polymer Blend Films for Organic Field-Effect Transistors." *Advanced Materials Technologies*, vol. 4, pp. 1900104
- Ryu, G.-S., et al. (2015). "High-performance diketopyrrolopyrrole-based organic field-effect transistors for flexible gas sensors." *Organic Electronics*, vol. 23, pp. 76-81
- Salleo, A., et al. (2005). "Reversible and irreversible trapping at room temperature in poly (thiophene) thin-film transistors." *Applied physics letters*, vol. 86, pp. 263505
- Schwartz, G., et al. (2013). "Flexible polymer transistors with high pressure sensitivity for application in electronic skin and health monitoring." *Nature communications*, vol. 4, pp. 1-8

- Sekitani, T., et al. (2009). "Organic nonvolatile memory transistors for flexible sensor arrays." *Science*, vol. 326, pp. 1516-1519
- Sekitani, T., et al. (2010). "Flexible organic transistors and circuits with extreme bending stability." *Nature materials*, vol. 9, pp. 1015-1022
- Shao, M., et al. (2013). "High-performance organic field-effect transistors with dielectric and active layers printed sequentially by ultrasonic spraying." *Journal of Materials Chemistry C*, vol. 1, pp. 4384-4390
- Sheraw, C. D., et al. (2003). "Functionalized pentacene active layer organic thin-film transistors." *Advanced Materials*, vol. 15, pp. 2009-2011
- Shi, W., et al. (2019). "When Flexible Organic Field-Effect Transistors Meet Biomimetics: A Prospective View of the Internet of Things." *Advanced Materials*, vol. pp. 1901493
- Shin, H., et al. (2019). "Highly stable organic transistors on paper enabled by a simple and universal surface planarization method." *Advanced materials interfaces*, vol. 6, pp. 1801731
- Shirakawa, H., et al. (1977). "Synthesis of electrically conducting organic polymers: halogen derivatives of polyacetylene,(CH)<sub>x</sub>." *Journal of the Chemical Society, Chemical Communications*, vol. pp. 578-580
- Sirringhaus, H., et al. (1998). "Integrated optoelectronic devices based on conjugated polymers." *Science*, vol. 280, pp. 1741-1744
- Smith, J., et al. (2009). "High mobility p-channel organic field effect transistors on flexible substrates using a polymer-small molecule blend." *Synthetic Metals*, vol. 159, pp. 2365-2367
- Smith, J., et al. (2010). "Solution-processed organic transistors based on semiconducting blends." *Journal of Materials Chemistry*, vol. 20, pp. 2562-2574
- Smith, J., et al. (2012). "Solution-processed small molecule-polymer blend organic thin-film transistors with hole mobility greater than 5 cm<sup>2</sup>/Vs." *Advanced Materials*, vol. 24, pp. 2441-2446
- Soeda, J., et al. (2016). "Stable growth of large-area single crystalline thin films from an organic semiconductor/polymer blend solution for high-mobility organic field-effect transistors." *Organic Electronics*, vol. 39, pp. 127-132
- Song, M., et al. (2017). "Flexible thermal sensors based on organic field-effect transistors with polymeric channel/gate-insulating and light-blocking layers." *ACS omega*, vol. 2, pp. 4065-4070
- Steudel, S., et al. (2004). "Influence of the dielectric roughness on the performance of pentacene transistors." *Applied physics letters*, vol. 85, pp. 4400-4402
- Stingelin-Stutzmann, N., et al. (2005). "Organic thin-film electronics from vitreous solution-processed rubrene hypereutectics." *Nature materials*, vol. 4, pp. 601-606
- Street, R. A., et al. (2006). "Extended time bias stress effects in polymer transistors." *Journal of applied physics*, vol. 100, pp. 114518
- Subbarao, N. V. V., et al. (2015). "Enhanced environmental stability induced by effective polarization of a polar dielectric layer in a trilayer dielectric system of organic field-effect transistors: a quantitative study." *ACS applied materials & interfaces*, vol. 7, pp. 1915-1924
- Sun, Q.-J., et al. (2019). "Printed High-k Dielectric for Flexible Low-Power Extended Gate Field-Effect Transistor in Sensing Pressure." *ACS Applied Electronic Materials*, vol. 1, pp. 711-717
- Sun, Q.-J., et al. (2016). "Low-power organic field-effect transistors and complementary inverter based on low-temperature processed Al<sub>2</sub>O<sub>3</sub> dielectric." *Organic Electronics*, vol. 34, pp. 118-123
- Sun, X., et al. (2010). "Engineering of the dielectric-semiconductor interface in organic field-effect transistors." *Journal of Materials Chemistry*, vol. 20, pp. 2599-2611
- Sung, S., et al. (2015). "Low-voltage flexible organic electronics based on high-performance sol-gel titanium dioxide dielectric." *ACS applied materials & interfaces*, vol. 7, pp. 7456-7461
- Tang, C. W. (1986). "Two-layer organic photovoltaic cell." *Applied physics letters*, vol. 48, pp. 183-185
- Tang, C. W. and S. A. VanSlyke (1987). "Organic electroluminescent diodes." *Applied physics letters*, vol. 51, pp. 913-915
- Tang, C. W., et al. (1989). "Electroluminescence of doped organic thin films." *Journal of applied physics*, vol. 65, pp. 3610-3616
- Teixeira da Rocha, C., et al. (2018). "Solution Coating of Small Molecule/Polymer Blends Enabling Ultralow Voltage and High-Mobility Organic Transistors." *Advanced Electronic Materials*, vol. 4, pp. 1800141
- Tobjörk, D. and R. Österbacka (2011). "Paper electronics." *Advanced Materials*, vol. 23, pp. 1935-1961
- Trnovec, B., et al. (2009). "Coated paper for printed electronics." *Professional Papermaking*, vol. 1, pp. 104
- Tsumura, A., et al. (1988). "Polythiophene field-effect transistor: Its characteristics and operation mechanism." *Synthetic Metals*, vol. 25, pp. 11-23
- Vaklev, N. L., et al. (2014). "High-Performance Flexible Bottom-Gate Organic Field-Effect Transistors with Gravure Printed Thin Organic Dielectric." *Advanced materials interfaces*, vol. 1, pp. 1300123
- Veres, J., et al. (2003). "Low-k insulators as the choice of dielectrics in organic field-effect transistors." *Advanced Functional Materials*, vol. 13, pp. 199-204

- Wang, C.-Y., et al. (2017). "Top-gate organic field-effect transistors fabricated on paper with high operational stability." *Organic Electronics*, vol. 41, pp. 340-344
- Wang, C.-Y., et al. (2015). "Stable low-voltage operation top-gate organic field-effect transistors on cellulose nanocrystal substrates." *ACS applied materials & interfaces*, vol. 7, pp. 4804-4808
- Wang, Z. R., et al. (2012). "Low power flexible organic thin film transistors with amorphous Ba<sub>0.7</sub>Sr<sub>0.3</sub>TiO<sub>3</sub> gate dielectric grown by pulsed laser deposition at low temperature." *Organic Electronics*, vol. 13, pp. 1223-1228
- Wei, C.-Y., et al. (2010). "High-mobility pentacene-based thin-film transistors with a solution-processed barium titanate insulator." *IEEE Electron Device Letters*, vol. 32, pp. 90-92
- Wu, H., et al. (2014). "Flexible and Binder-Free Organic Cathode for High-Performance Lithium-Ion Batteries." *Advanced Materials*, vol. 26, pp. 3338-3343
- Wu, X., et al. (2015). "Thermally stable, biocompatible, and flexible organic field-effect transistors and their application in temperature sensing arrays for artificial skin." *Advanced Functional Materials*, vol. 25, pp. 2138-2146
- Xie, Q., et al. (2019). "Highly sensitive NO<sub>2</sub> sensors based on organic field effect transistors with Al<sub>2</sub>O<sub>3</sub>/PMMA bilayer dielectrics by sol-spin coating." *Organic Electronics*, vol. 74, pp. 69-76
- Yadav, S. and S. Ghosh (2016). "Amorphous strontium titanate film as gate dielectric for higher performance and low voltage operation of transparent and flexible organic field effect transistor." *ACS applied materials & interfaces*, vol. 8, pp. 10436-10442
- Yang, H., et al. (2005). "Conducting AFM and 2D GIXD studies on pentacene thin films." *Journal of the American Chemical Society*, vol. 127, pp. 11542-11543
- Yi, H. T., et al. (2012). "Ultra-flexible solution-processed organic field-effect transistors." *Nature communications*, vol. 3, pp. 1-7
- Yi, M., et al. (2015). "High-mobility flexible pentacene-based organic field-effect transistors with PMMA/PVP double gate insulator layers and the investigation on their mechanical flexibility and thermal stability." *RSC Advances*, vol. 5, pp. 95273-95279
- Yin, Z., et al. (2018). "Solution-processed bilayer dielectrics for flexible low-voltage organic field-effect transistors in pressure-sensing applications." *Advanced Science*, vol. 5, pp. 1701041
- Yu, X., et al. (2013). "Flexible spray-coated TIPS-pentacene organic thin-film transistors as ammonia gas sensors." *Journal of Materials Chemistry C*, vol. 1, pp. 6532-6535
- Yun, M., et al. (2014). "Stable organic field-effect transistors for continuous and nondestructive sensing of chemical and biologically relevant molecules in aqueous environment." *ACS applied materials & interfaces*, vol. 6, pp. 1616-1622
- Zang, Y., et al. (2016). "Device engineered organic transistors for flexible sensing applications." *Advanced Materials*, vol. 28, pp. 4549-4555
- Zhang, K., et al. (2018). "Crystallization Control of Organic Semiconductors during Meniscus-Guided Coating by Blending with Polymer Binder." *Advanced Functional Materials*, vol. 28, pp. 1805594
- Zhang, L., et al. (2013). "Substrate-free ultra-flexible organic field-effect transistors and five-stage ring oscillators." *Advanced Materials*, vol. 25, pp. 5455-5460
- Zhang, X.-H., et al. (2009). "Low-voltage pentacene organic field-effect transistors with high- $\kappa$  HfO<sub>2</sub> gate dielectrics and high stability under bias stress." *Applied physics letters*, vol. 95, pp. 312
- Zhao, X., et al. (2014). "Universal solution-processed high- $\kappa$  amorphous oxide dielectrics for high-performance organic thin film transistors." *RSC Advances*, vol. 4, pp. 14890-14895
- Zhong, H., et al. (2012). "Air-Stable and High-Mobility n-Channel Organic Transistors Based on Small-Molecule/Polymer Semiconducting Blends." *Advanced Materials*, vol. 24, pp. 3205-3211
- Zocco, A. T., et al. (2014). "Pentacene organic thin-film transistors on flexible paper and glass substrates." *Nanotechnology*, vol. 25, pp. 094005
- Zschieschang, U. and H. Klauk (2015). "Low-voltage organic transistors with steep subthreshold slope fabricated on commercially available paper." *Organic Electronics*, vol. 25, pp. 340-344
- Zschieschang, U., et al. (2011). "Organic electronics on banknotes." *Advanced Materials*, vol. 23, pp. 654-658