

References

- Aarthy, M., Saravanan, P., Gowthaman, M. K., Rose, C., and Kamini, N. R., (2014), "Enzymatic transesterification for production of biodiesel using yeast lipases: An overview", *Chemical Engineering Research and Design*, Vol.92, No.8, pp.1591-1601.
- Abdelhamid, S. A., Hussein, A. A., Asker, M. S., El Sayed, O. H., and Mohamed, S. S., (2019), "Optimization of culture conditions for biodiesel production from Egyptian isolate *Penicillium commune* NRC2016", *Bulletin of the National Research Centre*, Vol.43, No.15, pp.1-9.
- Abdullah, B., Muhammad, S. A. F., Shokravi, Z., Ismail, S., Kassim, K. A., Mahmood, A. N., and Aziz, M. M. A., (2019), "Fourth generation biofuel: A review on risks and mitigation strategies", *Renewable and Sustainable Energy Reviews*, Vol.107, pp.37-50.
- Ageitos, J. M., Vallejo, J. A., Veiga-Crespo, P., and Villa, T. G., (2011), "Oily yeasts as oleaginous cell factories", *Applied Microbiology and Biotechnology*, Vol.90, No.4, pp.1219-1227.
- Aguieiras, E. C. G., Cavalcanti-Oliveira, E. D., and Freire, D. M. G., (2015), "Current status and new developments of biodiesel production using fungal lipases", *Fuel*, Vol.159, pp.52-67.
- Ali, T. H., El-Gamal, M. S., El-Ghonemy, D. H., Awad, G. E., and Tantawy, A. E., (2017), "Improvement of lipid production from an oil-producing filamentous fungus, *Penicillium brevicompactum* NRC 829, through central composite statistical design", *Annals of Microbiology*, Vol.67, No.9, pp.601-613.
- Almeida, J. R. M., Modig, T., Petersson, A., Hähn-Hägerdal, B., Lidén, G., and Gorwa-Grauslund, M. F., (2007), "Increased tolerance and conversion of inhibitors in lignocellulosic hydrolysates by *Saccharomyces cerevisiae*", *Journal of Chemical Technology & Biotechnology: International Research in Process, Environmental & Clean Technology*, Vol.82, No.4, pp.340-349.
- Alptekin, E., (2017), "Emission, injection and combustion characteristics of biodiesel and oxygenated fuel blends in a common rail diesel engine", *Energy*, Vol.119, pp.44-52.
- Alvarez, H. M., Mayer, F., Fabritius, D., and Steinbüchel, A., (1996), "Formation of intracytoplasmic lipid inclusions by *Rhodococcus opacus* strain PD630", *Archives of Microbiology*, Vol.165, No.6, pp.377-386.
- Amirsadeghi, M., Shields-Menard, S., French, W. T., and Hernandez, R., (2015), "Lipid Production by *Rhodotorula glutinis* from Pulp and Paper Wastewater for Biodiesel Production", *Journal of Sustainable Bioenergy Systems*, Vol.05, No.03, pp.114-125.
- André, A., Diamantopoulou, P., Philippoussis, A., Sarris, D., Komaitis, M., and Papanikolaou, S., (2010), "Biotechnological conversions of bio-diesel derived waste glycerol into added-value compounds by higher fungi: production of biomass, single cell oil and oxalic acid", *Industrial Crops and Products*, Vol.31, No.2, pp.407-416.
- Annamalai, N., Sivakumar, N., and Oleskowicz-Popiel, P., (2018), "Enhanced production of microbial lipids from waste office paper by the oleaginous yeast *Cryptococcus curvatus*", *Fuel*, Vol.217, pp.420-426.
- APHA, (2005), "Standard Methods for the Examination of Water & Wastewater 21st Edition".
- Aradhey, A., and Sindelar, S., (2017), "India Biofuels Annual Report", pp.30.
- Arora, N., Patel, A., Mehtani, J., Pruthi, P. A., Pruthi, V., and Poluri, K. M., (2019), "Co-culturing of oleaginous microalgae and yeast: paradigm shift towards enhanced lipid productivity", *Environmental Science and Pollution Research*, Vol.26, No.17, pp.16952-16973.
- Arous, F., Atitallah, I. B., Nasri, M., and Mechichi, T., (2017), "A sustainable use of low-cost raw substrates for biodiesel production by the oleaginous yeast *Wickerhamomyces anomalus*", *3 Biotech*, Vol.7, No.4, pp.268.
- Arous, F., Frikha, F., Triantaphyllidou, I. E., Aggelis, G., Nasri, M., and Mechichi, T., (2016), "Potential utilization of agro-industrial wastewaters for lipid production by the oleaginous yeast *Debaryomyces etchellsii*", *Journal of Cleaner Production*, Vol.133, pp.899-909.
- Ayadi, I., Belghith, H., Gargouri, A., and Guerfali, M., (2018), "Screening of new oleaginous yeasts for single cell oil production, hydrolytic potential exploitation and agro-industrial by-products valorization", *Process Safety and Environmental Protection*, Vol.119, pp.104-114.
- Ayadi, I., Kamoun, O., Trigui-Lahiani, H., Hdiji, A., Gargouri, A., Belghith, H., and Guerfali, M., (2016), "Single cell oil production from a newly isolated *Candida viswanathii* Y-E4 and agro-industrial by-products valorization", *Journal of Industrial Microbiology & Biotechnology*, Vol.43, No.7, pp.901-914.
- Balat, M., and Balat, H., (2010), "Progress in biodiesel processing", *Applied Energy*, Vol.87, No.6, pp.1815-1835.

- Baldrian, P., and Vendula, V., (2008), "Degradation of cellulose by basidiomycetous fungi", *FEMS Microbiology Reviews*, Vol.32, No.3, pp.501–521.
- Bardhan, P., Gohain, M., Daimary, N., Kishor, S., Chattopadhyay, P., Gupta, K., ... Mandal, M., (2019), "Microbial lipids from cellulolytic oleaginous fungus *Penicillium citrinum* PKB20 as a potential feedstock for biodiesel production", *Annals of Microbiology*, pp.1–12.
- Bellou, S., Triantaphyllidou, I. E., Aggeli, D., Elazzazy, A. M., Baeshen, M. N., and Aggelis, G., (2016), "Microbial oils as food additives: Recent approaches for improving microbial oil production and its polyunsaturated fatty acid content", *Current Opinion in Biotechnology*, Vol.37, pp.24–35.
- Beopoulos, A., Nicaud, J. M., and Gaillardin, C., (2011), "An overview of lipid metabolism in yeasts and its impact on biotechnological processes", *Applied Microbiology and Biotechnology*, Vol.90, No.4, pp.1193–1206.
- Bharathiraja, B., Sowmya, V., Sridharan, S., Yuvaraj, D., Jayamuthunagai, J., and Praveenkumar, R., (2017), "Biodiesel production from microbial oil derived from wood isolate *Trichoderma reesei*", *Bioresource Technology*, Vol.239, pp.538–541.
- Bligh, E. G., and Dyer, W. J. A., (1959), "Rapid method of total lipid extraction and purification", *Can. J. Biochem. Physiol.*, Vol.37, pp.911–7.
- Blomqvist, J., Pickova, J., Tilami, S. K., Sampels, S., Mikkelsen, N., Brandenburg, J., ... Passoth, V., (2018), "Oleaginous yeast as a component in fish feed", *Scientific Reports*, Vol.8, No.1, pp.15945.
- Bonturi, N., Crucello, A., Viana, A. J. C., and Miranda, E. A., (2017), "Microbial oil production in sugarcane bagasse hemicellulosic hydrolysate without nutrient supplementation by a *Rhodospiridium toruloides* adapted strain", *Process Biochemistry*, Vol.57, pp.16–25.
- Borneman, J., and Hartin, R. J., (2000), "PCR primers that amplify fungal rRNA genes from environmental samples", *Applied and Environmental Microbiology*, Vol.66, No.10, pp.4356–4360.
- Botham, P. A., and Ratledge, C., (1979), "A biochemical explanation for lipid accumulation in *Candida* 107 and other oleaginous micro-organisms.", *Journal of General Microbiology*, Vol.114, No.2, pp.361–375.
- Boulton, C. A., and Ratledge, C., (1983), "Partial purification and some properties of ATP: Citrate lyase from the oleaginous yeast *Lipomyces starkeyi*", *Journal of General Microbiology*, Vol.129, No.9, pp.2863–2869.
- Boulton, C. A., and Ratledge, C., (1984), "*Cryptococcus terricolus*, an oleaginous yeast re-appraised", *Applied Microbiology and Biotechnology*, Vol.20, No.1, pp.72–76.
- Bradford, M., (1976), "A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein- dye binding", *Analytical Biochemistry*, Vol.72, No.1–2, pp.248–254.
- Brar, K. K., Sarma, A. K., Aslam, M., Polikarpov, I., and Chadha, B. S., (2017), "Potential of oleaginous yeast *Trichosporon* sp., for conversion of sugarcane bagasse hydrolysate into biodiesel", *Bioresource Technology*, Vol.242, pp.161–168.
- Braun, M. K., Lorenzen, J., Masri, M., Liu, Y., Baráth, E., Brück, T., and Lercher, J. A., (2019), "Catalytic Decomposition of the Oleaginous Yeast *Cutaneotrichosporon Oleaginosus* and Subsequent Biocatalytic Conversion of Liberated Free Fatty Acids", *ACS Sustainable Chemistry and Engineering*, Vol.7, No.7, pp.6531–6540.
- Braunwald, T., Schwemmlin, L., Graeff-Hönninger, S., French, W. T., Hernandez, R., Holmes, W. E., and Claupein, W., (2013), "Effect of different C/N ratios on carotenoid and lipid production by *Rhodotorula glutinis*", *Applied Microbiology and Biotechnology*, Vol.97, No.14, pp.6581–6588.
- Bruder, S., Hackenschmidt, S., Moldenhauer, E. J., and Kabisch, J., (2018), "Conventional and oleaginous yeasts as platforms for lipid modification and production", In U. T. Bornscheuer (Ed.), *Lipid Modification by Enzymes and Engineered Microbes* (pp. 257–292). AOCS Press: Elsevier Inc.
- Canonica, L., Ashoor, S., Taccari, M., Comitini, F., Antonucci, M., Truzzi, C., ... Ciani, M., (2016), "Conversion of raw glycerol to microbial lipids by new *Metschnikowia* and *Yarrowia lipolytica* strains", *Annals of Microbiology*, Vol.66, No.4, pp.1409–1418.
- Carota, E., Crognale, S., D'Annibale, A., Gallo, A. M., Stazi, S. R., and Petruccioli, M., (2017), "A sustainable use of Ricotta Cheese Whey for microbial biodiesel production", *Science of the Total Environment*, Vol.584–585, pp.554–560.
- Carota, E., Crognale, S., D'Annibale, A., and Petruccioli, M., (2018), "Bioconversion of agro-industrial waste into microbial oils by filamentous fungi", *Process Safety and Environmental Protection*, Vol.117, pp.143–151.
- Carvalho, F., Prazeres, A. R., and Rivas, J., (2013), "Cheese whey wastewater: Characterization and treatment", *Science of the Total Environment*, Vol.445–446, pp.385–396.

- Chakma, S., and Moholkar, V. S., (2016), "Mechanistic analysis of sono-photolysis degradation of carmoisine", *Journal of Industrial and Engineering Chemistry*, Vol.33, pp.276–287.
- Chakma, S., and Moholkar, V. S., (2013), "Numerical Simulation and Investigation of System Parameters of Sonochemical Process", *Chinese Journal of Engineering*, Vol.2013, pp.1–14.
- Chandel, A. K., da Silva, S. S., and Singh, O. V., (2013), "Detoxification of Lignocellulose Hydrolysates: Biochemical and Metabolic Engineering Toward White Biotechnology", *Bioenergy Research*, Vol.6, No.1, pp.388–401.
- Chaturvedi, S., Bhattacharya, A., and Khare, S. K., (2018), "Trends in Oil Production from Oleaginous Yeast Using Biomass: Biotechnological Potential and Constraints", *Applied Biochemistry and Microbiology*, Vol.54, No.4, pp.361–369.
- Chaturvedi, S., Bhattacharya, A., Nain, L., Prasanna, R., and Khare, S. K., (2019), "Valorization of agro-starchy wastes as substrates for oleaginous microbes", *Biomass and Bioenergy*, Vol.127, pp.105294.
- Chaturvedi, S., Kumari, A., Nain, L., and Khare, S. K., (2018), "Bioprospecting microbes for single-cell oil production from starchy wastes", *Preparative Biochemistry and Biotechnology*, Vol.48, No.3, pp.296–302.
- Chaturvedi, S., Tiwari, R., Bhattacharya, A., Nain, L., and Khare, S. K., (2019), "Production of single cell oil by using cassava peel substrate from oleaginous yeast *Rhodotorula glutinis*", *Biocatalysis and Agricultural Biotechnology*, Vol.21, pp.101308.
- Cheirsilp, B., and Kitcha, S., (2015), "Solid state fermentation by cellulolytic oleaginous fungi for direct conversion of lignocellulosic biomass into lipids: Fed-batch and repeated-batch fermentations", *Industrial Crops and Products*, Vol.66, pp.73–80.
- Chemat, F., Zill-E-Huma, and Khan, M. K., (2011), "Applications of ultrasound in food technology: Processing, preservation and extraction", In *Ultrasonics Sonochemistry*, Vol. 18, pp. 813-835
- Chen, J., Zhang, X., Yan, S., Tyagi, R. D., and Drogui, P., (2017), "Lipid production from fed-batch fermentation of crude glycerol directed by the kinetic study of batch fermentations", *Fuel*, Vol.209, pp.1–9.
- Chen, X., Zihui, L., Zhang, X., Hu, F., Ryu, D. D. Y., and Bao, J., (2009), "Screening of oleaginous yeast strains tolerant to lignocellulose degradation compounds", In *Applied Biochemistry and Biotechnology* Vol. 159, pp. 591–604.
- Chen, X. F., Huang, C., Yang, X. Y., Xiong, L., Chen, X. D., and Ma, L. L., (2013), "Evaluating the effect of medium composition and fermentation condition on the microbial oil production by *Trichosporon cutaneum* on corncob acid hydrolysate", *Bioresource Technology*, Vol.143, pp.18–24.
- Cherubini, F., (2010), "The biorefinery concept: Using biomass instead of oil for producing energy and chemicals", *Energy Conversion and Management*, Vol.51, No.7, pp.1412–1421.
- Chisti, Y., (2008), "Biodiesel from microalgae beats bioethanol", *Trends in Biotechnology*, Vol.26, No.3, pp.126–131.
- Chmielarz, M., Sampels, S., Blomqvist, J., Brandenburg, J., Wende, F., Sandgren, M., and Passoth, V., (2019), "FT-NIR: A tool for rapid intracellular lipid quantification in oleaginous yeasts", *Biotechnology for Biofuels*, Vol.12, No.1, pp.169.
- Cho, H. U., Kim, Y. M., Choi, Y. N., Xu, X., Shin, D. Y., and Park, J. M., (2015), "Effects of pH control and concentration on microbial oil production from *Chlorella vulgaris* cultivated in the effluent of a low-cost organic waste fermentation system producing volatile fatty acids", *Bioresource Technology*, Vol.184, pp.245–250.
- Cho, H. U., and Park, J. M., (2018), "Biodiesel production by various oleaginous microorganisms from organic wastes", *Bioresource Technology*, Vol.256, pp.502–508.
- Chopra, J., and Sen, R., (2018), "Process optimization involving critical evaluation of oxygen transfer, oxygen uptake and nitrogen limitation for enhanced biomass and lipid production by oleaginous yeast for biofuel application", *Bioprocess and Biosystems Engineering*, Vol.41, No.8, pp.1103–1113.
- Cohen, Z., and Ratledge, C., (2010), "Single Cell Oils: Microbial and Algal Oils: Second Edition", *Single Cell Oils: Microbial and Algal Oils: Second Edition*.
- Crew, H. (1940), "The Tragedy of Rudolf Diesel.", *Science*, Vol.51, No.6, pp.512–523.
- Davis, R., Aden, A., and Pienkos, P. T., (2011), "Techno-economic analysis of autotrophic microalgae for fuel production", *Applied Energy*, Vol.88, No.10, pp.3524–3531.
- de la Fuente, G., and Sols, A., (1962), "Transport of sugars in yeasts II. Mechanisms of utilization of disaccharides and related glycosides", *BBA - Biochimica et Biophysica Acta*, Vol.56, pp.49–62.
- Deeba, F., Patel, A., Arora, N., Pruthi, V., Pruthi, P. A., and Negi, Y. S., (2018), "Amaranth seeds (*Amaranthus palmeri* L.) as novel feedstock for biodiesel production by oleaginous yeast", *Environmental Science and Pollution Research*, Vol.25, No.1, pp.353–362.

- Deeba, F., Pruthi, V., and Negi, Y. S., (2016), "Converting paper mill sludge into neutral lipids by oleaginous yeast *Cryptococcus vishniacii* for biodiesel production", *Bioresource Technology*, Vol.213, pp.96–102.
- D'Hondt, E., Martín-Juárez, J., Bolado, S., Kasperoviciene, J., Koreiviene, J., Sulcius, S., ... Bastiaens, L., (2017), "Cell disruption technologies", In *Microalgae-Based Biofuels and Bioproducts: From Feedstock Cultivation to End-Products*.
- Dias, C., Silva, C., Freitas, C., Reis, A., and da Silva, T. L., (2016), "Effect of Medium pH on *Rhodospiridium toruloides* NCYC 921 Carotenoid and Lipid Production Evaluated by Flow Cytometry", *Applied Biochemistry and Biotechnology*, Vol.179, No.5, pp.776–787.
- Dobrowolski, A., Mituła, P., Rymowicz, W., and Miron, A. M., (2016), "Efficient conversion of crude glycerol from various industrial wastes into single cell oil by yeast *Yarrowia lipolytica*", *Bioresource Technology*, Vol.207, pp.237–243.
- Domingues, L., Guimarães, P. M. R., and Oliveira, C., (2010), "Metabolic engineering of *Saccharomyces cerevisiae* for lactose/whey fermentation", *Bioengineered Bugs*, Vol.1, No.3, pp.164–171.
- Dong, T., Knoshaug, E. P., Pienkos, P. T., and Laurens, L. M. L., (2016), "Lipid recovery from wet oleaginous microbial biomass for biofuel production: A critical review", *Applied Energy*, Vol.177, pp.879–895.
- Espinosa-Gonzalez, I., Parashar, A., and Bressler, D. C., (2014), "Hydrothermal treatment of oleaginous yeast for the recovery of free fatty acids for use in advanced biofuel production", *Journal of Biotechnology*, Vol.187, pp.10–15.
- Evans, C. T., and Ratledge, C., (1983), "A comparison of the oleaginous yeast, *Candida curvata*, grown on different carbon sources in continuous and batch culture", *Lipids*, Vol.18, No.9, pp.623–629.
- Evans, C. T., and Ratledge, C., (1984), "Induction of xylulose-5-phosphate phosphoketolase in a variety of yeasts grown on d-xylose: the key to efficient xylose metabolism", *Archives of Microbiology*, Vol.139, No.1, pp.48–52.
- F.A.O., (2002), "Yearbook Production 2002". Rome, Italy: Food and Agricultural Organization of the United Nations.
- Fakas, S., Papanikolaou, S., Batsos, A., Galiotou-Panayotou, M., Mallouchos, A., and Aggelis, G., (2009), "Evaluating renewable carbon sources as substrates for single cell oil production by *Cunninghamella echinulata* and *Mortierella isabellina*", *Biomass and Bioenergy*, Vol.33, No.4, pp.573–580.
- Fei, W., Wang, H., Fu, X., Bielby, C., and Yang, H., (2009), "Conditions of endoplasmic reticulum stress stimulate lipid droplet formation in *Saccharomyces cerevisiae*." *The Biochemical Journal*, Vol.424, No.1, pp.61–67.
- Fei, Q., Fu, R., Shang, L., Brigham, C. J., and Chang, H. N., (2015), "Lipid production by microalgae *Chlorella protothecoides* with volatile fatty acids (VFAs) as carbon sources in heterotrophic cultivation and its economic assessment", *Bioprocess and Biosystems Engineering*, Vol.38, No.4, pp.691–700.
- Feng, Y., Li, C., and Zhang, D., (2011), "Lipid production of *Chlorella vulgaris* cultured in artificial wastewater medium", *Bioresource Technology*, Vol.102, No.1, pp.101–105.
- Fonseca, B. G., Moutta, R. D. O., Ferraz, F. D. O., Vieira, E. R., Nogueira, A. S., Baratella, B. F., ... Da Silva, S. S., (2011), "Biological detoxification of different hemicellulosic hydrolysates using *Issatchenkia occidentalis* CCTCC M 206097 yeast", *Journal of Industrial Microbiology and Biotechnology*, Vol.38, No.1, pp.199–207.
- Fontanille, P., Kumar, V., Christophe, G., Nouaille, R., and Larroche, C., (2012), "Bioconversion of volatile fatty acids into lipids by the oleaginous yeast *Yarrowia lipolytica*", *Bioresource Technology*, Vol.114, pp.443–449.
- Frings, C. S., and Dunn, R. T., (1970), "A colorimetric method for determination of total serum lipids based on the sulfo-phospho-vanillin reaction.", *American Journal of Clinical Pathology*, Vol.53, No.1, pp.89–91.
- Galafassi, S., Cucchetti, D., Pizza, F., Franzosi, G., Bianchi, D., and Compagno, C., (2012), "Lipid production for second generation biodiesel by the oleaginous yeast *Rhodotorula graminis*", *Bioresource Technology*, Vol.111, pp.398–403.
- Gao, Z., Ma, Y., Wang, Q., Zhang, M., Wang, J., and Liu, Y., (2016), "Effect of crude glycerol impurities on lipid preparation by *Rhodospiridium toruloides* yeast 32489", *Bioresource Technology*, Vol.218, pp.373–379.
- Garay, L. A., Sitepu, I. R., Cajka, T., Chandra, I., Shi, S., Lin, T., ... Boundy-Mills, K. L., (2016), "Eighteen new oleaginous yeast species", *Journal of Industrial Microbiology and Biotechnology*, Vol.43, No.7, pp.887–900.

- Ghose, T. K., (1987), "Measurement of cellulase activities", *Pure and Applied Chemistry*, Vol.59, No.2, pp.257–268.
- Ghosh, P., Westhoff, P., and Debnath, D., (2019), "Biofuels, food security, and sustainability", In D. Debnath & S. C. Babu (Eds.), *Biofuels, Bioenergy and Food Security* (pp. 211–229). Elsevier Inc.
- Goldbeck, R., Andrade, C. C. P., Pereira, G. A. G., and Filho, F. M., (2012), "Screening and identification of cellulase producing yeast-like microorganisms from Brazilian biomes", *African Journal of Biotechnology*, Vol.11, No.53, pp.11595–11603.
- Goswami, L., Kumar, R. V., Arul Manikandan, N., Pakshirajan, K., and Pugazhenth, G., (2019), "Anthracene Biodegradation by Oleaginous *Rhodococcus opacus* for Biodiesel Production and Its Characterization", *Polycyclic Aromatic Compounds*, Vol.39, No.3, pp.207–219.
- Goswami, L., Kumar, R. V., Manikandan, N. A., Pakshirajan, K., and Pugazhenth, G., (2017), "Simultaneous polycyclic aromatic hydrocarbon degradation and lipid accumulation by *Rhodococcus opacus* for potential biodiesel production", *Journal of Water Process Engineering*, Vol.17, pp.1–10.
- Goswami, L., Manikandan, N. A., Dolman, B., Pakshirajan, K., and Pugazhenth, G., (2018), "Biological treatment of wastewater containing a mixture of polycyclic aromatic hydrocarbons using the oleaginous bacterium *Rhodococcus opacus*", *Journal of Cleaner Production*, Vol.196, pp.1282–1291.
- Gouda, M. K., Omar, S. H., and Aouad, L. M., (2008), "Single cell oil production by *Gordonia* sp. DG using agro-industrial wastes", *World Journal of Microbiology and Biotechnology*, Vol.24, No.9, pp.1703–1711.
- Griffiths, M. J., and Harrison, S. T. L., (2009), "Lipid productivity as a key characteristic for choosing algal species for biodiesel production", *Journal of Applied Phycology*, Vol.21, No.5, pp.493–507.
- Guimarães, P. M. R., Teixeira, J. A., and Domingues, L., (2010), "Fermentation of lactose to bio-ethanol by yeasts as part of integrated solutions for the valorisation of cheese whey", *Biotechnology Advances*, Vol.28, No.3, pp.375–384.
- Gujjala, L. K. S., Kumar, S. P. J., Talukdar, B., Dash, A., Kumar, S., Sherpa, K. C., and Banerjee, R., (2019), "Biodiesel from oleaginous microbes: opportunities and challenges", *Biofuels*, Vol.10, No.1, pp.45–59.
- Guo, M., Cheng, S., Chen, G., and Chen, J., (2019), "Improvement of lipid production in oleaginous yeast *Rhodospiridium toruloides* by ultraviolet mutagenesis", *Engineering in Life Sciences*, Vol.19, No.8, pp.548–556.
- Hassan, M., Blanc, P. J., Pareilleux, A., and Goma, G., (1994), "Selection of fatty acid auxotrophs from the oleaginous yeast *Cryptococcus curvatus* and production of cocoa butter equivalents in batch culture", *Biotechnology Letters*, Vol.16, No.8, pp.819–824.
- Hatano, T., Komura, T., Cui, Z., Mochizuki, D., Miyakawa, T., Matsuzaki, Hiroaki, and Fukui, S., (1994), "Expression of the Carboxymethylcellulase Gene, CMC1, from *Cryptococcus flavus* in *Saccharomyces cerevisiae*", *Journal of Fermentation and Bioengineering*, Vol.77, No.3, pp.235–238.
- Hatzinikolaou, D. G., Kourentzi, E., Stamatis, H., Christakopoulos, P., Kolisis, F. N., Kekos, D., and Macris, B. J., (1999), "A novel lipolytic activity of *Rhodotorula glutinis* cells: Production, partial characterization and application in the synthesis of esters", *Journal of Bioscience and Bioengineering*, Vol.88, No.1, pp.53–56.
- Hawksworth, D. L., (1991), "The fungal dimension of biodiversity: magnitude, significance, and conservation", *Mycological Research*, Vol.95, No.6, pp.641–655.
- Hena, S., Znad, H., Heong, K. T., and Judd, S., (2018), "Dairy farm wastewater treatment and lipid accumulation by *Arthrospira platensis*", *Water Research*, Vol.128, pp.267–277.
- Herrera, L. M., García-Laviña, C. X., Marizcurrena, J. J., Volonterio, O., de León, R. P., and Castro-Sowinski, S., (2017), "Hydrolytic enzyme-producing microbes in the Antarctic oligochaete *Grania* sp. (Annelida)", *Polar Biology*, Vol.40, No.4, pp.947–953.
- Hill, J., Nelson, E., Tilman, D., Polasky, S., and Tiffany, D., (2006), "Environmental, economic, and energetic costs and benefits of biodiesel and ethanol biofuels", *Proceedings of the National Academy of Sciences*, Vol.103, No.30, pp.11206–11210.
- Hon, D. N. S., (1994), "Cellulose: a random walk along its historical path", *Cellulose*, Vol.1, No.1, pp.1–25.
- Horváth, I. S., Franzén, C. J., Taherzadeh, M. J., Niklasson, C., and Lidén, G., (2003), "Effects of furfural on the respiratory metabolism of *Saccharomyces cerevisiae* in glucose-limited chemostats", *Applied and Environmental Microbiology*, Vol.69, pp.4076–4086.
- Hu, C., Zhao, X., Zhao, J., Wu, S., and Zhao, Z. K., (2009), "Effects of biomass hydrolysis by-products on oleaginous yeast *Rhodospiridium toruloides*", *Bioresource Technology*, Vol.100, No.20, pp.4843–4847.

- Huang, C., Luo, M. T., Chen, X. F., Xiong, L., Li, X. M., and Chen, X. D., (2017), "Recent advances and industrial viewpoint for biological treatment of wastewaters by oleaginous microorganisms", *Bioresource Technology*, Vol.232, pp.398-407.
- Huang, C., Wu, H., Liu, Q. P., Li, Y. Y., and Zong, M. H., (2011), "Effects of aldehydes on the growth and lipid accumulation of oleaginous yeast *Trichosporon fermentans*", *Journal of Agricultural and Food Chemistry*, Vol.59, No.9, pp.4606-4613.
- Huang, C., Wu, H., Liu, Z. J., Cai, J., Lou, W. Y., and Zong, M. H., (2012), "Effect of organic acids on the growth and lipid accumulation of oleaginous yeast *Trichosporon fermentans*", *Biotechnology for Biofuels*, Vol.5, No.1, pp.4.
- Hui, L., Wan, C., Hai-tao, D., Xue-jiao, C., Qi-fa, Z., and Yu-hua, Z., (2010), "Direct microbial conversion of wheat straw into lipid by a cellulolytic fungus of *Aspergillus oryzae* A-4 in solid-state fermentation", *Bioresource Technology*, Vol.101, No.19, pp.7556-7562.
- Islam, M. A., Yousuf, A., Karim, A., Pirozzi, D., Khan, M. R., and Wahid, Z. A., (2018), "Bioremediation of palm oil mill effluent and lipid production by *Lipomyces starkeyi*: A combined approach", *Journal of Cleaner Production*, Vol.172, pp.1779-1787.
- Ivančić Šantek, M., Miškulin, E., Petrović, M., Beluhan, S., and Šantek, B., (2017), "Effect of carbon and nitrogen source concentrations on the growth and lipid accumulation of yeast *Trichosporon oleaginosus* in continuous and batch culture", *Journal of Chemical Technology and Biotechnology*, Vol.92, No.7, pp.1620-1629.
- Jacob, Z., (1992), "Yeast lipids: Extraction, quality analysis, and acceptability", *Critical Reviews in Biotechnology*, Vol.12, No.5-6, pp.463-491.
- Jin, G., Yang, F., Hu, C., Shen, H., and Zhao, Z. K., (2012), "Enzyme-assisted extraction of lipids directly from the culture of the oleaginous yeast *Rhodospiridium toruloides*", *Bioresource Technology*, Vol.111, pp.378-382.
- Jiru, T. M., Abate, D., Kiggundu, N., Pohl, C., and Groenewald, M., (2016), "Oleaginous yeasts from Ethiopia", *AMB Express*, Vol.6, No.1, pp.78.
- Johns, A. M. B., Love, J., and Aves, S. J., (2016), "Four inducible promoters for controlled gene expression in the oleaginous yeast *Rhodotorula toruloides*", *Frontiers in Microbiology*, Vol.7, pp.1666.
- Johnson, E. A., and Echavarri-Erasun, C., (2011), "Yeast biotechnology", In *The Yeasts* (pp. 21-24). Elsevier.
- Juturu, V., and Wu, J. C., (2014), "Microbial cellulases: Engineering, production and applications", *Renewable and Sustainable Energy Reviews*, Vol.33, pp.188-203.
- Kakkad, H., Khot, M., Zinjarde, S., Ravikumar, A., Ravi Kumar, V., and Kulkarni, B. D., (2015), "Conversion of dried *Aspergillus candidus* mycelia grown on waste whey to biodiesel by in situ acid transesterification", *Bioresource Technology*, Vol.197, pp.502-507.
- Kamini, N. R., and Iefuji, H., (2001), "Lipase catalyzed methanolysis of vegetable oils in aqueous medium by *Cryptococcus* spp. S-2", *Process Biochemistry*, Vol.37, No.4, pp.405-410.
- Kanti, A., and Sudiana, I. M., (2015), "Carboxymethyl cellulose as a C-source for lipid accumulation by the oleaginous yeast *Candida orthopsilosis*", *Current Research in Environmental & Applied Mycology*, Vol.5, No.4, pp.349-356.
- Karamerou, E. E., and Webb, C., (2019), "Cultivation modes for microbial oil production using oleaginous yeasts - A review", *Biochemical Engineering Journal*, Vol.151, pp.107322.
- Katre, G., Joshi, C., Khot, M., Zinjarde, S., and RaviKumar, A., (2012), "Evaluation of single cell oil (SCO) from a tropical marine yeast *Yarrowia lipolytica* NCIM 3589 as a potential feedstock for biodiesel", *AMB Express*, Vol.2, No.1, pp.36.
- Khot, M., Katre, G., Zinjarde, S., and RaviKumar, A., (2018), "Single Cell Oils (SCOs) of Oleaginous Filamentous Fungi as a Renewable Feedstock: A Biodiesel Biorefinery Approach", In *Fungal Biorefineries* (pp. 145-183). Springer, Cham.
- Khot, M., Raut, G., Ghosh, D., Alarcón-Vivero, M., Contreras, D., and Ravikumar, A., (2020), "Lipid recovery from oleaginous yeasts: Perspectives and challenges for industrial applications", *Fuel*, Vol.259, pp.116292.
- Kim, D. G., Lee, C., Park, S. M., and Choi, Y. E., (2014), "Manipulation of light wavelength at appropriate growth stage to enhance biomass productivity and fatty acid methyl ester yield using *Chlorella vulgaris*", *Bioresource Technology*, Vol.159, pp.240-248.
- Kitcha, S., and Cheirsilp, B., (2013), "Enhancing Lipid Production from Crude Glycerol by Newly Isolated Oleaginous Yeasts: Strain Selection, Process Optimization, and Fed-Batch Strategy", *Bioenergy Research*, Vol.6, No.1, pp.300-310.
- Knothe, G., (2014), "A comprehensive evaluation of the cetane numbers of fatty acid methyl esters", *Fuel*, Vol.119, pp.6-13.

- Kolouchová, I., Mařátková, O., Sigler, K., Masák, J., and Řezanka, T., (2016), "Lipid accumulation by oleaginous and non-oleaginous yeast strains in nitrogen and phosphate limitation", *Folia Microbiologica*, Vol.61, No.5, pp.431–438.
- Koutinas, A. A., Chatzifragkou, A., Kopsahelis, N., Papanikolaou, S., and Kookos, I. K., (2014), "Design and techno-economic evaluation of microbial oil production as a renewable resource for biodiesel and oleochemical production", *Fuel*, Vol.116, pp.566–577.
- Kumar, A., (2018), "Global Warming, Climate Change and Greenhouse Gas Mitigation", In A. Kumar, S. Ogita, & Y.-Y. Yau (Eds.), *Biofuels: Greenhouse Gas Mitigation and Global Warming: Next Generation Biofuels and Role of Biotechnology* (pp. 1–16). New Delhi: Springer India.
- Kumar, D., Singh, B., and Korstad, J., (2017), "Utilization of lignocellulosic biomass by oleaginous yeast and bacteria for production of biodiesel and renewable diesel", *Renewable and Sustainable Energy Reviews*, Vol.73, pp.654–671.
- Kumar, M., and Thakur, I. S., (2018), "Municipal secondary sludge as carbon source for production and characterization of biodiesel from oleaginous bacteria", *Bioresource Technology Reports*, Vol.4, pp.106–113.
- Kumar, S., Gupta, N., and Pakshirajan, K., (2015), "Simultaneous lipid production and dairy wastewater treatment using *Rhodococcus opacus* in a batch bioreactor for potential biodiesel application", *Journal of Environmental Chemical Engineering*, Vol.3, No.3, pp.1630–1636.
- Kumari, A., and Gupta, R., (2012), "Purification and Biochemical Characterization of a Novel Magnesium Dependent Lipase from *Trichosporon asahii* MSR 54 and its Application in Biodiesel Production", *Asian Journal of Biotechnology*, Vol.4, No.2, pp.70–82.
- Kurtzman, C. P., Fell, J. W., and Boekhout, T., (2011), "Definition, Classification and Nomenclature of the Yeasts", In *The Yeasts* (pp. 3–5). Elsevier.
- Lamers, D., van Biezen, N., Martens, D., Peters, L., van de Zilver, E., Jacobs-van Dreumel, N., ... Lokman, C., (2016), "Selection of oleaginous yeasts for fatty acid production", *BMC Biotechnology*, Vol.16, No.1, pp.45.
- Lara, P. V., and Park, E. Y., (2004), "Potential application of waste activated bleaching earth on the production of fatty acid alkyl esters using *Candida cylindracea* lipase in organic solvent system", *Enzyme and Microbial Technology*, Vol.34, No.3–4, pp.270–277.
- Le, R. K., Wells, T., Das, P., Meng, X., Stoklosa, R. J., Bhalla, A., ... Ragauskas, A. J., (2017), "Conversion of corn stover alkaline pre-treatment waste streams into biodiesel via *Rhodococci*", *RSC Advances*, Vol.7, No.7, pp.4108–4115.
- Leiva-Candia, D. E., Pinzi, S., Redel-Macias, M. D., Koutinas, A., Webb, C., and Dorado, M. P., (2014), "The potential for agro-industrial waste utilization using oleaginous yeast for the production of biodiesel", *Fuel*, Vol.123, pp.33–42.
- Leiva-Candia, D. E., Tsakona, S., Kopsahelis, N., García, I. L., Papanikolaou, S., Dorado, M. P., and Koutinas, A. A., (2015), "Biorefining of by-product streams from sunflower-based biodiesel production plants for integrated synthesis of microbial oil and value-added co-products", *Bioresource Technology*, Vol.190, pp.57–65.
- Leong, W. H., Lim, J. W., Lam, M. K., Uemura, Y., and Ho, Y. C., (2018), "Third generation biofuels: A nutritional perspective in enhancing microbial lipid production", *Renewable and Sustainable Energy Reviews*, Vol.91, pp.950–961.
- Li, Q., Du, W., and Liu, D., (2008), "Perspectives of microbial oils for biodiesel production.", *Applied Microbiology and Biotechnology*, Vol.80, No.5, pp.749–56.
- Li, Y., Zhao, Z. K., and Bai, F., (2007), "High-density cultivation of oleaginous yeast *Rhodospiridium toruloides* Y4 in fed-batch culture", *Enzyme and Microbial Technology*, Vol.41, No.3, pp.312–317.
- Liang, Y., Jarosz, K., Wardlow, A. T., Zhang, J., and Cui, Y., (2014), "Lipid production by *Cryptococcus curvatus* on hydrolysates derived from corn fiber and sweet sorghum bagasse following dilute acid pretreatment.", *Applied Biochemistry and Biotechnology*, Vol.173, No.8, pp.2086–98.
- Lin, J., Shen, H., Tan, H., Zhao, X., Wu, S., Hu, C., and Zhao, Z. K., (2011), "Lipid production by *Lipomyces starkeyi* cells in glucose solution without auxiliary nutrients", *Journal of Biotechnology*, Vol.152, No.4, pp.184–188.
- Ling, J., Nip, S., and Shim, H., (2013), "Enhancement of lipid productivity of *Rhodospiridium toruloides* in distillery wastewater by increasing cell density", *Bioresource Technology*, Vol.146, pp.301–309.
- Liu, L., Zong, M., Hu, Y., Li, N., Lou, W., and Wu, H., (2017), "Efficient microbial oil production on crude glycerol by *Lipomyces starkeyi* AS 2 . 1560 and its kinetics", *Process Biochemistry*, Vol.58, pp.230–238.

- Liu, Y., Yap, S. A., Koh, C. M. J., and Ji, L., (2016), "Developing a set of strong intronic promoters for robust metabolic engineering in oleaginous *Rhodotorula* (*Rhodospiridium*) yeast species", *Microbial Cell Factories*, Vol.15, No.1, pp.200.
- Liu, Z. J., Liu, L. P., Wen, P., Li, N., Zong, M. H., and Wu, H., (2015), "Effects of acetic acid and pH on the growth and lipid accumulation of the oleaginous yeast *Trichosporon fermentans*", *BioResources*, Vol.10, No.3, pp.4152-4166.
- Louhasakul, Y., Cheirsilp, B., Maneerat, S., and Prasertsan, P., (2019), "Potential use of flocculating oleaginous yeasts for bioconversion of industrial wastes into biodiesel feedstocks", *Renewable Energy*, Vol.136, pp.1311-1319.
- Louhasakul, Y., Cheirsilp, B., and Prasertsan, P., (2016), "Valorization of Palm Oil Mill Effluent into Lipid and Cell-Bound Lipase by Marine Yeast *Yarrowia lipolytica* and Their Application in Biodiesel Production", *Waste and Biomass Valorization*, Vol.7, No.3, pp.417-426.
- Lynd, L. R., Van Zyl, W. H., McBride, J. E., and Laser, M., (2005), "Consolidated bioprocessing of cellulosic biomass: An update", *Current Opinion in Biotechnology*, Vol.16, No.5, pp.577-583.
- Ma, X., Gao, M., Gao, Z., Wang, J., Zhang, M., Ma, Y., and Wang, Q., (2018), "Past, current, and future research on microalga-derived biodiesel: a critical review and bibliometric analysis", *Environmental Science and Pollution Research*, Vol.25, No.11, pp.10596-10610.
- Maina, S., Pateraki, C., Kopsahelis, N., Paramithiotis, S., Drosinos, E. H., Papanikolaou, S., and Koutinas, A., (2017), "Microbial oil production from various carbon sources by newly isolated oleaginous yeasts", *Engineering in Life Sciences*, Vol.17, No.3, pp.333-344.
- Malani, R. S., Khanna, S., Chakma, S., and Moholkar, V. S., (2014), "Mechanistic insight into sono-enzymatic degradation of organic pollutants with kinetic and thermodynamic analysis", *Ultrasonics Sonochemistry*, Vol.21, No.4, pp.1400-1406.
- Martín, C., and Jönsson, L. J., (2003), "Comparison of the resistance of industrial and laboratory strains of *Saccharomyces* and *Zygosaccharomyces* to lignocellulose-derived fermentation inhibitors", *Enzyme and Microbial Technology*, Vol.32, No.3-4, pp.386-395.
- Martinez, A., Cavello, I., Garmendia, G., Rufo, C., Cavalitto, S., and Vero, S., (2016), "Yeasts from sub-Antarctic region: biodiversity, enzymatic activities and their potential as oleaginous microorganisms", *Extremophiles*, Vol.20, No.5, pp.759-769.
- Martínez, E. J., Raghavan, V., González-Andrés, F., and Gómez, X., (2015), "New biofuel alternatives: Integrating waste management and single cell oil production", *International Journal of Molecular Sciences*, Vol.16, No.5, pp.9385-9405.
- Masri, M. A., Garbe, D., Mehlmer, N., and Brück, T. B., (2019), "A sustainable, high-performance process for the economic production of waste-free microbial oils that can replace plant-based equivalents", *Energy & Environmental Science*, Vol.12, No.9, pp.2717-2732.
- Matsakas, L., Novak, K., Enman, J., Christakopoulos, P., and Rova, U., (2017), "Acetate-detoxification of wood hydrolysates with alkali tolerant *Bacillus* sp. as a strategy to enhance the lipid production from *Rhodospiridium toruloides*", *Bioresource Technology*, Vol.242, pp.287-294.
- Meira, M., Quintella, C. M., Ribeiro, E. M. O., Silva, H. R. G., and Guimarães, A. K., (2015), "Overview of the challenges in the production of biodiesel", *Biomass Conversion and Biorefinery*, Vol.5, No.3, pp.321-329.
- Meng, X., Yang, J., Xu, X., Zhang, L., Nie, Q., and Xian, M., (2009), "Biodiesel production from oleaginous microorganisms", *Renewable Energy*, Vol.34, No.1, pp.1-5.
- Miao, X., and Wu, Q., (2006), "Biodiesel production from heterotrophic microalgal oil", *Bioresource Technology*, Vol.97, No.6, pp.841-846.
- Miller, G. L., (1959), "Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar", *Analytical Chemistry*, Vol.31, No.3, pp.426-428.
- Mirza, S., Siddique, S., Qamer, H. M., and Doggar, M. G., (2019), "Optimization of lipid production potential of oleaginous yeast by response surface methodology cultivated in agro-industrial waste", *International Journal of Environmental Science and Technology*, Vol.16, No.7, pp.3221-3230.
- Morrison, W. R., and Smith, L. M., (1964), "Preparation of Fatty Acid Methyl Esters and Dimethylacetals From Lipids With Boron Fluoride--Methanol.", *Journal of Lipid Research*, Vol.5, No.4, pp.600-608.
- Munch, G., Sestric, R., Sparling, R., Levin, D. B., and Cicek, N., (2015), "Lipid production in the under-characterized oleaginous yeasts, *Rhodospiridium babjevae* and *Rhodospiridium diobovatum*, from biodiesel-derived waste glycerol", *Bioresource Technology*, Vol.185, pp.49-55.
- Neto, A. A. K., Borin, G. P., Goldman, G. H., de Lima Damásio, A. R., and de Castro Oliveira, J. V., (2016), "Insights into the plant polysaccharide degradation potential of the xylanolytic yeast *Pseudozyma brasiliensis*", *FEMS Yeast Research*, Vol.16, No.2, pp.1-11.

- Nigam, J. N., (2001), "Ethanol production from wheat straw hemicellulose hydrolysate by *Pichia stipitis*", *Journal of Biotechnology*, Vol.87, No.1, pp.17–27.
- Nigam, P. S., and Singh, A., (2011), "Production of liquid biofuels from renewable resources", *Progress in Energy and Combustion Science*, Vol.37, No.1, pp.52–68.
- Norjannah, B., Ong, H. C., Masjuki, H. H., Juan, J. C., and Chong, W. T., (2016), "Enzymatic transesterification for biodiesel production: A comprehensive review", *RSC Advances*, Vol.6, No.65, pp.60034–60055.
- OECD/FAO, (2016), "Agriculture in Sub-Saharan Africa: Prospects and challenges", *OECD-FAO Agricultural Outlook 2016-2025*.
- Oikawa, T., Tsukagawa, Y., and Soda, K., (1998), "Endo- β -glucanase secreted by a psychrotrophic yeast: Purification and characterization", *Bioscience, Biotechnology and Biochemistry*, Vol.69, No.2, pp. 1751-1756.
- Olguín, E. J., Castillo, O. S., Mendoza, A., Tapia, K., González-Portela, R. E., and Hernández-Landa, V. J., (2015), "Dual purpose system that treats anaerobic effluents from pig waste and produce *Neochloris oleoabundans* as lipid rich biomass", *New Biotechnology*, Vol.32, No.3, pp.387–395.
- Ortiz, C., Ferreira, M. L., Barbosa, O., Dos Santos, J. C. S., Rodrigues, R. C., Berenguer-Murcia, Á., ... Fernandez-Lafuente, R., (2019), "Novozym 435: The "perfect" lipase immobilized biocatalyst?", *Catalysis Science and Technology*, Vol.9, No.10, pp.2380-2420.
- Osorio-González, C. S., Hegde, K., Brar, S. K., Kermanshahpour, A., and Avalos-Ramírez, A., (2019), "Challenges in lipid production from lignocellulosic biomass using *Rhodospiridium* sp.; A look at the role of lignocellulosic inhibitors", *Biofuels, Bioproducts and Biorefining*, Vol.13, No.3, pp.740-759.
- O'Sullivan, A. C., (1997), "Cellulose: the structure slowly unravels", *Cellulose*, Vol.4, No.3, pp.173–207.
- Palmqvist, E., Grage, H., Meinander, N. Q., and Hahn-Hägerdal, B., (1999), "Main and interaction effects of acetic acid, furfural, and p- hydroxybenzoic acid on growth and ethanol productivity of yeasts", *Biotechnology and Bioengineering*, Vol.63, No.1, pp.46–55.
- Palmqvist, E., and Hahn-Hägerdal, B., (2000), "Fermentation of lignocellulosic hydrolysates. II: Inhibitors and mechanisms of inhibition", *Bioresource Technology*, Vol.74, No.1, pp.25–33.
- Pan, J. G., Kwak, M. Y., and Rhee, J. S., (1986), "High density cell culture of *Rhodotorula glutinis* using oxygen-enriched air", *Biotechnology Letters*, Vol.8, No.10, pp.715–718.
- Papanikolaou, S., and Aggelis, G., (2002), "Lipid production by *Yarrowia lipolytica* growing on industrial glycerol in a single-stage continuous culture", *Bioresource Technology*, Vol.82, No.1, pp.43–49.
- Papanikolaou, S., and Aggelis, G., (2011), "Lipids of oleaginous yeasts. Part II: Technology and potential applications", *European Journal of Lipid Science and Technology*, Vol.113, No.8, pp.1052–1073.
- Papanikolaou, S., Muniglia, L., Chevalot, I., Aggelis, G., and Marc, I., (2003), "Accumulation of a cocoa-butter-like lipid by *Yarrowia lipolytica* cultivated on agro-industrial residues", *Current Microbiology*, Vol.46, No.2, pp.124–130.
- Patel, A., Antonopoulou, I., Enman, J., Rova, U., Christakopoulos, P., and Matsakas, L., (2019), "Lipids detection and quantification in oleaginous microorganisms: an overview of the current state of the art", *BMC Chemical Engineering*, Vol.1, No.1, pp.13.
- Patel, A., Arora, N., Mehtani, J., Pruthi, V., and Pruthi, P. A., (2017), "Assessment of fuel properties on the basis of fatty acid profiles of oleaginous yeast for potential biodiesel production", *Renewable and Sustainable Energy Reviews*, Vol.77, pp.604–616.
- Patel, A., Arora, N., Pruthi, V., and Pruthi, P. A., (2017), "Biological treatment of pulp and paper industry effluent by oleaginous yeast integrated with production of biodiesel as sustainable transportation fuel", *Journal of Cleaner Production*, Vol.142, pp.2858–2864.
- Patel, A., Arora, N., Sartaj, K., Pruthi, V., and Pruthi, P. A., (2016), "Sustainable biodiesel production from oleaginous yeasts utilizing hydrolysates of various non-edible lignocellulosic biomasses", *Renewable and Sustainable Energy Reviews*, Vol.62, pp.836–855.
- Patel, A., Mikes, F., and Matsakas, L., (2018), "An overview of current pretreatment methods used to improve lipid extraction from oleaginous microorganisms", *Molecules*, Vol.23, No.7, pp.1562.
- Patel, A., Pravez, M., Deeba, F., Pruthi, V., Singh, R. P., and Pruthi, P. A., (2014), "Boosting accumulation of neutral lipids in *Rhodospiridium kratochvilovae* HIMP1 grown on hemp (*Cannabis sativa* Linn) seed aqueous extract as feedstock for biodiesel production.", *Bioresource Technology*, Vol.165, pp.214–222.
- Patel, A., Pruthi, V., Singh, R. P., and Pruthi, P.A. (2015) "Synergistic effect of fermentable and non-fermentable carbon sources enhances TAG accumulation in oleaginous yeast *Rhodospiridium kratochvilovae* HIMP1." *Bioresource Technology*, Vol.188, pp.136-144.

- Pedersen, T. A., (1961), "Lipid Formation in *Cryptococcus terricolus*. I. Nitrogen Nutrition and Lipid Formation.", *Acta Chemica Scandinavica*, Vol.15, No.3, pp.651–652.
- PIB-GOI, (2019), "Expression of Interest to be floated for procurement of Biodiesel from Used Cooking Oil across 100 cities".
- Pinzi, S., Leiva, D., López-García, I., Redel-Macías, M. D., and Dorado, M. P., (2014), "Latest trends in feedstocks for biodiesel production", *Biofuels, Bioproducts and Biorefining*, Vol.8, No.1, pp.126–143.
- Polburee, P., Yongmanitchai, W., Honda, K., Ohashi, T., Yoshida, T., Fujiyama, K., and Limtong, S., (2016), "Lipid production from biodiesel-derived crude glycerol by *Rhodospiridium fluviale* DMKU-RK253 using temperature shift with high cell density", *Biochemical Engineering Journal*, Vol.112, pp.208–218.
- Pomraning, K. R., Wei, S., Karagiosis, S. A., Kim, Y. M., Dohnalkova, A. C., Arey, B. W., ... Baker, S. E., (2015), "Comprehensive metabolomic, lipidomic and microscopic profiling of *Yarrowia lipolytica* during lipid accumulation identifies targets for increased lipogenesis", *PLoS ONE*, Vol.10, No.4, pp.e0123188.
- Poontawee, R., Yongmanitchai, W., and Limtong, S., (2018), "Lipid production from a mixture of sugarcane top hydrolysate and biodiesel-derived crude glycerol by the oleaginous red yeast, *Rhodospiridiobolus fluvialis*", *Process Biochemistry*, Vol.66, pp.150–161.
- Prazeres, A. R., Carvalho, F., and Rivas, J., (2012), "Cheese whey management: A review", *Journal of Environmental Management*, Vol.110, pp.48–68.
- Qadeer, S., Khalid, A., Mahmood, S., Anjum, M., and Ahmad, Z., (2017), "Utilizing oleaginous bacteria and fungi for cleaner energy production", *Journal of Cleaner Production*, Vol.168, pp.917–928.
- Qin, L., Liu, L., Zeng, A. P., and Wei, D., (2017), "From low-cost substrates to Single Cell Oils synthesized by oleaginous yeasts", *Bioresource Technology*, Vol.245, pp.1507–1519.
- Raimondi, S., Rossi, M., Leonardi, A., Bianchi, M. M., Rinaldi, T., and Amaretti, A., (2014), "Getting lipids from glycerol: new perspectives on biotechnological exploitation of *Candida freyschussii*.", *Microbial Cell Factories*, Vol.13, No.1, pp.83.
- Ramos, M. J., Fernández, C. M., Casas, A., Rodríguez, L., and Pérez, Á., (2009), "Influence of fatty acid composition of raw materials on biodiesel properties", *Bioresource Technology*, Vol.100, No.1, pp.261–268.
- Ratledge, C., and Wilkinson, S. G., (1988), "*Microbial lipids*", (C. Ratledge & S. G. Wilkinson, Eds.), *Ratledge, C. Wilkinson*, S.G. Academic Press.
- Ratledge, C., (1993), "Single cell oils - have they a biotechnological future?", *Trends in Biotechnology*, Vol.11, No.7, pp.278–284.
- Ratledge, C., (2004), "Fatty acid biosynthesis in microorganisms being used for Single Cell Oil production", *Biochimie*, Vol.83, No.11, pp.807–815.
- Ratledge, C., and Cohen, Z., (2008), "Microbial and algal oils: Do they have a future for biodiesel or as commodity oils?", *Lipid Technology*, Vol.20, No.7, pp.155–160.
- Ribeiro, B. D., Castro, A. M. de, Coelho, M. A. Z., and Freire, D. M. G., (2011), "Production and Use of Lipases in Bioenergy: A Review from the Feedstocks to Biodiesel Production", *Enzyme Research*, Vol.2011, pp.1–16.
- Roberto, I. C., Laci, L. S., Barbosa, M. F. S., and de Mancilha, I. M., (1991), "Utilization of sugar cane bagasse hemicellulosic hydrolysate by *Pichia stipitis* for the production of ethanol", *Process Biochemistry*, Vol.26, No.1, pp.15–21.
- Rong, Y., Zhang, L., Chi, Z., and Wang, X., (2015), "A carboxymethyl cellulase from a marine yeast (*Aureobasidium pullulans* 98): Its purification, characterization, gene cloning and carboxymethyl cellulose digestion", *Journal of Ocean University of China*, Vol.14, No.5, pp.913–921.
- Rossi, M., Buzzini, P., Cordisco, L., Amaretti, A., Sala, M., Raimondi, S., ... Matteuzzi, D., (2009), "Growth, lipid accumulation, and fatty acid composition in obligate psychrophilic, facultative psychrophilic, and mesophilic yeasts", *FEMS Microbiology Ecology*, Vol.69, No.3, pp.363–372.
- Saenge, C., Cheirsilp, B., Suksaroge, T. T., and Bourtoom, T., (2011), "Potential use of oleaginous red yeast *Rhodotorula glutinis* for the bioconversion of crude glycerol from biodiesel plant to lipids and carotenoids", *Process Biochemistry*, Vol.46, No.1, pp.210–218.
- Saenge, C., Cheirsilp, B., Suksaroge, T. T., and Bourtoom, T., (2011), "Efficient concomitant production of lipids and carotenoids by oleaginous red yeast *Rhodotorula glutinis* cultured in palm oil mill effluent and application of lipids for biodiesel production", *Biotechnology and Bioprocess Engineering*, Vol.16, No.1, pp.23–33.
- Sakai, S., Tsuchida, Y., Okino, S., Ichihashi, O., Kawaguchi, H., Watanabe, T., ... Yukawa, H., (2007), "Effect of lignocellulose-derived inhibitors on growth of and ethanol production by growth-arrested

- Corynebacterium glutamicum* R", *Applied and Environmental Microbiology*, Vol.73, No.7, pp.2349–2353.
- Santamauro, F., Whiffin, F. M., Scott, R. J., and Chuck, C. J., (2014), "Low-cost lipid production by an oleaginous yeast cultured in non-sterile conditions using model waste resources.", *Biotechnology for Biofuels*, Vol.7, No.1, pp.34.
- Sargeant, L. A., Jenkins, R. W., and Chuck, C. J., (2017), "Lipid - based Biofuels from Oleaginous Microbes", In *Biomass and Bioenergy*, pp. 227–240.
- Sarpal, A. S., Silva, P. R. M., Martins, J. L., Amaral, J. J., Monnerat, M. M., Cunha, V. S., ... De Souza, W., (2014), "Biodiesel potential of oleaginous yeast biomass by NMR spectroscopic techniques", *Energy and Fuels*, Vol.28, No.6, pp.3766–3777.
- Satoh, K., Maeda, M., Umeda, Y., Sugamata, M., and Makimura, K., (2013), "Cryptococcus lacticolor sp. nov. and Rhodotorula oligophaga sp. nov., novel yeasts isolated from the nasal smear microbiota of Queensland koalas kept in Japanese zoological parks", *Antonie van Leeuwenhoek*, Vol.104, No.1, pp.83–93.
- Schilter, D., (2019), "Palms make way for oleaginous yeast", *Nature Reviews Chemistry*, Vol.3, No.8, pp.41570.
- Selvakumar, P., and Sivashanmugam, P., (2017), "Thermo-chemo-sonic pre-digestion of waste activated sludge for yeast cultivation to extract lipids for biodiesel production", *Journal of Environmental Management*, Vol.198, pp.90–98.
- Selvakumar, P., and Sivashanmugam, P., (2018), "Study on Lipid Accumulation in Novel Oleaginous Yeast *Naganishia liquefaciens* NITTS2 Utilizing Pre-digested Municipal Waste Activated Sludge: a Low-cost Feedstock for Biodiesel Production", *Applied Biochemistry and Biotechnology*, Vol.186, No.3, pp.731–749.
- Seo, Y. hwan, Lee, I. G., and Han, J. I., (2013), "Cultivation and lipid production of yeast *Cryptococcus curvatus* using pretreated waste active sludge supernatant", *Bioresource Technology*, Vol.135, pp.304–308.
- Seo, Y. H., Lee, I., Jeon, S. H., and Han, J. I., (2014), "Efficient conversion from cheese whey to lipid using *Cryptococcus curvatus*", *Biochemical Engineering Journal*, Vol.90, pp.149–153.
- Shen, H., Gong, Z., Yang, X., Jin, G., Bai, F., and Zhao, Z. K., (2013), "Kinetics of continuous cultivation of the oleaginous yeast *Rhodospiridium toruloides*", *Journal of Biotechnology*, Vol.168, No.1, pp.85–89.
- Shields-Menard, S. A., Amirsadeghi, M., French, W. T., and Boopathy, R., (2018), "A review on microbial lipids as a potential biofuel", *Bioresource Technology*, Vol.259, pp.451–460.
- Shields-Menard, S. A., Amirsadeghi, M., Sukhbaatar, B., Revellame, E., Hernandez, R., Donaldson, J. R., & French, W. T. (2015). "Lipid accumulation by *Rhodococcus rhodochrous* grown on glucose." *Journal of Industrial Microbiology and Biotechnology*, Vol.42, No.5, pp. 693–699.
- Sitepu, I. R., Ignatia, L., Franz, A. K., Wong, D. M., Faulina, S. A., Tsui, M., ... Boundy-Mills, K., (2012), "An improved high-throughput Nile red fluorescence assay for estimating intracellular lipids in a variety of yeast species", *Journal of Microbiological Methods*, Vol.91, No.2, pp.321–328.
- Sitepu, I. R., Garay, L. A., Sestric, R., Levin, D., Block, D. E., German, J. B., and Boundy-Mills, K. L., (2014), "Oleaginous yeasts for biodiesel: Current and future trends in biology and production", *Biotechnology Advances*, Vol.32, No.7, pp.1336–1360.
- Sitepu, I. R., Sestric, R., Ignatia, L., Levin, D., German, J. B., Gillies, L. A., ... Boundy-Mills, K. L., (2013), "Manipulation of culture conditions alters lipid content and fatty acid profiles of a wide variety of known and new oleaginous yeast species.", *Bioresource Technology*, Vol.144, pp.360–369.
- Sitepu, I., Selby, T., Lin, T., Zhu, S., and Boundy-Mills, K., (2014), "Carbon source utilization and inhibitor tolerance of 45 oleaginous yeast species", *Journal of Industrial Microbiology and Biotechnology*, Vol.41, No.7, pp.1061–1070.
- Spier, F., Buffon, J. G., and Burkert, C. A. V., (2015), "Bioconversion of Raw Glycerol Generated from the Synthesis of Biodiesel by Different Oleaginous Yeasts: Lipid Content and Fatty Acid Profile of Biomass", *Indian Journal of Microbiology*, Vol.55, No.4, pp.415–422.
- Srimhan, P., Kongnum, K., Taweerodjanakarn, S., and Hongpattarakere, T., (2011), "Selection of lipase producing yeasts for methanol-tolerant biocatalyst as whole cell application for palm-oil transesterification", *Enzyme and Microbial Technology*, Vol.48, No.3, pp.293–298.
- Sriwongchai, S., Pokethitiyook, P., Pugkaew, W., Kruatrachue, M., and Lee, H., (2012), "Optimization of lipid production in the oleaginous bacterium *Rhodococcus erythropolis* growing on glycerol as the sole carbon source", *African Journal of Biotechnology*, Vol.11, No.79, pp.14440–14447.

- Steen, E. J., Kang, Y., Bokinsky, G., Hu, Z., Schirmer, A., McClure, A., ... Keasling, J. D., (2010), "Microbial production of fatty-acid-derived fuels and chemicals from plant biomass.", *Nature*, Vol.463, No.7280, pp.559–62.
- Strauss, M. L. A., Jolly, N. P., Lambrechts, M. G., and Rensburg, P. Van, (2001), "Screening for the production of extracellular hydrolytic enzymes by non- *Saccharomyces* wine yeasts", *Journal of Applied Microbiology*, Vol.91, pp.182–190.
- Štursová, M., Žifčáková, L., Leigh, M. B., Burgess, R., and Baldrian, P., (2012), "Cellulose utilization in forest litter and soil: Identification of bacterial and fungal decomposers", *FEMS Microbiology Ecology*, Vol.80, No.3, pp.735–746.
- Sztajer, H., Maliszewska, I., and Wieczorek, J., (1988), "Production of exogenous lipases by bacteria, fungi, and actinomycetes", *Enzyme and Microbial Technology*, Vol.10, No.8, pp.492–497.
- Taherzadeh, M. J., Gustafsson, L., Niklasson, C., and Lidén, G., (2000), "Physiological effects of 5-hydroxymethylfurfural on *Saccharomyces cerevisiae*", *Applied Microbiology and Biotechnology*, Vol.53, No.6, pp.701–708.
- Tamura, K., Stecher, G., Peterson, D., Filipowski, A., and Kumar, S., (2013), "MEGA6: Molecular evolutionary genetics analysis version 6.0", *Molecular Biology and Evolution*, Vol.30, No.12, pp.2725–2729.
- Tandon, P., and Jin, Q., (2017), "Microalgae culture enhancement through key microbial approaches", *Renewable and Sustainable Energy Reviews*, Vol.80, pp.1089–1099.
- Tang, M., Zhou, W., Liu, Y., Yan, J., and Gong, Z., (2018), "A two-stage process facilitating microbial lipid production from N-acetylglucosamine by *Cryptococcus curvatus* cultured under non-sterile conditions", *Bioresource Technology*, Vol.258, pp.255–262.
- Tanimura, A., Takashima, M., Sugita, T., Endoh, R., Kikukawa, M., Yamaguchi, S., ... Shima, J., (2014), "*Cryptococcus terricola* is a promising oleaginous yeast for biodiesel production from starch through consolidated bioprocessing.", *Scientific Reports*, Vol.4, pp.4776.
- Tariq, M., Ali, S., Ahmad, F., Ahmad, M., Zafar, M., Khalid, N., and Khan, M. A., (2011), "Identification, FT-IR, NMR (1H and 13C) and GC/MS studies of fatty acid methyl esters in biodiesel from rocket seed oil", *Fuel Processing Technology*, Vol.92, No.3, pp.336–341.
- Taskin, M., Ortucu, S., Aydogan, M. N., and Arslan, N. P., (2016), "Lipid production from sugar beet molasses under non-aseptic culture conditions using the oleaginous yeast *Rhodotorula glutinis* TR29", *Renewable Energy*, Vol.99, pp.198–204.
- Taskin, M., Saghafian, A., Aydogan, M. N., and Arslan, N. P., (2015), "Microbial lipid production by cold-adapted oleaginous yeast *Yarrowia lipolytica* B9 in non-sterile whey medium", *Biofuels, Bioproducts and Biorefining*, Vol.9, No.5, pp.595–605.
- Teather, R. M., and Wood, P. J., (1982), "Use of Congo red-polysaccharide interactions in enumeration and characterization of cellulolytic bacteria from the bovine rumen", *Applied and Environmental Microbiology*, Vol.43, No.4, pp.777–780.
- The European Parliament and the Council of the European Union, (2009), "Renewable Energy Directive 2009/28/EC", *Official Journal of the European Union*, Vol.52, pp.140.
- Thevenieau, F., Albertin, K., Agro-industrielle, C. D. B., Technolgy, M., and Africa, S., (2010), "Handbook of Hydrocarbon and Lipid Microbiology", *Handbook of Hydrocarbon and Lipid Microbiology*, Vol. 1514, pp. 1527.
- Tiukova, I. A., Prigent, S., Nielsen, J., Sandgren, M., and Kerkhoven, E. J., (2019), "Genome-scale model of *Rhodotorula toruloides* metabolism", *Biotechnology and Bioengineering*, Vol.116, No.12, pp.3396–3408.
- Tsigie, Y. A., Wang, C. Y., Truong, C. T., and Ju, Y. H., (2011), "Lipid production from *Yarrowia lipolytica* Po1g grown in sugarcane bagasse hydrolysate", *Bioresource Technology*, Vol.102, No.19, pp.9216–9222.
- U.S. Congress, (2007), "Energy independence and security act", *Public Law*, Vol.110–140, pp.1492–1801.
- U.S. Energy Information Administration, (2012), "Annual Energy Review. Energy Consumption by Sector".
- Upreti, B. K., Venkatesagowda, B., and Rakshit, S. K., (2017), "Current Prospects on Production of Microbial Lipid and Other Value-Added Products Using Crude Glycerol Obtained from Biodiesel Industries", *Bioenergy Research*, Vol.10, No.4, pp.1117–1137.
- Van Soest, P. J., (1982), "Nutritional ecology of the ruminants", *Cornell University Press*, Vol.2, pp.11–45.
- Vasconcelos, B., Teixeira, J. C., Dragone, G., and Teixeira, J. A., (2019), "Oleaginous yeasts for sustainable lipid production—from biodiesel to surf boards, a wide range of “green” applications", *Applied Microbiology and Biotechnology*, Vol.103, pp.3651–3667.
- Viñarta, S. C., Angelicola, M. V., Barros, J. M., Fernández, P. M., Aybar, M. J., and de Figueroa, L. I. C., (2016), "Oleaginous yeasts from Antarctica: Screening and preliminary approach on lipid accumulation", *Journal of Basic Microbiology*, Vol.56, No.12, pp.1360–1368.

- Vorderwulbecke, T., Kieslich, K., and Erdmann, H., (1992), "Comparison of lipases by different assays", *Enzyme and Microbial Technology*, Vol.14, No.8, pp.631–639.
- Wang, B., Rezenom, Y. H., Cho, K. C., Tran, J. L., Lee, D. G., Russell, D. H., ... Chu, K. H., (2014), "Cultivation of lipid-producing bacteria with lignocellulosic biomass: Effects of inhibitory compounds of lignocellulosic hydrolysates", *Bioresource Technology*, Vol.161, pp.162–170.
- Wang, J., Gao, Q., Zhang, H., and Bao, J., (2016), "Inhibitor degradation and lipid accumulation potentials of oleaginous yeast *Trichosporon cutaneum* using lignocellulose feedstock", *Bioresource Technology*, Vol.218, pp.892–901.
- Wang, J., Hu, M., Zhang, H., and Bao, J., (2017), "Converting Chemical Oxygen Demand (COD) of Cellulosic Ethanol Fermentation Wastewater into Microbial Lipid by Oleaginous Yeast *Trichosporon cutaneum*", *Applied Biochemistry and Biotechnology*, Vol.182, No.3, pp.1121–1130.
- Wang, Q., Cui, Y., Sen, B., Ma, W., Zheng, R. L., Liu, X., and Wang, G., (2017), "Characterization and robust nature of newly isolated oleaginous marine yeast *Rhodospiridium* spp. from coastal water of Northern China", *AMB Express*, Vol.7, No.1, pp.30.
- Wei, Y., Siewers, V., and Nielsen, J., (2017), "Cocoa butter-like lipid production ability of non-oleaginous and oleaginous yeasts under nitrogen-limited culture conditions", *Applied Microbiology and Biotechnology*, Vol.101, No.9, pp.3577–3585.
- Wu, S., Zhao, X., Shen, H., Wang, Q., and Zhao, Z. K., (2011), "Microbial lipid production by *Rhodospiridium toruloides* under sulfate-limited conditions", *Bioresource Technology*, Vol.102, No.2, pp.1803–1807.
- Xavier, M. C. A., Coradini, A. L. V., Deckmann, A. C., and Franco, T. T., (2017), "Lipid production from hemicellulose hydrolysate and acetic acid by *Lipomyces starkeyi* and the ability of yeast to metabolize inhibitors", *Biochemical Engineering Journal*, Vol.118, pp.11–19.
- Xiong, L., Huang, C., Li, X. M., Chen, X. F., Wang, B., Wang, C., ... Chen, X. De, (2015), "Acetone-Butanol-Ethanol (ABE) Fermentation Wastewater Treatment by Oleaginous Yeast *Trichosporon cutaneum*", *Applied Biochemistry and Biotechnology*, Vol.176, No.2, pp.563–571.
- Xu, J., Du, W., Zhao, X., and Liu, D., (2016), "Renewable microbial lipid production from Oleaginous Yeast: some surfactants greatly improved lipid production of *Rhodospiridium toruloides*", *World Journal of Microbiology and Biotechnology*, Vol.32, No.7, pp.107.
- Xu, J., Zhao, X., Du, W., and Liu, D., (2017), "Bioconversion of glycerol into lipids by *Rhodospiridium toruloides* in a two-stage process and characterization of lipid properties", *Engineering in Life Sciences*, Vol.17, No.3, pp.303–313.
- Xue, S. J., Chi, Z., Zhang, Y., Li, Y. F., Liu, G. L., Jiang, H., ... Chi, Z. M., (2018), "Fatty acids from oleaginous yeasts and yeast-like fungi and their potential applications", *Critical Reviews in Biotechnology*, Vol.38, No.7, pp.1049–1060.
- Yamada, R., Yamauchi, A., Kashiwara, T., and Ogino, H., (2017), "Evaluation of lipid production from xylose and glucose/xylose mixed sugar in various oleaginous yeasts and improvement of lipid production by UV mutagenesis", *Biochemical Engineering Journal*, Vol.128, pp.76–82.
- Yang, X., Jin, G., Gong, Z., Shen, H., Bai, F., and Zhao, Z. K., (2014), "Recycling biodiesel-derived glycerol by the oleaginous yeast *Rhodospiridium toruloides* Y4 through the two-stage lipid production process", *Biochemical Engineering Journal*, Vol.91, pp.86–91.
- Yen, H. W., and Zhang, Z., (2011), "Effects of dissolved oxygen level on cell growth and total lipid accumulation in the cultivation of *Rhodotorula glutinis*", *Journal of Bioscience and Bioengineering*, Vol.112, No.1, pp.71–74.
- Yu, X., Zeng, J., Zheng, Y., and Chen, S., (2014), "Effect of lignocellulose degradation products on microbial biomass and lipid production by the oleaginous yeast *Cryptococcus curvatus*", *Process Biochemistry*, Vol.49, No.3, pp.457–465.
- Yu, X., Zheng, Y., Dorgan, K. M., and Chen, S., (2011), "Oil production by oleaginous yeasts using the hydrolysate from pretreatment of wheat straw with dilute sulfuric acid.", *Bioresource Technology*, Vol.102, No.10, pp.6134–40.
- Yurkov, A. M., Kachalkin, A. V., Daniel, H. M., Groenewald, M., Libkind, D., de Garcia, V., ... Begerow, D., (2015), "Two yeast species *Cystobasidium psychroaquaticum* f.a. sp. nov. and *Cystobasidium riethchii* f.a. sp. nov. isolated from natural environments, and the transfer of *Rhodotorula minuta* clade members to the genus *Cystobasidium*", *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, Vol.107, No.1, pp.173–185.
- Yusuf, N. N. A. N., Kamarudin, S. K., and Yaakub, Z., (2011), "Overview on the current trends in biodiesel production", *Energy Conversion and Management*, Vol.52, No.7, pp.2741–2751.

- Zha, Y., Muilwijk, B., and Coulier, L., (2012), "Inhibitory Compounds in Lignocellulosic Biomass Hydrolysates during Hydrolysate Fermentation Processes", *Journal of Bioprocessing & Biotechniques*, Vol.2, No.1, pp.1000112.
- Zhan, J., Zhang, Q., Qin, M., and Hong, Y., (2016), "Selection and characterization of eight freshwater green algae strains for synchronous water purification and lipid production", *Frontiers of Environmental Science and Engineering*, Vol.10, No.3, pp.548–558.
- Zhang, J., Fang, X., Zhu, X. L., Li, Y., Xu, H. P., Zhao, B. F., ... Zhang, X. D., (2011), "Microbial lipid production by the oleaginous yeast *Cryptococcus curvatus* O3 grown in fed-batch culture", *Biomass and Bioenergy*, Vol.35, No.5, pp.1906–1911.
- Zhang, Q., Li, Y., and Xia, L., (2014), "An oleaginous endophyte *Bacillus subtilis* HB1310 isolated from thin-shelled walnut and its utilization of cotton stalk hydrolysate for lipid production", *Biotechnology for Biofuels*, Vol.7, No.1, pp.152.
- Zhao, X., Peng, F., Du, W., Liu, C., and Liu, D., (2012), "Effects of some inhibitors on the growth and lipid accumulation of oleaginous yeast *Rhodospiridium toruloides* and preparation of biodiesel by enzymatic transesterification of the lipid.", *Bioprocess and Biosystems Engineering*, Vol.35, No.6, pp.993–1004.
- Zhu, L. Y., Zong, M. H., and Wu, H., (2008), "Efficient lipid production with *Trichosporon fermentans* and its use for biodiesel preparation", *Bioresource Technology*, Vol.99, No.16, pp.7881–7885.
- Zhu, Z., Zhang, S., Liu, H., Shen, H., Lin, X., Yang, F., ... Zhao, Z. K., (2012), "A multi-omic map of the lipid-producing yeast *Rhodospiridium toruloides*.", *Nature Communications*, Vol.3, pp.1112.