

## References

- Aadithya, K. V., Demir, A., Venugopalan, S., and Roychowdhury, J., (2013), "Accurate Prediction of Random Telegraph Noise Effects in SRAMs and DRAMs", *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, Vol. 32, pp. 73-86, 2013.
- Akbari, M., Kim, M.-K., Kim, D., and Lee, J.-S., (2017), "Reproducible and reliable resistive switching behaviors of  $\text{AlO}_x/\text{HfO}_x$  bilayer structures with Al electrode by atomic layer deposition", *RSC Advances*, Vol. 7, pp. 16704-16708, 2017.
- Åkerman, J., (2005), "Toward a Universal Memory", *Applied Physics*, Vol. 308, pp. 508-510, 2005.
- Albadri, A. M., (2014), "Characterization of  $\text{Al}_2\text{O}_3$  surface passivation of silicon solar cells", *Thin Solid Films*, Vol. 562, pp. 451-455, 2014.
- Ali, S., Bae, J., Lee, C. H., Choi, K. H., and Doh, Y. H., (2015), "All-printed and highly stable organic resistive switching device based on graphene quantum dots and polyvinylpyrrolidone composite", *Organic Electronics*, Vol. 25, pp. 225-231, 2015.
- Anbusagar, N. R. R., Palanikumar, K., and Ponshanmugakumar, A., (2018), "2 - Preparation and properties of nanopolymer advanced composites: A review", *Polymer-based Nanocomposites for Energy and Environmental Applications*, Edited by M. Jawaid and M. M. Khan, Woodhead Publishing, pp. 27-73, 2018.
- B.Schilling, M. A. L. a. R., (1970), "Current Injection in Solids: The Regional Approximation Method", *Injection Phenomena*, Edited by R. K. W. a. A. C. Beer, Vol. 6, Academic Press, New York, NY, USA, 1970., pp. 1-96, 1970.
- Banerjee, W., (2020), "Challenges and Applications of Emerging Nonvolatile Memory Devices", *MDPI Electronics*, Vol. 9, pp. 1029, 2020.
- Becerril, H. A., Mao, J., Liu, Z., Stoltenberg, R. M., Bao, Z., and Chen, Y., (2008), "Evaluation of Solution-Processed Reduced Graphene Oxide Films as Transparent Conductors", *ACS Nano*, Vol. 2, pp. 463-470, 2008.
- Beck, A., Bednorz, J. G., Gerber, C., Rossel, C., and Widmer, D., (2000), "Reproducible switching effect in thin oxide films for memory applications", *Applied Physics Letters*, Vol. 77, pp. 139-141, 2000.
- Berthomieu, C., and Hienerwadel, R., (2009), "Fourier transform infrared (FTIR) spectroscopy", *Photosynthesis Research*, Vol. 101, pp. 157-170, 2009.
- Bharti, D., Raghuwanshi, V., Varun, I., Mahato, A. K., and Tiwari, S. P., (2016), "High Performance and Electro-Mechanical Stability in Small Molecule: Polymer Blend Flexible Organic Field-Effect Transistors", *IEEE Electron Device Letters*, Vol. 37, pp. 1215-1218, 2016.
- Bharti, D., Raghuwanshi, V., Varun, I., Mahato, A. K., and Tiwari, S. P., (2017), "Effect of UV irradiation on solution processed low voltage flexible organic field-effect transistors", *Superlattices and Microstructures*, Vol., 2017.
- Bharti, D., and Tiwari, S. P., (2015), "Improved properties of MIM capacitors using ALD  $\text{Al}_2\text{O}_3$  by multi-temperature technique In "2015 IEEE 15th International Conference on Nanotechnology (IEEE-NANO)", pp. 1015-1018.
- Bhati, V. S., Ranwa, S., Rajamani, S., Kumari, K., Raliya, R., Biswas, P., and Kumar, M., (2018), "Improved Sensitivity with Low Limit of Detection of a Hydrogen Gas Sensor Based on rGO-Loaded Ni-Doped ZnO Nanostructures", *ACS Applied Materials & Interfaces*, Vol. 10, pp. 11116-11124, 2018.
- Bhattacharjee, S., Das, U., Sarkar, P. K., and Roy, A., (2018), "Stable charge retention in graphene-MoS<sub>2</sub> assemblies for resistive switching effect in ultra-thin super-flexible organic memory devices", *Organic Electronics*, Vol. 58, pp. 145-152, 2018.
- Binnig, G., Quate, C. F., and Gerber, C., (1986), "Atomic Force Microscope", *Physical Review Letters*, Vol. 56, pp. 930-933, 1986.
- Birnie, D. P., (2004), "Spin Coating Technique", *Sol-Gel Technologies for Glass Producers and Users*, Edited by M. M. M.A. Aegerter, Springer, pp. 49-55, 2004.

Bocquet, M., Aziza, H., Zhao, W., Zhang, Y., Onkaraiyah, S., Muller, C., Reyboz, M., Deleruyelle, D., Clermidy, F., and Portal, J.-M., (2014), "Compact Modeling Solutions for Oxide-Based Resistive Switching Memories (OxRAM)", *Journal of Low Power Electronics and Applications*, Vol. 4, pp. 1-14, 2014.

Bohr, M. T., and Young, I. A., (2017), "CMOS Scaling Trends and Beyond", *IEEE Micro*, Vol. 37, pp. 20-29, 2017.

Bousoulas, P., Stathopoulos, S., Tsioloukis, D., and Tsoukalas, D., (2016), "Low-Power and Highly Uniform 3-b Multilevel Switching in Forming Free TiO<sub>2-x</sub>-Based RRAM with Embedded Pt Nanocrystals", *IEEE Electron Device Letters*, Vol. 37, pp. 874-877, 2016.

Browne, W. R., and McGarvey, J. J., (2007), "The Raman effect and its application to electronic spectroscopies in metal-centered species: Techniques and investigations in ground and excited states", *Coordination Chemistry Reviews*, Vol. 251, pp. 454-473, 2007.

Burr, G. W., Kurdi, B. N., Scott, J. C., Lam, C. H., Gopalakrishnan, K., and Shenoy, R. S., (2008), "Overview of candidate device technologies for storage-class memory", *IBM Journal of Research and Development*, Vol. 52, pp. 449-464, 2008.

Cai, Y., Tan, J., YeFan, L., Lin, M., and Huang, R., (2016), "A flexible organic resistance memory device for wearable biomedical applications", *Nanotechnology*, Vol. 27, pp. 275206, 2016.

Chand, U., Huang, K.-C., Huang, C.-Y., Ho, C.-H., Lin, C.-H., and Tseng, T.-Y., (2015), "Investigation of thermal stability and reliability of HfO<sub>2</sub> based resistive random access memory devices with cross-bar structure", *Journal of Applied Physics*, Vol. 117, pp. 184105, 2015.

Chen, A., (2016), "A review of emerging non-volatile memory (NVM) technologies and applications", *Solid-State Electronics*, Vol. 125, pp. 25-38, 2016.

Chen, P.-H., Chang, T.-C., Chang, K.-C., Tsai, T.-M., Pan, C.-H., Chen, M.-C., Su, Y.-T., Lin, C.-Y., Tseng, Y.-T., Huang, H.-C., Wu, H., Deng, N., Qian, H., and Sze, S. M., (2017), "Resistance Switching Characteristics Induced by O<sub>2</sub> Plasma Treatment of an Indium Tin Oxide Film for Use as an Insulator in Resistive Random Access Memory", *ACS Applied Materials & Interfaces*, Vol. 9, pp. 3149-3155, 2017.

Chen, Y., (2020), "ReRAM: History, Status, and Future", *IEEE Transactions on Electron Devices*, Vol. 67, pp. 1420-1433, 2020.

Chen, Z., Huang, W., Zhao, W., Hou, C., Ma, C., Liu, C., Sun, H., Yin, Y., and Li, X., (2019), "Ultrafast Multilevel Switching in Au/YIG/n-Si RRAM", *Advanced Electronic Materials*, Vol. 5, pp. 1800418, 2019.

Chiu, C.-H., Huang, C.-W., Hsieh, Y.-H., Chen, J.-Y., Chang, C.-F., Chu, Y.-H., and Wu, W.-W., (2017), "In-situ TEM observation of Multilevel Storage Behavior in low power FeRAM device", *Nano Energy*, Vol. 34, pp. 103-110, 2017.

Chiu, F.-C., Mondal, S., and Pan, T.-M., (2012), "Structural and Electrical Characteristics of Alternative High-k Dielectrics for CMOS Applications", *High-k Gate Dielectrics for CMOS Technology*, Edited, Wiley-VCH Verlag GmbH & Co. KGaA, pp. 111-184, 2012.

Cho, B., Song, S., Ji, Y., Kim, T.-W., and Lee, T., (2011), "Organic Resistive Memory Devices: Performance Enhancement, Integration, and Advanced Architectures", *Advanced Functional Materials*, Vol. 21, pp. 2806-2829, 2011.

Cremers, V., Puurunen, R., and Dendooven, J., (2019), "Conformality in atomic layer deposition: Current status overview of analysis and modelling", *Applied Physics Reviews*, Vol. 6, pp. 021302, 2019.

Daniel Rugar, P. H., (1990), "Atomic force microscopy", *Physics Today*, Vol. 43, pp. 23-30, 1990.

Daniele, I., (2016), "Resistive switching memories based on metal oxides: mechanisms, reliability and scaling", *Semiconductor Science and Technology*, Vol. 31, pp. 063002, 2016.

Deswal, S., Kumar, A., and Kumar, A., (2018), "Investigating Unipolar Switching in Niobium Oxide Resistive Switches: Correlating Quantized Conductance and Mechanism", *AIP Advances*, Vol. 8, pp. 085014, 2018.

Dingemans, G., van de Sanden, M. C. M., and Kessels, W. M. M., (2010), "Influence of the Deposition Temperature on the c-Si Surface Passivation by Al<sub>2</sub>O<sub>3</sub> Films Synthesized by ALD and PECVD", *Electrochemical and Solid-State Letters*, Vol. 13, pp. H76-H79, 2010.

- Duan, W., Tang, Y., Liang, X., Rao, C., Chu, J., Wang, G., and Pei, Y., (2018), "Solution processed flexible resistive switching memory based on Al-In-O self-mixing layer", *Journal of Applied Physics*, Vol. 124, pp. 104501, 2018.
- Egerton, R. F., (2005), "The Scanning Electron Microscope", *Physical Principles of Electron Microscopy: An Introduction to TEM, SEM, and AEM*, Edited, Springer US, pp. 125-153, 2005.
- Fantini, A., Wouters, D. J., Degraeve, R., Goux, L., Pantisano, L., Kar, G., Chen, Y., Govoreanu, B., Kittl, J. A., Altimime, L., and Jurczak, M., (2012), "Intrinsic Switching Behavior in HfO<sub>2</sub> RRAM by Fast Electrical Measurements on Novel 2R Test Structures In "2012 4th IEEE International Memory Workshop", pp. 1-4.
- Fong, S. W., Neumann, C. M., and Wong, H. P., (2017), "Phase-Change Memory – Towards a Storage-Class Memory", *IEEE Transactions on Electron Devices*, Vol. 64, pp. 4374-4385, 2017.
- Gallagher, W. J., and Parkin, S. S. P., (2006), "Development of the magnetic tunnel junction MRAM at IBM: From first junctions to a 16-Mb MRAM demonstrator chip", *IBM Journal of Research and Development*, Vol. 50, pp. 5-23, 2006.
- Gao, S., Zeng, F., Li, F., Wang, M., Mao, H., Wang, G., Song, C., and Pan, F., (2015), "Forming-free and self-rectifying resistive switching of the simple Pt/TaO<sub>x</sub>/n-Si structure for access device-free high-density memory application", *Nanoscale*, Vol. 7, pp. 6031-6038, 2015.
- Ge, J., and Chaker, M., (2017), "Oxygen Vacancies Control Transition of Resistive Switching Mode in Single-Crystal TiO<sub>2</sub> Memory Device", *ACS Applied Materials & Interfaces*, Vol. 9, pp. 16327-16334, 2017.
- George, S. M., (2010), "Atomic Layer Deposition: An Overview", *Chemical Reviews*, Vol. 110, pp. 111-131, 2010.
- Giovanni Campardo, R. M., David Novosel, (2005), *VLSI-Design of Non-Volatile Memories*, 1 Ed., Springer,
- Govoreanu, B., Kar, G. S., Chen, Y., Paraschiv, V., Kubicek, S., Fantini, A., Radu, I. P., Goux, L., Clima, S., Degraeve, R., Jossart, N., Richard, O., Vandeweyer, T., Seo, K., Hendrickx, P., Pourtois, G., Bender, H., Altimime, L., Wouters, D. J., Kittl, J. A., and Jurczak, M., (2011), "10×10nm<sup>2</sup> Hf/HfO<sub>x</sub> crossbar resistive RAM with excellent performance, reliability and low-energy operation In "2011 International Electron Devices Meeting", pp. 31.6.1-31.6.4.
- Gritsenko, V. A., Nasyrov, K. A., Novikov, Y. N., Aseev, A. L., Yoon, S. Y., Lee, J.-W., Lee, E. H., and Kim, C. W., (2003), "A new low voltage fast SONOS memory with high-k dielectric", *Solid-State Electronics*, Vol. 47, pp. 1651-1656, 2003.
- Grossi, A., Nowak, E., Zambelli, C., Pellissier, C., Bernasconi, S., Cibrario, G., Hajjam, K. E., Crochemore, R., Nodin, J. F., Olivo, P., and Perniola, L., (2016), "Fundamental variability limits of filament-based RRAM In "2016 IEEE International Electron Devices Meeting (IEDM)", pp. 471-474.
- Hall, D. B., Underhill, P., and Torkelson, J. M., (1998), "Spin coating of thin and ultrathin polymer films", *Polymer Engineering and Science*, Vol. 38, pp. 2039-2045, 1998.
- Han, S.-T., Zhou, Y., Chen, B., Wang, C., Zhou, L., Yan, Y., Zhuang, J., Sun, Q., Zhang, H., and Roy, V. A. L., (2016), "Hybrid Flexible Resistive Random Access Memory-Gated Transistor for Novel Nonvolatile Data Storage", Vol. 12, pp. 390-396, 2016.
- Haugstad, G., (2012), "Overview of AFM", *ATOMIC FORCE MICROSCOPY: Understanding Basic Modes and Advanced Applications*, Edited, John Wiley & Sons, pp. 1-32, 2012.
- Hazra, P., Resmi, A. N., and Jinesh, K. B., (2016), "Gate controllable resistive random access memory devices using reduced graphene oxide", *Applied Physics Letters*, Vol. 108, pp. 153503, 2016.
- Hiatt, W. R., and Hickmott, T. W., (1965), "Bistable switching in niobium oxide diodes", *Applied Physics Letters*, Vol. 6, pp. 106-108, 1965.
- Hickmott, T. W., (1962), "Low-Frequency Negative Resistance in Thin Anodic Oxide Films", *Journal of Applied Physics*, Vol. 33, pp. 2669-2682, 1962.
- Hirose, Y., and Hirose, H., (1976), "Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As<sub>2</sub>S<sub>3</sub> films", *Journal of Applied Physics*, Vol. 47, pp. 2767-2772, 1976.

Hmar, J. J. L., (2018), "Flexible resistive switching bistable memory devices using ZnO nanoparticles embedded in polyvinyl alcohol (PVA) matrix and poly(3,4-ethylenedioxythiophene) polystyrene sulfonate (PEDOT:PSS)", *RSC Advances*, Vol. 8, pp. 20423-20433, 2018.

Hokazono, A., Ohuchi, K., Miyano, K., Mizushima, I., Tsunashima, Y., and Toyoshima, Y., (2000), "Source/drain engineering for sub-100 nm CMOS using selective epitaxial growth technique *In* "International Electron Devices Meeting 2000. Technical Digest. IEDM", pp. 243-246.

Hosomi, M., Yamagishi, H., Yamamoto, T., Bessho, K., Higo, Y., Yamane, K., Yamada, H., Shoji, M., Hachino, H., Fukumoto, C., Nagao, H., and Kano, H., (2005), "A novel nonvolatile memory with spin torque transfer magnetization switching: spin-ram *In* "IEEE International Electron Devices Meeting, 2005. IEDM Technical Digest.", pp. 459-462.

Hsu, C., Wang, I., Lo, C., Chiang, M., Jang, W., Lin, C., and Hou, T., (2013), "Self-rectifying bipolar TaO<sub>x</sub>/TiO<sub>2</sub> RRAM with superior endurance over 10<sup>12</sup> cycles for 3D high-density storage-class memory *In* "2013 Symposium on VLSI Technology", pp. T166-T167.

Hu, Y., Zhang, S., Miao, X., Su, L., Bai, F., Qiu, T., Liu, J., and Yuan, G., (2017), "Ultrathin Cs<sub>3</sub>Bi<sub>2</sub>I<sub>9</sub> Nanosheets as an Electronic Memory Material for Flexible Memristors", *Advanced Materials Interfaces* Vol. 4, pp. 1700131, 2017.

Hua, Q., Wu, H., Gao, B., Zhang, Q., Wu, W., Li, Y., Wang, X., Hu, W., and Qian, H., (2019), "Low-Voltage Oscillatory Neurons for Memristor-Based Neuromorphic Systems", *Global Challenges*, Vol. 3, pp. 1900015, 2019.

Hubert, A., Nowak, E., Tachi, K., Maffini-Alvaro, V., Vizioz, C., Arvet, C., Colonna, J., Hartmann, J., Loup, V., Baud, L., Pauliac, S., Delaye, V., Carabasse, C., Molas, G., Ghibaudo, G., Salvo, B. D., Faynot, O., and Ernst, T., (2009), "A stacked SONOS technology, up to 4 levels and 6nm crystalline nanowires, with Gate-All-Around or independent gates ( $\phi$ -Flash), suitable for full 3D integration *In* "2009 IEEE International Electron Devices Meeting (IEDM)", pp. 1-4.

Hui, F., Grustan-Gutierrez, E., Long, S., Liu, Q., Ott, A. K., Ferrari, A. C., and Lanza, M., (2017), "Graphene and Related Materials for Resistive Random Access Memories", *Advanced Electronic Materials*, Vol. 3, pp. 1600195, 2017.

Hummers, W. S., and Offeman, R. E., (1958), "Preparation of Graphitic Oxide", *Journal of the American Chemical Society*, Vol. 80, pp. 1339-1339, 1958.

Hwang, B., and Lee, J.-S., (2017), "Hybrid Organic-Inorganic Perovskite Memory with Long-Term Stability in Air", *Scientific Reports*, Vol. 7, pp. 673, 2017.

Ielmini, D., (2016), "Resistive switching memories based on metal oxides: mechanisms, reliability and scaling", *Semiconductor Science and Technology*, Vol. 31, pp. 063002, 2016.

Ielmini, D., and Wong, H. S. P., (2018), "In-memory computing with resistive switching devices", *Nature Electronics*, Vol. 1, pp. 333-343, 2018.

Ikegawa, S., Mancoff, F. B., Janesky, J., and Aggarwal, S., (2020), "Magnetoresistive Random Access Memory: Present and Future", *IEEE Transactions on Electron Devices*, Vol. 67, pp. 1407-1419, 2020.

Jae-Won, L., and Won-Ju, C., (2017), "Fabrication of resistive switching memory based on solution processed PMMA-HfO<sub>x</sub> blended thin films", *Semiconductor Science and Technology*, Vol. 32, pp. 025009, 2017.

Jana, D., Samanta, S., Maikap, S., and Cheng, H. M., (2016), "Evolution of complementary resistive switching characteristics using IrO<sub>x</sub>/GdO<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub>/TiN structure", *Applied Physics Letters*, Vol. 108, 2016.

Jang, B. C., Seong, H., Kim, S. K., Kim, J. Y., Koo, B. J., Choi, J., Yang, S. Y., Im, S. G., and Choi, S.-Y., (2016), "Flexible Nonvolatile Polymer Memory Array on Plastic Substrate via Initiated Chemical Vapor Deposition", *ACS Applied Materials & Interfaces*, Vol. 8, pp. 12951-12958, 2016.

Jeon, H., Shin, K., Yang, C., Park, C. E., and Park, S.-H. K., (2008), "Thin-film passivation by atomic layer deposition for organic field-effect transistors", *Applied Physics Letters*, Vol. 93, pp. 163304, 2008.

Jeong, D. S., Thomas, R., Katiyar, R. S., Scott, J. F., Kohlstedt, H., Petraru, A., and Hwang, C. S., (2012), "Emerging memories: resistive switching mechanisms and current status", *Reports on Progress in Physics*, Vol. 75, pp. 076502, 2012.

- Jing, X., Illarionov, Y., Yalon, E., Zhou, P., Grasser, T., Shi, Y., and Lanza, M., (2020), "Engineering Field Effect Transistors with 2D Semiconducting Channels: Status and Prospects", *Advanced Functional Materials*, Vol. 30, pp. 1901971, 2020.
- Jiyoung, K., Hong, A. J., Sung Min, K., Song, E. B., Park, J. H., Jeonghee, H., Siyoung, C., Deahyun, J., Joo -Tae, M., and Wang, K. L., (2009), "Novel Vertical-Stacked-Array-Transistor (VSAT) for ultra-high-density and cost-effective NAND Flash memory devices and SSD (Solid State Drive) In "2009 Symposium on VLSI Technology", pp. 186-187.
- Jurczyk, M., (2018), *Handbook of Nanomaterials for Hydrogen Storage*, Ed., Jenny Stanford Publishing, pp. 308.
- Kang, D.-H., Choi, W.-Y., Woo, H., Jang, S., Park, H.-Y., Shim, J., Choi, J.-W., Kim, S., Jeon, S., Lee, S., and Park, J.-H., (2017), "Poly-4-vinylphenol (PVP) and Poly(melamine-co-formaldehyde) (PMF)-Based Atomic Switching Device and Its Application to Logic Gate Circuits with Low Operating Voltage", *ACS Applied Materials & Interfaces*, Vol. 9, pp. 27073-27082, 2017.
- Ke, J.-J., Wei, T.-C., Tsai, D.-S., Lin, C.-H., and He, J.-H., (2016), "Surface effects of electrode-dependent switching behavior of resistive random-access memory", *Applied Physics Letters*, Vol. 109, pp. 131603, 2016.
- Kever, T., Böttger, U., Schindler, C., and Waser, R., (2007), "On the origin of bistable resistive switching in metal organic charge transfer complex memory cells", *Applied Physics Letters*, Vol. 91, pp. 083506, 2007.
- Khurana, G., Misra, P., Kumar, N., Kooriyattil, S., Scott, J. F., and Katiyar, R. S., (2015), "Enhanced resistive switching in forming-free graphene oxide films embedded with gold nanoparticles deposited by electrophoresis", *Nanotechnology*, Vol. 27, pp. 015702, 2015.
- Khvalkovskiy, A. V., Apalkov, D., Watts, S., Chepulskii, R., Beach, R. S., Ong, A., Tang, X., Driskill-Smith, A., Butler, W. H., Visscher, P. B., Lottis, D., Chen, E., Nikitin, V., and Krounbi, M., (2013), "Basic principles of STT-MRAM cell operation in memory arrays", *Journal of Physics D: Applied Physics*, Vol. 46, pp. 074001, 2013.
- Kim, H., Han, J. S., Kim, S. G., Kim, S. Y., and Jang, H. W., (2019a), "Halide perovskites for resistive random-access memories", *Journal of Materials Chemistry C*, Vol. 7, pp. 5226-5234, 2019a.
- Kim, S., Jung, H. J., Kim, J. C., Lee, K.-S., Park, S. S., Dravid, V. P., He, K., and Jeong, H. Y., (2018), "In Situ Observation of Resistive Switching in an Asymmetric Graphene Oxide Bilayer Structure", *ACS Nano*, Vol. 12, pp. 7335-7342, 2018.
- Kim, S. K., Kim, J. Y., Jang, B. C., Cho, M. S., Choi, S.-Y., Lee, J. Y., and Jeong, H. Y., (2016), "Conductive Graphitic Channel in Graphene Oxide-Based Memristive Devices", *Advanced Functional Materials*, Vol. 26, pp. 7406-7414, 2016.
- Kim, T., Kim, D.-K., Kim, J., and Pak, J. J., (2019b), "Resistive switching behaviour of multi-stacked PVA/graphene oxide+PVA composite/PVA insulating layer-based RRAM devices", *Semiconductor Science and Technology*, Vol. 34, pp. 065006, 2019b.
- Kim, T., and Lee, S., (2020), "Evolution of Phase-Change Memory for the Storage-Class Memory and Beyond", *IEEE Transactions on Electron Devices*, Vol. 67, pp. 1394-1406, 2020.
- Kim, Y., Kwon, H., Doo, S., Ahn, M., Kim, Y., Lee, Y., Kang, D., Do, S., Lee, C., Cho, G., Park, J., Kim, J., Park, K., Oh, S., Lee, S., Yu, J., Yu, K., Jeon, C., Kim, S., Park, H., Lee, J., Cho, S., Park, K., Kim, Y., Seo, Y., Shin, C., Lee, C., Bang, S., Park, Y., Choi, S., Kim, B., Han, G., Bae, S., Kwon, H., Choi, J., Sohn, Y., Park, K., Jang, S., and Jin, G., (2019c), "A 16-Gb, 18-Gb/s/pin GDDR6 DRAM With Per-Bit Trainable Single-Ended DFE and PLL-Less Clocking", *IEEE Journal of Solid-State Circuits*, Vol. 54, pp. 197-209, 2019c.
- Kozicki, M. N., and Barnaby, H. J., (2016), "Conductive bridging random access memory – materials, devices and applications", *Semiconductor Science and Technology*, Vol. 31, pp. 113001, 2016.
- Krishnamoorthy, K., Veerapandian, M., Yun, K., and Kim, S. J., (2013), "The chemical and structural analysis of graphene oxide with different degrees of oxidation", *Carbon*, Vol. 53, pp. 38-49, 2013.
- Kröger, F. A., and Vink, H. J., (1958), "Relations between the concentrations of imperfections in solids", *Journal of Physics and Chemistry of Solids*, Vol. 5, pp. 208-223, 1958.

Krounbi, M., Nikitin, V., Apalkov, D., Lee, J., Tang, X., Beach, R., Erickson, D., and Chen, E., (2015), "Status and Challenges in Spin-Transfer Torque MRAM Technology", *ECS Transactions*, Vol. 69, pp. 119-126, 2015.

Ku, B., Abbas, Y., Sokolov, A. S., and Choi, C., (2018), "Interface engineering of ALD HfO<sub>2</sub>-based RRAM with Ar plasma treatment for reliable and uniform switching behaviors", *Journal of Alloys and Compounds*, Vol. 735, pp. 1181-1188, 2018.

Kumar, D., Aluguri, R., Chand, U., and Tseng, T., (2019), "One Bipolar Selector-One Resistor for Flexible Crossbar Memory Applications", *IEEE Transactions on Electron Devices*, Vol. 66, pp. 1296-1301, 2019.

Kumar, R., Dhawan, S. K., Singh, H. K., and Kaur, A., (2016), "Charge transport mechanism of thermally reduced graphene oxide and their fabrication for high performance shield against electromagnetic pollution", *Materials Chemistry and Physics*, Vol. 180, pp. 413-421, 2016.

Kumar, R., Kulriya, P. K., Mishra, M., Singh, F., Gupta, G., and Kumar, M., (2018), "Highly selective and reversible NO<sub>2</sub> gas sensor using vertically aligned MoS<sub>2</sub> flake networks", *Nanotechnology*, Vol. 29, pp. 464001, 2018.

Kumbhare, P., Chakraborty, I., Khanna, A., and Ganguly, U., (2017), "Memory Performance of a Simple Pr<sub>0.7</sub>Ca<sub>0.3</sub>MnO<sub>3</sub>-Based Selectorless RRAM", *IEEE Transactions on Electron Devices*, Vol. 64, pp. 3967-3970, 2017.

Kwon, J., Sharma, A. A., Chen, C.-Y., Fantini, A., Jurczak, M., Herzing, A. A., Bain, J. A., Picard, Y. N., and Skowronski, M., (2016), "Transient Thermometry and High-Resolution Transmission Electron Microscopy Analysis of Filamentary Resistive Switches", *ACS Applied Materials & Interfaces*, Vol. 8, pp. 20176-20184, 2016.

Labalette, M., Jeannot, S., Blonkowski, S., Beilliard, Y., Ecoffey, S., Souifi, A., and Drouin, D., (2017), "Fabrication of Planar Back End of Line Compatible HfO<sub>x</sub> Complementary Resistive Switches", *IEEE Transactions on Nanotechnology*, Vol. 16, pp. 745-751, 2017.

Lai-Guo Wang, X. Q., Yan-Qiang Cao, Zheng-Yi Cao, Guo-Yong Fang, Ai-Dong Li\* and Di Wu (2015), "Excellent resistive switching properties of atomic layer-deposited Al<sub>2</sub>O<sub>3</sub>/HfO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> trilayer structures for non-volatile memory applications", *Nanoscale Research Letters*, Vol. 10, 2015.

Lai, Q., Zhu, S., Luo, X., Zou, M., and Huang, S., (2012), "Ultraviolet-visible spectroscopy of graphene oxides", *AIP Advances*, Vol. 2, pp. 032146, 2012.

Lanza, M., Wong, H.-S. P., Pop, E., Ielmini, D., Strukov, D., Regan, B. C., Larcher, L., Villena, M. A., Yang, J. J., Goux, L., Belmonte, A., Yang, Y., Puglisi, F. M., Kang, J., Magyari-Köpe, B., Yalon, E., Kenyon, A., Buckwell, M., Mehonic, A., Shluger, A., Li, H., Hou, T.-H., Hudec, B., Akinwande, D., Ge, R., Ambrogio, S., Roldan, J. B., Miranda, E., Suñe, J., Pey, K. L., Wu, X., Raghavan, N., Wu, E., Lu, W. D., Navarro, G., Zhang, W., Wu, H., Li, R., Holleitner, A., Wurstbauer, U., Lemme, M. C., Liu, M., Long, S., Liu, Q., Lv, H., Padovani, A., Pavan, P., Valov, I., Jing, X., Han, T., Zhu, K., Chen, S., Hui, F., and Shi, Y., (2019), "Recommended Methods to Study Resistive Switching Devices", *Advanced Electronic Materials*, Vol. 5, pp. 1800143, 2019.

Lau, W. S., Zhang, J., Wan, X., Luo, J. K., Xu, Y., and Wong, H., (2014), "Surface smoothing effect of an amorphous thin film deposited by atomic layer deposition on a surface with nano-sized roughness", *AIP Advances*, Vol. 4, pp. 027120, 2014.

Lawless, J. F., (2002), "Multiple Modes of Failure", *Statistical Models and Methods for Life-Time Data* Edited, John Wiley & Sons, 2002.

Lawrence, C. J., (1988), "The mechanics of spin coating of polymer films", *Physics of Fluids*, Vol. 31, pp. 2786, 1988.

Lee, D., Chun, M. C., Ko, H., Kang, B. S., and Kim, J., (2020), "Highly stable, solution-processed quaternary oxide thin film-based resistive switching random access memory devices via global and local stoichiometric manipulation strategy", *Nanotechnology*, Vol. 31, pp. 245202, 2020.

Lee, J., Schell, W., Zhu, X., Kioupakis, E., and Lu, W. D., (2019a), "Charge Transition of Oxygen Vacancies during Resistive Switching in Oxide-Based RRAM", *ACS Applied Materials & Interfaces*, Vol. 11, pp. 11579-11586, 2019a.

- Lee, J. H., Wu, C., Sung, S., An, H., and Kim, T. W., (2019b), "Highly flexible and stable resistive switching devices based on WS<sub>2</sub> nanosheets:poly(methylmethacrylate) nanocomposites", *Scientific Reports*, Vol. 9, pp. 19316, 2019b.
- Lee, J. S., Lee, S., and Noh, T. W., (2015), "Resistive switching phenomena: A review of statistical physics approaches", *Applied Physics Reviews*, Vol. 2, pp. 031303, 2015.
- Lee, S.-H., Park, H.-L., Kim, M.-H., Kang, S., and Lee, S.-D., (2019c), "Interfacial Triggering of Conductive Filament Growth in Organic Flexible Memristor for High Reliability and Uniformity", *ACS Applied Materials & Interfaces*, Vol. 11, pp. 30108-30115, 2019c.
- Lee, S., Kim, S., Cho, K., Kang, S., and Eshraghian, K., (2014), "Complementary Resistive Switch-Based Smart Sensor Search Engine", *IEEE Sensors Journal*, Vol. 14, pp. 1639-1646, 2014.
- Li, H., Huang, P., Gao, B., Liu, X., Kang, J., and Wong, H. P., (2017), "Device and Circuit Interaction Analysis of Stochastic Behaviors in Cross-Point RRAM Arrays", *IEEE Transactions on Electron Devices*, Vol. 64, pp. 4928-4936, 2017.
- Li, Q., Qiu, L., Wei, X., Dai, B., and Zeng, H., (2016), "Point contact resistive switching memory based on self-formed interface of Al/ITO", *Scientific Reports*, Vol. 6, pp. 29347, 2016.
- Li, Y., Chu, J., Duan, W., Cai, G., Fan, X., Wang, X., Wang, G., and Pei, Y., (2018), "Analog and Digital Bipolar Resistive Switching in Solution-Combustion-Processed NiO Memristor", *ACS Applied Materials & Interfaces*, Vol. 10, pp. 24598-24606, 2018.
- Liang, Y., Frisch, J., Zhi, L., Norouzi-Arasi, H., Feng, X., Rabe, J. P., Koch, N., and Müllen, K., (2009), "Transparent, highly conductive graphene electrodes from acetylene-assisted thermolysis of graphite oxide sheets and nanographene molecules", *Nanotechnology*, Vol. 20, pp. 434007, 2009.
- Lin, C.-L., and Lin, T.-Y., (2016), "Superior unipolar resistive switching in stacked ZrO<sub>x</sub>/ZrO<sub>2</sub>/ZrO<sub>x</sub> structure", *AIP Advances*, Vol. 6, pp. 035103, 2016.
- Lin, C. C., Su, C. T., Chang, C. L., and Wu, H. Y., (2014a), "Resistive Switching Behavior of Al/Al<sub>2</sub>O<sub>3</sub>/ZrO<sub>2</sub>/Al Structural Device for Flexible Nonvolatile Memory Application", *IEEE Transactions on Magnetics*, Vol. 50, pp. 1-4, 2014a.
- Lin, C. Y., Wu, C. Y., Hu, C., and Tseng, T. Y., (2007), "Bistable resistive switching in Al<sub>2</sub>O<sub>3</sub> memory thin films", *Journal of Electrochemical Society*, Vol. 154, 2007.
- Lin, W.-P., Liu, S.-J., Gong, T., Zhao, Q., and Huang, W., (2014b), "Polymer-Based Resistive Memory Materials and Devices", *Advanced Materials*, Vol. 26, pp. 570-606, 2014b.
- Ling, H., Yi, M., Nagai, M., Xie, L., Wang, L., Hu, B., and Huang, W., (2017), "Controllable Organic Resistive Switching Achieved by One-Step Integration of Cone-Shaped Contact", *Advanced Materials*, Vol. 29, pp. 1701333, 2017.
- Liu, D., Lin, Q., Zang, Z., Wang, M., Wangyang, P., Tang, X., Zhou, M., and Hu, W., (2017), "Flexible All-Inorganic Perovskite CsPbBr<sub>3</sub> Nonvolatile Memory Device", *ACS Applied Materials & Interfaces*, Vol. 9, pp. 6171-6176, 2017.
- LIU, E., (2018), "Materials and designs of magnetic tunnel junctions with perpendicular magnetic anisotropy for high-density memory applications", Faculty of Engineering Sciencent, KU Leuven
- Liu, Q., Sun, J., Lv, H., Long, S., Yin, K., Wan, N., Li, Y., Sun, L., and Liu, M., (2012), "Real-Time Observation on Dynamic Growth/Dissolution of Conductive Filaments in Oxide-Electrolyte-Based ReRAM", *Advanced Materials*, Vol. 24, pp. 1844-1849, 2012.
- Liu, S., Dong, S., Wang, X., Shi, L., Xu, H., Huang, S., and Luo, J., (2020), "Flexible and fully biodegradable resistance random access memory based on a gelatin dielectric", *Nanotechnology*, Vol. 31, pp. 255204, 2020.
- Liu, S., Lu, N., Zhao, X., Xu, H., Banerjee, W., Lv, H., Long, S., Li, Q., Liu, Q., and Liu, M., (2016), "Eliminating Negative-SET Behavior by Suppressing Nanofilament Overgrowth in Cation-Based Memory", *Advanced Materials*, Vol. 28, pp. 10623-10629, 2016.
- Liu, S. Q., Wu, N. J., and Ignatiev, A., (2000), "Electric-pulse-induced reversible resistance change effect in magnetoresistive films", *Applied Physics Letters*, Vol. 76, pp. 2749, 2000.
- Liu, T., Wu, W., Liao, K.-N., Sun, Q., Gong, X., Roy, V. A. L., Yu, Z.-Z., and Li, R. K. Y., (2019), "Fabrication of carboxymethyl cellulose and graphene oxide bio-nanocomposites for flexible nonvolatile resistive switching memory devices", *Carbohydrate Polymers*, Vol. 214, pp. 213-220, 2019.

Liu, Z., and Wang, L., (2020), "Applications of Phase Change Materials in Electrical Regime From Conventional Storage Memory to Novel Neuromorphic Computing", *IEEE Access*, Vol. 8, pp. 76471-76499, 2020.

Luo, Q., Xu, X., Gong, T., Lv, H., Dong, D., Ma, H., Yuan, P., Gao, J., Liu, J., Yu, Z., Li, J., Long, S., Liu, Q., and Liu, M., (2017), "8-Layers 3D vertical RRAM with excellent scalability towards storage class memory applications In "2017 IEEE International Electron Devices Meeting (IEDM)", pp. 2.7.1-2.7.4.

Ma, G., Tang, X., Zhang, H., Zhong, Z., Li, X., Li, J., and Su, H., (2016), "Ultra-high ON/OFF ratio and multi-storage on NiO resistive switching device", *Journal of Materials Science*, Vol., pp. 1-9, 2016.

Ma, Y., Li, D., Herzing, A. A., Cullen, D. A., Sneed, B. T., More, K. L., Nuhfer, N. T., Bain, J. A., and Skowronski, M., (2018), "Formation of the Conducting Filament in TaOx-Resistive Switching Devices by Thermal-Gradient-Induced Cation Accumulation", *ACS Applied Materials & Interfaces*, Vol. 10, pp. 23187-23197, 2018.

Maestro-Izquierdo, M., Gonzalez, M. B., Jimenez-Molinos, F., Moreno, E., Roldan, J. B., and Campabadal, F., (2020), "Unipolar resistive switching behavior in Al<sub>2</sub>O<sub>3</sub>/HfO<sub>2</sub> multilayer dielectric stacks: fabrication, characterization and simulation", *Nanotechnology*, Vol. 31, pp. 135202, 2020.

Malard, L. M., Pimenta, M. A., Dresselhaus, G., and Dresselhaus, M. S., (2009), "Raman spectroscopy in graphene", *Physics Reports*, Vol. 473, pp. 51-87, 2009.

Mangalam, J., Agarwal, S., Resmi, A. N., Sundararajan, M., and Jinesh, K. B., (2016), "Resistive switching in polymethyl methacrylate thin films", *Organic Electronics*, Vol. 29, pp. 33-38, 2016.

Mattox, D. M., (2010a), "Chapter 6 - Vacuum Evaporation and Vacuum Deposition", *Handbook of Physical Vapor Deposition (PVD) Processing (Second Edition)*, Edited by D. M. Mattox, William Andrew Publishing, pp. 195-235, 2010a.

Mattox, D. M., (2010b), "Chapter 13 - Cleaning", *Handbook of Physical Vapor Deposition (PVD) Processing (Second Edition)*, Edited by D. M. Mattox, William Andrew Publishing, pp. 475-527, 2010b.

McCreery, R. L., (2000), "Instrumentation Overview and Spectrometer Performance", *Raman Spectroscopy for Chemical Analysis*, Edited, pp. 73-94, 2000.

Meng-Han, L., Ming-Chi, W., Chun-Yang, H., Chen-Hsi, L., and Tseung-Yuen, T., (2010), "High-speed and localized resistive switching characteristics of double-layer SrZrO<sub>3</sub> memory devices", *Journal of Physics D: Applied Physics*, Vol. 43, pp. 295404, 2010.

Michael, N. K., and Hugh, J. B., (2016), "Conductive bridging random access memory – materials, devices and applications", *Semiconductor Science and Technology*, Vol. 31, pp. 113001, 2016.

Mikolajick, T., Dehm, C., Hartner, W., Kasko, I., Kastner, M. J., Nagel, N., Moert, M., and Mazure, C., (2001), "FeRAM technology for high density applications", *Microelectronics Reliability*, Vol. 41, pp. 947-950, 2001.

Mikolajick, T., Schroeder, U., and Slesazeck, S., (2020), "The Past, the Present, and the Future of Ferroelectric Memories", *IEEE Transactions on Electron Devices*, Vol. 67, pp. 1434-1443, 2020.

Mohamed, M. A., Jaafar, J., Ismail, A. F., Othman, M. H. D., and Rahman, M. A., (2017), "Chapter 1 - Fourier Transform Infrared (FTIR) Spectroscopy", *Membrane Characterization*, Edited by N. Hilal, A. F. Ismail, T. Matsuura and D. Oatley-Radcliffe, Elsevier, pp. 3-29, 2017.

Molas, G., Sassine, G., Nail, C., Alfaro Robayo, D., Nodin, J.-F., Cagli, C., Coignus, J., Blaise, P., and Nowak, E., (2018), "(Invited) Resistive Memories (RRAM) Variability: Challenges and Solutions", *ECS Transactions*, Vol. 86, pp. 35-47, 2018.

Moore, G. E., (2006), "Cramming more components onto integrated circuits, Reprinted from Electronics, volume 38, number 8, April 19, 1965, pp.114 ff", *IEEE Solid-State Circuits Society Newsletter*, Vol. 11, pp. 33-35, 2006.

Munjal, S., and Khare, N., (2019), "Advances in resistive switching based memory devices", *Journal of Physics D: Applied Physics*, Vol. 52, pp. 433002, 2019.

Muñoz Caro, G. M., (2018), "Photochemistry in Ice Layers", *Encyclopedia of Interfacial Chemistry*, Edited by K. Wandelt, Elsevier, pp. 545-552, 2018.



- Nagareddy, V. K., Barnes, M. D., Zipoli, F., Lai, K. T., Alexeev, A. M., Craciun, M. F., and Wright, C. D., (2017), "Multilevel Ultrafast Flexible Nanoscale Nonvolatile Hybrid Graphene Oxide-Titanium Oxide Memories", *ACS Nano*, Vol. 11, pp. 3010-3021, 2017.
- Nail, C., Molas, G., Blaise, P., Piccolboni, G., Sklenard, B., Cagli, C., Bernard, M., Roule, A., Azzaz, M., Vianello, E., Carabasse, C., Berthier, R., Cooper, D., Pelissier, C., Magis, T., Ghibaud, G., Vallée, C., Bedeau, D., Mosendz, O., Salvo, B. D., and Perniola, L., (2016), "Understanding RRAM endurance, retention and window margin trade-off using experimental results and simulations In "2016 IEEE International Electron Devices Meeting (IEDM)", pp. 4.5.1-4.5.4.
- Nigam, A., Goel, N., Bhat, T. N., Tawabur Rahman, M., Dolmanan, S. B., Qiao, Q., Tripathy, S., and Kumar, M., (2020), "Real time detection of Hg<sup>2+</sup> ions using MoS<sub>2</sub> functionalized AlGaN/GaN high electron mobility transistor for water quality monitoring", *Sensors and Actuators B: Chemical*, Vol. 309, pp. 127832, 2020.
- Ossila, (2016), "Spin Coating: Complete Guide to Theory and Techniques, pp. <https://www.ossila.com/pages/spin-coating>.
- Ovshinsky, S. R., (1968), "Reversible Electrical Switching Phenomena in Disordered Structures", *Physical Review Letters*, Vol. 21, pp. 1450-1453, 1968.
- Panda, D., and Tseng, T.-Y., (2014), "Perovskite Oxides as Resistive Switching Memories: A Review", *Ferroelectrics*, Vol. 471, pp. 23-64, 2014.
- Panwar, N., Khanna, A., Kumbhare, P., Chakraborty, I., and Ganguly, U., (2017), "Self-Heating During submicrosecond Current Transients in Pr<sub>0.7</sub>Ca<sub>0.3</sub>MnO<sub>3</sub>-Based RRAM", *IEEE Transactions on Electron Devices*, Vol. 64, pp. 137-144, 2017.
- Park, G.-S., Kim, Y. B., Park, S. Y., Li, X. S., Heo, S., Lee, M.-J., Chang, M., Kwon, J. H., Kim, M., Chung, U. I., Dittmann, R., Waser, R., and Kim, K., (2013), "In situ observation of filamentary conducting channels in an asymmetric Ta<sub>2</sub>O<sub>5-x</sub>/TaO<sub>2-x</sub> bilayer structure", *Nature Communications*, Vol. 4, pp. 2382, 2013.
- Park, K., and Lee, J.-S., (2016), "Reliable resistive switching memory based on oxygen-vacancy-controlled bilayer structures", *RSC Advances*, Vol. 6, pp. 21736-21741, 2016.
- Park, M. R., Abbas, Y., Abbas, H., Hu, Q., Lee, T. S., Choi, Y. J., Yoon, T.-S., Lee, H.-H., and Kang, C. J., (2016), "Resistive switching characteristics in hafnium oxide, tantalum oxide and bilayer devices", *Microelectronic Engineering*, Vol. 159, pp. 190-197, 2016.
- Park, S., Kim, H., Choo, M., Noh, J., Sheri, A., Jung, S., Seo, K., Park, J., Kim, S., Lee, W., Shin, J., Lee, D., Choi, G., Woo, J., Cha, E., Jang, J., Park, C., Jeon, M., Lee, B., Lee, B. H., and Hwang, H., (2012), "RRAM-based synapse for neuromorphic system with pattern recognition function In "2012 International Electron Devices Meeting", pp. 10.2.1-10.2.4.
- Park, T. H., Song, S. J., Kim, H. J., Kim, S. G., Chung, S., Kim, B. Y., Lee, K. J., Kim, K. M., Choi, B. J., and Hwang, C. S., (2015), "Thickness effect of ultra-thin Ta<sub>2</sub>O<sub>5</sub> resistance switching layer in 28 nm-diameter memory cell", *Scientific Reports*, Vol. 5, pp. 15965, 2015.
- Park, W. Y., Kim, G. H., Seok, J. Y., Kim, K. M., Song, S. J., Lee, M. H., and Hwang, C. S., (2010), "A Pt/TiO<sub>2</sub>/Ti Schottky-type selection diode for alleviating the sneak current in resistance switching memory arrays", *Nanotechnology*, Vol. 21, pp. 195201-195204, 2010.
- Paul, S., Kanwal, A., and Chhowalla, M., (2005), "Memory effect in thin films of insulating polymer and C60 nanocomposites", *Nanotechnology*, Vol. 17, pp. 145-151, 2005.
- Pavan, P., Bez, R., Olivo, P., and Zanoni, E., (1997), "Flash memory cells-an overview", *Proceedings of the IEEE*, Vol. 85, pp. 1248-1271, 1997.
- Peng, H. Y., Li, G. P., Ye, J. Y., Wei, Z. P., Zhang, Z., Wang, D. D., Xing, G. Z., and Wu, T., (2010), "Electrode dependence of resistive switching in Mn-doped ZnO: filamentary versus interfacial mechanisms", *Applied Physics Letters*, Vol. 96, 2010.
- Potts, S. E., Dingemans, G., Lachaud, C., and Kessels, W. M. M., (2012), "Plasma-enhanced and thermal atomic layer deposition of Al<sub>2</sub>O<sub>3</sub> using dimethylaluminum isopropoxide, [Al(CH<sub>3</sub>)<sub>2</sub>(μ-OiPr)]<sub>2</sub>, as an alternative aluminum precursor", *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, Vol. 30, pp. 021505, 2012.
- Prezioso, M., Merrih-Bayat, F., Hoskins, B. D., Adam, G. C., Likharev, K. K., and Strukov, D. B., (2015), "Training and operation of an integrated neuromorphic network based on metal-oxide memristors", *Nature*, Vol. 521, pp. 61-64, 2015.

Prezioso, M., Merrikh Bayat, F., Hoskins, B., Likharev, K., and Strukov, D., (2016), "Self-Adaptive Spike-Time-Dependent Plasticity of Metal-Oxide Memristors", *Scientific Reports*, Vol. 6, pp. 21331, 2016.

Qi, M., Bai, L., Xu, H., Wang, Z., Kang, Z., Zhao, X., Liu, W., Ma, J., and Liu, Y., (2018), "Oxidized carbon quantum dot-graphene oxide nanocomposites for improving data retention of resistive switching memory", *Journal of Materials Chemistry C*, Vol. 6, pp. 2026-2033, 2018.

Qian, M., Pan, Y., Liu, F., Wang, M., Shen, H., He, D., Wang, B., Shi, Y., Miao, F., and Wang, X., (2014), "Tunable, Ultralow-Power Switching in Memristive Devices Enabled by a Heterogeneous Graphene-Oxide Interface", Vol. 26, pp. 3275-3281, 2014.

Qiu, J. T., Samanta, S., Dutta, M., Ginnaram, S., and Maikap, S., (2019), "Controlling Resistive Switching by Using an Optimized MoS<sub>2</sub> Interfacial Layer and the Role of Top Electrodes on Ascorbic Acid Sensing in TaO<sub>x</sub>-Based RRAM", *Langmuir*, Vol. 35, pp. 3897-3906, 2019.

Raghuwanshi, V., Bharti, D., Varun, I., Mahato, A. K., and Tiwari, S. P., (2016), "Performance enhancement in mechanically stable flexible organic-field effect transistors with TIPS-pentacene:polymer blend", *Organic Electronics*, Vol. 34, pp. 284-288, 2016.

Rehman, M. M., Siddiqui, G. U., Gul, J. Z., Kim, S.-W., Lim, J. H., and Choi, K. H., (2016), "Resistive Switching in All-Printed, Flexible and Hybrid MoS<sub>2</sub>-PVA Nanocomposite based Memristive Device Fabricated by Reverse Offset", *Scientific Reports*, Vol. 6, pp. 36195, 2016.

Reimer, L., (2000), "Scanning Electron Microscopy: Physics of Image Formation and Microanalysis, Second Edition", *Measurement Science and Technology*, Vol. 11, pp. 1826-1826, 2000.

Roy, S., Maikap, S., Sreekanth, G., Dutta, M., Jana, D., Chen, Y. Y., and Yang, J. R., (2015), "Improved resistive switching phenomena and mechanism using Cu-Al alloy in a new Cu:AlO<sub>x</sub>/TaO<sub>x</sub>/TiN structure", *Journal of Alloys and Compounds*, Vol. 637, 2015.

Run-Chen Fang, Q.-Q. S., Peng Zhou\*, Wen Yang, Peng-Fei Wang and David Wei Zhang (2013), "High-performance bilayer flexible resistive random access memory based on low-temperature thermal atomic layer deposition", *Nanoscale Research Letters*, Vol. 8, 2013.

Saadi, M., Gonon, P., Vallée, C., Mannequin, C., Grampeix, H., Jalaguier, E., Jomni, F., and Bsiesy, A., (2016), "On the mechanisms of cation injection in conducting bridge memories: The case of HfO<sub>2</sub> in contact with noble metal anodes (Au, Cu, Ag)", *Journal of Applied Physics*, Vol. 119, pp. 114501, 2016.

Sahu, V. K., Das, A. K., Ajimsha, R. S., and Misra, P., (2018), "Studies on transient characteristics of unipolar resistive switching processes in TiO<sub>2</sub> thin film grown by atomic layer deposition", *Journal of Physics D: Applied Physics*, Vol. 51, pp. 215101, 2018.

Saini, P., Singh, M., Thakur, J., Patil, R., Ma, Y. R., Tandon, R. P., Singh, S. P., and Mahapatro, A. K., (2018), "Probing the Mechanism for Bipolar Resistive Switching in Annealed Graphene Oxide Thin Films", *ACS Applied Materials & Interfaces*, Vol. 10, pp. 6521-6530, 2018.

Salinga, M., Kersting, B., Ronneberger, I., Jonnalagadda, V. P., Vu, X. T., Le Gallo, M., Giannopoulos, I., Cojocar, Mirédin, O., Mazzarello, R., and Sebastian, A., (2018), "Monatomic phase change memory", *Nature Materials*, Vol. 17, pp. 681-685, 2018.

Samanta, S., Maikap, S., Roy, A., Jana, S., and Qiu, J.-T., (2017), "Effects of W/Ir Top Electrode on Resistive Switching and Dopamine Sensing by Using Optimized TaO<sub>x</sub>-Based Memory Platform", *Advanced Materials Interfaces*, Vol. 4, pp. 1700959, 2017.

Sassine, G., Nail, C., Blaise, P., Sklenard, B., Bernard, M., Gassilloud, R., Marty, A., Veillerot, M., Vallée, C., Nowak, E., and Molas, G., (2019), "Hybrid-RRAM toward Next Generation of Nonvolatile Memory: Coupling of Oxygen Vacancies and Metal Ions", *Advanced Electronic Materials*, Vol. 5, pp. 1800658, 2019.

Schenk, T., Pešić, M., Slesazek, S., Schroeder, U., and Mikolajick, T., (2020), "Memory technology – a primer for material scientists", *Reports on Progress in Physics*, Vol. 83, pp. 086501, 2020.

Shang, D. S., Wang, Q., Chen, L. D., Dong, R., Li, X. M., and Zhang, W. Q., (2006), "Effect of carrier trapping on the hysteretic current-voltage characteristics in Ag/La<sub>0.7</sub>Ca<sub>0.3</sub>MnO<sub>3</sub>/Pt heterostructures", *Physical Review B*, Vol. 73, pp. 245427, 2006.

- Shang, J., Xue, W., Ji, Z., Liu, G., Niu, X., Yi, X., Pan, L., Zhan, Q., Xu, X.-H., and Li, R.-W., (2017), "Highly flexible resistive switching memory based on amorphous-nanocrystalline hafnium oxide films", *Nanoscale*, Vol. 9, pp. 7037-7046, 2017.
- Sharath, S. U., Bertaud, T., Kurian, J., Hildebrandt, E., Walczyk, C., Calka, P., Zaumseil, P., Sowinska, M., Walczyk, D., Gloskovskii, A., Schroeder, T., and Alff, L., (2014), "Towards forming-free resistive switching in oxygen engineered  $\text{HfO}_{2-x}$ ", *Applied Physics Letters*, Vol. 104, pp. 063502, 2014.
- Sheppard, C. J. R., and Matthews, H. J., (1988), "The Extended-focus, Auto-focus and Surface-profiling Techniques of Confocal Microscopy", *Journal of Modern Optics*, Vol. 35, pp. 145-154, 1988.
- Shi, K., Wang, Z., Xu, H., Xu, Z., Zhang, X., Zhao, X., Liu, W., Yang, G., and Liu, Y., (2018), "Complementary Resistive Switching Observed in Graphene Oxide-Based Memory Device", *IEEE Electron Device Letters*, Vol. 39, pp. 488-491, 2018.
- Shi, K., Xu, H., Wang, Z., Zhao, X., Liu, W., Ma, J., and Liu, Y., (2017), "Improved performance of  $\text{Ta}_2\text{O}_{5-x}$  resistive switching memory by Gd-doping: Ultralow power operation, good data retention, and multilevel storage", *Applied Physics Letters*, Vol. 111, pp. 223505, 2017.
- Siddiqui, G. U., Rehman, M. M., and Choi, K. H., (2016), "Enhanced resistive switching in all-printed, hybrid and flexible memory device based on perovskite  $\text{ZnSnO}_3$  via PVOH polymer", *Polymer*, Vol. 100, pp. 102-110, 2016.
- Siddiqui, G. U., Rehman, M. M., Yang, Y.-J., and Choi, K. H., (2017), "A two-dimensional hexagonal boron nitride/polymer nanocomposite for flexible resistive switching devices", *Journal of Materials Chemistry C*, Vol. 5, pp. 862-871, 2017.
- Simmons, J. G., (1970), "Electronic conduction through thin insulating films", *Handbook of Thin Film Technology*, Edited, New York: McGraw Hill, 1970.
- Slater, M., Farmwald, M., Hannah, M., James, D. V., Karp, J. A., Kumanoya, M., and Szarek, J., (1993), "Which DRAM will win the great DRAM sweepstakes? In "1993 IEEE International Solid-State Circuits Conference Digest of Technical Papers", pp. 76-77.
- Smullen, C. W., Mohan, V., Nigam, A., Gurusurthi, S., and Stan, M. R., (2011), "Relaxing non-volatility for fast and energy-efficient STT-RAM caches In "2011 IEEE 17th International Symposium on High Performance Computer Architecture", pp. 50-61.
- Sproul, W. D., (1996), "Physical vapor deposition tool coatings", *Surface and Coatings Technology*, Vol. 81, pp. 1-7, 1996.
- Subhechha, S., Govoreanu, B., Chen, Y., Clima, S., Meyer, K. D., Houdt, J. V., and Jurczak, M., (2016), "Extensive reliability investigation of a-VMCO nonfilamentary RRAM: Relaxation, retention and key differences to filamentary switching In "2016 IEEE International Reliability Physics Symposium (IRPS)", pp. 6C-2-1-6C-2-5.
- Sun, X., Li, G., Zhang, X. a., Ding, L., and Zhang, W., (2011), "Coexistence of the bipolar and unipolar resistive switching behaviours in Au/SrTiO<sub>3</sub>/Pt cells", *Journal of Physics D: Applied Physics*, Vol. 44, pp. 125404, 2011.
- Sun, Y., Lu, J., Ai, C., and Wen, D., (2016), "Nonvolatile memory devices based on poly(vinyl alcohol) + graphene oxide hybrid composites", *Physical Chemistry Chemical Physics*, Vol. 18, pp. 11341-11347, 2016.
- Sun, Y., Miao, F., Li, R., and Wen, D., (2015), "Resistive switching memory devices based on electrical conductance tuning in poly(4-vinyl phenol)-oxadiazole composites", *Physical Chemistry Chemical Physics*, Vol. 17, pp. 29978-29984, 2015.
- Sun, Y., and Wen, D., (2019), "Nonvolatile WORM and rewritable multifunctional resistive switching memory devices from poly(4-vinyl phenol) and 2-amino-5-methyl-1,3,4-thiadiazole composite", *Journal of Alloys and Compounds*, Vol. 806, pp. 215-226, 2019.
- Sun, Y., Wen, D., and Bai, X., (2018), "Nonvolatile ternary resistive switching memory devices based on the polymer composites containing zinc oxide nanoparticles", *Physical Chemistry Chemical Physics*, Vol. 20, pp. 5771-5779, 2018.
- Sun, Y., Wen, D., and Sun, F., (2020), "Multistage Resistive Switching Processes in Filament Conduction-Based Organic Memory Devices", *Journal of The Electrochemical Society*, Vol. 167, pp. 027529, 2020.

Szalay, A., and Gray, J., (2006), "Science in an exponential world", *Nature*, Vol. 440, pp. 413-414, 2006.

Takashima, D., Nagadomi, Y., Hatsuda, K., Watanabe, Y., and Fujii, S., (2011), "A 128 Mb Chain FeRAM and System Design for HDD Application and Enhanced HDD Performance", *IEEE Journal of Solid-State Circuits*, Vol. 46, pp. 530-536, 2011.

Tang, Z., Chi, Y., Fang, L., Liu, R., and Yi, X., (2014), "Resistive Switching Effect in Titanium Oxides", *Journal of Nanoscience and Nanotechnology*, Vol. 14, pp. 1494-1507, 2014.

Thakre, A., and Kumar, A., (2017), "Bipolar resistive switching in PVDF and Graphene Oxide hetero-structure thin films", *Journal of Alloys and Compounds*, Vol. 722, pp. 579-584, 2017.

Thiounn, T., Lauer, M. K., Bedford, M. S., Smith, R. C., and Tennyson, A. G., (2018), "Thermally-healable network solids of sulfur-crosslinked poly(4-allyloxystyrene)", *RSC Advances*, Vol. 8, pp. 39074-39082, 2018.

Titus, D., James Jebaseelan Samuel, E., and Roopan, S. M., (2019), "Chapter 12 - Nanoparticle characterization techniques", *Green Synthesis, Characterization and Applications of Nanoparticles*, Edited by A. K. Shukla and S. Iravani, Elsevier, pp. 303-319, 2019.

Tomovska, R., Agirre, A., Veloso, A., and Leiza, J. R., (2014), "Characterization Techniques for Polymeric Materials", *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering*, Edited, Elsevier, 2014.

Tsai, T.-L., Chang, H.-Y., Lou, J. J.-C., and Tseng, T.-Y., (2016), "A high performance transparent resistive switching memory made from ZrO<sub>2</sub>/AlON bilayer structure", *Applied Physics Letters*, Vol. 108, pp. 153505, 2016.

Tseng, T. Y., and Sze, S. M., (2012), *Nonvolatile Memories: Materials, Devices and Applications*, Ed., American Scientific Publishers Lewis Way,

Vallés, C., David Núñez, J., Benito, A. M., and Maser, W. K., (2012), "Flexible conductive graphene paper obtained by direct and gentle annealing of graphene oxide paper", *Carbon*, Vol. 50, pp. 835-844, 2012.

Valov, I., and Kozicki, M. N., (2013), "Cation-based resistance change memory", *Journal of Physics D: Applied Physics*, Vol. 46, pp. 074005, 2013.

van Hemmen, J. L., Heil, S. B. S., Klootwijk, J. H., Roozeboom, F., Hodson, C. J., van de Sanden, M. C. M., and Kessels, W. M. M., (2007), "Plasma and Thermal ALD of Al<sub>2</sub>O<sub>3</sub> in a Commercial 200 mm ALD Reactor", *Journal of The Electrochemical Society*, Vol. 154, pp. G165-G169, 2007.

Varun, I., Bharti, D., Mahato, A. K., Raghuwanshi, V., and Tiwari, S. P., (2018), "Investigation of resistive switching in PVP and ultra-thin HfOx based bilayer hybrid RRAM", *Solid State Ionics*, Vol. 325, pp. 196-200, 2018.

Varun, I., Bharti, D., Mahato, A. K., Raghuwanshi, V., and Tiwari, S. P., (2020a), "High-Performance Flexible Resistive RAM With PVP:GO Composite and Ultrathin HfOx Hybrid Bilayer", *IEEE Transactions on Electron Devices*, Vol. 67, pp. 949-954, 2020a.

Varun, I., Bharti, D., Raghuwanshi, V., and Tiwari, S. P., (2017), "Multi-temperature deposition scheme for improved resistive switching behavior of Ti/AlO<sub>x</sub>/Ti MIM structure", *Solid State Ionics*, Vol. 309, pp. 86-91, 2017.

Varun, I., Mahato, A. K., Raghuwanshi, V., and Tiwari, S. P., (2020b), "Ultralow Current Switching in Flexible Hybrid PVP:MoS<sub>2</sub>/HfO<sub>x</sub> Bilayer Devices", *IEEE Transactions on Electron Devices*, Vol., pp. 1-6, 2020b.

Vyas, G., Dagar, P., and Sahu, S., (2016), "A complementary switching mechanism for organic memory devices to regulate the conductance of binary states", *Applied Physics Letters*, Vol. 108, pp. 233301, 2016.

Wang, C.-Y., Wang, C., Meng, F., Wang, P., Wang, S., Liang, S.-J., and Miao, F., (2020a), "2D Layered Materials for Memristive and Neuromorphic Applications", Vol. 6, pp. 1901107, 2020a.

Wang, H., and Yan, X., (2019), "Overview of Resistive Random Access Memory (RRAM): Materials, Filament Mechanisms, Performance Optimization, and Prospects", *Physica Status Solidi RRL*, Vol. 13, pp. 1900073, 2019.

Wang, M., Guo, K., and Cheng, H., (2020b), "Stretchable HfO<sub>2</sub>-Based Resistive Switching Memory Using the Wavy Structured Design", *IEEE Electron Device Letters*, Vol. 41, pp. 1118-1121, 2020b.

Wang, X.-F., Tian, H., Zhao, H.-M., Zhang, T.-Y., Mao, W.-Q., Qiao, Y.-C., Pang, Y., Li, Y.-X., Yang, Y., and Ren, T.-L., (2018a), "Interface Engineering with MoS<sub>2</sub>-Pd Nanoparticles Hybrid Structure for a Low Voltage Resistive Switching Memory", *Small*, Vol. 14, pp. 1702525, 2018a.

Wang, Z., Rao, M., Midya, R., Joshi, S., Jiang, H., Lin, P., Song, W., Asapu, S., Zhuo, Y., Li, C., Wu, H., Xia, Q., and Yang, J. J., (2018b), "Threshold Switching of Ag or Cu in Dielectrics: Materials, Mechanism, and Applications", *Advanced Functional Materials*, Vol. 28, pp. 1704862, 2018b.

Watanabe, Y. B., J. G. ; Bietsch, A. ; Gerber, Ch ; Widmer, D. ; Beck, A. ; Wind, S. J., (2001), "Current-driven insulator-conductor transition and nonvolatile memory in chromium-doped SrTiO<sub>3</sub> single crystals", *Applied Physics Letters*, Vol. 78, pp. 3738-3740, 2001.

Wei, L., Yin, Y. F., and Zhang, W. F., (2016), "Utilization of a cross-section CAFM to investigate resistive switching behaviors in a Pt/YMnO<sub>3</sub>/Pt device", *Journal of Physics D: Applied Physics*, Vol. 49, pp. 455302, 2016.

Whitehead, S. A., Shearer, A. C., Watts, D. C., and Wilson, N. H. F., (1999), "Comparison of two stylus methods for measuring surface texture", *Dental Materials*, Vol. 15, pp. 79-86, 1999.

Wolverson, D., (2008), "8 - Raman spectroscopy", *Characterization of Semiconductor Heterostructures and Nanostructures*, Edited by C. Lamberti, Elsevier, pp. 249-288, 2008.

Wong, H. P., Raoux, S., Kim, S., Liang, J., Reifenberg, J. P., Rajendran, B., Asheghi, M., and Goodson, K. E., (2010), "Phase Change Memory", *Proceedings of the IEEE*, Vol. 98, pp. 2201-2227, 2010.

Wright, G. T., (1961), "Mechanisms of space-charge-limited current in solids", *Solid-State Electronics*, Vol. 2, pp. 165-189, 1961.

Wu, C., Li, F., Zhang, Y., Guo, T., and Chen, T., (2011), "Highly reproducible memory effect of organic multilevel resistive-switch device utilizing graphene oxide sheets/polyimide hybrid nanocomposite", *Applied Physics Letters*, Vol. 99, pp. 042108, 2011.

Wu, M.-C., Ting, Y.-H., Chen, J.-Y., and Wu, W.-W., (2019), "Low Power Consumption Nanofilamentary ECM and VCM Cells in a Single Sidewall of High-Density VRRAM Arrays", *Advanced Science*, Vol. 6, pp. 1902363, 2019.

Wu, X., Xu, Z., Yu, Z., Zhang, T., Zhao, F., Sun, T., Ma, Z., Li, Z., and Wang, S., (2015), "Resistive switching behavior of photochemical activation solution-processed thin films at low temperatures for flexible memristor applications", *Journal of Physics D: Applied Physics*, Vol. 48, pp. 115101, 2015.

Xu, H., Kim, D. H., Xiahou, Z., Li, Y., Zhu, M., Lee, B., and Liu, C., (2016), "Effect of Co doping on unipolar resistance switching in Pt/Co:ZnO/Pt structures", *Journal of Alloys and Compounds*, Vol. 658, pp. 806-812, 2016.

Yalon, E., Cohen, S., Gavrilov, A., and Ritter, D., (2012), "Evaluation of the local temperature of conductive filaments in resistive switching materials", *Nanotechnology*, Vol. 23, pp. 465201, 2012.

Yan, B., Li, B., Qiao, X., Xue, C.-X., Chang, M.-F., Chen, Y., and Li, H., (2019), "Resistive Memory-Based In-Memory Computing: From Device and Large-Scale Integration System Perspectives", *Advanced Intelligent Systems*, Vol. 1, pp. 1900068, 2019.

Yanagida, T., Nagashima, K., Oka, K., Kanai, M., Klamchuen, A., Park, B. H., and Kawai, T., (2013), "Scaling Effect on Unipolar and Bipolar Resistive Switching of Metal Oxides", *Scientific Reports*, Vol. 3, pp. 1657, 2013.

Yang, J. J., Strukov, D. B., and Stewart, D. R., (2013), "Memristive devices for computing", *Nature Nanotechnology*, Vol. 8, pp. 13-24, 2013.

Yang, Y., and Huang, R., (2018), "Probing memristive switching in nanoionic devices", *Nature Electronics*, Vol. 1, pp. 274-287, 2018.

Yang, Y., Takahashi, Y., Tsurumaki-Fukuchi, A., Arita, M., Moors, M., Buckwell, M., Mehon, A., and Kenyon, A. J., (2017), "Probing electrochemistry at the nanoscale: in situ TEM and STM characterizations of conducting filaments in memristive devices", *Journal of Electroceramics*, Vol. 39, pp. 73-93, 2017.

Yang, Y. C., Pan, F., Liu, Q., Liu, M., and Zeng, F., (2009), "Fully Room-Temperature-Fabricated Nonvolatile Resistive Memory for Ultrafast and High-Density Memory Application", *Nano Letters*, Vol. 9, pp. 1636-1643, 2009.

Yao, J., Zhong, L., Natelson, D., and Tour, J. M., (2012), "In situ imaging of the conducting filament in a silicon oxide resistive switch", *Scientific Reports*, Vol. 2, pp. 242, 2012.

Yazdanparast, S., Koza, J. A., and Switzer, J. A., (2015), "Copper Nanofilament Formation during Unipolar Resistance Switching of Electrodeposited Cuprous Oxide", *Chemistry of Materials*, Vol. 27, pp. 5974-5981, 2015.

Yefan, L., Yimao, C., Qiang, L., Yue, P., Zongwei, W., and Ru, H., (2014), "Inorganic-organic hybrid resistive switching memory with high uniformity and multilevel operation In "Proceedings of Technical Program - 2014 International Symposium on VLSI Technology, Systems and Application (VLSI-TSA)", pp. 1-2.

Yeom, S.-W., You, B., Cho, K., Jung, H. Y., Park, J., Shin, C., Ju, B.-K., and Kim, J.-W., (2017), "Silver Nanowire/Colorless-Polyimide Composite Electrode: Application in Flexible and Transparent Resistive Switching Memory", *Scientific Reports*, Vol. 7, pp. 3438, 2017.

Yiming Sun, C. S., Jun Yin, Xianzhe Chen, Qin Wan, Fei Zeng, and Feng Pan, (2017), "Guiding the Growth of a Conductive Filament by Nanoindentation To Improve Resistive Switching", *ACS Applied Materials Interfaces*, Vol. 9, pp. 34064-34070, 2017.

Yu, M., Fang, Y., Wang, Z., Chen, G., Pan, Y., Yang, X., Yin, M., Yang, Y., Li, M., Cai, Y., and Huang, R., (2016), "Encapsulation layer design and scalability in encapsulated vertical 3D RRAM", *Nanotechnology*, Vol. 27, pp. 205202, 2016.

Yu, S., Lee, B., and Wong, H.-S. P., (2012), "Metal Oxide Resistive Switching Memory", *Functional Metal Oxide Nanostructures*, Edited by J. Wu, J. Cao, W.-Q. Han, A. Janotti and H.-C. Kim, Springer New York, pp. 303-335, 2012.

Zahoor, F., Azni Zulkifli, T. Z., and Khanday, F. A., (2020), "Resistive Random Access Memory (RRAM): an Overview of Materials, Switching Mechanism, Performance, Multilevel Cell (mlc) Storage, Modeling, and Applications", *Nanoscale Research Letters*, Vol. 15, pp. 90, 2020.

Zhang, C., Shang, J., Xue, W., Tan, H., Pan, L., Yang, X., Guo, S., Hao, J., Liu, G., and Li, R.-W., (2016), "Convertible resistive switching characteristics between memory switching and threshold switching in a single ferritin-based memristor", *Chemical Communications*, Vol. 52, pp. 4828-4831, 2016.

Zhang, C., Yu, P.-L., Li, Y., and Li, J.-C., (2020a), "Polymer/TiO<sub>2</sub> Nanoparticles interfacial effects on resistive switching under mechanical strain", *Organic Electronics*, Vol. 77, pp. 105528, 2020a.

Zhang, J., Wang, F., Li, C., Shan, X., Liang, A., Hu, K., Li, Y., Liu, Q., Hao, Y., and Zhang, K., (2020b), "Insight into interface behavior and microscopic switching mechanism for flexible HfO<sub>2</sub> RRAM", *Applied Surface Science*, Vol. 526, pp. 146723, 2020b.

Zhang, K., Sun, K., Wang, F., Han, Y., Jiang, Z., Zhao, J., Wang, B., Zhang, H., Jian, X., and Wong, H. S. P., (2015), "Ultra-Low Power Ni/HfO<sub>2</sub>/TiO<sub>x</sub>/TiN Resistive Random Access Memory With Sub-30-nA Reset Current", *IEEE Electron Device Letters*, Vol. 36, pp. 1018-1020, 2015.

Zhang, R., Huang, H., Xia, Q., Ye, C., Wei, X., Wang, J., Zhang, L., and Zhu, L. Q., (2019), "Role of Oxygen Vacancies at the TiO<sub>2</sub>/HfO<sub>2</sub> Interface in Flexible Oxide-Based Resistive Switching Memory", *Advanced Electronic Materials*, Vol. 5, pp. 1800833, 2019.

Zhao, X., Fan, Z., Xu, H., Wang, Z., Xu, J., Ma, J., and Liu, Y., (2018a), "Reversible alternation between bipolar and unipolar resistive switching in Ag/MoS<sub>2</sub>/Au structure for multilevel flexible memory", *Journal of Materials Chemistry C*, Vol. 6, pp. 7195-7200, 2018a.

Zhao, X., Wang, Z., Xie, Y., Xu, H., Zhu, J., Zhang, X., Liu, W., Yang, G., Ma, J., and Liu, Y., (2018b), "Photocatalytic Reduction of Graphene Oxide-TiO<sub>2</sub> Nanocomposites for Improving Resistive-Switching Memory Behaviors", *Small*, Vol. 14, pp. 1801325, 2018b.

Zhou, J., Cai, F., Wang, Q., Chen, B., Gaba, S., and Lu, W. D., (2016), "Very Low-Programming-Current RRAM With Self-Rectifying Characteristics", *IEEE Electron Device Letters*, Vol. 37, pp. 404-407, 2016.

Zhou, Z., Mao, H., Wang, X., Sun, T., Chang, Q., Chen, Y., Xiu, F., Liu, Z., Liu, J., and Huang, W., (2018), "Transient and flexible polymer memristors utilizing full-solution processed polymer nanocomposites", *Nanoscale*, Vol. 10, pp. 14824-14829, 2018.

Zhu, J., (2008), "Magnetoresistive Random Access Memory: The Path to Competitiveness and Scalability", *Proceedings of the IEEE*, Vol. 96, pp. 1786-1798, 2008.

Zhuge, F., Li, K., Fu, B., Zhang, H., Li, J., Chen, H., Liang, L., Gao, J., Cao, H., Liu, Z., and Luo, H., (2015), "Mechanism for resistive switching in chalcogenide-based electrochemical metallization memory cells", *AIP Advances*, Vol. 5, pp. 057125, 2015.

...