

References

- Abbasi, S. A., Feng, P., Ma, Y., Cai, X., Yu, D., and Wu, Z. (2016). Influence of tool inclination angle and cutting direction on long thin-walled part's dimensional and geometric accuracy when high-speed ball end milling the heat-treated titanium alloy ti-6al-4 v. *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, 230(15):2676–2698.
- Agarwal, A. and Desai, K. A. (2020). Effect of workpiece curvature on axial surface error profile in flat end-milling of thin-walled components. *Procedia Manufacturing*, 48:498–507.
- Al-Zubaidi, S., Ghani, J. A., and Che Haron, C. H. (2011). Application of ann in milling process: a review. *Modelling and Simulation in Engineering*, 2011.
- Altintas, Y., Tuysuz, O., Habibi, M., and Li, Z. (2018). Virtual compensation of deflection errors in ball end milling of flexible blades. *CIRP Annals*, 67(1):365–368.
- Armarego, E. J. A. and Deshpande, N. P. (1989). Computerized predictive cutting models for forces in end-milling including eccentricity effects. *CIRP Annals*, 38(1):45–49.
- Arora, N., Agarwal, A., and Desai, K. A. (2019). Modelling of static surface error in end-milling of thin-walled geometries. *International Journal of Precision Technology*, 8(2-4):107–123.
- ASME Y14.5-2009 (2009). Geometric dimensioning and tolerancing- application, analysis & measurement. *ASME Press*.
- Bera, T., Desai, K., and Rao, P. (2011). Error compensation in flexible end milling of tubular geometries. *Journal of Materials Processing Technology*, 211(1):24–34.
- Bera, T. C., Desai, K. A., and Rao, P. V. M. (2010). On milling of thin-walled tubular geometries. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 224(12):1804–1816.
- Bolar, G. and Joshi, S. N. (2017). Three-dimensional numerical modeling, simulation and experimental validation of milling of a thin-wall component. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 231(5):792–804.
- Briceno, J. F., El-Mounayri, H., and Mukhopadhyay, S. (2002). Selecting an artificial neural network for efficient modeling and accurate simulation of the milling process. *International Journal of Machine Tools and Manufacture*, 42(6):663–674.
- Budak, E. and Altintas, Y. (1995). Modeling and avoidance of static form errors in peripheral milling of plates. *International Journal of Machine Tools and Manufacture*, 35(3):459–476.
- Carr, K. and Ferreira, P. (1995a). Verification of form tolerances part i: Basic issues, flatness, and straightness. *Precision Engineering*, 17(2):131–143.
- Carr, K. and Ferreira, P. (1995b). Verification of form tolerances part ii: cylindricity and straightness of a median line. *Precision Engineering*, 17(2):144–156.
- Chen, W., Xue, J., Tang, D., Chen, H., and Qu, S. (2009). Deformation prediction and error compensation in multilayer milling processes for thin-walled parts. *International Journal of Machine Tools and Manufacture*, 49(11):859–864.
- Chiabert, P., De Maddis, M., Ruffa, S., and Yusupov, J. (2017). Probabilistic method in form error evaluation: comparison of different approaches. *The International Journal of Advanced Manufacturing Technology*, 92(1-4):447–458.
- Chien, W.-T. and Chou, C.-Y. (2001). The predictive model for machinability of 304 stainless steel. *Journal of Materials Processing Technology*, 118(1-3):442–447.
- Cho, M. and Seo, T. (2002). Machining error compensation using radial basis function network based on cad/cam/cai integration concept. *International Journal of Production Research*, 40(9):2159–2174.

- Chung, K. T. and Geddam, A. (2003). A multi-sensor approach to the monitoring of end milling operations. *Journal of materials processing technology*, 139(1-3):15–20.
- Cogorno, G. R. (2006). Geometric dimensioning and tolerancing for mechanical design. McGraw-Hill Education.
- Cui, C., Li, T., Blunt, L., Jiang, X., Huang, H., Ye, R., and Fan, W. (2013). The assessment of straightness and flatness errors using particle swarm optimization. *Procedia CIRP*, 10:271–275.
- Cus, F. and Balic, J. (2003). Optimization of cutting process by ga approach. *Robotics and Computer-Integrated Manufacturing*, 19(1-2):113–121.
- Dang, J.-W., Zhang, W.-H., Yang, Y., and Wan, M. (2010). Cutting force modeling for flat end milling including bottom edge cutting effect. *International Journal of Machine Tools and Manufacture*, 50(11):986–997.
- Dave, H. K. and Raval, H. K. (2010). Modelling of cutting forces as a function of cutting parameters in milling process using regression analysis and artificial neural network. *International Journal of Machining and Machinability of Materials*, 8(1-2):198–208.
- Dépincé, P. and Hascoët, J.-Y. (2006). Active integration of tool deflection effects in end milling. part 1. prediction of milled surfaces. *International Journal of Machine Tools and Manufacture*, 46(9):937–944.
- Dépincé, P. and Hascoët, J.-Y. (2006). Active integration of tool deflection effects in end milling. part 2. compensation of tool deflection. *International Journal of Machine Tools and Manufacture*, 46(9):945–956.
- Desai, K. and Rao, P. (2016). Machining of curved geometries with constant engagement tool paths. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 230(1):53–65.
- Desai, K. A., Agarwal, P. K., and Rao, P. V. M. (2009). Process geometry modeling with cutter runout for milling of curved surfaces. *International Journal of Machine Tools and Manufacture*, 49(12-13):1015–1028.
- Desai, K. A. and Rao, P. V. M. (2008). Effect of direction of parameterization on cutting forces and surface error in machining curved geometries. *International Journal of Machine Tools and Manufacture*, 48(2):249–259.
- Desai, K. A. and Rao, P. V. M. (2012). On cutter deflection surface errors in peripheral milling. *Journal of Materials Processing Technology*, 212(11):2443–2454.
- Dhanish, P. B. and Shunmugam, M. S. (1991). An algorithm for form error evaluation – using the theory of discrete and linear chebyshev approximation. *Computer Methods in Applied Mechanics and Engineering*, 92(3):309–324.
- Dong, Z., Jiao, L., Wang, X., Liang, Z., Liu, Z., and Yi, J. (2016). Fea-based prediction of machined surface errors for dynamic fixture-workpiece system during milling process. *The International Journal of Advanced Manufacturing Technology*, 85(1-4):299–315.
- Du, Z., Zhang, D., Hou, H., and Liang, S. Y. (2017). Peripheral milling force induced error compensation using analytical force model and apdl deformation calculation. *The International Journal of Advanced Manufacturing Technology*, 88(9-12):3405–3417.
- Eberhart, R. and Kennedy, J. (1995). A new optimizer using particle swarm theory. In *MHS'95. Proceedings of the Sixth International Symposium on Micro Machine and Human Science*, pages 39–43. Ieee.
- Fukuda, M. and Shimokohbe, A. (1984). Algorithms for form evaluation, methods of minimum zone and least squares. In *Proceedings of the international symposium on metrology for quality production*, pages 197–202.
- Guo, H., Zuo, D. W., Wang, S. H., Wang, M., Xu, L. L., and Hu, J. (2006). The application of fem technology on the deformation analysis of the aero thin-walled frame shape workpiece. In *Key Engineering Materials*, volume 315, pages 174–179. Trans Tech Publ.
- Habibi, M., Tuysuz, O., and Altintas, Y. (2019). Modification of tool orientation and position to compensate tool and part deflections in five-axis ball end milling operations. *Journal of*

- Manufacturing Science and Engineering*, 141(3).
- Hao, H., Wang, B., and Tang, W. (2015). Prediction of instantaneous milling force taking runout into account in peripheral milling of curved surface. *The International Journal of Advanced Manufacturing Technology*, 79(1-4):49–56.
- Huang, N., Bi, Q., Wang, Y., and Sun, C. (2014). 5-axis adaptive flank milling of flexible thin-walled parts based on the on-machine measurement. *International Journal of Machine Tools and Manufacture*, 84:1–8.
- ISO 1101:2017 (2017). Geometrical product specifications (gps) - geometrical tolerancing - tolerances of form, orientation, location and run-out. *Geneva, Switzerland*.
- Iwabe, H. and Fujii, Y. (1988). Effect of dynamic behaviour of end mill in machining on working accuracy (2nd report)-mechanism of generating shape error of bottom surface. *Journal of the Japan Society of Precision Engineering*, 54(5):940–945.
- Kang, Y.-G. and Wang, Z.-Q. (2013). Two efficient iterative algorithms for error prediction in peripheral milling of thin-walled workpieces considering the in-cutting chip. *International Journal of Machine Tools and Manufacture*, 73:55–61.
- Kang, Y. G., Yang, G. R., Huang, J., and Zhu, J. H. (2014). Systematic simulation method for the calculation of maximum deflections in peripheral milling of thin-walled workpieces with flexible iterative algorithms. In *Advanced Materials Research*, volume 909, pages 185–191. Trans Tech Publ.
- Kao, Y.-C., Nguyen, N.-T., Chen, M.-S., and Su, S.-T. (2015). A prediction method of cutting force coefficients with helix angle of flat-end cutter and its application in a virtual three-axis milling simulation system. *The International Journal of Advanced Manufacturing Technology*, 77(9-12):1793–1809.
- Kayri, M. (2016). Predictive abilities of bayesian regularization and levenberg-marquardt algorithms in artificial neural networks: a comparative empirical study on social data. *Mathematical and Computational Applications*, 21(2):20.
- Kline, W. A. and DeVor, R. E. (1983). The effect of runout on cutting geometry and forces in end milling. *International Journal of Machine Tool Design and Research*, 23(2-3):123–140.
- Kline, W. A., DeVor, R. E., and Lindberg, J. R. (1982a). The prediction of cutting forces in end milling with application to cornering cuts. *International Journal of Machine Tool Design and Research*, 22(1):7–22.
- Kline, W. A., DeVor, R. E., and Shareef, I. A. (1982b). The prediction of surface accuracy in end milling. *Transactions of the ASME: Journal of Engineering for Industry*, 104:272–278.
- Ko, J. H., Yun, W.-S., Cho, D.-W., and Ehmann, K. F. (2002). Development of a virtual machining system, part 1: approximation of the size effect for cutting force prediction. *International Journal of Machine Tools and Manufacture*, 42(15):1595–1605.
- Koike, Y., Matsubara, A., Nishiwaki, S., Izui, K., and Yamaji, I. (2012). Cutting path design to minimize workpiece displacement at cutting point: Milling of thin-walled parts. *International Journal of Automation Technology*, 6(5):638–647.
- Koike, Y., Matsubara, A., and Yamaji, I. (2013). Design method of material removal process for minimizing workpiece displacement at cutting point. *CIRP Annals*, 62(1):419–422.
- Kops, L. and Vo, D. T. (1990). Determination of the equivalent diameter of an end mill based on its compliance. *CIRP annals*, 39(1):93–96.
- Kovvur, Y., Ramaswami, H., Anand, R. B., and Anand, S. (2008). Minimum-zone form tolerance evaluation using particle swarm optimisation. *International Journal of Intelligent Systems Technologies and Applications*, 4(1-2):79–96.
- Lai, K. (1988). A computational geometry approach to geometric tolerancing. In *Proceedings of the 16th North American Manufacturing Research Conference, University of Illinois, 1988*, pages 376–379.
- Law, K. M. and Geddam, A. (2003). Error compensation in the end milling of pockets: a methodology. *Journal of materials processing technology*, 139(1-3):21–27.
- Law, K. M., Geddam, A., and Ostafiev, V. (1999). A process-design approach to error compensation in the end milling of pockets. *Journal of Materials Processing Technology*, 89:238–244.

- Lee, C., Kim, S., Choi, K., and Lee, D. (2003). Evaluation of cutter orientations in high-speed ball end milling of cantilever-shaped thin plate. *Journal of Materials Processing Technology*, 140(1-3):231–236.
- Li, X. P., Nee, A. Y. C., Wong, Y. S., and Zheng, H. Q. (1999). Theoretical modelling and simulation of milling forces. *Journal of Materials Processing Technology*, 89:266–272.
- Li, Z.-L., Tuysuz, O., Zhu, L.-M., and Altintas, Y. (2018). Surface form error prediction in five-axis flank milling of thin-walled parts. *International Journal of Machine Tools and Manufacture*, 128:21–32.
- Li, Z.-L. and Zhu, L.-M. (2016). Mechanistic modeling of five-axis machining with a flat end mill considering bottom edge cutting effect. *Journal of Manufacturing Science and Engineering*, 138(11).
- Li, Z.-L. and Zhu, L.-M. (2019). Compensation of deformation errors in five-axis flank milling of thin-walled parts via tool path optimization. *Precision Engineering*, 55:77–87.
- Liu, C., Wang, G., and Dargusch, M. S. (2012). Modelling, simulation and experimental investigation of cutting forces during helical milling operations. *The International Journal of Advanced Manufacturing Technology*, 63(9-12):839–850.
- Liu, C.-H., Chen, C.-K., and Jywe, W.-Y. (2001). Evaluation of straightness and flatness using a hybrid approach – genetic algorithms and the geometric characterization method. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 215(3):377–382.
- Liu, G., Dang, J., Li, C., and Chen, M. (2020a). Parametric study on the tool inclination angle for side milling thin-walled workpiece edges based on finite element simulation. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 234(3):439–452.
- Liu, Z., Kang, R., Liu, H., Dong, Z., Bao, Y., Gao, S., and Zhu, X. (2020b). Fem-based optimization approach to machining strategy for thin-walled parts made of hard and brittle materials. *The International Journal of Advanced Manufacturing Technology*, pages 1–15.
- Lo, C.-C. and Hsiao, C.-Y. (1998). A method of tool path compensation for repeated machining process. *International Journal of Machine Tools and Manufacture*, 38(3):205–213.
- Ma, J.-w., He, G.-z., Liu, Z., Qin, F.-z., Chen, S.-y., and Zhao, X.-x. (2018). Instantaneous cutting-amount planning for machining deformation homogenization based on position-dependent rigidity of thin-walled surface parts. *Journal of Manufacturing Processes*, 34:401–411.
- MacKay, D. J. C. (1992). Bayesian interpolation. *Neural computation*, 4(3):415–447.
- MATLAB 2019b (2019). Matlab and statistics toolbox release 2019b. *The MathWorks, Inc., Natick*.
- Melkote, S. N. and Endres, W. J. (1998). The importance of including size effect when modeling slot milling. *Journal of Manufacturing Science and Engineering*, 120(1):68–75.
- Merchant, M. E. (1945). Mechanics of the metal cutting process. i. orthogonal cutting and a type 2 chip. *Journal of applied physics*, 16(5):267–275.
- Mikó, B. and Rácz, G. (2018). Investigation of flatness and angularity in case of ball-end milling. *The International Symposium for Production Research*, pages 65–72.
- Murthy, T. S. R. and Abdin, S. Z. (1980). Minimum zone evaluation of surfaces. *International Journal of Machine Tool Design and Research*, 20(2):123–136.
- Namboothiri, V. N. N. and Shunmugam, M. S. (1998a). Form error evaluation using 11-approximation. *Computer methods in applied mechanics and engineering*, 162(1-4):133–149.
- Namboothiri, V. N. N. and Shunmugam, M. S. (1998b). Function-oriented form evaluation of engineering surfaces. *Precision engineering*, 22(2):98–109.
- Ning, H., Zhigang, W., Chengyu, J., and Bing, Z. (2003). Finite element method analysis and control stratagem for machining deformation of thin-walled components. *Journal of Materials Processing Technology*, 139(1-3):332–336.
- Obeidat, S. M. and Raman, S. (2011). Process-guided coordinate sampling of end-milled flat plates. *The International Journal of Advanced Manufacturing Technology*, 53(9-12):979–991.
- Pathak, V. K., Singh, A. K., Singh, R., and Chaudhary, H. (2017). A modified algorithm of particle swarm optimization for form error evaluation. *tm-Technisches Messen*, 84(4):272–292.

- Preparata, F. P. and Hong, S. J. (1977). Convex hulls of finite sets of points in two and three dimensions. *Communications of the ACM*, 20(2):87–93.
- Radhakrishnan, T. and Nandan, U. (2005). Milling force prediction using regression and neural networks. *Journal of Intelligent Manufacturing*, 16(1):93–102.
- Ramesh, R., Mannan, M., and Poo, A. (2000). Error compensation in machine tools – a review: part i: geometric, cutting-force induced and fixture-dependent errors. *International Journal of Machine Tools and Manufacture*, 40(9):1235–1256.
- Rao, V. S. and Rao, P. V. M. (2005). Modelling of tooth trajectory and process geometry in peripheral milling of curved surfaces. *International Journal of Machine Tools and Manufacture*, 45(6):617–630.
- Rao, V. S. and Rao, P. V. M. (2006). Tool deflection compensation in peripheral milling of curved geometries. *International Journal of Machine Tools and Manufacture*, 46(15):2036–2043.
- Ratchev, S., Govender, E., and Nikov, S. (2002). Towards deflection prediction and compensation in machining of low-rigidity parts. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 216(1):129–134.
- Ratchev, S., Liu, S., and Becker, A. (2005). Error compensation strategy in milling flexible thin-wall parts. *Journal of Materials Processing Technology*, 162:673–681.
- Ratchev, S., Liu, S., Huang, W., and Becker, A. A. (2004a). A flexible force model for end milling of low-rigidity parts. *Journal of Materials Processing Technology*, 153:134–138.
- Ratchev, S., Liu, S., Huang, W., and Becker, A. A. (2004b). Milling error prediction and compensation in machining of low-rigidity parts. *International Journal of Machine Tools and Manufacture*, 44(15):1629–1641.
- Ratchev, S., Liu, S., Huang, W., and Becker, A. A. (2006). An advanced fea based force induced error compensation strategy in milling. *International Journal of Machine Tools and Manufacture*, 46(5):542–551.
- Rauch, M., Duc, E., and Hascoet, J.-Y. (2009). Improving trochoidal tool paths generation and implementation using process constraints modelling. *International Journal of Machine Tools and Manufacture*, 49(5):375–383.
- Rauch, M. and Hascoet, J.-Y. (2007). Rough pocket milling with trochoidal and plunging strategies. *International Journal of Machining and Machinability of Materials*, 2(2):161–175.
- Rezaee, J. A. and Jasni, J. (2013). Parameter selection in particle swarm optimisation: a survey. *Journal of Experimental & Theoretical Artificial Intelligence*, 25(4):527–542.
- Roy, U. and Xu, Y. (1995). Form and orientation tolerance analysis for cylindrical surfaces in computer-aided inspection. *Computers in Industry*, 26(2):127–134.
- Roy, U. and Zhang, X. (1992). Establishment of a pair of concentric circles with the minimum radial separation for assessing roundness error. *Computer-Aided Design*, 24(3):161–168.
- Ryu, S. H. and Chu, C. N. (2005). The form error reduction in side wall machining using successive down and up milling. *International Journal of Machine Tools and Manufacture*, 45(12-13):1523–1530.
- Ryu, S. H., Lee, H. S., and Chu, C. N. (2003). The form error prediction in side wall machining considering tool deflection. *International Journal of Machine Tools and Manufacture*, 43(14):1405–1411.
- Sabberwal, A. J. P. and Koenigsberger, F. (1961). Chip section and cutting force during the milling operation. *Annals of the CIRP*, 10(1):197–203.
- Samuel, G. L. and Shunmugam, M. S. (1999). Evaluation of straightness and flatness error using computational geometric techniques. *Computer-Aided Design*, 31(13):829–843.
- Samuel, G. L. and Shunmugam, M. S. (2000). Evaluation of circularity from coordinate and form data using computational geometric techniques. *Precision Engineering*, 24(3):251–263.
- Schmitz, T. L., Couey, J., Marsh, E., Mauntler, N., and Hughes, D. (2007). Runout effects in milling: Surface finish, surface location error, and stability. *International Journal of Machine Tools and Manufacture*, 47(5):841–851.
- Seo, T.-I. and Cho, M.-W. (1999). Tool trajectory generation based on tool deflection effects in flat-end milling process (i). *KSME International Journal*, 13(10):738–751.

- Sheth, S. and George, P. M. (2016a). Experimental investigation and prediction of flatness and surface roughness during face milling operation of wcb material. *Procedia Technology*, 23:344–351.
- Sheth, S. and George, P. M. (2016b). Experimental investigation, prediction and optimization of cylindricity and perpendicularity during drilling of wcb material using grey relational analysis. *Precision Engineering*, 45:33–43.
- Shirase, K. and Altıntaş, Y. (1996). Cutting force and dimensional surface error generation in peripheral milling with variable pitch helical end mills. *International Journal of Machine Tools and Manufacture*, 36(5):567–584.
- Shunmugam, M. S. (1986). On assessment of geometric errors. *International Journal of Production Research*, 24(2):413–425.
- Shunmugam, M. S. (1987). Comparison of linear and normal deviations of forms of engineering surfaces. *Precision Engineering*, 9(2):96–102.
- Smith, S. and Tlustý, J. (1991). An overview of modeling and simulation of the milling process. *Transactions of the ASME: Journal of Engineering for Industry*, 113:169–175.
- Stori, J. A. and Wright, P. K. (2001). Parameter space decomposition for selection of the axial and radial depth of cut in endmilling. *J. Manuf. Sci. Eng.*, 123(4):654–664.
- Suen, D. S. and Chang, C. N. (1997). Application of neural network interval regression method for minimum zone straightness and flatness. *Precision Engineering*, 20(3):196–207.
- Suneel, T., Pande, S., and Date, P. (2002). A technical note on integrated product quality model using artificial neural networks. *Journal of Materials Processing Technology*, 121(1):77–86.
- Sutherland, J. W. and DeVor, R. E. (1986). An improved method for cutting force and surface error prediction in flexible end milling systems. *Transactions of the ASME: Journal of Engineering for Industry*, 107:269–279.
- Tandon, V. and El-Mounayri, H. (2001). A novel artificial neural networks force model for end milling. *The International Journal of Advanced Manufacturing Technology*, 18(10):693–700.
- Tandon, V., El-Mounayri, H., and Kishawy, H. (2002). Nc end milling optimization using evolutionary computation. *International Journal of Machine Tools and Manufacture*, 42(5):595–605.
- Traband, M. T., Joshi, S. B., Wysk, R. A., and Cavalier, T. M. (1989). Evaluation of straightness and flatness tolerances using the minimum zone. *Manufacturing Review*, 2(3):189–195.
- Tsai, J.-S. and Liao, C.-L. (1999). Finite-element modeling of static surface errors in the peripheral milling of thin-walled workpieces. *Journal of Materials Processing Technology*, 94(2-3):235–246.
- Vaishnav, S., Agarwal, A., and Desai, K. A. (2020). Machine learning-based instantaneous cutting force model for end milling operation. *Journal of Intelligent Manufacturing*, 31(6):1353–1366.
- Venkaiiah, N. and Shunmugam, M. S. (2007a). Evaluation of form data using computational geometric techniques – part i: Circularity error. *International Journal of Machine Tools and Manufacture*, 47(7-8):1229–1236.
- Venkaiiah, N. and Shunmugam, M. S. (2007b). Evaluation of form data using computational geometric techniques – part ii: Cylindricity error. *International Journal of Machine Tools and Manufacture*, 47(7-8):1237–1245.
- Wan, M., Lu, M. S., Zhang, W. H., and Yang, Y. (2012). A new ternary-mechanism model for the prediction of cutting forces in flat end milling. *International Journal of Machine Tools and Manufacture*, 57(1):34–45.
- Wan, M., Zhang, W., Qiu, K., Gao, T., and Yang, Y. (2005). Numerical prediction of static form errors in peripheral milling of thin-walled workpieces with irregular meshes. *Journal of Manufacturing Science and Engineering*, 127(1):13–22.
- Wan, M. and Zhang, W. H. (2006a). Calculations of chip thickness and cutting forces in flexible end milling. *The International Journal of Advanced Manufacturing Technology*, 29(7-8):637–647.
- Wan, M. and Zhang, W. H. (2006b). Efficient algorithms for calculations of static form errors in peripheral milling. *Journal of Materials Processing Technology*, 171(1):156–165.
- Wan, M., Zhang, W. H., Qin, G. H., and Tan, G. (2007a). Efficient calibration of instantaneous cutting force coefficients and runout parameters for general end mills. *International Journal of*

- Machine Tools and Manufacture*, 47(11):1764–1776.
- Wan, M., Zhang, W. H., Qin, G. H., and Wang, Z. P. (2008a). Consistency study on three cutting force modelling methods for peripheral milling. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 222(6):665–676.
- Wan, M., Zhang, W. H., Qin, G. H., and Wang, Z. P. (2008b). Strategies for error prediction and error control in peripheral milling of thin-walled workpiece. *International Journal of Machine Tools and Manufacture*, 48(12-13):1366–1374.
- Wan, M., Zhang, W. H., Tan, G., and Qin, G. H. (2007b). New algorithm for calibration of instantaneous cutting-force coefficients and radial run-out parameters in flat end milling. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 221(6):1007–1019.
- Wang, E. (2006). Thin-wall structure simulation. *International ANSYS conference, Germany*. Available at <https://www.ansys.com/-/media/ansys/corporate/resourcelibrary/conference-paper/2006-intansys-conf-22.pdf>.
- Wang, J., Ibaraki, S., and Matsubara, A. (2017). A cutting sequence optimization algorithm to reduce the workpiece deformation in thin-wall machining. *Precision Engineering*, 50:506–514.
- Wang, J., Ibaraki, S., Matsubara, A., Shida, K., and Yamada, T. (2015). Fem-based simulation for workpiece deformation in thin-wall milling. *International Journal of Automation Technology*, 9(2):122–128.
- Wang, J.-J. J., Liang, S. Y., and Book, W. J. (1994). Convolution analysis of milling force pulsation. *Journal of Manufacturing Science and Engineering*.
- Wang, M., Cheraghi, S. H., and Masud, A. S. M. (1999). Circularity error evaluation: theory and algorithm. *Precision Engineering*, 23(3):164–176.
- Wang, Q., Jia, X., Hu, B., and Xia, W. (2019). A mechanistic prediction model of instantaneous cutting forces in drilling of carbon fiber-reinforced polymer. *The International Journal of Advanced Manufacturing Technology*, 103(5-8):1977–1988.
- Watanabe, T. and Iwai, S. (1983). A control system to improve the accuracy of finished surfaces in milling. *Journal of Dynamic Systems, Measurement, and Control*, 105(3):192–199.
- Weber, T., Motavalli, S., Fallahi, B., and Cheraghi, S. H. (2002). A unified approach to form error evaluation. *Precision engineering*, 26(3):269–278.
- Wen, X.-L., Huang, J.-C., Sheng, D.-H., and Wang, F.-L. (2010). Conicity and cylindricity error evaluation using particle swarm optimization. *Precision Engineering*, 34(2):338–344.
- Wimmer, S., Hunyadi, P., and Zaeh, M. F. (2019). A numerical approach for the prediction of static surface errors in the peripheral milling of thin-walled structures. *Production Engineering*, 13(3-4):479–488.
- Wu, G., Li, G., Pan, W., Wang, X., and Ding, S. (2020). A prediction model for the milling of thin-wall parts considering thermal-mechanical coupling and tool wear. *International Journal of Advanced Manufacturing Technology*, 107(11-12):4645–4659.
- Yucesan, G., Xie, Q., and Bayoumi, A. E. (1993). Determination of process parameters through a mechanistic force model of milling operations. *International Journal of Machine Tools and Manufacture*, 33(4):627–641.
- Yue, C., Chen, Z., Liang, S. Y., Gao, H., and Liu, X. (2019). Modeling machining errors for thin-walled parts according to chip thickness. *The International Journal of Advanced Manufacturing Technology*, 103(1-4):91–100.
- Yun, W.-S. and Cho, D.-W. (2000). An improved method for the determination of 3d cutting force coefficients and runout parameters in end milling. *The International Journal of Advanced Manufacturing Technology*, 16(12):851–858.
- Yun, W.-S., Ko, J. H., Cho, D.-W., and Ehmann, K. F. (2002a). Development of a virtual machining system, part 2: prediction and analysis of a machined surface error. *International Journal of machine tools and Manufacture*, 42(15):1607–1615.
- Yun, W.-S., Ko, J. H., Lee, H. U., Cho, D.-W., and Ehmann, K. F. (2002b). Development of a virtual

- machining system, part 3: cutting process simulation in transient cuts. *International Journal of Machine Tools and Manufacture*, 42(15):1617–1626.
- Zhang, D., Mo, R., Chang, Z., Sun, H., and Li, C. (2016). A study of computing accuracy of calibrating cutting force coefficients and run-out parameters in flat-end milling. *The International Journal of Advanced Manufacturing Technology*, 84(1-4):621–630.
- Zhang, L. and Zheng, L. (2004). Prediction of cutting forces in milling of circular corner profiles. *International Journal of Machine Tools and Manufacture*, 44(2-3):225–235.
- Zhang, L., Zheng, L., Zhang, Z. H., Liu, Y., and Li, Z. Z. (2002). On cutting forces in peripheral milling of curved surfaces. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 216(10):1385–1398.
- Zhang, X., Yu, T., and Wang, W. (2019). Cutting forces modeling for micro flat end milling by considering tool run-out and bottom edge cutting effect. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 233(2):470–485.
- Zhang, X., Zhang, W., Zhang, J., Pang, B., and Zhao, W. (2018). General modeling and calibration method for cutting force prediction with flat-end cutter. *Journal of Manufacturing Science and Engineering*, 140(2).
- Zhang, Z., Li, H., Meng, G., Ren, S., and Zhou, J. (2017). A new procedure for the prediction of the cutting forces in peripheral milling. *The International Journal of Advanced Manufacturing Technology*, 89(5-8):1709–1715.
- Zheng, P., Liu, D., Zhao, F., and Zhang, L. (2019). An efficient method for minimum zone cylindricity error evaluation using kinematic geometry optimization algorithm. *Measurement*, 135:886–895.
- Zuperl, U. and Cus, F. (2004). Tool cutting force modeling in ball-end milling using multilevel perceptron. *Journal of Materials Processing Technology*, 153:268–275.